

Blasters, Accessories & Abrasives

Professional Pressure Blasters

Manual pull up tank closure / Adjustable abrasive flow valve / 80 - 125 psi Air Pressure / Minimum air volume of 7 CFM @ 80 psi

Pressure gauge / Pressure relief valve - 125 psi __Pressure relieving ball valve



40000 Deadman Blaster (F-45DM)

- Overall Height: 35" with 6" wheels
- 44 lbs. / Ships UPS



40001 Deadman Blaster (F-65DM)

- Overall Height: 29.5" with 6" wheels
- 55 lbs. / Ships UPS



40002 Deadman Blaster (F-100DM)

- Overall Height: 34" with 6" wheels
- 53 lbs. / Ships UPS



40003 Deadman Blaster (F-110DM)

- Overall Height: 32" with 8" wheels
- 63 lbs. / Ships UPS




40004 Deadman Blaster (F-150DM)

• Overall Height: 37" with 8" wheels



40005 Deadman Blaster (F-300DM)

• Overall Height: 40" with 10" wheels



40011 Remote Blaster (F-600R)

- · Automatic tank closure
- · Adjustable abrasive flow valve
- 80 125 psi Air Pressure
- Pressure relief valve 125 psi
- · Pressure gauge
- Pressure relieving ball valve
- Pressure choke valve
- Manual pressure release
- Dual remote media valves
- Overall Height: 52" with 16" Wheels
- Minimum Air Volume: 40 CFM @ 80 psi
- 425 lbs. (skidded)

• 76 lbs. (2 pieces) / Ships UPS • 133 lbs. (2 pieces)					UA	TANK 425 lbs. (skidded)				
Model No.	Blast Hood	Blast Time	Blast Hose Size	Ceramic Nozzle Size	Moisture Separator	Frame	Tank Dimensions	Tank Volume	Approximate Capacity	ASME Certified
40000	Standard	15-20 Min.	1/2" ID x 8'	1 ea 1/8" / 1 ea 3/32"	Optional	Tubular Steel	10" x 14"	0.45 cu. ft.	45 lbs.	No
40001	with Bump Hat	20-30 Min.	1/2" ID x 10'	2 ea 1/8" / 1 ea 3/32"	Optional	Welded Steel	12" x 17"	0.65 cu. ft.	65 lbs.	Yes
40002	Standard	30-45 Min.	1/2" ID x 8'	1 ea 1/8" / 1 ea 3/32"	Optional	Welded Steel	10" x 25"	0.9 cu. ft.	90 lbs.	No
40003	with Bump Hat	35-50 Min.	1/2" ID x 10'	2 ea 1/8" / 1 ea 3/32"	Optional	Welded Steel	12" x 22"	1.1 cu. ft.	110 lbs.	Yes
40004	with Bump Hat	45-60 Min.	1/2" ID x 15'	2 ea 1/8" / 1 ea 5/32"	Included	Welded Steel	12" x 27"	1.5 cu. ft.	150 lbs.	Yes
40005	with Bump Hat	1-2 Hours	1/2" ID x 25'	2 ea 1/8" / 3 ea 5/32"	Included	Welded Steel	16" x 28"	2.5 cu. ft.	250 lbs.	Yes
40011	Heavy-Duty	2-3 Hours	1" ID x 25'	1 ea 1/4" Tung Carb	Included	Welded Steel	24" x 39"	6 cu. ft.	600 lbs.	Yes

Blasters, Accessories & Abrasives

Standard Pressure Blasters

Large ball valves and plumbing / Safety pressure relief valve / Includes blast hood / Shir

40 Lb., 5 Gallon **Pressure Blaster**

- · All steel deadman handle
- Uses type 2 nozzle
- 3/8" plumbing assembly and 3/8" x 8' pressure hose
- 4 nozzles, hood and funnel included
- 34 lbs



80 Lb., 10 Gallon **Pressure Blaster**

- · All steel deadman handle
- Uses type 2 nozzle
- 3/8" plumbing assembly and 3/8" x 8' pressure hose
- 4 nozzles, hood and funnel included
- 40 lbs.



160 Lb., 20 Gallon **Pressure Blaster**

- All steel deadman handle
- Uses type 2 nozzle
- 3/8" plumbing assembly and 3/8" x 8' pressure hose
- 4 nozzles, hood and funnel included
- 49 lbs.



100 Lb. Pressure Blaster

- · Large heavy-duty steel deadman handle
- Uses large type 1 nozzle
- More powerful 1/2" plumbing assembly and 1/2" x 8' pressure hose
- Includes 2 nozzles, hood and built-in funnel
- Sturdy front leg support
- 58 lbs.



Blast Away Dirt, Rust, Paint & More!

For Use with Abrasive Media Including: Glass Beads, Aluminum Oxide, Steel Grit, Com Cob, Walnut Shells, Plastic and Other Abrasives.

- Powerful Vacuum System Reduces Abrasive Consumption 90% by Recycling Material
- · Ideal for Use in Automotive. Marine & Industrial Refinishing
- Top Opens Easily to Load Abrasive & Access the Filter for Cleaning
- · Perfect for Use in Large and Small Spaces that Need to Stay Clean & Free of Debris
- Powerful Turbine Vacuum System Reduces Clean-up Time



ALC Abrasive Blast Suit

- Protects from rebounding of abrasives & debris
- Light weight suit helps reduce fatigue & overheating
- Durable nylon on front & breathable cotton on back helps to keep the operator cool
- Excellent choice for short term or intermittant blasting jobs
- Also great for non-blasting persons working near the blast area
- Easily handles painting & other messy projects
- Hook & loop closures and elastic waste band for sizing and comfort
- Front closure snap flap covers heavy duty zipper
- Large collar helps protect the neck area
- Wash by hand in mild detergent, Drip Dry

Available Sizes: 41420 Small 41421 Medium

41422 Large 41423 XL

(32" Inseam on All)

41424 XXL 41425 XXXL 41426 XXXXI 41427 XXXXXL



Converts Your Pressure Blaster Into a Soda Blaster in Minutes!

40420 3 in 1 Handy Blast

- 3 Blasters for the Price of 1!
- 1 Portable Hand Held Blaster, 2 Spot Blaster & 3 Spark Plug Cleaner
- Blast Adapters & Blast Abrasive Recovery Bag Included!



Conversion Kit




40416 Fits most brands of pressure blasters with 1/2" & 3/8" fittings

- Removes paint and graffiti without
- harming the surface

 Cleans engine compartments & othe areas without harming the surface

40127 20 Lb. SodaBlast Media is recommended where pitting and warping is not wanted. Safe to use on aluminum & fiberglass. Will not harm rubber, plastic or glass.

Complete Kits





Professional Steel Blast Cabinets

HD 14 gauge steel with welded seams / Includes foot pedal / High quality lined 24" gloves and cushioned foam armholes 100 CFM dust collector included with all steel cabinets / Full width top door with additional 11" x 17" side door



40403 Steel Blaster Cabinet

- 36"W x 24"H x 24"D work area / Overall Height: 60"
- 12" x 24" viewing window 150 watt light kit
- Double Doors: Opening is 13" x 35" • 272 lbs.



40411 Steel Blaster Cabinet

- 48"W x 24"H x 24"D work area / Overall Height: 60"
- 12" x 24" viewing window 150 watt light kit
- Double Doors: Opening is 13" x 47"



40413 Steel Blaster Cabinet

- 60"W x 24"H x 24"D work area / Overall Height: 60"
- Two 12" x 24" viewing window 150 watt light kit
- Double Doors: Opening is 13" x 59"
- 333 lbs.

41412

Polymer Blast Cabinets

Pistol grip trigger gun (11666 Optional foot pedal available) Recommended use with shop vacuum (not provided)



40389 Benchtop Cabinet Blaster

- One-piece construction (no leaks)
- Self-adhesive underlay
- 40338 Optional light kit available
- 23"W x 20"H x 19"D work area
- Overall Height: 24"
- Over sized top window/door
- 25 lbs. / Ships UPS



40390 Benchtop Cabinet Blaster

- One-piece construction (no leaks)
- Self-adhesive underlay
- 40338 Optional light kit available
- 30"W x 27"H x 20"D work area
- · Overall Height: 28"
- Hinged over sized top window/door
- 34 lbs. / Ships UPS



40391 Floor Model Cabinet Blaster

- One-piece construction (no leaks)
- · Self-adhesive underlay
- HD 14 gauge steel legs
- 36"W x 24"H x 24"D work area
- Overall Height: 58"
- Hinged over sized top window/door

Siphon Blasters

40013 Spot Blaster

- · Self recycling dust free
- 1 lb. of abrasive included
- 5/16" ceramic nozzle
- Perfect for small jobs
- 20CFM @ 80psi



40015 Portable Blaster

- Use abrasives or liquids
- 10' hose length
- Unlimited capacity
- 7 CFM @ 80psi min.
- 13/64", 1/4" steel nozzles

40012 Bottle Blaster

- Use abrasives or liquids
- One quart capacity
- 15 CFM @ 80psi
- 1/4" steel nozzle
- Light weight & portable



Abrasive 41800 Monster **Blast Cabinet** Holds up to 400 Lbs! Work Area: 29"W x 38"H x 34"D

- Dimensions: 46"W x 70"H / 85"H (When Door is Open) x 47.2"D
- Large front door for easy loading Large viewing window: 30" x 15"
- Heavy-duty 90 CFM dust collector improves visibility during blasting
- Convenient foot pedal operation
- Rear-mounted dust collector
- · 4 fluorescent bulbs provide a very bright work area
- Heavy-duty 14 gauge steel has a resilient powder-coated finish
- · Gas-charged hydraulic hinges
- Lighted power controls Some assembly required
- 443 lbs.

Includes: Heavy-Duty Blast Gun, Heavy-Duty Blast Gloves, Air Pressure Regulator, 4 Blast Gun Nozzles, 5 Extra Window & 5 Extra Light Underlayment Sheets & Foot Pedal



LLSOURCE

Florescent light, foot pedal, dust collector, extra

nozzles / window and light underlayments included, and

pressure regulator. Some assembly required.



- 48"W x 23"H x 24"D work area / Overall Height: 67"
- Side Doors: Opening is 22"W x 21"H
- Top Door: 48"W x 15"H
- 335 lbs.



Hoods Rear breather vents 40019 Standard Hood 40556 **Deluxe Industrial** · Complete fabric hood, Hood 40024 Standard · Premium fabric **Hood with** hood with Internal internal **Bump Cap** bump cap 40025 5" x 6" Lens Fits both hoods Window Underlav

· Complete head coverage

Window Underlay for all steel cabinets 50 pc

Window Underlay for 40391 (5pk) 12" x 30"

Window Underlay for 40390 (5pk) 12" x 24"

Siphon Blasters



4001344 Spot Blaster

- · Self recycling dust free
- 1 lb. of abrasive included
- 5/16" steel nozzle
- · Perfect for small jobs



4001544 PortaBlaster

- Use abrasives or liquids
- 10' hose length
- Unlimited capacity
- 7/15 CFM @ 80psi min.
- 13/64" & 1/4" steel nozzle included



4001244 Bottle Blaster

- · Use abrasives or liquids
- · One quart capacity
- 15 CFM @ 80psi
- 1/4" steel nozzle
- · Light weight & portable

40253 11699

11698



Blaster Accessories

Separate debris from any media, new or reused. / Great for reusing abrasives! Prevents clogged nozzles from pieces of paint, rust and other particles. For use with all blasters: siphon, pressure and cabinets.



Fine Mesh Strainer





Standard Strainer

Made of H.D. stamped steel. / Keeps small parts (fittings, fasteners, screws, etc.) from falling through blast cabinet grate.



41910

Small Parts Blasting Tray

• Fits ALC cabinets & many other cabinets (18" L x 10-3/16" W x 2-1/8" D

41909 Small Parts Blasting Basket

• 5" handle makes it easy to blast small hard to hold items

Siphon Blaster Nozzle

When replacing nozzles and air jets, it is important to replace with the same size When changing size of nozzle, the appropriate sized air jet must be replaced too.



 Steel kits contain 3 nozzles, washer, air jet, & a wrench.

· Ceramic kits contain 2 nozzles, washer, air jet, & a wrench.

Nozzle	Size	Nozzie CFM	Material	KIT
40050	13/64"	7 CFM @ 80 psi	Gold Steel	40053
40051	1/4"	15 CFM @ 80 psi	Silver Steel	40054
40052	5/16"	20 CFM @ 80 psi	Black Steel	40055
40056	13/64"	7 CFM @ 80 psi	Ceramic	40059
40057	1/4"	15 CFM @ 80 psi	Ceramic	40060
40058	5/16"	20 CFM @ 80 psi	Ceramic	40061

Standard Blaster Nozzle Kit LLSOURCE



 Includes 3 nozzles Fits 41001, 41002, and 41003 Blasters

Model	Size	Nozzle CFM
40366	3/16"	30CFM @ 80 psi
40355	9/64"	20CFM @ 80 psi
40356	1/8"	15CFM @ 80 psi
40357	7/64"	10CFM @ 80 psi
40358	3/32"	6CFM @ 80 psi

40372 Standard Pressure **Blaster Nozzle Kit** Variety Pack

Includes 1 each of: 9/64", 1/8", 7/64", 3/32", plus nozzle washer & nozzle nut

Abrasives

40098 25 Lb. Aluminum Oxide is a high quality abrasive that is sharper than sand and cuts twice as fast. It leaves a smooth textured finish with no pits or burrs. It is tougher than glass bead and can be used over and over again. It is one of the most economical abrasives you can use in any reclaim system. Also Available: 4 lb. and 50 lb.

41110 10 Lb. Plastic Grit is primarily used to strip aluminum. Great for stripping paint, light oxidation and surface rust. Recommended for use in blast cabinets because it creates very little dust. Works quickly, lasts a long time and increases visibility within the cabinet.

Also Available: 25 lb

40126 25 Lb. Garnet is a multi-purpose abrasive. It is sharp and fast cutting with low dust. Recycles well. Great for cabinet blasting. Leaves smooth textured finish like Aluminum Oxide.

40109 25 Lb. Steel Grit is extremely fast cutting on rusty metal and hard-toremove paint. Leaves a very smooth finish. It is also comparable in price to most other specialty abrasives. It should be used in reclaim systems or cabinets.

40105 25 Lb. Glass Bead is an abrasive that should be used in blast rooms and cabinets. It is generally used in creating a satin or matte finish.

Also Available: 4 lb. and 50 lb.

40092 25 Lb. ALC Mix #1 is used when removing paint and rust from panels. It has more cutting power and lasts longer than sand. Use ALC Mix #1 in any reclaim system or in any blast cabinet.

Also Available: 1 lb. and 4 lb

40093 25 Lb. Coal Slag is used when paint and rust have to be removed from steel. Superior to silica because it has only .1% free silica, is faster cutting, can be re-used, is moisture free and will not pack or absorb moisture.

40112 10 Lb. Walnut Shells are recommended for use on "soft" surfaces such as aluminum, brass, wood, fiberglass and other surfaces where no pitting is desired. Leaves a smooth, dull finish.



no pitting is desired.

Leaves a smooth,

dull finish.







QUALITY PROFESSIONAL TOOLS

PROUDLY MADE IN THE USA

WORK STANDS

Economy Fender Stand Holds two fenders securely for prep and paint work / Adjustable arms support the skirts of fenders / Height adjustable / Economically priced / Entire stand folds for storage: 31"W x 38"L



Deluxe Bumper Stand

Complete bumper system includes support tubes, padded hoop & padded u-shaped brackets / Swivels 180° while holding the entire bumper securely / Adjusts up and down, in and out - works on the outside and inside of any bumper / Tubes extend to firmly hold "floppy ends" of plas-



77786 Economy Fender Stand

Work Stands

Strong, safe, economical / Thick foam padding protects from scratching / Chain adjusts to different working heights / Galvanized, tubular steel construction

78024 "Knocksdown" to 6 pieces so it can ship regular UPS

78022 250 lb. Capacity Work Stand

78024 400 lb. Capacity Knockdown Work Stand (Imported)

78023 500 lb. Capacity Work Stand

Bumper Stand

Designed to hold the entire bumper securely / Tubes extend to firmly hold "floppy ends" of plastic bumpers / Ad-



Bumper Rack

Save valuable shop floor space / Arms fold down to take up very little room when not in use / Holds 6 bumpers or more (18" arms can hold 2 small bumpers on same shelf) / 1" square steel tubing bolts to wall / 15" between arms

77784 Steel

Our lightweight aluminum bumper rack mounts anywhere and will not won't rust or corrode. They are 6 ft. long and holds up to 5 bumpers

73784 Aluminum

78025 Steel

Our lightweight aluminum vari angle table (not pictured) has the same great features and is great for welding 73025 Aluminum

Folds flat for easy storage

Vari Angle Table Large 30" x 36" work table / Tilts to any angle for ease of

work / Holds doors, fenders and decks

while painting or prepping / Pins to ele-

vate, hold or hang panels on an angle,

77782 Bumper Stand

The Bull™ Holds everything: Bumpers, fenders, hoods, decks,

trucks / Use to reach and service engines on large trucks / Safety yellow with non-skid surfaces Bolt two Deluxe Models together for a 12' long work surface! Deluxe Van Stand (6'L x 16"W x 24"H) 77781 Van Stand (48"L x 16"W x 18"H)

Van Stands Sturdy work stand to reach tops of vans and

spoilers, mirrors, doors

Pick-Up Bed Dolly width holds mini (36") beds & full size beds (48") / Adjustable to 3 working heights: 21", 24", 27" / Heavy duty square steel tubing holds up to 1,000 lbs. / 4 large heavy swivel casters with 2 that



Our lightweight aluminum pick-up bed dolly is very strong – holds up to 800 lbs. / 4'W x 5'L / Holds

beds large and small / Has 4" swivel casters (two are locking) / Folds flat in seconds / 36 lbs. / Heavy wall one-piece construction 73783 Aluminum



77727 Parts Cart: 3 Large shelves 24" x 46" / 52"H x 46"W x 24"D / Four wheels (two locking)



77788 Wheel Dollies: 4" heavy duty swivel wheels (two locking) / Fully welded all-steel frame / 2 piece set / Each holds 1500 lbs.



The Pail Tipper

78031 Double / 78030 Single Holds standard 5 gallon pail (1 or 2) / All-steel tube construction / Formed handle for easy pouring



connects to frame that extends from 5 ft. to 8 ft. high / Hooks will hold any parts for painting or drying / Great for large hoods, doors, fenders or tailgates / Easy to roll around on large 4" wheels - (two are locking) / Six hooks to hang parts

73735 Aluminum Paint Hanger

Bumpers, fenders and tools are not included with workstands

KEYSCO TOOLS® PROUDLY MADE IN THE USA

Wall Mount Great to dispense plastic / Does not attract

*Except where noted.

All Keysco Maskers feature tool less paper loading / Dual tape dispensers / Sturdy one-piece cutting bar / Notched tubular design for added strength

Single Roll Lightweight – Uses very little floor space / Use "Add-A-Roll-Kit" for two rolls of smaller paper

78008 Add-A-Roll Kit Hardware for adding sec ond roll to paper bar (For use with all maskers)

side holds tools and tape

Mobile Portable / Large

tray on top and smaller tray on



78001 12" | 78002 18" | 78003 36" | 78010 Wall Mount Kit





4-Roll Portable masker holds up to an 18" roll of paper on each of four bars or eight rolls of smaller paper with 'Add-A-Roll-Kit'



78005 Holds Up to 18"





78000 18"

Multi-Roll Masker hölds two rolls of 18" paper and two rolls of 12" paper or smaller / Narrow 22" profile rolls between cars in shop



78007 Holds Up to 18"

Vertical-Plastic

78004 Holds Up to (2) 181

Holds 36" plastic mask / Bottom plate on bearings to easily dispense plastic / Dispenses vertically or horizontally

78013 36" Plastic

Vertical-2 Roll


Narrow profile (22") to roll between cars in shop / Holds a roll of 36" paper and a roll of 36" plastic / Dispenses vertically or horizontally



Vertical-3 Roll Only 23" wide / Moves easily through tight spaces in any shop / Variable Capacity: 1-36" Plastic roll, 1-36" Paper roll, plus two smaller rolls / Dispenses paper or plastic vertically or lays flat to dispense horizontally

78017 3 Roll

Prep Station Holds the most popular sizes of masking paper / Separate bar for plastic rolls / Paint gun holder and upper tray / Four swivel



78012 2 Roll

Portable Lightweight and versatile / Non-skid, non-mar feet 33001 (3"-12" Roll) & 33003 (3"-18" Rolls) are 12" high with a handle / 33009 has tape spools at both ends for multiple paper combinations (1 Roll 36" or 2 Rolls 3" to 24")



Dual Vertical Portable masker holds 2 rolls of paper: (BAR 1 can accommodate rolls as small 18" or up to 36" / BAR 2 can accommodate rolls as small as 18" or up to 24" / 21 lbs.



Paper Tree Most popular masker / Mobile / 4 Paper bars to hold 3"-18" paper (BAR 1: 1 Roll 3", BAR 2: 1 Roll 3" to 6", BAR 3: 1 Roll 3" to 12", BAR 4: 1 Roll 3" to 18" / 20 lbs.

33004 Paper Tree

Paper and tape not included with maskers

LING TOOLS

Multi-Hole Puller Heavy duty 3/8" thick alloy plate with staggered hole pattern for easy frame boltup / Welded U-Bar for unlimited pulling angles and easy hookup to your chain assemblies / Staggered holes are 9/16" diameter



77120 Multi-Hole Puller



Sheet Metal Hooks

Specially designed for newer car bodies with hard-to-reach hook-up positions / High strength 3/4" diameter steel / Heat treated and plated gold / Both round and chisel pointed tips / 2500lb maximum pull strength

77060 Sheet Metal Hooks

Uni-Hook A unique hook that

deeper and stronger than ordinary

hooks / Pulls up to 10 tons

works on areas not reachable by ordi-

nary hooks such as a sill hook / Longer,



Rail Puller Heavy duty universal plate to fit most pulling applications at front or rear rail / Ideal for unibody cars / Alloy steel plate is 3/8

thick with 29 strategically placed holes to fit most applications

77741 Universal Rail Puller

G-Clamps Three sizes to fit all your pulling needs / High tensile steel body - ACME threaded rod / Hardened serrated jaws / WARNING: Do not use eye bolt for pulling

3/4" 3/4" 8-3/4" 77620 77102 1-1/4" 11-1/4" 3-3/8



77739 Uni-Hook

Photographic or typographic errors are unintentional and subject to correction. Due to the nature of printing and our evolving production, product colors may vary the actual product

ALIGNMENT & LEVERAGE TOOLS

Indispensable when versatility of a chain hookup is needed / Alians bumpers. panels, hoods, decks

and brackets / Heavy duty 1-1/4" diameter tubing with twohooks for strength & versatility / 1/4" chain, 6' long

Set Contains: 77097 Chain Rubber Feet 77379 Round **77351** Square

77175 Hustler Stick

Leverage Bar

Ideal for bumpers, doors, hoods, decks and panel alignment / Eliminates costly ram type setups for most jobs / Hooks are high carbon steel, heat treated & tempered / Heavy-duty rubber foot prevents slip-ping and swivels / 1-1/4" diameter tubing & double welded bottom with machined holes provide strength and versatility

Set Contains: 77360 Hinge Hook 77361 Base Foot 77362 Adjustment

Bar

77349 Leverage Bar

Door Hinge Aligner

New improved design features heavy duty round bar and solid steel pivot pin / Round bar swivels for perfect alignment / Adjust up or down on both conventional and welded hinges / Can be used on all vehicles

Set Contains: 77557 Bar 77558 Latch Assembly

77554 Door Hinge Aligner

KNEE SAVER WORK SEATS



- · Heavy-duty 300 pound capacity
- · Powder coated frame for durability
- · Work seats feature adjustable height and tilt for multiple positions
- . Work seat 78032 has a convenient tool tray built into the frame
- · Casters evenly distribute weight & add balance to work seat

- . Knee pads and seat are thickly padded for comfort on long jobs
- · Saves time Quickly and easily roll about when preforming repairs
- · Unique kneeling position reduces pressure on lower back
- Imported

78033 Knee Saver Work Seat 78032 Knee Saver Work Seat With Tray

The Monkey on a Stick Four-piece jack set / Most versatile tool available / Pushes, pulls, aligns, spreads, straightens / Ready to use / A must for long reaches / 55" long solid alloy 3/4" rod eliminates need for extension tubes / 5 Hardened friction plates for minute adjustments / Up to 3,000 lbs. push/pull power / Multiple position handle for hard to reach areas

Set Contains:

77044 Jack head 77045 Friction rod

77046 Multi-purpose hook 77047 Extension handle

77043 Monkey on a Stick

Heavy Duty Push-Pull Body Mate Eleven-piece jack set / Compact and powerful / For pushes and pulls of front end work, roof bracing, rails and bumper alignment / Use anywhere on the car / All friction rod and jack parts are hardened steel / All attachments are fully plated

Set Contains:

77004 Jack Head

77005 Friction Rod 14"

77007 Puller Feet 77008 Push Caps

77006 Couplers

77003 Heavy Duty Push-Pull Body Mate

Extension Tubes 77009 6" 77010 9" 77011 12'

PULLERS & ACCESSORIES

Knocker Sr. The highest quality 12 lb. dent puller available / More exclusive features / Square slide hammer does not roll away out of reach / Solid 5/8" high carbon steel slide shaft is the strongest offered anywhere / All attachments are heat treated and plated for strength and a lasting finish / Variety of attachments for any body pulling application / 3/4" pipe end nose adapter is machined and plated / Hex broached nose piece



77068 Hammer and Shaft 77069 Claw

77070 Short Hook 77071 Deep Hook 77072 Door Edge Tool

77772 Shaft Only Threaded Adapter 77073 Hook and Chain 77074 Straight Driver 77076 On a Board | 77081 In a Box

77381 Board (77076) Tool Box (77081) 77077 Hammer Only

Set Contains: 77632 Hammer & Shaft (1/2 - 20) 77633 Nose Piece

77634 "L" Puller & Screws 77635 Door Edge Tool/Nuts

77631 5 lb. Tool

5 lb. Tools



Imported Set Contains: 77086 Hammer & Shaft (1/2 - 20) 77088 Nose Piece 77089 "L" Puller & Screws

77090 Door Edge Tool/Nuts

77085 Economy 5 lb. Tool

Pulling Clamp Versatile / For use on KEYSCO knockers / Great for getting welds on today's cars / Threaded 3/4 pipe

into tight places such as pinch

77323 Straight | 77324 Bent | 77091 Pulling Clamp

Suction Disc Pull panel dents safely and easily without drilling holes / Lipped edge provides strong hold yet allows easy release of vacuum / No trigger to gum up or break off / All steel parts gold plated / Ideal for handling sheet metal, glass, or plastic / Patented

77130 6" Vacuum Suction Disk 77131 8" Vacuum Suction Disk

Suction Disc 4-1/2" diameter cup provides powerful suction / New lip design holds tight / Perfect for pulling metal panels / Handles sheet metal, glass or plastic



77264 Economy Suction Cup Dent Puller

Pull Rod Kit Repairs dents and creases from the outside / Designed for the professional / Large cushioned hand grip / Imported

Set Contains 77344 Straight rod

77345 Bent rod 77271 Pull Rod Kit



Economy Pull Rods Pull rods feature plated rods and thick vinyl grip handles / Imported

Golden Spike Finish ground point for easy metal piercing / Eliminates pre-drilling / Tapered for use in smaller holes / Grips metal securely without slipping / Heat treated, rust-resistant finish / 3/8 - 24 thread Shaft Thread Size

77143 77149 Golden Spike

3/8 - 24 (3/8 Fine) 7/16 - 14 (7/16 Coarse) (1/2 Coarse) 1/2 - 13 (1/2 Fine) 5/8 - 11(5/8 Coarse) (5/8 Fine) 3/4 Pipe Thread

Photographic or typographic errors are unintentional and subject to correction. Due to the nature of printing and our evolving production, product colors may vary the actual product

BACKING PADS FOR REFINISHING


DA Sanding Pads

Dual-action pads feature tapered foam molded directly to plastic back / Ideal for fine finishing and feathering / Low profile with hardened threaded insert



77518 5" diameter, 10,000 rpm 77519 6" diameter, 10,000 rpm

Feathering Pad Double foam design molded to plastic backing disc / Tapered edge with duck facing / 5/8 - 11 threaded insert



77548 8" diameter, max 3,200 rpm | 77549 8" diameter, max 2,000 rpm

Polishing Pad Polyester foam disc, 2" thick / Ideal for fine compounds and polishes / Use at low speeds / 5/8 - 11 threaded insert



Phenolic Back Disc

Reinforced, lightweight with desired flexibility for sanding / Contoured center with 7/8 ID hole / 6,000 RPM



77280 7" dia. 77277 3" dia. 77278 4" dia. 77279 5" dia. 77281 9" dia. 77282 One each 3", 4", 5" dia.

Rubber Backing Pad Threaded 5/8 - 11 insert and nut /



77441 7" diameter, 5,500 RPM 77399 7" pad 77409 Nut for 7" 77615 5" diameter, 10,000 RPM 77561 5" pad 77407 Nut for 5"

SPECIALTY TOOLS

Axle Puller Ten-pound slide hammer with shaft threaded 5/8 - 18 to fit popular axle puller adapters / Also available is a shaft threaded 5/8 - 12 ACME to fit special adapters with ACME thread



77754 Axle Puller

77755 5/8 - 12 ACME Shaft

77757 5/8 - 18 Shaft Only

Brass Pin Punches

Four-piece set of brass pin punches / Knurling in middle of 8" bar for secure grip / Re-dress ends regularly to correct "mushrooming"

Set Contains:

77763 3/8"

77765 5/8" 77766 3/4" 77764 1/2"

77767 4 Piece Brass Pin Punch Set

Hub/Rotor Puller Designed for the tough pulling jobs hubs, rotors and axles / 10 pound slide hammer with unique adapter assembly to lock the pulling plate tightly / Fits adapters with 5/8 - 18 thread

11657 Adapter 11608 HH cap screw

11671 Adapter stud

77790 Hub / Rotor Puller

Brass Taper Punch 8" long, 5/8" hex, tapered to 3/8" / Re-dress ends regularly to correct "mushrooming"

77243 Brass Taper Punch

Brass Bar Punch 10" long, 3/4" diameter, chamfered both ends / Re-dress ends regularly to correct "mushrooming"



Deluxe Scratch Awl Ideal for scribing, punching and aligning / Hot-forged tool steel shaft 3-1/2" x 1/4" / Extends through the hardwood handle / Total length 6-1/2"



77266 Deluxe Scratch Awl

Freeze Plug Master Kit A complete installation tool kit / All parts quality machined and plated / Contains straight and formed driver, all adapters, coupling nut



77031 Shaft ONLY **77039** 5 adapters and nut 77032 Ring nut

(optional)

77474 Pneumatic adapter

77756 Freeze Plug Master Kit

Adapters: 77033 1-3/4" 77034 1-1/2 77035 1-1/4" 77036 1"

77037 3/4"

MAJESTIC HAMMERS & DOLLIES

Large Heel Dolly For use in sharp corners and wide radial portions of body and panels / 2 lbs., 7 oz.



55107 3-1/8"L x 2-1/2"W x 1-3/8"H

the time in folding the flange on

door skins / Helpful on any hard-

to-reach inner panels / 6 1/2"

overall head length, 1 lb.

22175

hin Toe Dolly Similar to Toe Dolly but much thinner / Fits narrow pockets and other areas not easily accessible / 1 lb., 10 oz.



55110 4-7/8"L x 2-1/2"W x 5/8"H

hrinking Toe Dolly

Similar to Toe Dolly but the curved side is covered with serrations / Used to shrink sheet metal that has been stretched / 2 lb., 8 oz.



55113 4-3/4"L x 2-1/2"W x 1-1/16"H

Low-Crown Dolly

Low crowns and wide radius for general purpose contour work / 3 lbs.



55135 3-1/4"L x 2-3/4"W x 2"H

Roughing-Out Dolly Outside contour and side surfaces / For roughing out both deep and shallow dents; lip provided at

one end for working surface for re-shaping turned-under flanges / 6 lbs.

55130 5-1/2"L x 4-1/4"W x 2-3/4"H

Stream Line Tools

Door Skin For high-crown Light Weight Finishing work and finishing / Reduces

One of the best and lightest finishing hammers / Flat round face 1-3/16" diameter / Pick 3" long, 10 oz.



Pick & Finishing

Most popular weight and size for general use / Štraight pick with flat face / Flat face, 1-1/2" diameter, Pick 3" long, 1 lb.



ong Straight Pick

Well balanced, use to bring up "specks" / Saves filling with body putty / Flat face 1-3/4" diameter / Pick 5-1/2" long, 1 lb.



original type bumping hammer / Well balanced / Round face 1-1/2" diameter, Square face 1-1/4" / 15 oz.

Medium Finishing The old



22105

with Hickory Hardwood Handles

22160

22112

22103

HAMMERS & DOLLIES

CUTTING & DRILLING

Cobalt Spot Weld Cutter Kit
Includes all four Cobalt Series spot weld cutters / Cherry storage chest /
Patented self-centering tip design / Tip prevents walking / One piece
construction increases overall strength / Up to 5x faster than hole
saw cutters / Safe for pneumatic, electric or battery drill use

Set Contains 77422 1/4"

1/4" 77424 3/8"

77426 1/2" COBALT Step Drill

Available Separately:

77423 5/16"

77425 1/2"

77419 Cobalt Spot Weld Cutter Kit

Spot Weld Cutters

4-Piece Kit / Safe for pneumatic, electric or battery drill use / Operates at speeds up to 2,000 rpm / Leaves a clean hole that requires very little grinding / Self-centering point minimizes walking, will not require a punch / Solid one-piece construction will not break or snap / Factory resharpening service

Set Contains

77774 1/4"

77775 5/16"

77776 3/8"

77777 1/2"

77778 Spot Weld Cutter 4-Piece kit

Drill Bits High speed steel 135° split point / 12 bits per tube / 1/8" DE drill bits



77395 Double End Stubby Drill Bits 77773 Mug of Bits (10 Tubes)

Pneumatic Panel Crimper

Forms a step around damaged area so that patch fits flush / All parts forged and heat treated / Heavy duty 1/2" diameter chisel with .401 / Parker shank — Overall length of 7-1/2" / Imported

77601 Pneumatic Panel Crimper

Die Grinder Arbor Convert any die grinder to abrasive disc cutter / 1/4" and 3/8" arbor attachments / Imported



77440 Die Grinder Arbor

Cut-Off Wheels Removes clamps, rusted bolts, welds & cutting sheet metal / Reinforced abrasive wheels are 3" OD x 1/16" thick / 3/8" arbor hole / Max 20,372 rpm



77616 Cut-Off Wheels (5 Pack) 77618 Bulk: 100 Per Box

WINDSHIELD REMOVING TOOLS

Aluminum Windshield Racks

Two racks 36" x 24" high / Holds five windshields / Bolts onto floor or truck bed / Thick foam sleeves over all supports

73739 Aluminum Windshield Rack

Holds five windshields / Thick foam sleeves over all supports / Supports are 36" high / Two cross pieces hold racks / Large 4" wheels to roll the rack around (2 locking)

73740 Mobile Aluminum Windshield Rack (Shown)

Removing Tool

adhesive caulking compound around
windshields / Pull handle swivels
for extra leverage / Tempered
steel blade / Imported



77374 Windshield Removing Tool

Super Blade High quality, designed exclusively for the removal of windshields sealed with urethane / Heat-treated steel / Imported / Use with 77374 tool above



77470 Super Blade

Windshield Wire Handle Kit

Two easy-grip steel handles to hold windshield wire securely without exposing the fingers / A heavy-duty hole starter to pierce hardened urethane sealant



77390 Windshield Wire Handle Kit

Moulding Release Tool
Universal
tool / Removes moulding on all makes of cars
/ Works in either direction / Imported



77276 Windshield Moulding Release Tool







77291 10" File, Flat, 10 Pack | 77293 10" File, 1/2" Round, 10 Pack | 77290 Holder



77753 Premium, Spring Steel Plate | 77348 Standard, Cast Aluminum

Body Files Use on lead, solder and all type body fillers / Teeth on both sides extends life of tool / Use with 77753 & 77348

77346 6 Tooth Flat 77347 8 Tooth Flat 77358 15 Tooth Flat 1/2 Round Files: 77471 6 Tooth 77472 8 Tooth

All Purpose Scraper 3-Position / Convenient blade storage in handle / Fully plated / Complete with blade

-

77600 All Purpose Scraper

Inspection Sticker Scraper
Cushioned vinyl handle / One-piece solid
construction for safety and strength / Complete with blade / 1-1/2"W x 8"L



Slapping File Formed files for panel shrinking and metal removal / Shaped for easy hand use / Fully heat treated

77505 Medium, 2nd Cut Slapping File 77506 Coarse, Bastard Cut

Seam Buster Set

Angle and Curved Seam Busters



77611 31 lece Sealii Dustei

Plastic Blades Use on "inner shield" windshields / Won't damage soft plastic surface / Box of 100 / Use with 77340 scraper



77239 Plastic Blades

Accept no compromises, choose only quality air tools & compressors.