

# QUDIOERL'ARCERS

Leader in the Automotive Speaker Cabinet Industry Since 1982

# PROVIDING YOU A PERFECTION FOR YEARS

### The Leader in the Automotive Speaker Cabinet Industry for 32 years, Audio Enhancers' Reputation is based on our Sound Promises;

Sound Quality	100% American Made Enclosures
Sound Guarnatee	100% Money Back Guarantee
Sound Service	Unsurpassed Customer Service
Sound Selection	Over 250 Models, Over 655 Choices
Sound Choices	Different Finishes, Raw, Uncarpeted, XtremeKote and Custom Logos
Sound Design	Computer Designed, Customer Tested, With Proven Performance

### SOUND CHOICES

At Audio Enhancers we strive to offer a customizable product line that meets the unique needs of every retailer, our goal is to respond to your needs:

- Need a hole size not offered Call Us
- Need an enclosure modified Call Us
- Need a custom run of an enclosure not offered Call Us

Minimum requirements may apply.



### **RAW FINISH ENCLOSURES**

Uncovered – Uncarpeted, "Plain Jane" enclosure, ready to be customized any way that meets your needs. Build it into your custom system or just leave it RAW, a quality option at a great price point. 100% Green, made from recycled wood. All enclosures are offered in a RAW finish, see price list for exact model number and RAW icon through our catalog.

### **CARPETED FINISH**

Carpeted – Covered, latex backed acoustical matting, available in Charcoal (Black with up-charge). 100% Green, made from recycled plastic bottles. All enclosures are offered in a CARPET finish, see price list for exact model number and CARPET icon through our catalog.





### **XKOTE FINISH**

Xtreme Kote – Bedliner, polyurea finish adds to appearance, rigidity and seals air tight. 100% Green, made from soy products. Select enclosures are offered in a XKOTE finish, see price list for exact model number and XTREME icon through our catalog.

((( 🔳 XTREME KOTE



### SOUND YOUR BRAND FINISH

Customized with your "Company Logo", minimum run sizes, one time set up fee and small up-charge per enclosure. Call for additional details and prices. All Raw and XKOTE enclosures are offered with Company Logo finish.

((( a 100% GREEN

xtreme sound.



xtreme quality.

# SOUND YOUR BRAND

SEPARATE YOUR STORE FROM YOUR COMPETITORS AND MAKE CUSTOMERS REMEMBER YOUR NAME WITH OUR "SOUND YOUR BRAND" FINISH ...

...OUR ENCLOSURES - YOUR "COMPANY LOGO".

Minimum run sizes apply, one time set up fee and a small up-charge per enclosure. Most Raw (uncarpeted) and XKOTE enclosures are offered with Company Logo finish. RAW enclosures will give you the option to do your own customizing with the finish; texture paint, etc.

### SMALL PER ENCLOSURE UPCHARGE AND ONE TIME SET-UP FEE

Model	Minimum	Model	Minimum
1V213	2	KPVR12D	3
1V213D	3	KPVR15D	3
CREW180	2	KPVR15S	3
CREW100	4	KPVRKO12D	3
CREW90	2	MMC170	3
FSD130	2	PB110	4
FSC85	4	PB112	4
GMX120	2	PB212	4
GMX125	2	PBT110	4
GMX190	3	PBT112	3
JW170	3	SSC75	4
KO110	4	SSC120	2
KO112	4	SSC130	2
KO210	4	TAC165	2
KO212	4	SGMX107	3

### FULL SIZE / AVALANCHE & ESCALADE

our promise Sound Quality

	FITS: 02-13	3 Avalano	che & E	scalade EX	Т	((( 🗖 RAW	((( CARP	et <b>((( 🛯</b> XT	REME KOTE
000000000000000000000000000000000000000	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	Н	W	TD	BD
0	AV65	.65	.65	1 - 10″	5 7/16″	5″	27 1/2"	16 1/2"	16 1/2"
				rear seat driver s sure must be rem				apwar	
••	EITO 02 43			a a a la sla			11	🕻 🗖 RAW 🌘	
	FII3. UZ-13	3 Avalano	cne & E	scalade			((	RAW ((	
	MODEL	TO. CU. FT.	PER SUB		MD	Н	w		BD
					MD 5 7/16″	H 5 5/8″		<b>,</b>	BD
	MODEL	TO. CU. FT.	PER SUB	OPENINGS		-	W	TD	BD 16 1/2
	MODEL AV96S	to. cu. ft. .96	PER SUB	openings 1 - 10″	5 7/16"	5 5/8"	W 44 1/8″	TD 16 1/2″	BD 16 1/2 <sup>4</sup> 16 1/2 <sup>4</sup>
	MODEL AV96S AV96S	TO. CU. FT. .96 .96	PER SUB .96 .96	OPENINGS 1 - 10" 1 - 12"	5 7/16" 4 13/16"	5 5/8" 5 1/8"	W 44 1/8" 45 3/4"	TD 16 1/2" 16 1/2"	BD 16 1/2" 16 1/2" 16 1/2"

### FULL SIZE / EXTENDED CAB / DOUBLE CAB

our promise Sound Guarantee

🜷 down firing

•	ł
οχινί	ſ
5	Γ

FITS: 07-14	4 1500/ 2	500HD/	3500HD Ext	ended & Do	uble	Cab	( <b>=</b> raw (((	CARPET	
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH	
SGMX65	.65	.65	1 - 10" or 12"	5 3/4" - 10" 5 1/2" - 12"	34″	12 7/8″	10 1/4"	6 5/8″	

**Installation Comments:** Fits under rear seat driver side, only fits new body style. Will fit 60/40 rear bench seat option. **NOTE:** Models with low transmission hump will require rubber feet, available at no charge if request is made when ordering. 2014

models have 4 forward-hinged doors; Crew Cab's doors are all the same size.



	4 1500/ 2 Double (		3500HD Ext	tended Cab	<b>((( ■</b> RAW	((( CARPI	et <b>((( </b> хт	REME KOTE
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
				<b>E</b> // 10//				

GMX125	1.25	.62	2 - 10" or 12"	5 3/4" - 10" 5 1/2" - 12"	53 1/2"	12 7/8″	10 1/4"	6 5/8″
Installation	Comments:	Fits under	rear seat, only fits	s new body style.	Wi <b>ll</b> fit 60	)/40	🜷 down	firing

rear bench seat option. **Note:** Models with low transmission hump will require rubber feet, available at no charge if request is made when ordering. 2014 models have 4 forward-hinged doors; Crew Cab's doors are all the same size.

 99-0	6 & 07 Cl 6 & 07 Cl 4 2500 E	lassic 1	0 Ext Cab b	<b>((( ■</b> RAW	((( CARP	et <b>((( =</b> xti	REME KOTE	
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
SGMX107	1.07	1.07	1 - 10" or 12"	6 11/16″	35 1/2"	14 7/8″	10 1/4"	7 1/4"
Note: Mount	ing depth ba	ased on a 6	rear seat driver s 1/2" diameter ma rt (SS) models.			with	e down	firing

((( = AMERICAN MADE

(( 32 YEARS OF UNSURPASSED SERVICE

((( 100% GREEN

•••••••

SGMX107

### FULL SIZE / EXTENDED CAB

5 1/2" diamet	1.90	.95				D		_ "			
5 1/2" diamet	Commente		2 - 10" or 12"	6 11/16"	55″	14″	10 1/8"	7 1/8″	J		
Sport (SS) ma				Nounting depth split-bench seats			😸 down f	firing			
• • • •	odels.										
11. 11.											
<b>((( ■</b> RAW <b>((( 1</b>	CARPET			& 07 Classi & 07 Classi				t Cab	0		
				2500 Ext Ca			ab				
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH			
GMX240	2.40	1.20	2 - 10″	7 1/8″	53 1/2"	15 5/8″	10″	7″	•••••		
nstallation (	Comments:	I Fits under r	rear seat. Note: D	l loes not fit trucks	l with rear	r split-	∎)))forwar	d firing	J		
ench seats, f	its Super Spo	ort (SS) moo	dels. Enclosure n	ot available with	12″ open	ing.					
((( <b>a</b> raw ((( <b>b</b>	CARPET ( 🕻 🔳 X	TREME KOTE		& 99 Classi	~ 1500	/2500/	3500 E	Ext Ca	ab 🖌		
			1110.03-30 (	x 33 Glassi	5 1000				CONTRACTOR OF THE OWNER		
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	w	D	FH	RH		(	T
MODEL SGMX70					W	D 12 3/4″		RH 7″			
SGMX70	TO. CU. FT. .70	PER SUB	OPENINGS 1 - 10" or 12"	MD 6 13/16″	W 27 1/8″	12 3/4″	10 1/4"	7″			
SGMX70 Installation about 1 1/2"	TO. CU. FT. .70 Comments: from under	PER SUB .70 Fits under the seat. Re	OPENINGS 1 - 10" or 12" rear seat driver s	MD	W 27 1/8″ ill protruc	12 3/4″		7″			
SGMX70 Installation about 1 1/2"	TO. CU. FT. .70 Comments:	PER SUB .70 Fits under the seat. Re	OPENINGS 1 - 10" or 12" rear seat driver s	MD 6 13/16" side, enclosure w	W 27 1/8″ ill protruc	12 3/4″	10 1/4"	7″			
SGMX70 Installation about 1 1/2" based on a 6	TO. CU. FT. .70 <b>Comments:</b> from under 5.5" diameter	PER SUB .70 Fits under the seat. Re magnet.	OPENINGS 1 - 10" or 12" rear seat driver s etains factory jack	MD 6 13/16" side, enclosure w k. Note: Mountin	W 27 1/8" ill protruc g depth	12 3/4" de	10 1/4″ 🎅 down 1	7" firing			
SGMX70 Installation about 1 1/2" based on a 6	TO. CU. FT. .70 Comments: from under	PER SUB .70 Fits under the seat. Re magnet.	OPENINGS 1 - 10" or 12" rear seat driver s etains factory jack	MD 6 13/16" side, enclosure w	W 27 1/8" ill protruc g depth	12 3/4" de	10 1/4″ 🎅 down 1	7" firing	ab		,
SGMX70 Installation about 1 1/2" based on a 6	TO. CU. FT. .70 <b>Comments:</b> from under 5.5" diameter	PER SUB .70 Fits under the seat. Re magnet.	OPENINGS 1 - 10" or 12" rear seat driver s etains factory jack	MD 6 13/16" side, enclosure w k. Note: Mountin	W 27 1/8" ill protruc g depth	12 3/4" de	10 1/4″ 🎅 down 1	7" firing			
SGMX70 Installation about 1 1/2" based on a 6	TO. CU. FT. .70 Comments: from under t 5.5" diameter	PER SUB .70 Fits under the seat. Re magnet.	OPENINGS 1 - 10" or 12" rear seat driver setains factory jack	MD 6 13/16" side, enclosure w k. Note: Mountin & 99 Classio	W 27 1/8" ill protruc g depth c 1500/	12 3/4" de <b>/2500/</b> 3	10 1/4" down 1 3500 E FH	7″ firing Ext Ca			
SGMX70 Installation about 1 1/2" based on a 6 ((( RAW ((( MODEL GMX120 Installation	TO. CU. FT. .70 Comments: from under 1 5.5" diameter CARPET ((( • x TO. CU. FT. 1.20 Comments:	PER SUB .70 Fits under the seat. Re magnet. TREME KOTE PER SUB .60	OPENINGS 1 - 10" or 12" rear seat driver s etains factory jack FITS: <b>89-98</b> & OPENINGS 2 - 10" or 12" rear seat, enclos	MD 6 13/16" side, enclosure w k. Note: Mountin & 99 Classic MD 6 13/16" sure will protrude	W 27 1/8" ill protruc g depth c 1500/ W 55" about 1	12 3/4" de /2500/3 D 12 3/4" 1/2"	10 1/4" down 1 3500 E FH	7″ firing Ext Ca RH 7″	ab		
SGMX70 Installation about 1 1/2" based on a 6 (( ■ RAW ((( ■ MODEL GMX120 Installation from under t	TO. CU. FT. .70 Comments: from under 1 5.5" diameter CARPET ((( • x TO. CU. FT. 1.20 Comments: the seat. Rem	PER SUB .70 Fits under the seat. Re magnet. TREME KOTE PER SUB .60	OPENINGS 1 - 10" or 12" rear seat driver s etains factory jack FITS: <b>89-98</b> & OPENINGS 2 - 10" or 12" rear seat, enclos	MD 6 13/16" side, enclosure w k. Note: Mountin & 99 Classic MD 6 13/16"	W 27 1/8" ill protruc g depth c 1500/ W 55" about 1	12 3/4" de /2500/3 D 12 3/4" 1/2"	10 1/4" down 1 3500 E FH 10 1/4"	7″ firing Ext Ca RH 7″	ab		
SGMX70 Installation about 1 1/2" based on a 6 (( ■ RAW ((( ■ MODEL GMX120 Installation from under t	TO. CU. FT. .70 Comments: from under 1 5.5" diameter CARPET ((( • x TO. CU. FT. 1.20 Comments: the seat. Rem	PER SUB .70 Fits under the seat. Re magnet. TREME KOTE PER SUB .60	OPENINGS 1 - 10" or 12" rear seat driver s etains factory jack FITS: <b>89-98 &amp;</b> OPENINGS 2 - 10" or 12" rear seat, enclos k required. Note:	MD 6 13/16" side, enclosure w k. Note: Mountin & 99 Classic MD 6 13/16" sure will protrude	W 27 1/8" ill protruc g depth c 1500/ W 55" about 1	12 3/4" de /2500/3 D 12 3/4" 1/2"	10 1/4" down 1 3500 E FH 10 1/4"	7″ firing Ext Ca RH 7″	ab		
SGMX70 Installation about 1 1/2" based on a 6 (( ■ RAW ((( ■ MODEL GMX120 Installation from under t	TO. CU. FT. .70 from under 1 5.5" diameter CARPET ((( ) X TO. CU. FT. 1.20 Comments: the seat. Rem r magnet. Wo	PER SUB .70 Fits under the seat. Re magnet. TREME KOTE PER SUB .60	OPENINGS 1 - 10" or 12" rear seat driver s etains factory jack FITS: <b>89-98</b> OPENINGS 2 - 10" or 12" rear seat, enclos k required. Note: d door option.	MD 6 13/16" side, enclosure w k. Note: Mountin & 99 Classic MD 6 13/16" :ure will protrude Mounting depth	W 27 1/8" ill protruc g depth c 1500/ W 55" about 1 based or	12 3/4" de /2500/3 12 3/4" 1/2" n a	10 1/4" down 1 3500 E FH 10 1/4" down 1	7" firing Ext Ca RH 7" firing			
SGMX70 Installation about 1 1/2" based on a 6 ((( RAW (() MODEL GMX120 Installation from under t 6.5" diamete	TO. CU. FT. .70 Comments: from under 5 .5" diameter CARPET ((( ) × TO. CU. FT. 1.20 Comments: the seat. Rem r magnet. Wo	PER SUB .70 Fits under the seat. Re magnet. TREME KOTE PER SUB .60 Fits under noval of jack orks on a 3r	OPENINGS 1 - 10" or 12" rear seat driver setains factory jack FITS: <b>89-98</b> & OPENINGS 2 - 10" or 12" rear seat, encloss k required. Note: d door option. FITS: <b>88-98</b> &	MD 6 13/16" side, enclosure w k. Note: Mountin & 99 Classic MD 6 13/16" sure will protrude Mounting depth	W 27 1/8" ill protruc g depth c 1500/ W 55" about 1 based or c 1500/	12 3/4" de /2500/3 12 3/4" 1/2" na	10 1/4" down 1 3500 E FH 10 1/4" down 1 3500 E	7" firing Ext Ca RH 7" firing Ext Ca			
SGMX70 Installation about 1 1/2" based on a 6 ((( RAW ((( RAW ((( RAW ((( RAW ((( RAW ((( RAW ((( RAW (()))	TO. CU. FT. .70 Comments: from under 1 5.5" diameter CARPET ((( ) x TO. CU. FT. 1.20 Comments: the seat. Rem r magnet. Wo	PER SUB .70 Fits under the seat. Re magnet. TREME KOTE PER SUB .60 Fits under hoval of jack orks on a 3r	OPENINGS 1 - 10" or 12" rear seat driver setains factory jack FITS: <b>89-98</b> OPENINGS 2 - 10" or 12" rear seat, encloss k required. Note: d door option. FITS: <b>88-98</b> OPENINGS	MD 6 13/16" side, enclosure w k. Note: Mountin & 99 Classic MD 6 13/16" sure will protrude Mounting depth & 99 Classic MD	W 27 1/8" ill protruc g depth c 1500/ W 55" about 1 based or c 1500/ W	12 3/4" de /2500/3 12 3/4" 1/2" na	10 1/4" down 1 3500 E FH 10 1/4" down 1 3500 E FH	7" firing Ext Ca RH 7" firing Ext Ca RH			
SGMX70 Installation about 1 1/2" based on a 6 ((( RAW ((( RAW ((( RAW) GMX120 Installation from under t 6.5" diamete ((( RAW ((( RAW) MODEL GMX200	TO. CU. FT. .70 Comments: from under to .5" diameter CARPET ((( ) x TO. CU. FT. 1.20 Comments: the seat. Rem r magnet. Wo	PER SUB .70 Fits under the seat. Re magnet. TREME KOTE PER SUB .60 Fits under hoval of jack orks on a 3r PER SUB 1.00	OPENINGS 1 - 10" or 12" rear seat driver setains factory jack FITS: <b>89-98</b> & OPENINGS 2 - 10" or 12" rear seat, encloss required. Note: d door option. FITS: <b>88-98</b> & OPENINGS 2 - 10"	MD 6 13/16" side, enclosure w k. Note: Mountin & 99 Classic MD 6 13/16" sure will protrude Mounting depth	W 27 1/8" ill protruc g depth c 1500/ W 55" about 1 based or c 1500/ W 55"	12 3/4" de /2500/3 12 3/4" 1/2" na /2500/3 D 15 3/4"	10 1/4" down 1 3500 E FH 10 1/4" down 1 3500 E	7" firing Ext Ca RH 7" firing Ext Ca RH			

ULL SIZE / CRE	W CAB				G	our prom	ise <b>Sou</b>	ind Se	lectio
		4 New Bo v Cab	ody 150	0/2500HD/3	500HD	<b>((( =</b> raw	((( CARP	ет <b>((( =</b> XT	REME KOTI
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
•••••••••••••••••••••••••	CREW180	1.80	.90	2 - 10" or 12"	5 11/16"	51″	17 3/4″	9 1/8″	5 1/8'
	<b>Installation</b> 6.5″ diamete		Fits under	rear seat. Note:	Mounting depth	based or	na	曼 down	firing
		4 New Bo v Cab	ody 150	0/2500HD/3	500HD	<b>((( =</b> raw	((( CARP	ет <b>((( =</b> XTI	REME KOT
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
••••••••••••	CREW100	1.00	1.00	1 - 10" or 12"	5 11/16"	27 7/8"	17 3/4″	9 1/8″	5 1/8'
	<b>Installation</b> on 6.5" diam			rear seat driver s	ide. Mounting d	epth base	ed	edown edw	firing
		4 New Bo v Cab	ody 150	0/2500HD/3	500HD		(	<b>(( =</b> raw <b>(</b> (	CARPE
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
•••••••••••••••••••••••••••••••••••••••	CREW170	1.70	.85	2 - 10" or 12"	5 1/16" - 10" 4 7/8" - 12"	51″	17 3/8″	7″	3 7/8'
	Installation	Comments:	Fits under	rear seat.				edown 🛃	firing
	FITS: <b>06-0</b>	7 Classic	: 1500/1	500HD/250	0HD/3500 C	rew C	ab ((	( <b>=</b> raw (((	CARPE
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	н	TD	BD
	CREW90	.90	.45	2 - 10″	<b>4</b> 1/2″	49″	13″	2 1/4″	6 1/2"

	FITS: <b>01-07</b>	7 1500HC	)/2500H	D/3500 Cre	w Cab		((	( <b>=</b> raw (((	CARPET
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	Н	W	TD	BD
2	AV96S	.96	.96	1 - 10″	5 7/16″	5 5/8"	44 1/8"	16 1/2"	16 1/2″
	AV96S	.96	.96	1 - 12″	4 13/16″	5 1/8″	45 3/4"	16 1/2"	16 1/2"
	AV96D	.96	.48	2 - 10″	5 7/16″	5 5/8″	44 1/8″	16 1/2"	16 1/2″
	AV96D	.96	.48	2 - 12″	4 13/16″	5 1/8″	48″	16 1/2"	16 1/2"
				rear seat. NOTE:	Does not fit a nor	n-heavy		a upwar	d firing

duty 1500 Crew Cab. Opening is on passenger side.

HNO		FITS: 01-06	6 1500 No	on-HD (	Crew Cab			((	<b>( =</b> raw <b>(((</b>	CARPET '	
<b>V12</b>		MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
CREV		CREW120NH	1.20	0.60	2 - 10″	4 1/2″	48 1/4"	14″	3 1/2"	6 1/2″	
	e e	Installation	Comments:	Fits behind	d rear seat betwe	en air ducts, requ	ires remo	oval	■)))forwar	d firing	

**Installation Comments:** Fits behind rear seat between air ducts, requires removal of factory jack. Note: 12" opening available for an up-charge –Shallow Mounts recommended.

AV96D10 AV96S12

FULL SIZE / CREW CAB Sound Choices our promise ((( RAW ((( CARPET FITS: 01-05 1500HD/2500/2500HD/3500 Crew Cab **CREW120** PER SUB MODEL TO. CU. FT. OPENINGS MD W н FH RH CREW120 1.20 .60 2 - 10''5 15/32" 49" 10 1/4" 5″ 7 1/8' Installation Comments: Fits behind rear seat, requires removal of factory panel ■)))forward firing behind seat. Note: Does not fit a non-heavy duty 1500 Crew Cab. Enclosure not available in 12" opening. MID SIZE TRUCKS Sound Desing our promise ((( ■ RAW ((( ■ CARPET FITS: All Years S10, S15 Extended Cab Trucks S10X260 MODEL TO. CU. FT. PER SUB OPENINGS MD W TD Н BD S10X260 2.60 1.30 2 - 10" or 12" 7 9/16" 39 3/4" 14 1/4" 11 1/2" 15 1/2' Installation Comments: Raise rear seat, sit in to place against jack. Rear seating is 🜷 down firing lost. Note: Will not fit 2002 and older S10-S15 Crew Cab models (4 doors). ((( = raw ((( = carpet FITS: 04-12 Colorado/Canyon Extended Cab CCX220 OPENINGS MODEL TO. CU. FT. PER SUB MD W TD ΒD Н 11″ 39" 14 3/4 CCX220 2.20 1.10 2 - 10" or 12" 16 3/8' 11 1/8" Installation Comments: Fits in rear floor pan; removal of storage boxes is needed. 😓 down firing Rear seating is lost. Note: Fits Colorado basic Work Truck and premium LT trim (available in LT1, LT2 and LT3) and Canyon Work Truck, SLE and SLT trim levels. ((( RAW ((( CARPET FITS: Fits 04-12 Colorado/Canyon Crew Cab **CCC70** MODEL TO. CU. FT. PER SUB OPENINGS FW MD RW CCC70 .68 2 - 10" 4″ 31 1/2" 42 1/4" **4** 1/4' 14" .34 Installation Comments: Fits under rear bench seat - T goes towards the cab wall. apward firing Removal of seat is required during installation. Add gasket for up to 1/4" additional mounting depth – Shallow Mounts only. Tight fit, speaker grills are included for added protection between seat and woofer at no additional charge. Note: Fits Colorado basic Work Truck and premium LT trim (available in LT1, LT2 and LT3) and Canyon Work Truck, SLE and SLT trim levels. ((( RAW ((( CARPET FITS: 95-03 S-10, S-15/Sonoma Regular Cab GMS75 MODEL TO. CU. FT. PER SUB **OPENINGS** MD Width Height ΤD ΒD GMS75 .75 3″ .37 2 - 10" 32" 12 1/4" 7 1/2 4 5/8" Installation Comments: Fits behind seat, does not affect seating or interfere with ବ forward firing factory jack kit. AUTOS Sound Quality our promise ((( = raw ((( = carpet FITS: 10-14 Camaro Coupe CAM50 MODEL TO. CU. FT. PER SUB **OPENINGS** MD W н TD BD CAM50 .50 .50 1 or 2 - 10" 5 5/8" **Custom Fit** Installation Comments: Fits in driver or passenger side rear corner. Note: Sold ■)))side firing as single or pairs, does not fit convertible models.

VROLET & GMC :: vehicle specific enclosures

6

AUTOS					oui	r promise	Sound	d Gua	irantee
	FITS: <b>10-14</b>	Camaro	o Coupe	Э			(((	<b>⊂</b> Raw <b>(((</b>	CARPET
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	BW	TW	Н	D
	CAM195	1.95	.98	2 - 10" or 12"	7 1/2″	44 3/4"	29 7/16"	13 1/4"	8 1/2″
	seat. May be	installed thre	ough the ti	ured to the shape runk opening or f vertible models.				( <b>((∎</b> rear fir	ing
	FITS: <b>10-14</b>	Camaro	o Coupe	9			(((	( <b>=</b> raw (((	CARPET
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	BW	TW	Н	D
	CAM195P	1.95	1.95	1 - 12″	7 1/2″	44 3/4"	<b>29</b> 7/16″	13 1/4"	8 1/2″
	seat. May be the rear seat.	installed thre Port should sure comes t	ough the tr be added a uned to 34	ured to the shape runk opening or f after installation u Hz; visit our web	rom inside of ve using silicon and	hicle thro provided	ugh I screws. I		ternal
	FITS: <b>93-02</b>	2 Camaro	o/Trans	Am Hatch			(((	<b>a</b> Raw (((	CARPET
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	BW	ΤW	Н	D
	93NCT300	3.00	1.50	2 - 10″ or 12″	8 3/8″		Custo	om Fit	
	Installation models, will I			rea of hatch mod	els. Does not fit	convertib	e	👕 upwar	d firing
	FITS: <b>93-02</b>	2 Camaro	o/Trans	Am Hatch a	nd Conver	tible	(((	<b>∎</b> raw <b>(((</b>	CARPET
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	BW	TW	Н	D
	93NCT180	1.80	.90	2 - 10″ or 12″	8 3/8″		Custo	om Fit	
	Installation lose T-Top sto		Fits well a	rea of hatch and o	convertible moc	lels, will		👕 upwar	d firing
	FITS: <b>82-92</b>	2 Camaro	o/Trans	Am Hatch (M	lotorized or Non-I	Motorized)	(((	<b>a</b> Raw (((	CARPET
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	BW	TW	Н	D

**Installation Comments:** Fits well area of hatch models. Does not fit convertible models, will lose T-Top storage. **Note:** When placing order, specify motorized or non-motorized. 10" opening available for an up-charge.

1.27

2 - 12"

FITS: Fits 82-92 Camaro/TransAm MODEL TO. CU. FT. PER SUB OPENIN NCT180 1.80 .90 2-12

**NCT250** 

2.54

### FITS: Fits 82-92 Camaro/TransAm Hatch (Motorized or Non-Motorized) ((( RAW (( CARPET )

7 7/8"

MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	BW	ΤW	Н	D	
NCT180	1.80	.90	2 - 12″	7 1/4″		Cust	om Fit		
Installation	Comments:	Fits we <b>ll</b> ar	ea of hatch mod	els. Does not fit co	onvertible	e	a upward	d firing	

models, will lose T-Top storage. **Note:** When placing order, specify motorized or non-motorized. 10" opening available for an up-charge.

Vehicle specific enclosures :: CHEVROLET & GM 93NCT300 CAM195P CAM195 CAM195 CAM195

93NCT180

**NCT250** 

Custom Fit

apward firing

e

.....

### FULL SIZE / F-150 EXT CAB (SUPERCAB) SUICIDE DOOR MODELS

	• ((( <b>=</b> raw ((( <b>•</b>	CARPET ( 🕻 🗖 XT	REME KOTE	FITS: <b>09-14 F</b>	-150 Extend	ed Ca	b (Sup	berCa	b)			s
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH		00000	SSC130
	SSC130	1.30	.65	2 - 10″	4 3/4″	52″	16 1/2″	7 1/8″	4 1/8"			õ.
					bottom of the real Fits STX, XL, XLT,			Jown 🖞	firing			
	Lariat, Harle	y Davidson, 6	0 anniversa		aptor models, doe			ich. 12″ c	pening			
				-								
	• ((( <b>■</b> RAW ((((	CARPET ((( 🗖 XT	REME KOTE	FITS: <b>04-08 F</b>	-150 Extend	ed Ca	ıb (Sup	berCa	b)	And the second s		S
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH			SC2:
	SSC75	.75	.75	1 - 10″	4 7/8″	32 3/4"		7 7/8″	6″			Ŭ
					side. Retains factor y edition models.			曼 down	firing			
	available for	r an up-charg	e – Sha <b>ll</b> ow	Mounts only.								
	• ((( <b>=</b> raw ((( <b>=</b>	CARPET ( 🕻 🗖 XT	REME KOTE	FITS: <b>04-08 F</b>	-150 Extend	ed Ca	b (Sup	berCa	b)			S
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH		0	SSC120
	SSC120	1.20	.60	2 - 10″	4 7/8″	51 1/4″	12 1/4"	7 7/8″	6″			20
					actory jack <b>Note</b> : F 2″ opening avai <b>l</b> a			🜷 down	firing		3	
		- May require										
:	• ((( <b>=</b> raw ((( <b>•</b>	CARPET		FITS: Fits 00-	03 F-150 Ex	tende	d Cab	(Supe	erCab			
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	н	TD	BD			FX70
	FX70	.70	.70	1 - 10″	5 7/16″	32″	5 5/8″	11″	11″		-	02
•••					l eat. Note: Fits XL,			upwar	d firing	J	••••••	
	,	/		versary edition m vailable with 12″	odels, does not fit opening.	t Lightin	g and					
	• ((( <b>=</b> RAW ((( <b>1</b>	CARPET		FITS' <b>00-03 F</b>	-150 Extend	ed Ca	b (Sur	oerCa	b)			
	MODEL			OPENINGS	MD	w	H H					FX
	FX120	TO. CU. FT.	PER SUB	2 - 10"	5 7/16″	49 3/4″	⊓ 7 5/8″	тD 11″	BD 11″	1000		FX120
•					Fits XL, XLT, FX4, La			Jown		J	•••••••••••••••••••••••••••••••••••••••	
	Davidson ar	nd 60 anniver	sary editior		ot fit Lighting and			<u> </u>				
								(0)				
	• ((( <b>=</b> raw ((( <b>=</b>	CARPET		FITS: Fits 97-	99 F-150 Ex	tende	d Cab	(Supe	erCab			71
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	H	TD	BD			FX50
	FX50	.50	.50	1 - 10"	5 1/16"	35 1/8"	5 3/8"	10 5/8″	10 5/8″			Ч
	seat be cut o	off, may protr	ude slightly	/ from under sea	rucks require bolt t. Trucks with bar u	under se	at	ar upwar				
	XLT, FX4, La	riat, Har <b>l</b> ey Da	vidson and	d 60 anniversary (	under the seat (m edition models, do					n		
	models. Enc	losure not av	aliable with	n 12″ opening.								
	lu = cu	STOMER TE			#'S ARE INTERN		VOLUM	F		JSTOM LOGOS		
	(( <b>=</b> CU	STOWER TE:	JILD				VOLUM	L	$\eta = CC$			

FORD :: vehicle specific enclosures

	FITS: 02-14	F-250/F-	350 Sup	er Duty Ext	ended Cab (	Super	Cab) 🤇	( <b>=</b> raw (((	CARPET
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD
	FX110	1.10	.55	2 - 10″	5 1/16″	50″	5 1/2"	12 1/4"	9 7/8″
	Installation	Comments:	Fits under	rear seat. Remov	al of jack required	l. Bar Gri	lls	🗟 upwar	d firing

Installation Comments: Fits under rear seat. Removal of jack required. Bar Grills are included for added protection at no additional charge.

Note: 12" opening available for an up-charge - may require Shallow Mounts. 2001 and older models were designed with 3 different seat arrangements – FX110 only fits flat floor plan with minimum of 5 5/8 height at the lowest point. Fits XL, XLT, FX4, and Lariat models, does not fit King Ranch models.

### FULL SIZE / F150 CREW CAB (SUPERCREW) 4 FULL SIZE DOORS

### our promise Sound Choices

our promise Sound Selection

	FITS: <b>09-14</b>	4 F-150 C	rew Ca	b (SuperCr	ew)	<b>((( =</b> RAW		et ( 🔳 XTF	еме коте
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
	FSC85	.86	.86	1 - 10″	5″	36″	13 5/8″	7 1/8″	5 1/8"
	Installation	Comments:	Fits under	rear seat. <b>Note</b> : F	its XI XIT FX2			J. down	firing

Lariat, Harley Davidson, 60 anniversary edition, Raptor and Platinum models, does

not fit King Ranch models. 12" opening available for an up-charge – May require Shallow Mounts.

	FITS: 09-14	4 F-150 C	rew Ca	b (SuperCr	ew)		((	<b>E</b> RAW <b>(((</b>	CARPET
A CONTRACTOR OF THE OWNER	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
	FSC130	1.30	.65	2 - 10″	5″	55″	13 5/8″	7 1/8″	5 1/8"
		Commonte:	Eite under	roor coot Noto	L Fito VI VIT EVO E	να στν	Lariat	down	Cutin a

Installation Comments: Fits under rear seat. Note: Fits XL, XLT, FX2, FX4, STX, Lariat S down firing Harley Davidson, 60 anniversary edition, Raptor and Platinum models, does not fit King Ranch models. 12" opening available for an up-charge – May require Shallow Mounts.

	FITS: 04-08	3 F-150 C	rew Ca	b (SuperCr	ew)	<b>((( ■</b> RAW	( 🕻 🗖 CARPE	et ( 🔳 xtr	ЕМЕ КОТЕ	
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH	
	SSC75	.75	.75	1 - 10″	4 7/8″	32 3/4″	12 1/4″	7 7/8″	6″	
F		Comments:	Fits under	rear seat driver s	ide. Retains facto	ry jack.		曼 down f	firing	J

Installation Comments: Fits under rear seat driver side. Retains factory jack. Note: Fits XL, XLT, FX4, Lariat, Harley Davidson, King Ranch and 60 anniversary

edition models. 12" opening available for an up-charge – May require Shallow Mounts.

FITS: <b>04-08</b>	3 F-150 C	rew Ca	(((■RAW (((■CARPET ((((■XTREME						
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH	
SSC120	1.20	.60	2 - 10″	4 7/8″	51 1/4"	12 1/4"	7 7/8″	6″	
 Installation	Comments:	Fits under	rear seat. Lose fa	ictory jack. <b>Note:</b>	L Fits XL, X	ILT,	💂 down i	firing	<b></b>

Installation Comments: Fits under rear seat. Lose factory jack. Note: Fits XL, XLT, FX4, Lariat, Harley Davidson, King Ranch and 60 anniversary edition models. 12" opening available for an up-charge - May require Shallow Mounts.

SSC75

SSC120

Sound Design our promise

FULL SIZE / F150 CREW CAB (SUPERCREW) 4 FULL SIZE DOORS

	((( <b>B</b> RAW (((	CARPET	I	FITS: 01-03 F	-150 Crew C	ab (S	uperC	rew)		
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
	FSC65	.65	.65	1 - 10″	5 7/16″	25″	6 9/16″	11 5/8″	11 5/8″	
(	Installation	Comments:	Fits under	rear seat driver s	ide. Works with b	ench sea	nt 🛛	ବ upwar	d firing	,

Installation Comments: Fits under rear seat driver side. Works with bench seat option. Add speaker ring for additional mounting depth Note: Fits 04 F-150 Heritage model.


### Sound Quality our promise


### FULL SIZE TRUCKS - F-250/F-350/F-450/F-550 SUPER DUTY CREW CAB 4 FULL SIZE DOORS

■)))forward firing

((( = RAW ((( = CARPET FITS: 04-14 F-250/F-350/F-450/F-550 Super Duty Crew Cab PER SUB MODEL TO. CU. FT. **OPENINGS** MD W TD ΒD н FSD130 1.30 .65 2 - 10" 55" 16 1/4" 3″ 4 1/4" 6" Installation Comments: Fits behind rear seat. Permanent removal of jack kit, rear ବ forward firing seat belt cover and rear carpet is required. Power window motor will need to be removed during installation. Note: Fits Non and Power Window models. Fits Platinum, XL, XLT, FX4, Lariat, Harley Davidson, Badlander, 60 anniversary, King Ranch, and Cabela's edition models. Will fit a F350/450/550 Dually. 12" opening available for an up-charge – Shallow Mounts only. ((( = RAW ((( = CARPET FITS: 97-07 F-250/F-350 Super Duty Crew Cab MODEL TO. CU. FT. PER SUB OPENINGS MD W TD BD н FSD150 1.54 .77 2 - 10" or 12" 55" 17″ 4 1/4" 2 7/8" 6"

**Installation Comments:** Fits behind rear seat. Removal of tray and rear wall carpet is required. **Note:** Fits XL, XLT, FX4, Lariat, Harley Davidson, King Ranch and 60 anniversary edition models. Due to position of seatbelt, it will not fit 2008 models.





FSC65

**FSD130** 

FSD150

**MID SIZE TRUCKS** 

## **MID SIZE TRUCKS**

our promise Sound Service

our promise Sound Selection

((( RAW ((( CARPET

((( RAW ((( CARPET

((( ■ RAW ((( ■ CARPET \*\*\*

### FITS: All Years Ranger Extended Cab (SuperCab)

MODEL	TO. CU. FT.		OPENINGS	MD	W	H	TD	BD
 FRX200	2.00	1.00	2 - 10″ or 12″	6 1/8″	43″	8″	12″	13 1/2"
Installation	Comments:	Fits on rea	r floor pan, rear s	eating lost.			🜷 down	firing

### FITS: 93-12 Ranger Regular Cab

MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
RS38	.38	.38	1 or 2 - 10″	<b>4</b> 11/16″	13 1/2"	12 1/2"	2 3/4″	7 1/4″	]

Installation Comments: Fits behind seat in regular cab trucks with 60/40, bench, and ■)))forward firing buckets. Jack may need to be relocated. No loss of leg room. Factory storage tray must

be removed when using two cabinets. **Note**: 12" opening available for an up-charge – May require Shallow Mounts. Sold as single or pairs.

### **AUTOS**

FANG210F

2	F	FIT:
TANG210		ſ
٩ ۲		TA
		ns No

	FITS: <b>05-14</b>	Mustang	g Coupe	•			(	( <b>( ■</b> raw <b>(((</b>	CARPET	•
FITS: <b>05-14 Mustang Coupe</b> MODEL TO. CU. FT. PER SUB OPENINGS TANG210 2.10 1.05 2 - 10" or 12" Installation Comments: Slides up against rear seat, i				MD	W	Н	тw	BW		
	TANG210	2.10	1.05	2 - 10" or 12"	10 3/4″		Cust	tom Fit		
	Installation	Comments:	Slides up a	gainst rear seat, i	nstalls through tr	unk oper	nina.	( <b>(</b> ∎rear fir	ina	

ote: Works with Shaker System. Does not work with Mach systems or convertibles models.

### FITS: 05-14 Mustang Coupe

ſ	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	ΤW	BW
	TANG210P	2.10	2.10	1 - 12″	10 3/4″		Custo	om Fit	

Installation Comments: Slides up against rear seat, installs through trunk opening. (((
rear firing Port must be added after installation using silicon and provided screws. Note:

External Ported Enclosure comes tuned to 36Hz; visit our website for additional port tuning information. Works with Shaker System, does not work with Mach systems or convertibles models.

**MMC170** 

FITS: 82-04 Mustang Coupe       ((( RAW ((( CAR         MODEL       TO. CU. FT.       PER SUB       OPENINGS       MD       W       H       TD       BE         MMC170       1.70       .85       2 - 10" or 12"       7 1/8"       35 3/8"       9 5/8"       13 5/8"       15 1									
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
MODEL         TO. CU. FT.         PER SUB           MMC170         1.70         .85			2 - 10" or 12"	7 1/8″	35 3/8"	9 5/8″	13 5/8″	15 1/4"	
Installation		1000.		down	firing				

Does not sit under Mach system.

FITS: All Y	ears Mus	tang Co	nvertible an	d Coupe		<b>(((■</b> raw <b>(((■</b> carp			
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	FW	RW	Н	D	
 MC170	1.70	.85	2 - 10" or 12"	6 5/16″	42″	36 1/8"	7″	15″	
Installation		1000.	).						

Sits under Mach system.

Sound Choices our promise

••• ((( ■ RAW ((( ■	CARPET	F		500 Ext Cab 500 Ext Cab			Quad	Cab	DX14
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	ō
DX140	1.40	.70	2 - 10″	5 1/4"		Custo	om Fit		
required. <b>No</b>	ote: Does not i	fit Sport Ed	ition Club Cab o	l of jack and stora r Mega Cab mode as Quad Cab, with	ls. For Sp	ort	曼 down oors. End		

not available with 12" opening.

 ((( ■ RAW ((( ■	CARPET	I	FITS: 95-01 15	00/2500/3500	Club C	ab/Ext	Cab/E>	ktra Ca	ıb/Quad Cab	
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD		DX60
DX60	.60	.60	1 or 2 - 10″	<b>4</b> 5/16"		Custo	om Fit			
Installation	Comments:	Fits under	rear seat, either i	bassengers side o	r drivers	side.	∎)))forwar	d firing		

**Installation Comments:** Fits under rear seat, either passengers side or drivers side. Removal of jack and storage tray required. **Note:** Fits Sport Edition Club Cab, does not fit Mega Cab models.

### Sound Design our promise

ł,

### FULL SIZE - CREW/QUAD/EXTENDED CAB

FULL SIZE - EXTENDED/EXTRA/CLUB CAB

	((( <b>=</b> raw ((( <b>=</b>	CARPET	F	ITS: All Year	s Dodge Me	ga Ca	b			
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
	CT10	1.40	.70	2 - 10″	<b>4</b> 1/2″	49″	13″	<b>4</b> 1/4″	7″	
•	CT12	1.84	.92	2 - 12″	5 1/8″	49″	14 1/4"	4 7/8″	8″	


Installation Comments: Fits behind seat, will not affect ability to recline rear seats. ()))forward firing

### (((■ RAW (((■ CARPET (((■ XTREME KOTE FITS: 09-14 1500 Ram Crew Cab/Quad Cab 09-14 2500/3500 Ram Ext Cab/Quad Cab

[	DQ30	.30	.30	1 or 2 - 10″ 1 or 2 - 12″	5 3/8″		Custo	om Fit	
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	н	TD	BD

**Installation Comments:** Fits under rear seat, fits new body style. Removal of jack and storage tray required. Driver side has cut- out for seat brackets. Bar Grills are included for added protection at no additional charge. **Note:** Mounting doubt based on a 6" diameter.

included for added protection at no additional charge. **Note**: Mounting depth based on a 6" diameter magnet. Sold as single or pairs, does not fit Mega Cab models. Driver's side has cut out for seat bracket.



**CT12** 

**DQ30** 

(( CUSTOMER TESTED

(( MODEL #'S ARE INTERNAL AIR VOLUME

<sup>ର:</sup> 06-11 Da								
	kota Ex			((( ■ RAW ((	CAF			
MODEL TO	). CU. FT.	PER SUB	OPENINGS	MD	W F	H TD	BI	
DX75	.75	.75	1 - 10″	<b>9</b> 1/2″	Cı	ustom Fit		
k seat, no sea						Je down	firing	
ेः <b>93-11 D</b> a	akota C	Crew Ca	b/Quad Cab			<b>((( ■</b> raw <b>(</b> (	(CAI	
NODEL TO	). CU. FT.	PER SUB	OPENINGS	MD	W F	ł TD	BI	
RS38	.38	.38	1 or 2 - 10″	4 11/16"	13 1/2" 12 1	/2" 2 3/4"	7 1	
	DDX75 tallation Con k seat, no sea Quad Cab. S: <b>93-11 Da</b> MODEL TC RS38 tallation Con	DDX75.75tallation Comments: k seat, no seating lost. Quad Cab.S: 93-11 Dakota CMODELTO. CU. FT.RS38.38tallation Comments:	DDX75.75.75tallation Comments:Fits between k seat, no seating lost. Fits Big Ho Quad Cab.S: 93-11 Dakota Crew CaMODELTO. CU. FT.PER SUBRS38.38.38	DDX75       .75       1 - 10"         tallation Comments:       Fits between rear fold down         k seat, no seating lost. Fits Big Horn, Laramie, Lone         Quad Cab.         S:       93-11 Dakota Crew Cab/Quad Cab         MODEL       TO. CU. FT.       PER SUB       OPENINGS         RS38       .38       .38       1 or 2 - 10"         tallation Comments:       Fits behind rear seat, great for the seat of th	DDX75       .75       1 - 10"       9 1/2"         tallation Comments:       Fits between rear fold down seats, allows fuck seat, no seating lost. Fits Big Horn, Laramie, Lone Star and ST modulad Cab.         S:       93-11       Dakota Crew Cab/Quad Cab         MODEL       TO. CU. FT.       PER SUB       OPENINGS       MD         RS38       .38       .38       1 or 2 - 10"       4 11/16"         tallation Comments:       Fits behind rear seat, great for many tight spinor	DDX75       .75       1 - 10"       9 1/2"       Cu         tallation Comments:       Fits between rear fold down seats, allows full use of the k seat, no seating lost. Fits Big Horn, Laramie, Lone Star and ST models, does not Quad Cab.       Star and ST models, does not Star and ST models, does not Quad Cab.         S:       93-11 Dakota Crew Cab/Quad Cab       MD       W       H         RS38       .38       .38       1 or 2 - 10"       4 11/16"       13 1/2"       12 1         tallation Comments:       Fits behind rear seat, great for many tight spaces.       Fits behind rear seat, great for many tight spaces.       MD       W       H	DDX75       .75       1 - 10"       9 1/2"       Custom Fit         tallation Comments:       Fits between rear fold down seats, allows full use of the k seat, no seating lost. Fits Big Horn, Laramie, Lone Star and ST models, does not Quad Cab.       Image: Comment of the seater and ST models, does not Quad Cab.         S:       93-11 Dakota Crew Cab/Quad Cab       Image: Comment of the seater and ST models, does not Quad Cab.       Image: Comment of the seater and ST models, does not Quad Cab.         MODEL       TO. CU. FT.       PER SUB       OPENINGS       MD       W       H       TD         RS38       .38       .38       1 or 2 - 10"       4 11/16"       13 1/2"       12 1/2"       2 3/4"	

- ~	Installation	Commonte	Fits bobins	hroar coat groat	for many tight sp	2000		■)))forwar	dering
	RS38	.38	.38	1 or 2 - 10″	4 11/16"	13 1/2"	12 1/2"	2 3/4″	7 1/2″
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD

	FITS: 00-04	l Dakota I	Four-Do	or Quad Ca	b		((	<b>( R</b> aw <b>(</b> (	CARPET
1	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD
	DDQ120	1.20	.60	2 - 10″	5 9/16″	45″	14 1/2"	4″	7″
	Installation	of	■)))forwa	d firing					

Installation Comments: Fits behind rear seat, must temporarily remove back of rear seat during installation, bottom of rear seat removal not necessary, however,

removal does help with amp installation. Bar Grills are included for added protection at no additional charge, when installing leave bottom bar off of bar grills. Note: 12" opening available for an up-charge – Models with rear folding seat will lose the ability to fold up rear seat.

### **AUTOS / JEEP**

our promise Sound Guarantee

13

000120

		4 Dodge 4 Dodge 4 Chrysle	Charge	•			(((	<b>RAW</b> (((	CARPET
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	н	TD	BD
•••••••	DCC220	2.20	1.10	2 - 10" or 12"	10″	31 1/2"	13 3/4″	11 1/2"	11 1/2"
	Installation	Comments:	Fasy insta	lation through tr	unk opening slide	es un aga	inst	■)))rear fir	ina

ta**ll**ation thro n trunk ( rear seats. For ported enclosure option, see COMP195 and COMP165. Note: Does not fit 2011 Dodge Challenger special edition with a strut bar.

FITS: All Jeep Wranglers						((( 🛢 RAW ((( 🛢 CARPET ((( 🛢 XTREME KOTE 😬				
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD		
JW170	1.70	.85	2 - 10″	7 3/8″	33″	15 1/4"	7 3/8″	10 3/4″		
·	Comments:	Fits behind	d rear row seat. E	nclosure not avai	lable in '	12″	J. down	firing		

opening.

### ((( RAW ((( CARPET FITS: 07-13 Tundra Crew Max Cab UNCM205 MODEL PER SUB OPENINGS MD w TO. CU. FT. D FH RH TUNCM205 2.05 1.02 2 - 10" or 12" 16 1/2" 5 1/4" 45 3/4 5" 8" Installation Comments: Fits behind rear seat without compromising leg room. ))forward firing Removal of the plastic on the back wall is not necessary. Note: Fits Tundra Grade, Limited and Platinum Trims will not fit if factory sub. How do I know if I have a Crew Max Cab or Double Cab; Double Cab has rear seats that fold up; CrewMax has rear seats that will slide, recline and fold flat. ((( RAW ((( CARPET FITS: 07-14 Tundra Crew Cab (Double Cab) **TOYT180** PER SUB MODEL TO. CU. FT. **OPENINGS** MD W D FH RH 4 5/16" - 10" 4 3/16" - 12" **TOYT180** 1.34 .67 2 - 10" or 12' 50 1/8 17" 5 1/4" 3 7/8" Installation Comments: Fits tightly under rear seat, retains factory jack. 💂 down firing Notes: Fits Tundra Grade and Limited Trims, Does not fit Crew Max Cab. Enclosure will not fit 2006 and previous years models. ((( RAW ((( CARPET FITS: 05-14 Tacoma Double Cab **TAC165** PER SUB OPENINGS MODEL TO. CU. FT. MD W TD BD н 5 7/8" - 10" 5 5/16" - 12" 48 1/2" 18 1/2' TAC165 1.64 .82 2 - 10" or 12" 3 1/2' 7 3/8' Installation Comments: Fits behind the rear seat, remove plastic panel-tray from ■)))forward firing back wall. Sit cabinet in place, raise the back of the seat slightly, cabinet will drop into place. Tight fit, speaker grills are included for added protection between seat and woofer at no additional charge. Some truck models may need the plastic panels removed from the back of the seat. Child restrains brackets stay. ((( RAW ((( CARPET FITS: 95-04 Tacoma Standard Cab/Regular Cab MODEL TO. CU. FT. PER SUB **OPENINGS** MD W н TD BD 5 1/4" - 10" 4 15/16" - 12" **TOY170** 1.70 .85 2 - 10" or 12" 47" 15 3/4" 5″ 8" Installation Comments: Fits behind seat. Jack and bracket must be removed for ■)))forward firing proper installation. Some leg room is lost after installation. Notes: Some regular cabs models will have three doors. **NISSAN TRUCKS EXTENDED** Sound Selection our promise ((( = RAW ((( = CARPET FITS: 04-14 Titan Ext Cab/King Cab Suicide Doors MODEL PER SUB OPENINGS MD W TO. CU. FT. D FH RH NTX165 1.64 .82 2 - 10" 6 3/4" 52" 10 3/4 8 1/2" 6 3/4" Installation Comments: Fits under rear seat, will not interfere with the use of the 🜷 down firing back seat. Note: Enclosure not available with 12" opening. The King Cab is an extended-cab with forward-opening rear "access panel" doors and a small rear-seating area. Fits S, SV, Pro 4X and SL Trims. ((( = RAW ((( = CARPET FITS: 01-14 Frontier Ext Cab/King Cab **NFX245** MODEL TO. CU. FT. PER SUB OPENINGS MD W D FH RH 10 5/8" NFX245 2.44 1.22 2 - 10" or 12" 37" 15" 15 7/8' 15 7/8" Installation Comments: Fits on rear floor pan, will lose rear seating. 💂 down firing (( CUSTOM LOGOS (( CUSTOMER TESTED ((= MODEL #'S ARE INTERNAL AIR VOLUME

**TOYOTA TRUCKS** 

	W CAB					our prom	nise <b>So</b>	und C	hoice
	FITS: <b>04-14</b>	l Titan C	rew Ca	b			(	(( <b>=</b> raw (((	CARPET
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
	NTC150	1.54	.77	2 - 10" or 12"	5 5/8"	49″	13″	6 1/4″	6 1/4″
	Installation	Comments:	Fits under	rear seat.				apwar	d firing
	FITS: <b>05-14</b>	Frontie	r Crew	Cab			(	(( 🗖 RAW (((	CARPET
e	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
	NFC55	.55	.55	1 - 8″ or 10″	4 1/4"	30″	12″	5 1/2"	3 1/4"
ONDA RIDGELINE							mise <b>S</b>	ound I	Desia
								ounai	Jesigi
		FITS: 06-14 Honda Ridgeline Crew Cab						( <b>( =</b> raw (((	CARPET
	MODEL HR130	TO. CU. FT. 1.30	PER SUB	OPENINGS	MD	W	H 8″	TD 11 1/4"	BD
	•••••			rear seat. Notes: F	5 3/4"			down	
				12" opening.	1.5 1.1, 1.1 5, 1.1			S gowin	ining
IUMMER H2 SUV						our pro	mise <b>S</b> e	ound 🤅	Qualit
	FITS: 2003	-2009 Hu	ımmer l	H2 SUV			(	( <b>–</b> RAW (((	CARPET
	FITS: <b>2003</b> MODEL	<b>-2009 Hu</b> TO. CU. FT.		H2 SUV OPENINGS	MD	W	(	TD	BD
					MD 5 7/16″	W 27 1/2″	н 5″	TD 16 1/2″	BD
	MODEL AV65 Installation	TO. CU. FT. .65 Comments:	PER SUB .65 Fits under	OPENINGS	5 7/16" de. Does not fi		H 5″	TD	BD 16 1/2"
AITSUBISH RAIDER	MODEL AV65 Installation	TO. CU. FT. .65 Comments:	PER SUB .65 Fits under	OPENINGS 1 - 10" rear seat driver sid	5 7/16" de. Does not fi H3.		H 5″ mer	TD 16 1/2" upwar	BD 16 1/2" d firing
•••••••••••••••••••••••••••••••••••••••	MODEL AV65 Installation	TO. CU. FT. .65 <b>Comments:</b> :y truck), Hur	PER SUB .65 Fits under mmer H1 (A	OPENINGS 1 - 10" rear seat driver sic Alpha) or Hummer	5 7/16" de. Does not fi H3.	t in a Humi	H 5″ mer	TD 16 1/2" upwar	BD 16 1/2" d firing
•••••••••••••••••••••••••••••••••••••••	MODEL AV65 Installation H2 SUT (utilit	TO. CU. FT. .65 <b>Comments:</b> :y truck), Hur	PER SUB .65 Fits under mmer H1 (A	OPENINGS 1 - 10" rear seat driver sic Alpha) or Hummer	5 7/16" de. Does not fi H3.	t in a Humi	H 5″ mer	TD 16 1/2" Pupwar	BD 16 1/2" d firing



((( RAW ((( CARPET



Sound Service our promise

 ((( <b>■</b> RAW ((( <b>■</b>	CARPET		FITS: All Year	s Mazda B S	Series	Exte	nded	Cab	1
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
FRX200	2.00	1.00	2 - 10" or 12"	6 1/8″	43″	8″	12″	13 1/2"	
Installation	Comments:	Fits on rea	r floor pan, rear s	eating lost.	1		🛃 down	firing	,

 ((( ■ RAW ((( ■	CARPET	F	TTS: All Year	s Mazda B S	Series	Regu	lar Ca	b
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	B
RS38	.38	.38	1 or 2 - 10″	4 11/16″	13 1/2"	12 1/2"	2 3/4″	7.

Installation Comments: Fits behind seat in regular cab trucks with 60/40, bench, ■)))forward firing and buckets. Jack may need to be relocated. No loss of leg room. Factory storage

tray must be removed when using two cabinets. Note: Sold as single or pairs. 12" opening available for an up-charge – May require Shallow Mounts.

### Sound Selection our promise

### FITS: 02-13 AVALANCHE/ESCALADE

MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
AV96PS	.96	.96	10″	5 7/16″	44 1/8"	5 5/8″	16 1/2"	16 1/2"	
 AV96PS	.96	.96	12″	4 13/16″	45 3/4″	5 1/8″	16 1/2″	16 1/2"	•••••

Installation Comments: Fits under rear seat, over transmission hump, will not a upward firing affect normal seating. Enclosure must be removed for Midgate access. Opening is on passenger side.

### Sound Choices our promise

BD 1/4

CHEVY / GMC :: vehicle specific enclosures

FRX200

vehicle specific enclosures

Cab	
BD	
12	

PORTED AVALANCHE & ESCALADE





**MAZDA B-SERIES** 





CRW100	FITS: 07-14 New Body 1500/2500HD/3500HD Crew Cab					((( ■ RAW ((( ■ CARPET ((( ■ XTREME KOTE			
REW	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
	CREW100P	° 1.00	1.00	1 - 10" or 12"	5 11/16"	27 7/8'	′ 17 3/4′	′ 9 1/8″	5 1/8"
	FITS: <b>01-0</b>	7 1500HE	D/2500H	D/3500 Crev	w Cab		(	(( <b>=</b> raw ((	CARPET
ssps12	FITS: <b>01-0</b> MODEL	7 1500HE TO. CU. FT.	D/2500H PER SUB	D/3500 Crev	w Cab	W	(	(( <b>=</b> raw (( TD	CARPET
AV965P512						W 44 1/8″			
4V965P512	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD		н	TD	BD

коте

our promise Sound Design

	FITS: 04-08	8 F-150 E	xtende	d Cab (Sup	erCab)	((( RAW		ET ( 🕻 🗖 XTF	REME KC
C75I	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
S	SSC75P	.75	.75	1 - 10″	4 7/8″	32 3/4"	12 1/4″	7 7/8″	6″
	Installation	Comments:	Fits under i	rear seat driver si	de. Retains factor	y jack.		曼 down f	firing

Installation Comments: Fits under rear seat driver side. Retains factory jack. Note: Fits STX, XL, XLT, FX4, Lariat, and 60 anniversary edition models. 12" opening available for an up-charge - Shallow Mounts only.

### PORTED FULL SIZE F-150 CREW CAB(SUPERCREW) 4 DOORS

our promise Sound Guarantee

13 5/8"

36″

7 1/8″

🜷 down firing

5 1/8'



17

FITS: <b>09-1</b> 4	4 F-150 C	rew Cal	b (SuperCr	ew)	<b>((( ■</b> RAW <b>(((</b>	CARPET		ЛЕ КОТЕ
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH

FSC85P	.86	.86	1 - 10″	5″
--------	-----	-----	---------	----

Installation Comments: Fits under rear seat.

Note: Fits XL, XLT, FX2, FX4, STX, Lariat, Harley Davidson, 60 anniversary edition, Raptor and Platinum models, does not fit King Ranch models. 12" opening available for an up-charge – Shallow Mounts only.

FITS: <b>04-08</b>	3 F-150 C	rew Ca	b (SuperCr	ew)	<b>((( </b> RAW		et <b>((( </b> XTF	RЕМЕ КОТЕ
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
SSC75P	.75	.75	1 - 10″	4 7/8″	32 3/4"	12 1/4″	7 7/8″	6″
Note: Fits ST	X, XL, XLT, FX	4, Lariat, ar		de. Retains factor / edition models.		ing	🜷 down f	firing



### PORTED F-250/F-350/F-450/F-550 SUPER DUTY CREW CAB

• ((( ■ RAW ((( ■	CARPET	F	its: <b>04-14 F</b> -	250/F-350/F	-450/I	-550 \$	Super	Duty	Crew Cab
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
FSD130P	1.30	1.30	1 - 10″	4 1/4"	55″	16 1/4"	3″	6″	
Installation	Comments:	Fits behind	d rear seat. Perma	anent removal of	iack kit,	rear	∎)))forwa	rd firina	

MD

7 1/8"

7 1/8"

7 1/8"

7 1/8"

W

35 3/8'

35 3/8"

35 3/8"

35 3/8"

н

9 5/8'

9 5/8'

9 5/8"

9 5/8"

🜷 down firing

seat belt cover and rear carpet is required. Power window motor will need to be removed during installation. Note: Fits Non and Power Window models. Fits Platinum, XL, XLT, FX4,

PER SUB OPENINGS

1-10"

1-12"

2-10"

2-12"

Lariat, Harley Davidson, Badlander, 60 anniversary, King Ranch, and Cabela's edition models. Will fit a F350/450/550 Dually. 12" opening available for an up-charge – Shallow Mounts only.

### Sound Selection our promise

MODEL

MMC170P110

MMC170P112

MMC170P210

MMC170P212

### PORTED MUSTANG

FSD130F

**MMC170P** 

			•
TD	BD		
13 5/8"	15 1/4"		
13 5/8″	15 1/4"		•••
13 5/8"	15 1/4"		
13 5/8"	15 1/4"		

Installation Comments: Fits flat area of trunk, works with Mach 460 or 1000. Does not sit under Mach system.

((( RAW ((( CARPET ((( XTREME KOTE FITS: 82-04 Mustang Coupe

1.70

1.70

.85

.85

TO. CU. FT.

1.70

1.70

1.70

1.70

### Sound Choices our promise

### ((( RAW ((( CARPET ((( XTREME KOTE FITS: All Jeep Wranglers

										-
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
	JW170P110	1.70	1.70	1-10″	7 3/8″	33″	15 1/4"	7 3/8″	10 3/4"	4
÷	JW170P210	1.70	.85	2-10″	7 3/8″	33″	15 1/4″	7 3/8″	10 3/4"	
	Installation Com	ments: Fits b	ehind rear	row seat.				曼 down f	iring	-

### Sound Design our promise

((( RAW ((( CARPET

### FITS: 07-13 Tundra Crew Max Cab

MODEL	TO. CU. FTP.E	R SUB	OPENINGS	MD	W	D	TD	BD
TUNC105P	1.05	1.05	1-10″	5 1/4"	25″	16 1/2"	5″	8″
Installation Con	nments: Fits	behind rea	r seat without co	mpromisina <b>l</b>	ea room		■)))forwar	d firina

Removal of the plastic on the back wall is not necessary.

Note: Fits Tundra Grade, Limited and Platinum Trims will not fit if factory sub. How do I know if I have a Crew Max Cab or Double Cab; Double Cab has rear seats that fold up; CrewMax has rear seats that will slide, recline and fold flat.



PORTED WRANGLER



W170P

(( MODEL #'S ARE INTERNAL AIR VOLUME



### PORTED TUNDRA

### our promise Sound Quality

**TOY85P** 

9

FITS: <b>07-13</b>	Tundra Ci	rew Cab	)				<b>((( ■</b> raw <b>(</b> (	CARPET
MODEL	TO. CU. FT.		OPENINGS	MD	W	D	FH	RH
TOY85P	.85	.85	1 - 10″ or 12″	4 5/16" - 10" 4 3/16" - 12"	29 7/8″	17″	5 1/4"	3 7/8″
Installation Co	mments: Fits	tightly und	er rear seat, retai	ins factory jac	k.		∎)))forwar	d firing

**Notes:** Fits Tundra Grade and Limited Trims, Does not fit Crew Max Cab. Enclosure will not fit 2006 and previous years models.

### CHEVY/GMC FULL SIZE TRUCKS - AVALANCHE/ESCALADE

our promise Sound Guarantee


	FITS: <b>02-1</b> :	3 Avalan	che & E	scalade		<b>((( </b> RAV	V <b>((( =</b> CAR	PET ((( 🗖 X	TREME KOTE
AV65X	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	Н	W	TD	BD
	AV65X	.65	.65	1 - 10″	5 7/16″	5″	27 1/2"	16 1/2"	16 1/2″
					side, over transmis noved for Midgate		mp,	ବ upwar	d firing
	FITS: 07-1	4 1500/ 2	500HD/	3500HD Ex	tended Cab	<b>((( ■</b> RAW	/ <b>((( =</b> CARI	PET <b>((( </b> X1	REME KOTE
X12	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
GMX1255X	GMX125X	1.25	.62	2 - 10" or 12"	5 3/4" - 10" 5 1/2" - 12"	53 1/2"	12 7/8″	10 1/4"	6 5/8″
	Installation	: Fits under re	ear seat, on		style. Will fit 60/40 ed doors; Crew Ca			edown down	
SGMX107X	99-0		lassic 1	500HD/ 350  500 Ext Ca		<b>((( =</b> RAW	/ <b>((( =</b> cari	Pet <b>((( =</b> X1	REME KOTE
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
	SGMX107X	1.07	1.07	1 - 10″ or 12″	6 11/16″	35 1/2"	14 7/8″	10 1/4"	7 1/4″
	Installation Note: Mount	<b>Comments:</b> ing depth ba	Fits under sed on а б		ide, retains factor Ignet. Does not fit		vith	Jown 1	îring
GMX190X	99-0		lassic 1	500HD/350 500 Ext Ca		<b>((( =</b> RAW	/ <b>((( ■</b> CARI	PET <b>((( ■</b> XT	REME KOTE
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH
*	GMX190X	1.90	.95	2 - 10" or 12"	6 11/16″	55″	14″	10 1/8"	7 1/8″
	<b>Installation</b> diameter ma models.	Comments: gnet. Does no	Fits under ot fit trucks	rear seat. Note: M with rear split-be	lounting depth ba ench seats, fits Sup	sed on a per Sport	6 1/2″ : (SS)	e down	firing
				<i>t</i> .					

### CHEVY/GMC FULL SIZE TRUCKS - AVALANCHE/ESCALADE

•	<b>((( ■</b> raw <b>((( ■</b> c	CARPET ( 🕻 🗖 XTR	EME KOTE	FITS: 89-98 &	99 Classic	1500/2	2500/3	500 Ex	xt Cab	NU عر
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH	 Y.
	GMX120X	1.20	.60	2 - 10" or 12"	6 13/16″	55″	12 3/4″	10 1/4"	7″	ĎX
f	rom under th	ne seat. Rem	oval of jac	rear seat, enclosu k required. <b>Note</b> : d door option.	ire wi <b>ll</b> protrude a Mounting depth	about 1 based c	1/2" on a	edown f	iring	

Sound Selection our promise

### CHEVY/GMC FULL SIZE TRUCKS - CREW CAB




	<b>((( ■</b> RAW <b>((( ■</b>	CARPET ( 🕻 🖿 XT	REME KOTE	FITS: 07-14 N Crew C	-	00/25	00HD/	3500H	D	0	CREW
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	D	FH	RH		8
·	CREW100X	1.00	1.00	1 - 10" or 12"	5 11/16″	27 7/8″	17 3/4″	9 1/8″	5 1/8″		
	*Available	as Ported E	Enclosure	(CREW100PX)		•		曼 down i	firing	·	

Installation: Fits under rear seat driver side. Mounting depth based on 6.5" diameter magnet.

### Sound Choices our promise

### FORD SUPERCAB/SUPERCREW



	ORD SUPERCAB/SUPE	RCREW		-			our promise	Sound Desigr
×		FITS: <b>04-08</b>	3 F-150 C	Crew Ca	b (SuperCre	w)	<b>((( ■</b> RAW <b>((( ■</b> CA	ARPET ( 🔳 XTREME KOTE
SSC120)		MODEL SSC120X	TO. CU. FT. 1.20	PER SUB	OPENINGS 2 - 10″	MD 4 7/8″	W D	FH RH 4" 7 7/8" 6"
	•••••••••••••••••••••••••••••••••••••••		iat, and 60 a	nniversary e	l rear seat. Lose fac edition models. 1			e down firing
		FITS: <b>09-14</b>	↓ F-150 E	Extende	d Cab (Supe	erCab)	<b>((( ■</b> RAW <b>((( ■</b> CA	ARPET ( 🔳 XTREME KOTE
SSC130X		MODEL SSC130X	TO. CU. FT. 1.30	PER SUB	OPENINGS 2 - 10″	MD 4 3/4″	W D	FH         RH           2"         7 1/8"         4 1/8"
SSC130X SS	•	cabinet on flo Lariat, Harley	oor pan. Ren ' Davidson, 6	noval of jacl 0 anniversa	l rear seat – raise b c required. <b>Note</b> : I ry edition and Ra ge – Shallow Mou	its STX, XL, XL ptor models, c	T, FX2, FX4,	down firing
		FITS: <b>04-08</b>	3 F-150 E	Extende	d Cab (Supe	erCab)	<b>((( ■</b> RAW <b>((( ■</b> CA	ARPET ((( 🖿 XTREME KOTE
SSC75X		MODEL SSC75X	TO. CU. FT. .75	PER SUB	OPENINGS 1 - 10″	MD 4 7/8″	W D	FH         RH           4"         7 7/8"         6"
		Note: Fits ST	<b>Comments:</b> X, XL, XLT, F>	Fits under (4, Lariat, ar	( <b>SSC75PX)</b> rear seat driver sign d 60 anniversary Mounts only.			own firing
ZOX		FITS: <b>04-08</b>	3 F-150 E	Extende	d Cab (Supe	erCab)	<b>((( ■</b> RAW <b>((( ■</b> CA	ARPET ( 🕻 🖿 XTREME KOTE
SSC12		MODEL SSC120X	TO. CU. FT. 1.20	PER SUB	OPENINGS 2 - 10″	MD 4 7/8″	W D	FH RH 4" 7 7/8" 6"
	ι	Installation	at, and 60 ar	niversary e	ear seat. Lose fact dition models. 12	ory jack. <b>Note</b>	Fits STX, XL,	Jown firing
F	ORD AUTOS						our promise	Sound Quality
×		FITS: <b>82-04</b>	l Mustar	ıg Coup	e		<b>((( ■</b> RAW <b>((( ■</b> CA	ARPET ( 🔳 XTREME KOTE
MMC170X		MODEL MMC170X	TO. CU. FT. 1.70	PER SUB	OPENINGS 2 - 10" or 12"	MD	W D	TD BD
		*Available	Ported as S Comments:	<b>Single 10</b> " Fits flat are	or 12" and Dua a of trunk, works v		(MMC170PX)	3" 13 5/8" 15 1/4"
J	EEP	Decinetary		system.			our promise	Sound Quality
	:	FITS: All Je	eep Wran	glers			<b>((( ■</b> RAW <b>((( ■</b> C/	ARPET ( 🔳 XTREME KOTE
X071WL	69	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	wн	
R					2 - 10" <b>12" or Dual 10" o</b> d rear row seat. Er			4" 7 3/8" 10 3/4"
	(I XTREME LOOKS: TE	opening.						E FOR LIFE OF VEHIC

DODGE FULL SIZE TRUCKS Sound Guarantee our promise OTE :: vehicle specific enclosures ((( ■ RAW ((( ■ CARPET ((( ■ XTREME KOTE FITS: 09-14 1500 Ram Crew Cab/Quad Cab 09-14 2500/3500 Ram Ext Cab/Quad Cab MODEL TO. CU. FT. PER SUB OPENINGS MD W н ΤD ΒD 1 or 2 - 10" DQ30X .30 .30 5 3/8" Custom Fit 1 or 2 - 12" Installation: Fits under rear seat driver side, only fits new body style. Removal of ବ upward firing jack and storage tray required. Driver side has cut- out for seat brackets. Bar Grills are included for added protection at no additional charge. Note: Mounting depth based on a 6" diameter magnet. Sold as single or pairs, does not fit Mega Cab models. Driver's side has cut out for seat bracket. ((I RAW ((C CARPET ((C TTREME KOTE FITS: 02-08 1500 Ram Crew Cab/Quad Cab DQ50) 02-08 2500/3500 Ram Ext Cab/Quad Cab MODEL TO. CU. FT. PER SUB OPENINGS MD W Н TD BD 1 or 2 - 10" DQ50X .50 .50 6″ Custom Fit 1 or 2 - 12" Installation: Fits under rear seat. Removal of jack, storage tray and bar under the ବ upward firing seat (not all models include this bar) required. After installation, seat will come down in a lock position. Driver side has cut-out for seat brackets. Bar Grills are included for added protection at no additional charge. **Note**: Mounting depth based on a 6" diameter magnet. Sold as single or pairs, does not fit Mega Cab models. Driver's side has cut out for seat bracket. **REGULAR CAB TRUCKS - SEALED** Sound Service our promise UNIVERSAI ((( ■ RAW ((( ■ CARPET FITS: Most Full Sized Regular Cab Trucks Up to 2006 **FST240** PER SUB OPENINGS MD W TD MODEL TO, CU, FT. н BD 6 15/32" - 10" 6 7/32" - 12" FST240 2 - 10" or 12" 2.40 1.21 55" 15" 5 1/4" 8 1/4 :: truck enclosures Installation Comments: Fits behind seat, center console may need to be removed ■)))forward firing during insta**ll**ation. **Note**: 10" mounting depth based on a 6" diameter magnet, 12" mounting depth based on a 6 1/2" diameter magnet. 3-10 or 12", 4-10" or 12" available for an up-charge ((( 🔳 RAW ((( 🔳 CARPET FITS: Most Full Size and Mid Size Regular Cab Trucks **CT10** PER SUB OPENINGS MD W MODEL TO. CU. FT. н TD ΒD 13″ CT10 1.40 .70 2 - 10" 4 7/8" 49" 4 1/4" 7″ **CT12** 1.84 .92 2 - 12" 5 1/2" 49" **14** 1/4" 4 7/8" 8″ ■)))forward firing Installation Comments: Fits behind seat. **REGULAR CAB TRUCKS - PORTED** Sound Selection our promise ((( ■ RAW ((( ■ CARPET ((( ■ XTREME KOTE FITS: Most Full Size and Mid Size Regular Cab **PBT110** OPENINGS MODEL TO. CU. FT. PER SUB FB/F3 w ΒD н TD **PBT110** 1.16 1 - 10" 40 3/4" 12 3/8" .80 45/39 4 5/8" 7 1/4" **PBT112** 1.73 1.23 1 - 12" 44/39 49" 14" 7 3/4″ 4 3/4" ■)))forward firing Installation Comments: Fits behind seat. Note: Speaker opening is on the passenger's side of the cabinet. ((C CUSTOMER TESTED (( CUSTOM LOGOS (( MODEL #'S ARE INTERNAL AIR VOLUME

<pre>&gt; SUVS</pre>								ound	Quality
								ound	Quality
	FITS: Most	Full Siz	e and M	lid Size SUV	's	<b>((( ■</b> RAW		ет <b>((( =</b> хт	REME KOTE
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD
	JW170	1.70	.85	2 - 10″	7 3/8″	33″	15 1/4"	7 3/8″	10 3/4"
					ay lose 3rd row	sitting.			
	Notes: Enclo FITS: Most		ilable in 12					ی down ד <b>((( ב</b> xt	
	FITS: <b>Most</b>	Full Siz	ilable in 12 e and M	"opening. Iid Size SUV	źs.	<b>((( ■</b> RAW		ет <b>((( П</b> XТ	REME KOTE
B1110			ilable in 12	" opening.		<b>(</b> (( ■ raw W	<b>((( ■</b> CARPE	tt <b>(((∎</b> xt TD	
BT110	FITS: <b>Most</b> Model	<b>Full Siz</b> To. cu. ft.	ilable in 12 e and M PER SUB	"opening. Iid Size SUV OPENINGS	' <b>s</b> FB/F3	<b>((( ■</b> RAW	<b>((( ■</b> CARPE	ет <b>((( П</b> XТ	REME KOTE
	FITS: <b>Most</b> MODEL PBT110 PBT112 Installation	<b>Full Siz</b> TO. CU. FT. 1.16 1.73 <b>Comments:</b>	ilable in 12 e and M PER SUB .80 1.23 Fits behind	" opening. I <b>id Size SUV</b> OPENINGS 1 - 10"	7 <b>S</b> FB/F3 45/39 44/39 fect 3rd row si	(((■RAW W 40 3/4″ 49″	((( CARPE H 12 3/8" 14"	tr <b>((( ■</b> xt TD 4 5/8″	BD 7 1/4″ 7 3/4″
	FITS: <b>MODEL</b> PBT110 PBT112 Installation Note: Speake	TO. CU. FT. 1.16 1.73 Comments: er opening is	e and M PER SUB .80 1.23 Fits behind on the pas	" opening. I <b>id Size SUV</b> OPENINGS 1 - 10" 1 - 12" d seat, does not af	<b>FB/F3</b> 45/39 44/39 fect 3rd row si ie cabinet.	(((■RAW W 40 3/4″ 49″	((( CARPE H 12 3/8" 14"	TD 4 5/8″ 4 3/4″ ■))forwa	вр ВD 7 1/4″ 7 3/4″
	FITS: <b>MODEL</b> PBT110 PBT112 Installation Note: Speake	TO. CU. FT. 1.16 1.73 Comments: er opening is	e and M PER SUB .80 1.23 Fits behind on the pas	" opening. I <b>id Size SUV</b> OPENINGS 1 - 10" 1 - 12" d seat, does not af senger's side of th	<b>FB/F3</b> 45/39 44/39 fect 3rd row si ie cabinet.	(((■RAW W 40 3/4″ 49″	((( CARPE H 12 3/8" 14"	TD 4 5/8″ 4 3/4″ ■))forwa	BD 7 1/4" 7 3/4" rd firing

### CLASSIC SERIES - UNIVERSAL HATCH, TRUCK & SUV

our promise **Sound Guarantee** 

### Economical, yet outstanding quality - 5/8" CARB Compliant MDF -25 Models

	Hatchba	ck or Tru	nk Slan	t Single Se	aled		((	araw (((	CARPET
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD
CSS	CSS10F	.86	.86	1 - 10″	8″	15 3/16"	12 5/8″	9 1/4″	12″
	CSS10	1.08	1.08	1 - 10″	8″	18 3/4″	12 5/8"	9 1/4″	12″
	CSS12F	1.08	1.08	1 - 12″	8″	18 3/4″	12 5/8"	9 1/4″	12″
	CSS12	1.35	1.35	1 - 12″	12″	13″	15 1/2"	13 3/4″	17″
	CSS15	1.90	1.90	1 - 15″	15″	17 5/8″	15 1/2"	13 3/4″	17″

And the second se	Hatchba	ck or Tru	nk Slan	t Dual Seal	ed		(((	∎ RAW <b>(((</b>	CARPET
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD
	CS10F	1.68	.84	2 - 10″	8″	29 1/4″	12 5/8″	9 1/4″	12″
	CS10	2.00	1.00	2 - 10″	8″	34 5/8"	12 5/8″	9 1/4″	12″
	CS12F	2.00	1.00	2 - 12″	8″	34 5/8"	12 5/8″	9 1/4″	12″
	CS12	2.68	1.34	2 - 12″	11″	34 5/8"	12 5/8″	12 3/8″	15 1/8″
	CS15	4.06	2.03	2 - 15″	15″	31 1/2"	15 1/2"	16 5/8″	19 5/8″

23

### **CLASSIC SERIES - UNIVERSAL HATCH, TRUCK & SUV**

### Economical, yet outstanding quality - 5/8" CARB Compliant MDF -25 Models

((( ■ raw ((( ■	CARPET			Tr	uck SI	ant Pa	air Sea	aled
MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD
CSP8	0.50	.50	1 - 8″	5″	17 7/8″	13″	4 1/4"	7″
CSP10	0.50	.50	1 - 10″	4 7/8″	17 7/8″	13″	4 1/4"	7″
CSP12	0.65	.65	1 - 12″	5 3/4″	17 7/8″	14 1/4"	4 7/8″	8″
CSP10X	0.86	.86	1 - 10″	б 1/4″	21″	15″	5 1/16″	8 3/8″
CSP12X	0.98	.98	1 - 12″	6″	23 3/4"	15″	5 1/16"	8 3/8″
	MODEL CSP8 CSP10 CSP12 CSP10X	CSP8         0.50           CSP10         0.50           CSP12         0.65           CSP10X         0.86	MODEL         TO. CU. FT.         PER SUB           CSP8         0.50         .50           CSP10         0.50         .50           CSP12         0.65         .65           CSP10X         0.866         .86	MODEL         TO. CU. FT.         PER SUB         OPENINGS           CSP8         0.50         .50         1 - 8"           CSP10         0.50         .50         1 - 10"           CSP12         0.65         .65         1 - 12"           CSP10X         0.86         .86         1 - 10"	MODEL         TO. CU. FT.         PER SUB         OPENINGS         MD           CSP8         0.50         .50         1 - 8"         5"           CSP10         0.50         .50         1 - 10"         4 7/8"           CSP12         0.65         .65         1 - 12"         5 3/4"           CSP10X         0.86         .86         1 - 10"         6 1/4"	MODEL         TO. CU. FT.         PER SUB         OPENINGS         MD         W           CSP8         0.50         .50         1 - 8"         5"         17 7/8"           CSP10         0.50         .50         1 - 10"         4 7/8"         17 7/8"           CSP12         0.65         .65         1 - 12"         5 3/4"         17 7/8"           CSP10X         0.86         .86         1 - 10"         6 1/4"         21"	MODEL         TO. CU. FT.         PER SUB         OPENINGS         MD         W         H           CSP8         0.50         .50         1 - 8"         5"         17 7/8"         13"           CSP10         0.50         .50         1 - 10"         4 7/8"         17 7/8"         13"           CSP12         0.65         .65         1 - 12"         5 3/4"         17 7/8"         14 1/4"           CSP10X         0.86         .86         1 - 10"         6 1/4"         21"         15"	MODEL         TO. CU. FT.         PER SUB         OPENINGS         MD         W         H         TD           CSP8         0.50         .50         1 - 8"         5"         17 7/8"         13"         4 1/4"           CSP10         0.50         .50         1 - 10"         4 7/8"         17 7/8"         13"         4 1/4"           CSP12         0.65         .65         1 - 12"         5 3/4"         17 7/8"         14 1/4"         4 7/8"           CSP10X         0.86         .86         1 - 10"         6 1/4"         21"         15"         5 1/16"



Note: Sold as single or pairs. Mounting depth based on 6" diameter magent: CSP8 - 5", CSP10, CSP12 CSP10X - 6", CSP12X - 6 1/2".

	((( <b>=</b> raw ((( <b>=</b> (	CARPET				Du	ial Tru	ick Se	aled	
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
	CT10	1.40	.70	2 - 10″	4 7/8″	49″	13″	4 1/4"	7″	
••••	CT12	1.84	.92	2 - 10″	5 3/4"	49″	14 1/4"	4 7/8″	8″	]

Note: Mounting depth based on a 6" diameter magnet.

	((( <b>■</b> RAW (((	CARPET				Qı	uad S	ub Se	aled	
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
	CQ410	3.45	.86	4 - 10″	14″	43 1/2"	12″	15″	15″	
·••[	CQ412	5.87	1.47	4 - 12″	14″	53″	14″	17″	17″	]
	Nete: One c	ontor dividor	includes 2	constrate chamb	ors & torminals					

Note: One center divider; includes 2 separate chambers & terminals.

	((( ■ RAW ((( ■	CARPET	Hatchb	ack or Trun	k Slant Sin	gle Se	aled -	Drive	r on F	lat Side
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	н	TD	BD	
	ECSS10	1.08	1.08	1 - 10″	8″	18 3/4″	12 5/8″	9 1/4″	12″	
••••	ECSS12	1.35	1.35	1 - 12″	11″	13″	15 1/2"	13 1/4"	17″	]
	Note: Slant	on Back								

	(( <b>(</b> RAW (( <b>(</b>	CARPET	Hatchba	ack or Trun	k Slant Dual	Seale	ed - Di	river o	on Flat	Side
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
·	ECS10	2.00	1.00	2 - 10″	8″	34 5/8"	12 5/8″	9 1/4″	12″	•••••
	ECS12	2.68	1.34	2 - 12″	11″	34 5/8"	12 5/8″	12 3/8″	15 1/8″	

Note: Slant on back

••••••

:	((( ■ RAW ((( ■	CARPET					Shal	low M	ount	
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BD	
	SM50	.50	.50	1 - 10″	<b>4</b> 5/16″	20″	15″	5″	5″	
	SM65	.65	.65	1 - 12″	<b>4</b> 5/16″	24″	15″	5″	5″	

<b>.</b>	((( <b>R</b> aw ((( <b>R</b>	CARPET						6	x 9's	
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	н	TD	BD	
	MT69	N/A	N/A	N/A	N/A	8 1/2″	13″	3 1/4"	6″	
••••	W69	N/A	N/A	N/A	N/A	11″	8 1/4″	5 1/2"	6″	
[	U69	N/A	N/A	N/A	N/A	11″	6″	7 5/8″	7 5/8"	]

.....

ECSS10

**ECS12** 

**SM65** 

NIVERSA

((C CUSTOMER TESTED

(( MODEL #'S ARE INTERNAL AIR VOLUME

((C CUSTOM LOGOS

PRO Series – Univers	sal Hatch	, Truck	, and	SUV Enc	osures	our pron	nise <b>So</b>	und C	hoid
Premium Enclosures –	<sup>3</sup> ⁄ <sub>4</sub> " CARB C	Complic	ant MD	F – our 9 r	nost pop	ular m	node	ls	
	Hatchba	ck or Tru	nk Pro	Slant Dual S	Sealed		((	( <b>=</b> raw (((	CARI
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BC
	PS260	2.62	1.31	2 - 12″	11″	35″	12 5/8"	12 5/8"	<u> </u>
	PSN250	2.50	1.25	2 - 10" or 12	.‴ 9″	31 1/2"	15 1/2"	10 3/8"	1311,
	Hatchba	ck or Tru	nk Pro	Square Dua	I Sealed		(((	( <b>=</b> raw <b>(((</b>	CAR
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BC
	PSQ200	2.00	1.00	2 - 12"	10″	34 5/8"	12 5/8"	11 1/8"	
·	PSQ265	2.65	1.32	2 -12″	11″	31 1/2"	15 1/2"	12 5/8"	12 5
	PSQ380	3.80	1.90	2 - 12" or 1	5″ 13″	35″	17″	14 1/2"	14 1
	Truck Sla	ant Pro P	air Sea	led			(((	( <b>=</b> raw (((	CAR
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BC
	PP65	.65	.65	2 -10″ or 12	″ 5 7/8″	18″	14 1/4"	5″	8 1/
0	Note: Sold a	s single or pa	airs. Mounti	ng depth based o	on a 6" diameter	magnet.		1	
	Hatchba	ck or Tru	nk Pro	Triple Sub S	Sealed		(((	( <b>=</b> raw (((	CAR
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	MD	W	Н	TD	BC
	PTRI380	3.80	1.26	3 - 12″	14″	38″	14″	15″	18
	•••••• PTH285	2.85	0.95	3 - 10″	6 3/8″	33 1/2"	13″	18 1/8"	18 1
	PTH414	4.14	1.38	3 - 12″	7 3/8″	35″	15″	20 3/8″	20 3

### Knock Out - Taking Average to Exceptional

our promise **Sound Selection** 

An Over Engineered 3/4" Enclosure that incorporates a 11/2" baffle, with an oversized 11/8" port radius and a customized center brace that attaches to all interior surfaces of the enclosure. This makes the KO Series the strongest, smoothest, most accurate power handling enclosure ever.







	Real Property lies	-			
		The second	(	di	
		2	K	-12	
·		165K			•

25

	Small Volu	me - D	ual 12"	only 32" W	lide	<b>((( </b> Raw		et <b>((( 🗆</b> xti	REME KOTE
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	FB/F3	W	Н	TD	BD
	COMP165KO	3.26	1.39	2 - 12″	40/33	32″	13 3/4″	17″	17″
•••	COMP195KO	3.90	1.65	2 - 12"	38/33	32″	13 3/4"	20″	20″

Note: Net cubic feet are per sub less port displacement only! individual chamber.



### Sound Design our promise

### ((( 🛢 raw ((( 🛢 carpet ((( 🛢 xtreme kote Medium Volume - Insane Bass MODEL TO. CU. FT. PER SUB OPENINGS FB/F3 W TD ΒD KO110 1.40 1.14 1 - 10" 42/35 22 1/4" 12 1/8" **12** 1/2" 12 1/2" KO112 2.07 1.84 1 - 12" 39/32 21 1/8" 13 1/4" 15 7/8" 15 7/8" KO115 3.90 3.36 1 - 15" 40/35 31 1/4" 18 1/4" 15 1/2" 15 1/2" KO210 2.62 2.38 2 - 10" 44/37 28 3/4" 12 1/4" 16 1/4" 16 1/4" KO212 3.61 2.83 2 - 12" 40/34 34″ 13 1/4" 17 1/4" 17 1/4"

Note: Net cubic feet are per sub less port displacement only! common chamber.

### ((( CARPET ((( CARPET ((( CARPET KOTE Large Volume - High Output

	MODEL	TO. CU. FT.	PER SUB	OPENINGS	FB/F3	W	н	TD	BD
	KPVRKO10S	2.18	1.99	1 - 10″	42/30	23 3/4"	13 3/4″	15 7/8″	15 7/8″
••	KPVRKO12S	3.00	2.67	1 - 12″	43/31	26″	15″	17 1/4″	17 1/4″
	KPVRKO15S	5.63	5.20	1 - 15″	39/30	35″	15″	17 1/4″	17 1/4″
	KPVRKO10D	4.00	1.91	2 - 10″	42/30	34 3/4"	15″	17 1/4″	17 1/4″
	KPVRKO12D	5.51	2.56	2 - 12″	42/31	35″	17″	20 1/4"	20 1/4″
	KPVRKO15D	5.63	2.64	2 - 15″	42/37	35″	17″	20 1/4"	20 1/4"

Note: Net cubic feet are per sub less port displacement only! individual chamber.

### Sound Quality our promise

((( = RAW ((( = CARPET

### KL Series - Kicker-L Sealed

Built with 1" MDF - Unmatched power handling. Standing waves and enclosure flex are non-existent due to special corner bracing plates. The KL delivers superior output.

MODEL	TO. CU. FT.	NET	OPENINGS	W	н	TD	BD
KL10	1.00	1.00	1 - 10″	16 1/4"	13 1/2"	11 3/8″	13 5/8″
KL12	2.00	2.00	1 - 12″	16″	16″	11 1/4"	13 3/4″
KL15	3.30	3.30	1 - 15″	34″	16 1/2"	15 3/8″	17 3/8″
KL10D	2.00	1.00	2 - 10″	31 3/4"	13 1/2"	11 3/8″	13 5/8″
KL12D	3.30	1.65	2 - 12″	34″	16 1/2″	15 3/8″	17 3/8″
KL15D	3.30	1.65	2 - 15″	34″	16 1/2"	15 3/8"	17 3/8″

Note: Does not include terminals due to rigidity of the enclosure - Dual enclosure individual chambers.

### ((( RAW ((( CARPET ((( XTREME KOTE KPL Series - Kicker L Ported

Built with Kicker's SQ and SPL specs; large volume, large footprint, huge SPL output and great sound quality.

	MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	н	TD	BD
	KPL10S	2.18	1.99	1 - 10″	43/30	23 3/4″	13 1/4"	15 7/8″	15 7/8″
••••	KPL12S	3.00	2.67	1 - 12″	43/29	26″	15″	17 1/4″	17 1/4″
	KPL15S	5.63	5.20	1 - 15″	36/27	35″	17″	20 1/4"	20 1/4"
	KPL10D	4.00	1.91	2 - 10″	42/29	34 3/4"	15″	17 1/4″	17 1/4″
	KPL12D	5.51	2.56	2 - 12″	42/29	35″	17″	20 1/4"	20 1/4"
	KPL15D	5.62	2.64	2 - 15″	42/36	35″	17″	20 1/4"	20 1/4"

Note: Net cubic feet are per sub and less port displacement only! 3/4" MDF Dual 10" and 12" versions are individual chambers - Dual 15" common chamber.

(( MODEL #'S ARE INTERNAL AIR VOLUME

((C CUSTOM LOGOS



**KICKER SERIES** 

26

custom enclosures

KO110

K0212

**KPVRKO12S** 

**KPVRKO10D** 







## **JL SERIES** JL Series - VJL Series

our promise Sound Guarantee

35"


((( = RAW ((( = CARPET

20 1/4"



	Our original W6 enclosure built with the support of JL Audio 24 years ago - It's still the most impressive single enclosure you've ever heard.										
	MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	н	TD	BD		
•••	VJL130	1.32	1.07	1 - 10″	37/33	11 1/2"	13″	22″	22″		
	VJL180	1.84	1.57	1 - 12″	35/28	13″	15″	22″	22″		

Note: Net cubic feet are per sub and less port displacement only! 3/4 MDF



Contraction of the		
(*	(	
C-		

	JL Series - W7 Series ((( a carpet )											
1	1 ½" Baffle - Built with JL W7 Specs.											
	MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	н	TD	BD			
	8W7S	1.40	1.06	1 - 8″	36/29	22 1/4"	12 1/8"	12 1/2"	<b>12</b> 1/2″			
•	10W7S	2.17	1.95	1 - 10″	38/30	23 3/4"	13 1/4"	16 5/8″	16 5/8″			
	12W7S	2.11	1.54	1 - 12″	37/33	24 1/8"	13 1/4"	15 7/8″	15 7/8"			
	13W7S	3.24	2.45	1 - 13″	36/29	25 1/2"	15 5/8"	17 7/8″	17 7/8″			
Γ	8W7D	2.42	0.88	2 - 8″	38/31	28 3/4"	12 1/4"	16 1/4″	16 1/4″			
	10W7D	3.80	1.53	2 - 10″	39/32	34 3/4"	15″	17 1/4″	17 1/4″			
	12W7D	3.80	1.29	2 - 12″	40/36	34 3/4"	15″	17 1/4″	17 1/4″			

37/30

2 - 13" Note: Net cubic feet are per sub and less port displacement only! 3/4" MDF with 1 1/2" Baffle. W7 Opening size 10" - 8.75", 12" - 10.5", 13" - 11.9" - Dual enclosure individual chambers.

### WHAT MAKES AN AUDIO ENHANCERS PORTED ENCLOSURE A BETTER PORTED ENCLOSURE?

2.42

- LESS DISTORTION
- LESS CABINET FLEX

13W7D

**CLEANER SOUND** 

MORE OUTPU

17

MADE IN USA

20 1/4"

In an Audio Enhancers slot port enclosure, you'll find larger port areas, all corners in the port rounded, and corner deflectors added in the port where space allows. We guarantee you will have a properly tuned enclosure with accurate air volume. The larger ports, rounded ports, and corner deflectors are only offered by Audio Enhancers. CARB compliant, Certified Green Materials and 100% made in the USA.

5.50

# SMALL VOLUME

### **SMALL VOLUME**

### AX Series - Small Volume

((( RAW ((( CARPET

our promise Sound Service

1 1/2" baffle - ALPINE NORTH AMERICA approved small volume, built with Alpine type X specs - High output ported enclosure, great sound quality. Works with Boston G5, Sony XSLD and XSGTR.

MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	Н	TD	BD
 AX10	1.40	0.81	1 - 10″	41/31	17 1/4″	12 5/8″	15 7/8″	15 7/8″
AX12	1.69	1.06	1 - 12″	40/31	19 3/4″	13 1/4"	15 7/8″	15 7/8″

Note: Net cubic feet are per sub and less port displacement only! 3/4 MDF.

(( 32 YEARS OF UNSURPASSED SERVICE

(((= 100% GREEN

### Sound Selection our promise

### **SMALL VOLUME**

**DA Series** 

**Comp Series** 

**PBT Series** 

# SMALL VOLUME :: driver specific enclosures

**DA110** 

**DA212** 

**COMP165** 

### ((( = RAW ((( = CARPET

Original Diamond Audio designs, built with the support of Diamond Audio. The extended port lengths add bracing for increased power handling, high SPL output, unmatched sound quality, small footprint. Works with Diamond Audio, Hertz, Hybrid Audio and Pioneer.

	MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	н	TD	BD
"[	DA110	1.48	0.55	1 - 10″	50/35	29 1/4″	13 1/4″	18 1/4″	18 1/4″
	DA112	1.75	0.81	1 - 12″	48/33	19 3/4″	13 1/4"	15 7/8″	15 7/8″
	DA115	4.00	2.73	1 - 15″	35/28	31 1/4"	18 1/4″	15 1/2"	15 1/2"
	DA210	3.08	0.70	2 - 10″	46/34	29 1/4"	13 1/4"	18 1/4"	18 1/4"
]	DA212	3.58	0.93	2 - 12″	43/33	34″	13 1/4"	18 1/8"	18 1/8″

Note: Net cubic feet are per sub and less port displacement only! 3/4" MDF Dual enclosure individual chambers.

### ((( ■ RAW ((( ■ CARPET ((( ■ XTREME KOTE

Dual 12" only 32" wide – Built with Kicker and Rockford specs. High output small footprint enclosures, works great in small imports.

MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	н	TD	BD	
 COMP165	3.26	1.39	2 - 12″	40/33	32″	13 3/4″	17″	17″	].
COMP195	3.90	1.65	2 - 12″	38/33	32″	13 3/4″	20″	20″	J

Note: Net cubic feet are per sub less port displacement only! 3/4" MDF / Dual enclosure individual chambers.

### ((( ■ RAW ((( ■ CARPET ((( ■ XTREME KOTE

Originally built with Memphis specs- Slot port on the end loads superbly in the corner of the cab Works with Memphis PR and SR, MTX, Ample, Crossfire, Power Bass and AudioBahn.

	MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	н	TD	BD
ļ	PBT110	1.16	0.80	1 - 10″	45/39	40 3/4"	12 3/8″	4 5/8″	7 1/4″
l	PBT112	1.73	1.23	1 - 12″	44/39	49″	14″	4 3/4″	7 3/4″

**Note:** Net cubic feet are per sub and less port displacement only! 5/8" shell with <sup>3</sup>/4"MDF face

### Sound Choices our promise

KV12D

### ((( RAW ((( CARPET **KV** Series A serious SPL with low bass output, built with the support of Kove Audio. Works with Alpine, Digital Designs, JBL, Incriminator Audio, Memphis, Orion CO, Power Bass L and Rockford. MODEL TO. CU. FT. NET OPENINGS FB/F3 W н TD ВD **KV10S** 1.40 1 - 10" 22 1/4" 12 1/8" **12** 1/2″ **12** 1/2<sup>4</sup> 1.14 42/35 KV12S 2.12 1.87 1 - 12" 42/37 24 1/8" 13 1/4" 15 7/8" 15 7/8' **KV15S** 3.98 3.36 1 - 15" 40/35 31 1/4" 18 1/4" 15 1/2" 15 1/2' KV10D 3.18 1.28 2 - 10" 42/34 30 3/16" 13 1/4" 18 1/4" 18 1/4'

40/36

Note: Net cubic feet are per sub and less port displacement only!  $\frac{3}{4}$  MDF Dual 10" individual chambers, dual 12" common chamber.

3.22

2 - 12"



3.63

36″

13 1/4"

18 1/4"

18 1/4'



### MEDIUM VOLUME

### MEDIUM VOLUME

### our promise Sound Design

((( RAW ((( CARPET





### **1V Series - Optimal**

Your go to enclosure works with more of today's specs, built with JL W3 specs. Best sound quality, works with JL W0, W1, W3, Alpine SWR, Boston G1, 2 and 3, Hybrid Audio, Memphis C3, Pioneer, Power Bass M10 and M12, RE Audio, Rockford P1, P2 and P3, RE SEX, SXX, and Sundown Audio.

MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	н	TD	BD
1V208	0.43	0.30	1 - 8″	39/46	18 1/2"	5″	12 5/8″	12 5/8″
1V210	1.40	1.14	1 - 10″	39/33	22 1/4″	12 1/8"	12 1/2"	12 1/2"
1V212	2.12	1.73	1 - 12″	38/31	24 1/8"	13 1/4"	15 7/8″	15 7/8″
1V213	3.24	2.56	1 - 13″	35/29	25 1/2"	15 5/8″	17 7/8″	17 7/8″
1V210D	3.18	1.15	2 - 10″	35/32	30 3/16"	13 1/4"	18 1/4"	18 1/4"
1V212D	4.14	1.68	2 - 12″	37/30	34 3/4"	15″	17 1/4"	17 1/4"
1V213D	5.50	2.21	2 - 13″	35/29	35″	17″	20 1/4"	20 1/4"

**Note:** Net cubic feet are per sub and less port displacement only! <sup>3</sup>/<sub>4</sub>" MDF. Dual enclosure individual chambers.

### **PB Series - Medium Volume**

((( RAW ((( CARPET ((( XTREME KOTE

Originally built with Memphis specs. Works with Memphis PR and SR, Ample, Audiobahn, Crossfire, Digital Designs, MTX, Power Bass, RE Audio and Rockford.

	MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	Н	TD	BD
•	PB108	0.74	0.62	1 - 8″	40/32	16 1/2″	10 1/4"	10 1/2"	10 1/2"
Γ	PB110	0.85	0.70	1 - 10″	51/45	19″	12 1/2"	8 3/4″	8 3/4″
Γ	PB112	2.07	1.84	1 - 12″	39/32	21 1/8"	13 1/4"	15 7/8″	15 7/8″
	PB115	3.98	3.36	1 - 15″	40/35	31 1/4"	18 1/4"	15 1/2"	15 1/2"
	PB210	2.62	2.38	2 - 10″	44/37	28 3/4"	12 1/4"	16 1/4"	16 1/4″
Γ	PB212	3.61	2.83	2 - 12″	40/34	34″	13 1/4″	17 1/4″	17 1/4″
Γ	PB215	5.63	2.64	2 - 15″	42/37	35″	17″	20 1/4"	20 1/4″

**Note:** Net cubic feet are per sub and less port displacement only! 5/8" shell with ¾" MDF baffle / Dual enclosures common chambers – Dual 15" individual chamber.

### LARGE VOLUME

### our promise Sound Quality

((( ■ RAW ((( ■ CARPET ((( ■ XTREME KOTE \*\*\*

LARGE VOLUME KPVR15D KPVR10S





### **KPVR Series**

High output, larger air volume enclosure built with KICKER specs. Works with American Bass, Comp and CompVR, RE Audio, Rockford T0, T1, T2, and T3, Fi Audio, Mmats P2.5, P3, and Power Bass M15.

		-						
MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	н	TD	BD
KPVR10S	2.18	1.99	1 - 10″	43/30	23 3/4"	13 1/4″	15 7/8″	15 7/8″
KPVR12S	3.00	2.67	1 - 12″	43/31	26″	15″	17 1/4″	17 1/4″
KPVR15S	5.63	5.20	1 - 15″	39/30	35″	17″	20 1/4"	20 1/4"
KPVR10D	4.00	1.91	2 - 10″	42/30	34 3/4"	15″	17 1/4″	17 1/4″
KPVR12D	5.51	2.56	2 - 12″	42/31	35″	17″	20 1/4"	20 1/4"
KPVR15D	5.62	2.64	2 - 15″	42/37	35″	17″	20 1/4"	20 1/4″

**Note:** Net cubic feet are per sub and less port displacement only! <sup>3</sup>/<sub>4</sub>" MDF Dual enclosure individual chambers.

### • ((( **=** raw ((( **=** carpet

.

ξ.

i,

Built with 1" MDF - super large port area tunes these enclosures loud with super high output. Competition SPL works with Memphis Mojo, Mmatts Jugg – Digital Designs 2500, 3500 and 9500 – Treo SSX and CTX.

							· · · · · ·			
	MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	н	TD	BD	
•••	JUG12S	3.32	2.63	1 - 12″	47/34	28″	15 1/2"	18 3/8″	18 3/8″	
	JUG15S	4.87	4.30	1 - 15″	53/39	34 1/2"	19 3/4″	16 1/2"	16 1/2"	
	JUG12D	5.23	4.64	2 - 12″	56/40	35″	17″	20 1/4"	20 1/4"	J

Note: Net cubic feet are per sub and less port displacement only! 1" MDF / Common chamber .

RAW (((	CARPET	

1 1/2" baffle - Built with MTX 9500 specs, great sounding, high output SPL enclosure, works with MTX 9500, Memphis C3, RE SEX and SXX.

MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	н	TD	BD
TX320	3.06	2.59	1 - 12″	40/28	25 1/2"	15 5/8″	17 7/8″	17 7/8″
TX400	3.98	3.33	1 - 15″	40/35	31 1/4"	18 1/4″	15 1/2"	15 1/2"

Note: Net cubic feet are per sub less port displacement only! 34" MDF

### ((( RAW ((( CARPET

1 <sup>1</sup>/<sub>2</sub>" baffle – Built with Orion HCCA specs – Works with Orion HCCA.

	MODEL	TO. CU. FT.	NET	OPENINGS	FB/F3	W	н	TD	BD	
	HCCA10	1.38	0.95	1 - 10″	41/30	17 1/4″	12 5/8"	15 7/8″	15 7/8″	
•••	HCCA12	2.20	1.53	1 - 12″	40/32	24 1/8"	13 1/4"	15 7/8″	15 7/8″	••••
	HCCA15	3.85	2.57	1 - 15″	39/33	31 1/4"	18 1/4″	15 1/2"	15 1/2"	J

Note: Net cubic feet are per sub less port displacement only! 3/4 MDF

### Sound Guarantee our promise

(	(	📕 RAW 🌘	(( 🔳	CARPET	((( 🔳	XTREME KOTE
---	---	---------	------	--------	-------	-------------

Dual 12" only 32" wide - Built with Kicker and Rockford specs. High output small footprint enclosures, works great in small imports.

MODEL	TO. CU. FT.	PER SUB	OPENINGS	FB/F3	W	н	TD	BD	
 COMP165X	3.26	1.39	2 - 12″	40/33	32″	13 3/4″	17″	17″	
COMP195X	3.90	1.65	2 - 12″	38/33	32″	13 3/4″	20″	20″	

Note: Net cubic feet are per sub less port displacement only! 3/4 MDF Dual enclosure individual chambers.

### ((( RAW ((( CARPET ((( XTREME KOTE

Originally built with Memphis specs- Slot port on the end loads superbly in the corner of the cab Works with Memphis PR and SR, MTX, Ample, Crossfire, Power Bass and AudioBahn.

	WORKS WITH MI	emphis PR and	a SR, MTX, P	Ample, Crossfire, P	ower Bass and Aud	liobann.				
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	FB/F3	W	н	TD	BD	
••••	PBT110X	1.16	0.80	1 - 10″	45/39	40 3/4"	12 3/8″	4 5/8″	7 1/4″	•
	PBT112X	1.73	1.23	1 - 12″	44/39	49″	14″	4 3/4″	7 3/4″	

Note: Net cubic feet are per sub and less port displacement only! 5/8" shell with 3/4" MDF baffle.

### **HCCA Series**

**JUG Series** 

**TX Series** 






### **SMALL VOLUME - XKOTE**





### **PBT Series**



# N :: driver specific enclosures

JUG12D

TX320

COMPETITION

### **MEDIUM VOLUME - XKOTE**

### our promise Sound Selection

KO Seri
MODEL
KO110X
KO112X
KO210X

### O Series - Insane Bass MODEL TO. CU. FT.

2.83

((( ■ RAW ((( ■ CARPET ((( ■ XTREME KOTE PER SUB OPENINGS W FB/F3 TD н BD 1.40 1.14 1 - 10" 42/35 22 1/4" 12 1/8 12 1/2" 12 1/2 2.07 15 7/8" 1.84 1 - 12" 21 1/8" 13 1/4" 15 7/8" 39/32 2.62 2.38 2 - 10" 44/37 28 3/4' 12 1/4 16 1/4" 16 1/4'

40/34

34″

13 1/4"

**PB Series** 

3.61

KO212X

((( ■ RAW ((( ■ CARPET

17 1/4"

17 1/4"

Originally built with Memphis specs. Works with Memphis PR and SR, Ample, Audiobahn, Crossfire, Digital Designs, MTX, Power Bass, RE Audio and Rockford.

2 - 12"

Note: Net cubic feet are per sub less port displacement only! Common chamber.

	Designs, MTX, Power Bass, RE Audio and Rockford.										
	MODEL	TO. CU. FT.	PER SUB	OPENINGS	FB/F3	W	н	TD	BD		
•••	PB110X	0.85	0.70	1 - 10″	51/45	19″	12 1/2"	8 3/4″	8 3/4″		
	PB112X	2.07	1.84	1 - 12″	39/32	21 1/8"	13 1/4"	15 7/8″	15 7/8″		
	PB210X	2.62	2.38	2 - 10″	44/37	28 3/4″	12 1/4″	16 1/4″	16 1/4″		
	PB212X	3.61	2.83	2 - 12″	40/34	34″	13 1/4"	17 1/4"	17 1/4″		

Note: Net cubic feet are per sub and less port displacement only! 5/8" shell with <sup>3</sup>/<sub>4</sub>" MDF baffle Dual enclosures common chamber.

### LARGE VOLUME - XKOTE

### our promise Sound Choices

×	KPVRKO	Series	s - Higł	n Outpu	ıt			<b>((( ■</b> RAW	( 🕻 🗖 CARPE	ET ( 🔳 XTF	REME КОТЕ
KPVRK012SX	MODE	L	TO. CU. FT.	PER SUB	OPENI	NGS	FB/F3	W	Н	TD	BD
RKC	KPVRKO1	0SX	2.18	1.99	1 - 1	0″	42/30	23 3/4"	13 3/4″	15 7/8″	15 7/8″
Ϋ́	KPVRKO1	2SX	3.00	2.67	1-1	2″	43/31	26″	15″	17 1/4″	17 1/4″
	KPVRKO1	5SX	5.63	5.20	1-1	5″	39/30	35″	15″	17 1/4″	17 1/4″
	KPVRKO1	0DX	4.00	1.91	2 - 1	0″	42/30	34 3/4"	15″	17 1/4″	17 1/4″
	KPVRKO1	2DX	5.51	2.56	2-1	2″	42/31	35″	17″	20 1/4"	20 1/4"
	KPVRKO1	5DX	5.63	2.64	2-1	5″	42/37	35″	17″	20 1/4"	20 1/4"
	 Note: Net cub	oic feet a	re per sub	less port o	lisplaceme	ent only	/! Commor	n chambe	er.		
	 KPL Serie	s						((( ■ RAW		ET ( 🔳 XTF	
KPL15DX	Built with Kicke		d SPL spece	s. Large foo	tprint, hug	e SPL oi	utput and g	reat sour	nd quality		
<b>L15</b>	MODEL	TO. CU. F	T. NET	- OPI	ENINGS	F	B/F3	W	Н	TD	BD
₹ ₽	KPL15SX	5.63	5.20	) 1	- 15″	3	6/27	35″	17″	20 1/4"	20 1/4"
	KPL12DX	5.51	2.56	5 2	- 12″	4	2/29	35″	17″	20 1/4"	20 1/4″
	KPL15DX	5.62	2.64	4 2	- 15″	4	2/36	35″	17″	20 1/4"	20 1/4"
	Note: Net cub					ement	on <b>l</b> y! ¾″ N	/IDF Dua	10″ and	12" versi	ons are
				ommon ci	lamber.			((	(((	_ (((	
×	KPVR Sei			1 11.				•			
KPVR10SX	High output, <b>l</b> a RE Audio, Rock	5							an Bass, C	omp and	CompVR,
VR	MODEL		FT. PER S		ENINGS		B/F3	W	Н	TD	BD
AP	 KPVR10SX	2.18	1.99	) 1	- 10″	4	3/30	23 3/4"	13 1/4″	15 7/8″	15 7/8″
	KPVR12SX	3.00	2.67	7 1	- 12″	4	3/31	26″	15″	17 1/4″	17 1/4″
	KPVR15SX	5.63	5.20	) 1	- 15″	3	9/30	35″	17″	20 1/4"	20 1/4"
	KPVR10DX	4.00	1.9	1 2	- 10″	4	2/30	34 3/4"	15″	17 1/4"	17 1/4″
	KPVR12DX	5.51	2.56	5 2	- 12″	4	2/31	35″	17″	20 1/4"	20 1/4"
	KPVR15DX	5.63	2.64	1 2	- 15″	4	2/37	35″	17″	20 1/4"	20 1/4"
	Note: Net cut	vic foot a	re ner sub	and loss n	ort display	omont	only1 34" N		lonclosu	ro indivi	dual

Note: Net cubic feet are per sub and less port displacement only! 3/4" MDF Dual enclosure individual chambers.

31

Sound Design our promise

### **ACCESSORIES FOR AE ENCLOSURES**

### GRILLS

Sleek open design, strong impact resistant. Sold individually.

		1	1	L
C	F			
r	-	-	1	>
	-	-	-	1
			2	)
••••	••••	•••••		•••••

MODEL	DESCRIPTION	Clearance
BAR10	Heavy Duty Chromed 10"	1 5/8″
BBAR10	Heavy Duty Matt Black 10"	1 5/8″
BAR12	Heavy Duty Chromed 12"	1 7/8″
BBAR12	Heavy Duty Matt Black 12"	1 7/8″
BAR15	Heavy Duty Chromed 15"	1 7/8″
BBAR15	Heavy Duty Matt Black 15"	1 7/8″



### Speaker Spacers

Add additional mounting depth

MODEL	DESCRIPTION	I.D. X O.D.
SPR6.5	3/4" spacer for 6 1/2" spkr (2ct)	5 1/8″ x 6 1/8″
SPR8	3/4" spacer for 8" spkr (1ct)	7 1/8" x 8 3/8"
SPR10	3/4" spacer for 10" spkr (1ct)	9 1/8" x 10 7/16"
SPR12	3/4" spacer for 12" spkr (1ct)	11 1/8" x 12 5/8"

· · ·	Acous	stical Carpet	•					
	100% Gr	100% Green product from recycled plastic bottles.						
	MODEL	DESCRIPTION	Dimension					
	CO150	Premium latex backed charcoal	4′ x 150′					
	C0151	Premium latex backed black	4′ x 150′					



### TERMINALS

Silver plated spring-loaded terminal accepts banana plug.

MODEL	DESCRIPTION	OPENING
DB3S	3 1/8" square with gasket – accepts 10 ga. wire	2 7/8″

	RUBB	<b>RUBBER FEET</b> Make any enclosure a down fire. Pack of 4.			
1 Part	Make any				
	MODEL	DESCRIPTION	Height		
	RF15	Heavy Duty Rubber Foot	1 1/2"		

(( CUSTOMER TESTED

(( MODEL #'S ARE INTERNAL AIR VOLUME



### **ORDERING ENCLOSURES**

....

..... 

....

Model Letter(s) = Type of Cabinet **Model Number** = Total Internal Volume **Cabinet Finish** = R (Raw), C (Carpeted), X (XKote)

Select Opening by adding Woofer size All cabinets are f nished with charcoal carpet (Black with up charge) All cabinets include terminal cups, except KL Series

Model	Model	Cabinet	Speaker
Letter	Number	Finish	Size
NCT	180	С	12

### DISCLAIMERS

 Audio Enhancers will not assume any responsibility for damage to person or property associated with the use of our products.

- Warning Exposure to extremely loud sounds may cause hearing damage.
- All products should be securely mounted to the vehicle.
- Audio Enhancers is not responsible for typographical errors.
- Specif cations and pricing subject to change without notice.
- Speaker openings do not f t all subs Audio Enhancers opening sizes are:

8"-71/8" 10"-91/8" 12"-111/8" 15" - 13 7/8"

### FREIGHT

33

Net Order Amount (After Discounts). \$1200.....Free Freight \$800.....75% Free Freight \$600......50% Free Freight

• An additional COD fee will be charged on all COD orders.

- Freight carrier COD fees will vary between freight companies.
- Audio Enhancers compares rates with multiple carriers to f nd the best rate available.

• Drop ships available for an additional \$7.00 fee.

· Liftgate and Inside Delivery charges will apply (rate varies between freight companies).

Above Freight Policy applies to orders shipped in the contiguous USA.

### our promise Sound Guarantee

our promise Sound Service

((( 100% GREEN

our promise Sound Quality

Sound Selection our promise	WARRANTY
	<ul> <li>All products guaranteed for one year against defects in material and workmanship.</li> </ul>
	<ul> <li>Defective merchandise should be returned to Audio Enhancers, call our office for a Return Authorization (RA) number.</li> </ul>
	<ul> <li>The RA number must be clearly marked on the outside of the package.</li> </ul>
	• No returns will be accepted without prior authorization and a RA number.
	• Freight must be prepaid; items sent freight collect, or COD, will be refused.
Sound Choices our promise	RETURNS
	<ul> <li>No returns will be accepted without prior authorization, call our office for a Return Authorization (RA) number.</li> </ul>
	• The RA number must be clearly marked on the outside of the package.
	• There will be a 15% restocking fee on any non-defective product returned.
	• No cash refunds will be given after 60 days.
	<ul> <li>Truck line shipping damages need to be noted on POD (Proof of Delivery).</li> <li>Order must be inspected for shipping damages or broken shrink wrap prior to acceptance of the shipment.</li> </ul>
	<ul> <li>Order discrepancies need to be reported within 5 business days from delivery date.</li> </ul>
Sound Design our promise	TERMS AND CONDITIONS
	• All 1st time orders must be paid C.O.D. with a company approved check or credit card. Company checks will be accepted upon completion of checking account approval.
	<ul> <li>Net-30-day terms available to qualified dealers; sales must av per month.</li> </ul>
	<ul> <li>Any account refusing a C.O.D. order will be put on a prepay program.</li> </ul>
	<ul> <li>A \$25 service fee will be charged on all returned checks.</li> </ul>
	<ul> <li>MasterCard, Visa and American Express accepted</li> </ul>
	• Late fee of 1.5% per month assessed on all accounts with amounts past due more than 30 days.

----

34