

Programming Instructions for : Pressure 2 1/16" Spek Pro Fuel Rail Pressure Gauge

Refer to the "Flow Chart Programming Instructions" while reviewing this guide.

Gauge is field programmable by the operator while installed in the vehicle. This programming is accessed by pressing the control buttons located on the face or the meter dial, **ONE AT A TIME**. The "Down" and "Up" buttons move the pointer to a desired setting or controls the faceplate illumination.



| MAIN MENU PRESS "MODE" BUTTON TO PROGRAM LEVEL. THEN PRESS BOTH CENTER AND LEFT OR CENTER AND RIGHT BUTTONS FOR FIVE SECONDS TO ENTER SUBMENU | |
|--|---------------------------------------|
| NORMAL/DIAL BRIGHTNESS | OPTION: CALIBRATE GAUGE TO ENVIROMENT |
| PEAK PLAYBACK | OPTION:RESTORE FACTORY DEFAULT |
| HIGH RED-LINE SETTING | |
| LOW THRESHOLD SETTING | |
| COLOR SCHEME | OPTION:DEMO MODE |
| DIAL BRIGHTNESS | OPTION:ADJUST POINTER BRIGHTNESS |

Programming Instructions for : Pressure 2 1/16" Spek Pro Fuel Rail Pressure Gauge

PROGRAMMING STARTS IN MAIN MENU

PRESS PROGRAM BUTTON ONE (1) AT A TIME IN THE MAIN MENU MODE.

1 NORMAL/DIAL BRIGHTNESS:

On power up, the meter usually starts operation in **NORMAL/DIAL BRIGHTNESS**. Gauge reads the sensor value as temperature, pressure, etc. The "Down" and "Up" buttons will control the brightness of the dial lighting. Press the center "Mode" button to save the setting and advance you to **PEAK PLAYBACK**

2 PEAK PLAYBACK:

Reads the highest value displayed on the gauge since the last time the "PEAK" value was displayed. "PEAK" value will be held in memory until erased by pressing the RIGHT or LEFT button while in the "PEAK" level. Press the center "Mode" button to advance to **HIGH RED-LINE SETTING**

3 HIGH RED-LINE SETTING:

Sets the point at which "HIGH" warning threshold is reached for that specific gauge. The "Down and "Up" buttons will move the dial pointer to select **HIGH RED-LINE SETTING**. During normal operation the gauge constantly monitors the sensor value and compares it to the "HIGH" threshold. If the threshold is exceeded, the red "**HI**" indicator is turned on. Press the center "Mode" button to save the setting and advance to **LOW THRESHOLD SETTING**

4 LOW THRESHOLD SETTING:

Set the Minimum Threshold: Sets the point at which "LOW" warning threshold is reached for that specific gauge. The "Down" and "Up" buttons will move the dial pointer to select the LOW THRESHOLD SETTING. During normal operation the gauge constantly monitors the sensor value and compares it to the "LOW" threshold. If the sensor value drops below the threshold, the yellow "LOW" indicator is turned on. Press the center "Mode" button save the setting and advance to 5 COLOR SCHEME

5 COLOR SCHEME:

Set Faceplate Color Scheme: Operator can select the color of the gauge dial illumination. Each time you press the "Down" control button you scroll through dial color selection until the dial light goes off. Then press the "Up" button to reverse the scroll. Select your dial color illumination by pressing the center "Mode" button to save the setting and advance to **DIAL BRIGHT-NESS**

6 DIAL BRIGHTNESS:

Adjust dial brightness for day or evening driving conditions. The RIGHT or LEFT command buttons will dim or brighten faceplate illumination. Press the Center mode button to save the setting

and return to NORMAL OPERATION.

Programming Instructions for : Pressure 2 1/16" Spek Pro Fuel Rail Pressure Gauge

SUBMENU

SUBMENU IS ACCESSED THROUGH THE **MAIN MENU**. FIRST GO TO THE APPROPRIATE LEVEL OF THE **MAIN MENU** AND THEN FOLLOW THE INSTRUCTIONS IN THE PROGRAMMING FLOW DIAGRAM TO ENTER THE **SUBMENU**. PRESS THE "MODE" AND "UP" OR "MODE" AND "DOWN" BUTTONS SIMULTANEOUSLY FOR 5 SECONDS TO ENTER THE **SUBMENU** AND ONE BUTTON AT A TIME WHILE IN THAT **SUBMENU**.

OPTION:CALIBRATE GAUGE TO ENVIORNMENT: Turn the ignition ON with the engine OFF. While in the Normal Mode, Press and hold the CENTER and LEFT buttons for five (5) seconds. The dial face plate will flash GREEN rapidly. Press the CENTER Mode button to save the setting and return to NORMAL OPERATION.

OPTION:RESTORE FACTORY DEFAULT: While in **Peak Playback**. Main Menu, press and hold both the CENTER and RIGHT buttons for 5 seconds. The dial pointer will step 5 times and return to zero (0). All user programmed setting will be erased and the gauge will return to **NORMAL OPERATION**

OPTION:DEMO MODE: Displays the features of the meter. The pointer goes up and down the scale, the dial colors change and the **HI**, **LOW** and **PEAK** warning indicators light. The **DEMO MODE** does not time out. If the gauge is turned off in the **DEMO MODE**, it will start up in the **DEMO MODE**. Press the "Mode" button to return the gauge to NORMAL operation.

OPTION:POINTER BRIGHTNESS MODE: The DOWN and UP buttons adjust the dial pointer brightness to blend in with original manufacturer's gauges and the owner's requirements. Press the MODE button to return to **NORMAL OPERATION**.

Factory default programming settings:

High Fuel Rail Pressure......29,500 PSI Low Fuel Rail Pressure......12,000 PSI

Programming Instructions for: Pressure 2 1/16" Spek Pro Fuel Rail Pressure Gauge

| GAUGE TYPE | ALERT FLASHES "RED" |
|------------------------|---------------------|
| TEMPERATURE | нідн |
| PRESSURE | LOW |
| TACHOMETER | нідн |
| PYROMETER | нідн |
| NITROUS OXIDE PRESSURE | LOW |
| BOOST PRESSURE | нідн |
| AIR/FUEL | LOW |
| VOLTMETER | LOW |


PROGRAMMING INFORMATION:

- TO RESET THE PROGRAM TO **NORMAL OPERATION** FROM ANY MODE PRESS THE "UP" AND "DOWN" BUTTONS SIMULTANEOUSLY. THIS SOFT RESET CANCELS THE INFORMATION YOU PROGRAMMED IN THAT MODE ONLY AND RETURN YOU TO **NORMAL OPERATION**.
- THE FACEPLATE WILL "FLASH" WHEN BUTTONS ARE DEPRESSED TO ACKNOWLEDGE COMMANDS.
- PROGRAMMING ERRORS WILL BE SIGNALLED BY FLASHING THE FACEPLATE LIGHTING "PURPLE", "BLUE", "GREEN" THEN "ORANGE".
- IF PROGRAMMING IS INACTIVE FOR 60 SECONDS THE MODE WILL TIME OUT AND THE GAUGE WILL RETURN TO NORMAL OPERATION, EXCEPT FOR IN THE DEMONSTRATION MODE. THE DEMO MODE WILL NOT TIME OUT UNTIL THE CENTER "MODE" BUTTON IS PRESSED. IF THE GAUGE IS TURNED OFF IN THE DEMO MODE, IT WILL START-UP IN THE DEMO MODE.
- TO RESTORE FACTORY DEFAULTS, PRESS THE "MODE" BUTTON ONCE TO ENTER THE **PEAK PLAYBACK**. THEN PRESS AND HOLD THE "MODE" AND "UP" BUTTONS FOR FIVE SECONDS. YOUR
 PROGRAMMING WILL BE ERASED BUT FACTORY PROGRAM WILL NOT BE AFFECTED.

THE GAUGE FACEPLATE WILL FLASH ALTERNATELY "RED" THEN "GREEN" IF THE SENSOR PROBE IS NOT CONNECTED TO THE WIRING HARNESS.

U.S. Patent# 7,278,749 and # 7,612,660 Additional Patents Pending

Flow Chart Programming Instructions for : Fuel Rail Pressure Gauge 2 1/16"



NORMAL/DIAL BRIGHTNESS:

advance to **PEAK PLAYBACK**. brightness. Press the center button to save and Press the down or up button to adjust dial

Η

button at a time) (Press one

TART HERE

OPTION: CALIBRATE GAUGE NORMAL/DIAL BRIGHTNESS:



NORMAL LIGHTING 4

advance to **PEAK PLAYBACK**. Press the center button to



ON POWER UP THE GAUGE READS THE PRESSURE





PEAK LOW

PEAK PLAYBACK:

HIGH RED-LINE SETTING. OR Press the center button to advance to

PRESS

4







PEAK LOW HI цент цт

PRESS Press the center button to advance to HIGH RED-LINE SETTING:

LOW THRESHOLD SETTING

4





button to save and advance to LOW

pointer to the high threshold. Press the center Press the down or up button to move dial **HIGH RED-LINE SETTING:**

while in the PEAK level Press the center button erased by pressing the RIGHT or LEFT button played. PEAK value will be held in memory until since the last time the PEAK value was dis-

Reads the highest value displayed on the Gauge

THRESHOLD SETTING.

LOW THRESHOLD SETTING:

COLOR SCHEME. Press the center button to advance to

PRESS 4

гинт ги

sure Setting. Press the center button to save

LEFT or RIGHT buttons to select the Low Pres-

Sets the value at which the Low Pressure Warn-RED for 60 seconds and then stay lit. Press the ing is reached. The dial faceplate will flash

and advance to COLOR SCHEME.

COLOR SCHEME:

PAK LOW HI LIGHT LIT

OPTION A:DEMO MODE

Press the center button to advance to NORMAL/DIAL BRIGHTNESS. OR

COLOR SCHEME:



PEAK LOW HI

scheme. (OFF-VIOLET-BLUE-GREEN-YELLOW-

AT A TIME

DIAL BRIGHTNESS:

PEAK, LOW, HI

BRIGHTNESS.

ton to save and return to NORMAL/DIAL ORANGE-RED-WHITE). Press the center but-Press down and up buttons to select a color

LIGHT LIT

tion. Press the center button to save and ad-Control the brightness of the faceplate illumina-Press the RIGHT or LEFT command buttons to

vance to **NORMAL OPERATION.**







PEAK LOW HI

DIAL BRIGHTNESS:

advance to **NORMAL OPERATION** Press the center button to **OPTION A:POINTER BRIGHTNESS**



G

Flow Chart Programming Instructions for : Fuel Rail Pressure Gauge 2 1/16"

SUBMENU

(Press two(2) buttons simultaneously for 5 seconds)

Calibrate Gauge to Environment: Turn the ignition ON with the engine OFF. While in the Normal Mode, press and hold the CENTER and LEFT buttons for five (5) seconds. The dial face plate will flash GREEN rapidly. Press the CENTER mode button to save the setting and return to NORMAL OPERATION.

OPTION: RESTORE FACTORY DEFAULT:

While in **PEAK PLAYBACK**, press and hold the center and right buttons for five seconds. Dial pointer will step five times and return to zero. This will erase all user-programmed calibrations and settings, and return to **NORMAL/DIAL BRIGHTNESS**.

OPTION:DEMO MODE: WHILE IN COLOR SCHEME, press and hold the center and right buttons for five seconds. Dial will scroll through the seven color schemes. The HI,LOW and PEAK will light,

OPTION A:POINTER BRIGHTNESS: Press CENTER and LEFT buttons for five (5) seconds to

return to NORMAL/DIAL BRIGHTNESS.

and the dial pointer will move. Press the center button to

Press CENTER and LEFT buttons for five (5) seconds to enter pointer brightness mode. The dial pointer will start to flash and point to the upper right.

High Fuel Rail Pressure.....29,500 PSI Low Fuel Rail Pressure.....12,000 PSI option: Pointer Brightness:

Press LEFT or RIGHT buttons to adjust pointer brightness. Press the CENTER burron to save and return to **NORMAL/DIAL BRIGHTNESS**.

Default Pressure Settings:

6

SPEK PRO™ FUEL RAIL PRESSURE GAUGE

PACKAGE CONTAINS:

- Pressure Gauge
- Pressure Sender
- Wiring Harness
- Mounting Cup
- (1) Neoprene EDPM Grommet

FEATURES:SPEK PERFORMANCE GAUGE FEATURES:

- INTELLIGENT ELECTRICAL GAUGES.
- GAUGES ARE PROGRAMMED THROUGH COMMAND KEYS ON FACEPLATE.
- STEPPER MOTOR DRIVES THE GAUGE POINTER OVER A 280 DEGREE SWEEP.
- WIDE-ANGLE-DIAL™ HAS A 15% LARGER VIEWING AREA ON A 2 1/16" GAUGE.
- PROGRAMMABLE 7 COLOR DIAL AND RED POINTER ILLUMINATION.
- OPTIONAL OUTPUT CONTROL MODULE.

INSTALLATION INSTRUCTIONS:

- 1 DISCONNECT NEGATIVE (-) BATTERY TERMINAL.
- 2 VARIOUS MOUNTING SOLUTIONS ARE PRESENTED BY PROPARTS, LLC ON THEIR WEBSITE AT www.ProPartsLLc.com

DASH INSTALLATION: SELECT LOCATION IN THE DASH TO MOUNT GAUGE AND CUT A 2 1/16" HOLE. USE A FILE TO INCREASE THE HOLE SIZE IF REQUIRED. BE SURE THERE IS SUFFICIENT ROOM BEHIND THE HOLE FOR THE METER CASE AND THE CONNECTORS YOU WILL USE.

- 3 IF A SUITABLE HOLE IN THE FIRE WALL IS NOT AVAILABLE, CUT AN 11/16 HOLE.
- 4 GROMMET MUST BE CUT TO PERMIT INSTALLATION OF WIRING HARNESS. (SEE DIAGRAM 1)

- **5** INSTALL GROMMET AND MOUNTING CUP ON THE WIRING HARNESS AS SHOWN IN **DIAGRAM 1**. GROMMET IS FOR THE HOLE IN THE FIREWALL
- **6** DO NOT CONNECT WIRING HARNESS TO THE GAUGE UNTIL THE OTHER CONNECTIONS HAVE BEEN MADE AND TESTED.
- 7. LOCATE THE FUEL PRESSURE SENSOR.
- **8.** DISCONNECT THE FACTORY FUEL SENSOR HARNESS CONNECTOR BY PUSHING IN THE LOCK-ING CLIP AND PULLING THE CONNECTOR AWAY FROM THE SENSOR. CONNECT ONE END OF THE SPEK-PRO SUPPLIED WIRING HARNESS PLUG TO THE FACTORY SENSOR AND THE OTHER END INTO THE EXISTING FACTORY WIRING HARNESS. THIS INSURES THAT THE VEHICLE'S COMPUTER STILL RECEIVES THE PROPER INFORMATION. MAKE CERTAIN THAT CONNECTOR LOCKING TABS ARE SET. FAILURE TO DO SO WILL RESULT IN ROUGH IDLING OR INABILITY TO START ENGINE.


CAUTION: TAKE PRECAUTION TO PROTECT FUEL RAIL PRESSURE SENSOR WIRING. IMPROPER INSTALLATION CAN LEAD TO SHORT CIRCUIT THAT COULD CAUSE ENGINE DAMAGE

- **9** CONNECT THE **RED** (+12 VOLT SUPPLY) WIRE TO "ON" CIRCUIT THAT GETS POWER WHEN THE IGNITION IS TURNED ON. THIS CIRCUIT MUST BE FUSED BEFORE THE IGNITION SWITCH (3 AMP, FAST ACTING FUSE).
- 10 CONNECT THE BLACK WIRE TO A GOOD GROUNDING POINT ON THE CAR'S CHASSIS.
- 11 CONNECT THE WHITE WIRE TO THE DIMMER VOLTAGE GOING TO THE DASH LIGHTS.
- **12** PLUG THE WIRING HARNESS INTO THE GAUGE AND MOUNT IN POD OR DASH. USE CARE WHEN CONNECTING OR DISCONNECTING THE WIRING HARNESS.
- **13** FOR DASH MOUNTING, ATTACH MOUNTING CUP OVER THE BACK OF THE GAUGE AND HAND TIGHTEN. DO NOT OVER-TIGHTEN. MOUNT CUP BEFORE INSTALLING GROMMET. FAILURE TO DO SO WILL TWIST WIRES CAUSING A SHORT CIRCUIT.
- **14** POWER UP THE GAUGE AND INSPECT ALL CONNECTIONS. IF GAUGE IS OPERATING NORMAL, PROCEED TO "PROGRAMMING MANUAL."

TROUBLESHOOTING:


THE GAUGE FACEPLATE WILL FLASH ALTERNATELY "RED" THEN "GREEN" IF THE SENSOR PROBE IS NOT CONNECTED TO THE WIRING HARNESS.

DIAGRAM 1



© 2009

DIAGRAM 2



TROUBLESHOOTING:

THE GAUGE FACEPLATE WILL FLASH ALTERNATELY "RED" THEN "GREEN" IF THE FUEL PRESSURE SENSOR AND /OR WIRING HARNESS ARE NOT COMMUNICATING WITH THE GAUGE

THERE ARE THREE SECTIONS TO THIS MANUAL: WIRING INSTRUCTIONS, PROGRAMMING INSTRUCTIONS AND FLOW CHART PROGRAMMING INSTRUCTIONS. PLEASE READ EACH SECTION CAREFULLY BEFORE ATTEMPTING TO INSTALL OR OPERATE THIS PRODUCT.

WARNING:

- ALL INSTRUCTIONS IN THIS MANUAL MUST BE FOLLOWED TO INSURE SAFE INSTALLATION AND OPERATION OF THIS PRODUCT.
- NEVER DISASSEMBLE MODIFY OR TAMPER WITH THIS PRODUCT. THIS COULD CAUSE DAMAGE AND MAKE THEM UNSAFE TO USE. TAMPERING WITH THE PRODUCT WILL VOID THE LIMITED WARRANTY.
- INSTALLATION MUST BE PERFORMED BY AN EXPERIENCED AUTOMOTIVE TECHNICIAN.
- INSTALLER MUST USE SAFETY GLASSES.
- DISCONNECT THE NEGATIVE BATTERY TERMINAL BEFORE BEGINNING INSTALLATION. PROPARTS LLC IS NOT RESPONSIBLE FOR DAMAGE TO ENGINE, VEHICLE OR UNIT CAUSED BY ELECTRICAL SHORTS.
- DURING INSTALLATION, DO NOT INTERFERE WITH ANY EXISTING CONNECTIONS OR WIRES.
- ALL ELECTRICAL CONNECTIONS USE SOLDER LESS CONNECTORS AND INSULATE ALL CONNECTIONS WITH ELECTRICAL TAPE.
- AVOID WIRING NEAR ENGINE, EXHAUST SYSTEM, TURBINE OR ANY AREA THAT MAY RESULT IN DAMAGE.
- DISCONTINUE USE OF THE PRODUCT IF SMOKE OR A STRANGE ODOR IN PRESENT. CAUTION
- PROPARTS LLC IS NOT RESPONSIBLE FOR INCORRECT INSTALLATION OR PROGRAMMING OF SPEK™ GAUGES OR CONTROLLERS.
- SPEK™ GAUGES AND CONTROLLERS ARE DESIGNED FOR 12V DC ELECTRICAL SYSTEMS WITH A NEGATIVE GROUND.
- DO NOT ADJUST THE GAUGES OR GAUGE PROGRAM WHILE DRIVING
- OBEY ALL RULES AND REGULATIONS OF HIGHWAY AND STREET DRIVING.
- INSTALL SENSOR AND WIRE AWAY FROM HIGH HEAT AND / OR VIBRATION AREAS.
- USE CARE WHEN CONNECTING OR DISCONNECTING THE WIRING HARNESS. PULL OUT EACH CONNECTOR WHILE PRESSING THE LOCK OF THE CONNECTOR FIRMLY.
- IF THE BATTERY TERMINAL IS DISCONNECTED, THE AUDIO, CLOCK AND OTHER MEMORY DATA MAY BE LOST. THE NECESSARY DATA WILL HAVE TO BE RESET AFTER INSTALLATION.

WARNING: FUEL AND FUEL VAPOR ARE EXTREMELY FLAMMABLE. INSTALLER MUST TAKE EVERY PRECAUTION TO REMOVE ANY HOT MATERIAL. OPEN FLAME OR ANY-THING THAT IGNITE FUEL OR FUEL VAPOR.