

Installation Instructions




Ventvisor® Deflector

Important Safety Information




- CAUTION - Before driving, ensure that the vent visor is properly secured to vehicle.
- Do not use automatic "brush-style" car washes.
- Do not use cleaning solvents of any kind.
- Periodically check all components for tightness.

Contents - 2 Piece Set **NOTE:** Actual product may vary from illustration.



Front Driver
Side Visor



Front Passenger
Side Visor



Alcohol Pad x2



Scotch Brite pad

Contents - 4 Piece Set




Front Driver
Side Visor




Front Passenger
Side Visor




Alcohol Pad x4



Scotch Brite pad



Rear Driver
Side Visor



Rear Passenger
Side Visor

Tools Required



Car Wash Supplies



Clean Towel

Preparation Before Painting / Installation


- A trial fit is recommended to ensure proper positioning and fit.
- Check fit of parts before painting as we will not accept the return of modified or painted parts.
- Wash and dry your vehicle to remove any debris and/or dirt from the installation area.

Installation Steps **NOTE:** Actual application may vary slightly from illustrations.

Lower driver side window.

Alcohol Pad

Buff inside felt surface of window channel with scotch brite pad, and clean with alcohol pad.





1

2

Remove tape liner from front & rear flanges. Peel back 2" of tape liner from each end of top flange.

Slide the front end flange of the visor inside window channel. Then slide top and rear end flanges into position inside channel.





3

4

With visor in final position, remove remaining tape liner by pulling on free ends.

Run your finger along inside of window channel to ensure proper adhesion of taped flange to felt surface. Roll window up, and allow 24 hours for adhesive to cure.




5

6

4 Piece Set

If applicable, rear visor attached directly to painted surface.

Pop out visor installed



7

Repeat for opposite side.

Care and Cleaning

- Wash only with mild soap & dry with a clean cloth.

Congratulations!

You have purchased one of the many quality Auto Ventshade™ branded products offered by Lund International, Inc. We take the utmost pride in our products and want you to enjoy years of satisfaction from your investment. We have made every effort to ensure that your product is top quality in terms of fit, durability, finish and ease of installation.



Check out the collection of rain guards and wind deflectors we offer.