



ALLIED WHEEL COMPONENTS®



**MASTER
CATALOG**
VOLUME. 31

CLASSICS



60-Chrome Smoothie

- Hub Cover Included
- For Reverse Offset add to the WD Price

Part #	Size	Bolt Pattern 1	Bolt Pattern 2	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
6046083	14X6	4X4.25	4X4.5	6	3.75	3.19	1400	22	CP60
6046090	14X6	5X4.5	5X4.75	6	3.75	3.19	1400	22	CP60
6047090	14X7	5X4.5	5X4.75	0	4	3.19	1400	24	CP60
6050060	15X10	6X5.5		-32	4.25	4.28	1500	34	CP60
6050090	15X10	5X4.5	5X4.75	-32	4.25	3.19	1500	34	CP60
6050093	15X10	5X5	5X5.5	-32	4.25	3.19	1500	34	CP60
6055030	15X5	4X1.30		6	3.25	3.3	1200	20	CP60
6056090	15X6	5X4.5	5X4.75	6	3.75	3.19	1500	25	CP60
6057060	15X7	6X5.5		0	4	4.28	1500	26	CP60
6057090	15X7	5X4.5	5X4.75	0	4	3.19	1500	26	CP60
6057092	15X7	5X4.25	5X4.5	3	4.125	3.19	1500	26	CP60
6057093	15X7	5X5	5X5.5	0	4	3.71	1500	26	CP60
6058060	15X8	6X5.5		-12	4	4.28	1500	28	CP60
6058092	15X8	5X4.25	5X4.5	12	5	3.19	1500	28	CP60
6067016	16X7	5X100		35	5.375	2.675	1500	37	CP60



CLASSICS



61-Row Smoothie

-Hub Cover Included
-For Reverse Offset add to the WD Price



Part #	Size	Bolt Pattern 1	Bolt Pattern 2	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
6150060	15X10	6X5.5		-32	4.25	4.25	1500	34	CP60
6150090	15X10	5X4.5	5X4.75	-32	4.25	3.19	1500	34	CP60
6150093	15X10	5X5	5X5.5	-32	4.25	3.71	1500	34	CP60
6155060	15X5	6X5.5		6	3.25	4.25	1500	19	CP60
6155090	15X5	5X4.5	5X4.75	6	3.25	3.19	1500	19	CP60
6155092	15X5	5X4.25	5X4.5	6	3.25	3.19	1500	19	CP60
6155093	15X5	5X5	5X5.5	6	3.25	3.71	1500	19	CP60
6156060	15X6	6X5.5		6	3.75	4.25	1500	24	CP60
6156090	15X6	5X4.5	5X4.75	6	3.75	3.19	1500	24	CP60
6156092	15X6	5X4.25	5X4.5	6	3.75	3.19	1500	24	CP60
6156093	15X6	5X5	5X5.5	6	3.75	3.71	1500	24	CP60
6157060	15X7	6X5.5		3	4.125	4.25	1500	26	CP60
6157090	15X7	5X4.5	5X4.75	3	4.125	3.19	1500	26	CP60
6157092	15X7	5X4.25	5X4.5	3	4.125	3.19	1500	24	CP60
6157093	15X7	5X5	5X5.5	3	4.125	3.71	1500	26	CP60
6158060	15X8	6X5.5		-6	4.25	4.25	1500	28	CP60
6158090	15X8	5X4.5	5X4.75	-6	4.25	3.19	1500	28	CP60
6158092	15X8	5X4.25	5X4.5	12	5	3.19	1500	28	CP60
6158093	15X8	5X5	5X5.5	-6	4.25	3.71	1500	28	CP60
6167016	16X7	5X100		35	5.375	2.675	1500	37	CP60
6167021	16X7	5x110		35	5.375	2.675	1500	37	CP60
6167090	16X7	5X4.5	5X4.75	35	5.375	3.19	1500	37	CP60



CLASSICS



61B-Black Smoothie

- Hub Cover Included
- For Reverse Offset add to the WD Price



Part #	Size	Bolt Pattern 1	Bolt Pattern 2	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
61B-46090	14X6	5X4.5	5X4.75	6	3.75	3.19	1400	21	CP60
61B-47090	14X7	5X4.5	5X4.75	0	4	3.19	1500	21	CP60
61B-50060	15X10	6X5.5		-32	4.25	4.345	1500	34	CP60
61B-50090	15X10	5X4.5	5X4.75	-32	4.25	3.19	1500	34	CP60
61B-50093	15X10	5X5	5X5.5	-32	4.25	3.71	1500	34	CP60
61B-55090	15X5	5X4.5	5X4.75	6	3.25	3.19	1500	19	CP60
61B-56060	15X6	6X5.5		6	3.75	4.345	1500	24	CP60
61B-56090	15X6	5X4.5	5X4.75	6	3.75	3.19	1500	24	CP60
61B-56093	15X6	5X5	5X5.5	6	3.75	3.71	1500	24	CP60
61B-57060	15X7	6X5.5		3	4.125	4.345	1500	24	CP60
61B-57090	15X7	5X4.5	5X4.75	3	4.125	3.19	1500	26	CP60
61B-57092	15X7	5X4.25	5X4.5	3	4.125	3.19	1500	24	CP60
61B-57093	15X7	5X5	5X5.5	3	4.125	3.71	1500	26	CP60
61B-58060	15X8	6X5.5		-6	4.25	4.345	1500	24	CP60
61B-58090	15X8	5X4.5	5X4.75	-6	4.25	3.19	1500	24	CP60
61B-58092	15X8	5X4.25	5X4.5	12	5	3.19	1500	24	CP60
61B-58093	15X8	5X5	5X5.5	-6	4.25	3.71	1500	24	CP60



CLASSICS



62-Chrome Rallye

-Hub Cover Included
 -For reverse offset add to the WD price



Part #	Size	Bolt Pattern 1	Bolt Pattern 2	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
6246083-CP	14X6	4X4.25	4X4.5	12	4	2.95	1400	22	CP62
6246090-CP	14X6	5X4.5	5X4.75	12	4	3.19	1400	22	CP62
6247083-CP	14X7	4X4.25	4X4.5	6	4.25	2.95	1400	23	CP62
6247090-CP	14X7	5X4.5	5X4.75	6	4.25	3.19	1400	23	CP62
6250050-CP	15X10	5X5		-32	4.25	3.19	1500	34	CP62
6250055-CP	15X10	5X5.5		-32	4.25	4.345	1500	34	CP62
6250060-CP	15X10	6X5.5		-32	4.25	4.345	1500	34	CP62
6250090-CP	15X10	5X4.5	5X4.75	-32	4.25	3.19	1500	34	CP62
6255050-CP	15X5	5X5		6	3.25	3.19	1500	34	CP62
6255090-CP	15X5	5X4.5	5X4.75	6	3.25	3.19	1500	25	CP62
6256050-CP	15X6	5X5		12	4	3.19	1500	25	CP62
6256055-CP	15X6	5X5.5		12	4	4.345	1500	25	CP62
6256060-CP	15X6	6X5.5		12	4	4.345	1500	25	CP62
6256090-CP	15X6	5X4.5	5X4.75	12	4	3.3	1500	25	CP62
6257050-CP	15X7	5X5		6	4.25	3.19	1500	27	CP62
6257055-CP	15X7	5X5.5		6	4.25	4.345	1500	27	CP62
6257060-CP	15X7	6X5.5		6	4.25	4.345	1500	27	CP62
6257090-CP	15X7	5X4.5	5X4.75	6	4.25	3.19	1500	26	CP62
6258050-CP	15X8	5X5		-12	4.25	3.19	1500	29.5	CP62
6258055-CP	15X8	5X5.5		-12	4.25	4.345	1500	28	CP62
6258060-CP	15X8	6X5.5		-6	4.25	4.345	1500	28	CP62
6258090-CP	15X8	5X4.5	5X4.75	-6	4.25	3.19	1500	28	CP62

Rallye Accessories

Part #	SMOOTHIE/RALLYE CAPS-TRIM RINGS
CP62	Rallye Cap-Chrome
CP63SS	Rallye Cap-Stainless Steel
TR14SS	14" Stainless Steel Trim Ring
TR14SSN	14" Narrow Stainless Steel Trim Ring
TR15SS	15" Stainless Steel Trim Ring
TR15SSN	15" Narrow Stainless Steel Trim Ring
TR15SSW	15" Wide Stainless Steel Trim Ring



CLASSICS



63-Silver Rallye

- Hub Cover Included
- For Reverse Offset add to the WD Price



Part #	Size	Bolt Pattern 1	Bolt Pattern 2	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
6346090-CP	14X6	5X4.5	5X4.75	12	4	3.19	1400	22	CP62
6347090-CP	14X7	5X4.5	5X4.75	6	4.25	3.19	1400	24	CP62
6350050-CP	15X10	5X5		-32	4.25	3.19	1500	34	CP62
6350060-CP	15X10	6X5.5		-32	4.25	4.345	1500	34	CP62
6350090-CP	15X10	5X4.5	5X4.75	-32	4.25	3.19	1500	34	CP62
6355090-CP	15X5	5X4.5	5X4.75	-6	3.25	3.19	1500	25	CP62
6356090-CP	15X6	5X4.5	5X4.75	12	4	3.19	1500	25	CP62
6357050-CP	15X7	5X5		6	4.25	3.19	1500	26.5	CP62
6357055-CP	15X7	5X5.5		6	4.25	4.345	1500	26.5	CP62
6357060-CP	15X7	6X5.5		6	4.25	4.345	1500	26.5	CP62
6357090-CP	15X7	5X4.5	5X4.75	6	4.25	3.19	1500	29.5	CP62
6358050-CP	15X8	5X5		-12	4	3.3	1500	29.5	CP62
6358060-CP	15X8	6X5.5		-12	4	4.345	1500	29.5	CP62
6358090-CP	15X8	5X4.5	5X4.75	-6	4.25	3.19	1500	29.5	CP62

Rallye Accessories

Part #	SMOOTHIE/RALLYE CAPS-TRIM RINGS
CP62	Rallye Cap-Chrome
CP63SS	Rallye Cap-Stainless Steel
TR14SS	14" Stainless Steel Trim Ring
TR14SSN	14" Narrow Stainless Steel Trim Ring
TR15SS	15" Stainless Steel Trim Ring
TR15SSN	15" Narrow Stainless Steel Trim Ring
TR15SSW	15" Wide Stainless Steel Trim Ring



CLASSICS



63-RAW Rallye

- Hub Cover Included
- For Reverse Offset add to the WD Price



Part #	Size	Bolt Pattern 1	Bolt Pattern 2	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
63RA-50050-CP	15X10	5X5		-32	4.25	3.19	1500	34	CP62
63RA-50060-CP	15X10	6X5.5		-32	4.25	4.345	1500	34	CP62
63RA-50090-CP	15X10	5X4.5	5X4.75	-32	4.25	3.19	1500	34	CP62
63RA-55090-CP	15X5	5X4.5	5X4.75	6	3.25	3.19	1500	25	CP62
63RA-56090-CP	15X6	5X4.5	5X4.75	12	4	3.19	1500	25	CP62
63RA-57050-CP	15X7	5X5		6	4.25	3.19	1500	27	CP62
63RA-57060-CP	15X7	6X5.5		6	4.25	4.345	1500	27	CP62
63RA-57090-CP	15X7	5X4.5	5X4.75	6	4.25	3.19	1500	27	CP62
63RA-58060-CP	15X8	6X5.5		-12	4	4.345	1500	28	CP62
63RA-58090-CP	15X8	5X4.5	5X4.75	-6	4.25	3.19	1500	28	CP62

Rallye Accessories

Part #	SMOOTHIE/RALLYE CAPS-TRIM RINGS
CP62	Rallye Cap-Chrome
CP63SS	Rallye Cap-Stainless Steel
TR14SS	14" Stainless Steel Trim Ring
TR14SSN	14" Narrow Stainless Steel Trim Ring
TR15SS	15" Stainless Steel Trim Ring
TR15SSN	15" Narrow Stainless Steel Trim Ring
TR15SSW	15" Wide Stainless Steel Trim Ring



CLASSICS



65C Super Spoke

Part #	Size	Bolt Pattern 1	Bolt Pattern 2	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
65C-46005	14X6	5X4.5	5X4.75	-3	3.375	3.46	1500	21	CP03
65C-47005	14X7	5X4.5	5X4.75	3	4.125	3.46	1500	22	CP03
65C-50005	15X10	5X4.5	5X4.75	-32	4.25	3.46	1500	34	CP03
65C-56005	15X6	5X4.5	5X4.75	-3	3.375	3.46	1500	26	CP03
65C-57005	15X7	5X4.5	5X4.75	3	4.125	3.46	1500	29	CP03
65C-58005	15X8	5X4.5	5X4.75	-6	4.25	3.46	1500	30	CP03



67-Supreme

CENTER CAP INCLUDED. MULTI-FIT LUG PATTERNS
 *WILL NOT ACCOMMODATE 14MM STUDS REQUIRES MAG LUG NUTS AND WASHERS
 (Lug nuts NOT included)

Part #	Size	Bolt Pattern 1	Bolt Pattern 2	Bolt Pattern 3	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
6737099	13X7	5X4.5	5X4.75	5X5	-12	3.5	3.25	1200	22	CP67
6746099	14X6	5X4.5	5X4.75	5X5	-16	2.875	3.25	1400	25	CP67
6747099	14X7	5X4.5	5X4.75	5X5	-12	3.5	3.25	1400	26	CP67
6750099	15X10	5X4.5	5X4.75	5X5	-32	4.25	3.25	1500	38	CP67
6756099	15X6	5X4.5	5X4.75	5X5	-22	2.5	3.25	1500	29	CP67
6757099	15X7	5X4.5	5X4.75	5X5	-12	3.5	3.25	1500	30	CP67
6758099	15X8	5X4.5	5X4.75	5X5	-22	3.625	3.25	1500	32	CP67
6737099R	13X7	5X4.5	5X4.75	5X5	-54	1.875	3.25	1200	22	CP67
6746099R	14X6	5X4.5	5X4.75	5X5	-48	1.875	3.25	1400	25	CP67
6747099R	14X7	5X4.5	5X4.75	5X5	-54	2	3.25	1400	26	CP67
6750099R	15X10	5X4.5	5X4.75	5X5	-76	2.5	3.25	1500	38	CP67
6757099R	15X7	5X4.5	5X4.75	5X5	-51	2	3.25	1500	30	CP67
6758099R	15X8	5X4.5	5X4.75	5X5	-63	2	3.25	1500	32	CP67



CUSTOM STEEL



51-Black Daytona

-Lug nuts and center cap NOT included
 **Cap included



Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
5150012	15X10	5X4.5	-38	4	3.3	1500	34	CP3300-S
5150050	15X10	5X5	-38	4	3.3	1500	34	CP3300-S
5150055	15X10	5X5.5	-38	4	4.25	1500	34	CP4250-S
5150060	15X10	6X5.5	-38	4	4.25	1500	34	CP4250-S
5151260	15X12	6X5.5	-63	4	4.25	1400	35	CP4250-S
5151460	15X14	6X5.5	-89	4	4.25	1400	35	CP4250-S
5157012	15X7	5X4.5	-6	3.75	3.3	1600	26	CP3300-S
5157034	15X7	5X4.75	-6	3.75	3.3	1600	26	CP3300-S
5157050	15X7	5X5	-6	3.75	3.3	1600	26	CP3300-S
5157055	15X7	5X5.5	-6	3.75	4.25	1600	26	CP4250-S
5157060	15X7	6X5.5	-6	3.75	4.25	1600	26	CP4250-S
5157012P	15X7	5X4.5	12	4.5	3.3	1600	26	CP3300-S
5157060-47	15X7	6X5.5	19	4.75	4.25	1600	26	CP4250-S
5157060P	15X7	6X5.5	12	4.5	4.25	1600	26	CP4250-S
5158012P	15X8	5X4.5	6	4.75	3.3	1500	28	CP3300-S
5158060P	15X8	6X5.5	6	4.75	4.25	1500	28	CP4250-S
5158012	15X8	5X4.5	-19	3.75	3.3	1500	28	CP3300-S
5158034	15X8	5X4.75	-19	3.75	3.3	1500	28	CP3300-S
5158050	15X8	5X5	-19	3.75	3.3	1500	28	CP3300-S
5158055	15X8	5X5.5	-19	3.75	4.25	1500	28	CP4250-S
5158060	15X8	6X5.5	-19	3.75	4.25	1500	28	CP4250-S
5161080	16X10	8X6.5	-25	4.5	5.15	3500	38	CP5150-S
5167012	16X7	5X4.5	0	4	3.3	1700	35	CP3300-S
5167035	16X7	5X1.35	0	4	3.43	2000	35	CP3300-S
5167050	16X7	5X5	0	4	3.3	1700	35	CP3300-S
5167055	16X7	5X5.5	0	4	4.25	2000	35	CP4250-S
5167060	16X7	6X5.5	0	4	4.25	2000	35	CP4250-S
5167080	16X7	8X6.5	0	4	5.15	3500	35	CP5150-S
5168012	16X8	5X4.5	0	4.5	3.3	1700	37	CP3300-S
5168050	16X8	5X5	0	4.5	3.3	1700	37	CP3300-S
5168055	16X8	5X5.5	0	4.5	4.25	2000	37	CP4250-S
5168060	16X8	6X5.5	0	4.5	4.25	2000	37	CP4250-S
5168080	16X8	8X6.5	0	4.5	5.15	3500	37	CP5150-S
5178055	17X8	5X5.5	6	4.75	4.25	2000	38	CP4250-S
5178060	17X8	6X5.5	6	4.75	4.25	2000	38	CP4250-S
5178080	17X8	8X6.5	12	5	5.15	3500	38	CP5150-S
5179055	17X9	5X5.5	0	5	4.25	2000	40	CP4250-S
5179060	17X9	6X5.5	0	5	4.25	2000	40	CP4250-S
5179080	17X9	8X6.5	0	5	5.15	3500	40	CP5150-S



CUSTOM STEEL



54B-Black Daytona



- Street Lock
- Lug nuts and center cap NOT included

Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
54B-50012	15X10	5X4.5	-44	3.75	3.3	1500	34	CP3300-S
54B-50055	15X10	5X5.5	-44	3.75	4.25	1500	34	CP4250-S
54B-50060	15X10	6X5.5	-44	3.75	4.25	1500	34	CP4250-S
54B-58012	15X8	5X4.5	-19	3.75	3.3	1500	28	CP3300-S
54B-58055	15X8	5X5.5	-19	3.75	4.25	1500	28	CP4250-S
54B-58060	15X8	6X5.5	-19	3.75	4.25	1500	28	CP4250-S
54B-60060	16X10	6X5.5	-38	4	4.25	1700	38	CP4250-S
54B-60080	16X10	8X6.5	-38	4	5.15	3500	38	CP5150-S
54B-68012	16X8	5X4.5	-6	4.25	3.3	1700	37	CP3300-S
54B-68050	16X8	5X5	-6	4.25	3.3	1700	37	CP3300-S
54B-68060	16X8	6X5.5	-6	4.25	4.25	2000	37	CP4250-S
54B-68080	16X8	8X6.5	-6	4.25	5.15	3500	37	CP5150-S
54B-79055	17X9	5X5.5	-19	4.25	4.25	2000	40	CP4250-S
54B-79060	17X9	6X5.5	-19	4.25	4.25	2000	40	CP4250-S
54B-79080	17X9	8X6.5	-19	4.25	5.15	3500	40	CP5150-S



54M-Matte Black Daytona



- Street Lock
- Lug nuts and center cap NOT included

Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
54M-50012	15X10	5X4.5	-44	3.75	3.3	1500	34	CP3300-S
54M-50055	15X10	5X5.5	-44	3.75	4.25	1500	34	CP4250-S
54M-50060	15X10	6X5.5	-44	3.75	4.25	1500	34	CP4250-S
54M-58012	15X8	5X4.5	-19	3.75	3.3	1500	28	CP3300-S
54M-58050	15X8	5X5	-19	3.75	3.3	1500	28	CP3300-S
54M-58055	15X8	5X5.5	-19	3.75	4.25	1500	28	CP4250-S
54M-58060	15X8	6X5.5	-19	3.75	4.25	1500	28	CP4250-S
54M-60060	16X10	6X5.5	-38	4	4.25	1700	38	CP4250-S
54M-60080	16X10	8X6.5	-38	4	5.15	3500	38	CP5150-S
54M-68012	16X8	5X4.5	-6	4.25	3.3	1700	37	CP3300-S
54M-68050	16X8	5X5	-6	4.25	3.3	1700	37	CP3300-S
54M-68060	16X8	6X5.5	-6	4.25	4.25	2000	37	CP4250-S
54M-68080	17X9	8X6.5	-6	4.25	5.15	3500	37	CP5150-S
54M-79055	17X9	5X5.5	-19	4.25	4.25	2000	40	CP4250-S
54M-79060	17X9	6X5.5	-19	4.25	4.25	2000	40	CP4250-S
54M-79080	17X9	8X6.5	-19	4.25	5.15	3500	40	CP5150-S



CUSTOM STEEL



80-White 8 Spoke

- Lug nuts and center cap NOT included
- Automotive Steel Wheels

Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating	Ship Weight (lb.)	Center Cap
8035512	13X5.5	5X4.5	0	3.25	3.3	1100	19	CP3300-S
8046012	14X6	5X4.5	0	3.5	3.3	1400	21	CP3300-S
8046034	14X6	5X4.75	0	3.5	3.3	1400	21	CP3300-S
8046060	14X6	6X5.5	0	3.5	4.25	1400	21	CP4250-S
8047012	14X7	5X4.5	-6	3.75	3.3	1400	23	CP3300-S
8050060	15X10	6X5.5	-44	3.75	4.25	1500	34	CP4250-S
8050080	15X10	8X6.5	-38	4	5.15	1500	34	CP5150-S
8056012	15X6	5X4.5	0	3.5	3.3	1500	24	CP3300-S
8056034	15X6	5X4.75	0	3.5	3.3	1500	24	CP3300-S
8056050	15X6	5X5	0	3.5	3.3	1500	24	CP3300-S
8056055	15X6	5X5.5	0	3.5	4.25	1500	24	CP4250-S
8056060	15X6	6X5.5	0	3.5	4.25	1500	24	CP4250-S
8057012	15X7	5X4.5	-6	3.75	3.3	1600	26	CP3300-S
8057034	15X7	5X4.75	-6	3.75	3.3	1600	26	CP3300-S
8057050	15X7	5X5	-6	3.75	3.3	1600	26	CP3300-S
8057055	15X7	5X5.5	-6	3.75	4.25	1600	26	CP4250-S
8057060	15X7	6X5.5	-6	3.75	4.25	1600	26	CP4250-S
8057080	15X7	8X6.5	0	4	5.15	1600	26	CP5150-S
8058012	15X8	5X4.5	-19	3.75	3.3	1500	28	CP3300-S
8058055	15X8	5X5.5	-19	3.75	4.25	1500	28	CP4250-S
8058060	15X8	6X5.5	-19	3.75	4.25	1500	28	CP4250-S
8067055	16X7	5X5.5	0	4	4.25	2000	33	CP4250-S
8067060	16X7	6X5.5	0	4	4.25	2000	33	CP4250-S
8067080	16X7	8X6.5	0	4	5.15	2000	33	CP5150-S
8068060	16X8	6X5.5	0	4.5	4.25	2000	37	CP4250-S
8068080	16X8	8X6.5	0	4.5	5.15	2200	37	CP5150-S



CUSTOM STEEL



81-Black Soft 8

-Lug nuts and center cap NOT included
 **Cap Included



Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
8150012	15X10	5X4.5	-38	4	3.3	2200	34	CP3300-S
8150050	15X10	5X5	-38	4	3.3	2200	34	CP3300-S
8150055	15X10	5X5.5	-38	4	4.25	2200	34	CP4250-S
8150060	15X10	6X5.5	-38	4	4.25	2200	34	CP4250-S
8157012	15X7	5X4.5	-6	3.75	3.3	2200	26	CP3300-S
8158012	15X8	5X4.5	-19	3.75	3.3	2200	28	CP3300-S
8158055	15X8	5X5.5	-19	3.75	4.25	2200	28	CP4250-S
8158060	15X8	6X5.5	-19	3.75	4.25	2200	28	CP4250-S
8160055	16X10	5X5.5	-25	4.5	4.25	2200	39	CP4250-S
8160060	16X10	6X5.5	-25	4.5	4.25	2200	39	CP4250-S
8160080	16X10	8X6.5	-25	4.5	5.15	3500	39	CP5150-S
8168035	16X8	5X135	0	4.5	3.42	2500	37	CP3420-S
8168050	16X8	5X5	0	4.5	3.3	2200	37	CP3300-S
8168055	16X8	5X5.5	0	4.5	4.25	2200	37	CP4250-S
8168060	16X8	6X5.5	0	4.5	4.25	2200	37	CP4250-S
8168080	16X8	8X6.5	0	4.5	5.15	3500	37	CP5150-S
8179035	17X9	5X135	0	5	3.42	2200	39	CP3420-S
8179050	17X9	5X5	0	5	3.3	2200	40	CP3300-S
8179055	17X9	5X5.5	0	5	4.25	2200	40	CP4250-S
8179060	17X9	6X5.5	0	5	4.25	2200	40	CP4250-S
8179080	17X9	8X6.5	0	5	5.15	3500	40	CP5150-S
8179081	17X9	8X170	0	5	5.15	3500	40	CP5150-S



WINTER WHEEL/OEM REPLACEMENT



70-Winter Wheel



Part #	Size	Bolt Pattern 1	Bolt Pattern 2	Offset (mm)	Hub Bore (mm)	Load Rating (Lb.)	Ship Weight (lb.)
7045525	14X5.5	4X108		38	72	1200	21
7045584	14X5.5	4X100	4X114.3	38	72	1200	21
7045587	14X5.5	5X100	5X115	38	72	1200	21
7045588	14X5.5	5X108	5X114.3	38	72	1200	21
7056016	15X6	5X100		38	57.1	1562	24
7056025	15X6	4X108		35	72	1200	24
7056084	15X6	4X100	4X114.3	35	72	1200	24
7056087	15X6	5X100	5X115	35	72	1400	24
7056088	15X6	5X108	5X114.3	35	72	1400	24
7066012	16X6.5	5X114.3		54	64.1	1500	30
7066016	16X6.5	5X100		48	56.1	1500	30
7066085	16X6	5X105	5X115	35	72	1500	30
7066087	16X6	5X100	5X115	35	72	1500	30
7066088	16X6	5X108	5X114.3	35	72	1500	30
7066089	16X6	5X110	5X114.3	35	72	1500	30
7067050	16X7	5X127		51	72	1500	35
7077017	17X7	5X112		38	67	1500	32
7077025	17X7	4X108		38	72	1350	32
7077087	17X7	5X100	5X115	38	72	1650	32
7077088	17X7	5X108	5X114.3	38	72	1650	32
7077097	17X7	5X110	5X120	38	72	1500	32
X-40827	16X7	5X114.3		10	72	1500	31
X-41753	17X6.5	5X127		50	71.5	1550	25
X-42753	17X6.5	5X110		42	65.1	1550	34
X-42755	17X6.5	5X114.3		40	71.5	1550	26
X-44653	16X6.5	5X127		40	71.6	1560	34



STEEL BEADLOCK



RT51 Daytona



- CENTER CAP NOT INCLUDED
 - LUG NUTS NOT INCLUDED
 SPECIAL NOTE: NOT DOT APPROVED FOR HIGHWAY USE. 25 PSI MAX

PART #	SIZE	BOLT PATTERN	OFFSET (MM)	BACK SPACE (INCHES)	HUB BORE	SHIPPING WEIGHT
RT5150012	15X10	5x4.5	N/A	3.75	3.3	39
RT5150055	15X10	5X5.5	N/A	3.75	4.25	39
RT5150060	15X10	6X5.5	N/A	3.75	4.25	39
RT5151260	15X12	6X5.5	N/A	3.75	4.25	43
RT5151460	15X14	6X5.5	N/A	3.75	4.25	48
RT5157012	15X7	5X4.5	N/A	3.75	3.3	29
RT5158012	15X8	5X4.5	N/A	3.75	3.3	34
RT5158055	15X8	5X5.5	N/A	3.75	4.25	34
RT5158060	15X8	6X5.5	N/A	3.75	4.25	34
RT5178055	17X8	5X5.5	N/A	3.5	4.25	46
RT5178060	17X8	6X5.5	N/A	3.5	4.25	46
RT5178080	17X8	8X6.5	N/A	3.5	5.15	46
RT5179555	17X9	5X5.5	N/A	3.5	4.25	48
RT5179560	17X9	6X5.5	N/A	3.5	4.25	48
RT5179580	17X9	8X6.5	N/A	3.5	5.15	48



STEEL BEADLOCK



RT81 Rock 8



- CENTER CAP NOT INCLUDED
 - LUG NUTS NOT INCLUDED
 SPECIAL NOTE: NOT DOT APPROVED FOR HIGHWAY USE. 25 PSI MAX

PART #	SIZE	BOLT PATTERN	OFFSET (MM)	BACK SPACE (INCHES)	HUB BORE	SHIPPING WEIGHT
RT8150012	15X10	5X4.5	N/A	3.75	3.3	39
RT8150055	15X10	5X5.5	N/A	3.75	4.25	39
RT8150056	15X10	5X6.5	N/A	3.75	5.45	39
RT8150060	15X10	6X5.5	N/A	3.75	4.25	39
RT8150080	15X10	8X6.5	N/A	3.75	5.15	39
RT8157012	15X7	5X4.5	N/A	3.75	3.3	29
RT8158012	15X8	5X4.5	N/A	3.75	3.3	34
RT8158055	15X8	5X5.5	N/A	3.75	4.25	34
RT8158056	15X8	5X6.5	N/A	4	5.45	34
RT8158060	15X8	6X5.5	N/A	3.75	4.25	34
RT8158080	15X8	8X6.5	N/A	3.75	5.15	34
RT8160012	16X10	5X4.5	N/A	3.75	3.3	46
RT8160055	16X10	5X5.5	N/A	3.75	4.25	46
RT8160060	16X10	6X5.5	N/A	3.75	4.25	46
RT8160060-T	16X10	6X5.5	N/A	3.75	4.25	46
RT8160080	16X10	8X6.5	N/A	3.75	5.15	46
RT8168012	16X8	5X4.5	N/A	3.75	3.3	43
RT8168055	16X8	5X5.5	N/A	3.75	4.25	43
RT8168060	16X8	6X5.5	N/A	3.75	4.25	43
RT8168060-T	16X8	6X5.5	N/A	3.75	4.25	43
RT8168080	16X8	8X6.5	N/A	3.75	5.15	43
RT8178012	17X8	5X4.5	N/A	3.5	3.3	46
RT8178050	17X8	5X5	N/A	3.5	3.3	46
RT8178055	17X8	5X5.5	N/A	3.5	4.25	46
RT8178060	17X8	6X5.5	N/A	3.5	4.25	46
RT8178080	17X8	8X6.5	N/A	3.5	5.15	46
RT8179512	17X9.5	5X4.5	N/A	3.5	3.3	52
RT8179550	17X9.5	5X5	N/A	3.5	4.25	48
RT8179555	17X9.5	5X5.5	N/A	3.5	4.25	52
RT8179560	17X9.5	6X5.5	N/A	3.5	4.25	52
RT8179580	17X9.5	8X6.5	N/A	3.5	5.15	52



ALLIED ALUMINUM TRAILER WHEELS



810s Stylus Trailer

- Center cap included, accommodates "bearing buddy" system

Part #	Size	Bolt Pattern	Offset (Inches)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Center Cap	WEIGHT (LBS)
810S-55012	15x5	5x4.5	0	3.00	3.190	2150	CPR-810C-3190	15.43
810S-56060	15x6	6x5.5	0	3.50	4.250	2830	CPR-810C-4250	16.65
810S-66080	16x6	8x6.5	0	3.50	4.900	4000	CPR-810C-4900	21.83



820M Twisted Trailer

- Center cap included, accommodates "bearing buddy" system

Part #	Size	Bolt Pattern	Offset (Inches)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Center Cap	WEIGHT (LBS)
820M-55012	15x5	5x4.5	0	3.00	3.190	2150	CPR-820B-3190	16.65
820M-56060	15x6	6x5.5	0	3.50	4.250	2830	CPR-820B-4250	18.74
820M-66080	16x6	8x6.5	0	3.50	4.900	4000	CPR-820B-4900	21.16



840 Arsenal Trailer

- Center cap included, accommodates "bearing buddy" system
 - Wheel can accommodate 9/16" stud using 3/4" or 13/16" Hex Lug Bolt

Part #	Size	Bolt Pattern	Offset (Inches)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Center Cap	Weight
840-55012	15x5	5x4.5	0	3.00	3.190	2150	CPR-BTR-3190	17.50
840-56060	15x6	6x5.5	0	3.50	4.250	2830	CPR-BTR-4250	19.60
840-66060	16x6	6x5.5	0	3.50	4.250	3200	CPR-BTR-4250	23.70
840-66080	16x6	8x6.5	0	3.50	4.900	4000	CPR-BTR-4900	23.20





850 Brute Trailer

- Center cap included, accommodates "bearing buddy" system
- Wheel can accommodate 9/16" stud using 3/4" or 13/16" Hex Lug Bolt

Part #	Size	Bolt Pattern	Offset (Inches)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Center Cap	Weight
850-34512	13x4.5	5x4.5	-0.125	2.63	3.19	1660	CP850-5	14.9
850-45512	14x5.5	5x4.5	0	3.25	3.19	1900	CP850-5	17.5
850-55012	15x5	5x4.5	-0.125	2.88	3.19	2150	CP850-5	20.15
850-56060	15x6	6x5.5	0	3.5	4.25	2830	CP850-6	19.75
850-66060	16x6	6x5.5	0	3.5	4.25	3200	CP850-6	25.35
850-66080	16x6	8x6.5	0	3.5	4.9	3960	CP850-8	27.9



855 Maxum Trailer

- Center cap included, accommodates "bearing buddy" system
- Wheel can accommodate 9/16" stud using 3/4" or 13/16" Hex Lug Bolt

Part #	Size	Bolt Pattern	Offset (Inches)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Center Cap	Weight
855-34512	13X4.5	5X4.5	-0.125"	2.63	3.19	1660	CPR-BTR-3190	15
855-45512	14X5.5	5X4.5	0	3.25	3.19	1900	CPR-BTR-3190	18
855-55012	15X5	5X4.5	-0.125"	2.88	3.19	2150	CPR-BTR-3190	20
855-56060	15X6	6X5.5	0	3.5	4.25	2830	CPR-BTR-4250	20
855-66060	16X6	6X5.5	0	3.5	4.25	3200	CPR-BTR-4250	25
855-66080	16X6	8X6.5	0	3.5	4.9	3960	CPR-BTR-4900	28



935B Defender Trailer

(Patent Pending)

Part #	Size	Bolt Pattern	Offset (Inches)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Center Cap	Boxed-Weight
935B-46012	14x6	5x4.5	0	3.5	3.19	2100	CPR-935B-3190	21
935B-55012	15x5	5x4.5	0mm	3	3.19	2150	CPR-935B-3190	21
935B-56060	15x6	6x5.5	0mm	3.5	4.25	3200	CPR-935B-4250	23
935B-66060	16x6	6x5.5	0mm	3.5	4.25	3200	CPR--935B-4250	26
935B-66080	16x6	8x6.5	0mm	3.5	4.9	4400	CPR-935B-4900	28





860M Mamba Trailer

- Center cap included, accommodates "bearing buddy" system
- Wheel can accommodate 9/16" stud using 3/4" or 13/16" Hex Lug Bolt

Part #	Size	Bolt Pattern	Offset (Inches)	Back Space (Inches)	Hub Bore (mm)	Load Rating (Lb.)	Center Cap	Weight
860M-34512	13x4.5	5x4.5	0	2.75	3.19	1660	CPR-BTR-3190	19.84
860M-46012	14x6	5x4.5	0	3.5	3.19	1870	CPR-BTR-3190	21.12
860M-55012	15x5	5x4.5	0	3	3.19	2150	CPR-BTR-3190	17.6
860M-56050	15x6	5x5	0	3.50	3.19	2830	CPR-BTR-3190	19.80
860M-56060	15x6	6x5.5	0	3.5	4.25	2830	CPR-BTR-4250	19.8
860M-66060	16x6	6x5.5	0	3.5	4.25	3200	CPR-BTR-4250	23
860M-66080	16x6	8x6.5	0	3.5	4.9	3960	CPR-BTR-4900	23.75
927TM-89012+18	18x9	5x4.5	18	6	3.07	2500	CPR927-TR	27
927TM-29012+25	20x9	5x4.5	25	5.39	3.07	2500	CPR927-TR	39.45



870 Element Trailer

- Center cap included, accommodates "bearing buddy" system
- Wheel can accommodate 9/16" stud using 3/4" or 13/16" Hex Lug Bolt

Part #	Size	Bolt Pattern	Offset (Inches)	Back Space (Inches)	Hub Bore (mm)	Load Rating (Lb.)	Center Cap	Weight
870-24012	12x4	5x4.5	0	2.5	3.19	1520	CP870-3190	12.05
870-24040	12x4	4x4	0	2.5	2.82	1520	CP870-2820	12.7
870-34512	13x5	5x4.5	0	3	3.19	1660	CP870-3190	14.95
870-46012	14x6	5x4.5	0	3.5	3.19	1870	CP870-3190	15.85
870-55012	15x5	5x4.5	-0.125	2.88	3.19	1870	CP870-3190	17.6
870-56012	15x6	5x4.5	0	3.5	3.19	2150	CP870-3190	20
870-56050	15x6	5x5	0	3.5	3.19	2150	CP870-3190	20.55
870-56060	15x6	6x5.5	0	3.5	4.25	2830	CP870-4250	19.5
870-66060	16x6	6x5.5	0	3.5	4.25	3200	CP870-4250	23.65
870-66080	16x6	8x6.5	0	3.5	4.90	3750	CP870-4900	23.55



881 Aluminum Mod NO RIVETS

- Allied Aluminum Trailer Wheel

Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (mm)	Load Rating (Lb.)	Center Cap	Weight
881-56012	15X6	5X4.5	0	3.5	4.25	2150	CP870-3190	25
881-56060	15X6	6X5.5	0	3.5	3.19	2830	CP870-3190	24
881-67080HD	16X7	8X6.5	-0.31"	3.69	4.9	3960	CP870-4900	26

Every effort has been extended to assure the accuracy of its price lists and information. Should an error exist, Raceline Wheels/Allied Wheel Components, Inc reserves the right to change or correct said error without notice.



Accessories

Part #	Trim Rings
TR16BL-BLK	16" Simulated Black Snap-In BL Bead Lock(4 Pack)
TR16BL-CHR	16" Simulated Chrome Snap-In BL Bead Lock(4 Pack)
Part #	Lug Nuts Acorn Type
L1220	1/2-20RH
L71620	7/16-20RH
L12125	12mmx1 1/4RH
L12150	12mmx1 1/2RH
L12150M	12mmx1 1/2RH Mag
L14150	14mmx1 1/2RH
L1220D	1/2-RH Duplex
L916D	9/16-RH Duplex
L916XLD	9/16-RH X-Long Duplex

Part #	Valve Stems
VS413	All Rubber
VS413C	Chrome Snap-in (Short)
VSMC	Full Metal Chrome

Size	Max Tire Diameter
13"	26"
14"	28"
15"	30"
16"	32"
16.5"	33"
17"	32"

-Wheel Load rating is based on the the above tire sizes.
Note: Load rating will decrease as the tire diameter increases.



Orange Tire Rack

- Electro zinc plated/hot dip/powder coating
- Stacking Rack for Passenger and Light Truck

Part #	Size	Load Capacity	Tire Capacity	Max. Stacked (open)	Max. Stacked (closed)	Weight
Call for Info	60"x60"x60"	2400lb / 1100kg	24 to 32	5	20	115lb / 52kg



Blue Tire Rack

- Electro zinc plated/hot dip/powder coating
- Stacking Rack for Passenger and Light Truck

Part #	Size	Load Capacity	Tire Capacity	Max. Stacked (open)	Max. Stacked (closed)	Weight
Call for Info	60"x60"x60"	2400lb / 1100kg	24 to 32	5	20	115lb / 52kg

The passenger and light truck stacking rack can be used for stacked storage of all types of passenger and light truck tires. The 60" x 60" deck is designed to hold 4 or 5 stacks of 7 or 8 tires, depending on tire diameter. For tires measuring 16" and under, 5 stacks can be stored per pallet, and for tires measuring 17" and over, 4 stacks. This is one of the most economical tire storage systems, particularly in terms of initial outlay. In addition, this modular rack system can be used to meet a number of other (stack rack) warehousing requirements.

