



## 2014-16 PORSCHE 991 GT3 / RS EXHAUST SUITE INSTALLATION GUIDE

Thank you for your purchase of the **AWE Tuning 2014-2016 Porsche 991 GT3 / RS Center Muffler Delete and/or SwitchPath™ Exhaust System**. For up to the minute fitment information, be sure to visit the Porsche section.

# PARTS LIST

## CENTER MUFFLER DELETE:

- 1 Center muffler delete section (part WE)
- 2 102mm Exhaust tips (choice of color)
- 2 3.12" T-Bolt clamps
- 2 2.00" Accu-Seal clamps
- 2 63.5mm Accu-Seal band clamps
- 4 M8-1.25x22mm Hex Head Cap Screws
- 4 M8-1.25 Copper Exhaust Locking Nuts
- 8 Metric Olive Washers

## SWITCHPATH™ EXHAUST SUITE:

- 1 Driver side SwitchPath™ section (part WC)
- 1 Pass. side SwitchPath™ section (part WD)

## GENERAL INSTALLATION TIP



Always refer to the manufacturers service manual for precise torque specifications on all OEM fasteners.

Installation of the AWE Tuning 991 GT3 / RS exhaust system is the reverse of the OEM exhaust removal.

Supplied 2.5" Accu-Seal band clamps are used at **Arrows A** in **Figure 1** below; along with 2.0" Accu-Seal clamps at **Arrows B**. Tighten these clamps to 40ft/lbs.

If installing the SwitchPath™ Exhaust System, assemble the driver and passenger side onto the center section. Then reuse the OEM olive clamp to install the assembly onto the car.

The 102mm exhaust tips should be installed after the car has been reassembled to insure proper alignment with the exhaust pocket in the bumper. 3.12" T-Bolt clamps are used to secure the tips into place as shown by **Arrows C** in **Figure 1**; tighten securely into desired location.



# ENJOY!



# CARE

Once installed properly, your AWE Tuning high performance exhaust will provide a lifetime of trouble-free performance. Please note that the exhaust volume and sound will settle with usage. 800-1000 miles is typically required to fully break in a new exhaust system.

Periodic cleaning of exhaust tips is necessary to maintain proper finish, especially in areas prone to road salt and caustic deicing solutions.

Do NOT use metal polish on our Diamond Black or Chrome finish tips. Instead, use a mild soap and water solution or gentle car wax periodically to clean the finish.

# WARRANTY

## Summary:

This warranty is in place for all AWE Tuning brand products, and works in conjunction with any incremental specific product warranties or guarantees as listed. This warranty protects against manufacturer defect. A performance car is only as strong as its weakest link. Therefore, it is vital that you maintain your vehicle to factory specifications. By installing or using the purchased product, the Consumer accepts this warranty and any specific Manufacturer warranties enclosed. The following warranty is valid only in the United States and Canada. The Manufacturer's full warranty applies to all products sold.

## Covered:

All AWE Tuning brand products against manufacturer defect. Please note that special order items are not returnable.

## Period:

Secor Ltd. (AWE Tuning) warrants this **2014-2016 Porsche 991 GT3 / RS Center Muffler Delete / SwitchPath™ Exhaust System** to the original retail purchaser (Consumer) against manufacturer's defects as follows: **ONE (1) YEAR on tip finish - AND - LIFETIME on balance of parts;** from purchase date from AWE Tuning directly or from AWE Tuning authorized retailer. Proof of purchase will be required.

## Condition of system:

In the event of a return, product must be returned with no signs of abuse, incorrect installation, forced installation, motorsports usage, or product altering whatsoever. Actions will be granted upon receipt of product at AWE Tuning, after inspection.

## Action:

Returns and warranty claims MUST BE HANDLED THROUGH ORIGINAL LOCATION OF PURCHASE. Upon verification of warranty coverage, AWE Tuning will, at its sole option, repair, replace or consult toward remedy for the defective product, without charge. This is the only remedy the Consumer has for any loss or damage, however arising, due to nonconformity in or defect of the product. This warranty does not cover consequential damage, loss of time or revenues, labor, inconvenience, loss of use of vehicle, shipping, damage to the vehicle or components, or other incidental or indirect damage.

## Labor:

Labor is not covered.

## Shipping:

Shipping charges are not covered.

## Restocking:

AWE Tuning reserves the right to charge a 20% restocking fee for products that are returned.

## Exclusions:

Use of product in Motorsports or Racing conditions is grounds for warranty denial. Motorsports and Racing is an inherently abusive operational condition, and it is impossible to warranty for this type of usage. Warranties may be voided if product is not installed by an authorized AWE Tuning dealer. Warranties will be voided if product is improperly serviced, modified, or used in a way not intended by the Manufacturer. The Consumer is responsible for ensuring that the product is installed in a safe and proper manner, and should cease usage of the product immediately if an unsafe or improper condition is noted. If an unsafe or improper condition is noted, the Consumer should then immediately contact the facility where the product was installed, or AWE Tuning.

## Other:

EXCEPT AS EXPRESSLY SET FORTH ABOVE, AWE TUNING MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO ANY MATTER WHATSOEVER INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AWE TUNING BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES HOWEVER CAUSED, ON ANY THEORY OF LIABILITY, AND WHETHER OR NOT AWE TUNING HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. AWE Tuning's sole liability on any claim of any kind, whether in contract, tort, or otherwise, for any loss or damage arising out of, connected with, or resulting from the manufacture, sale, delivery or use of the products sold hereunder shall in no case exceed the amount actually paid to AWE Tuning for the applicable product. These limitations shall apply notwithstanding any failure of essential purpose of any limited remedy.