





	2418NC	10 OZ.	Original Formula	2418C	10 OZ.	50 State Formula
	2413	14 OZ.	Original Formula	2417C	13 OZ.	50 State Formula
	2435	5 GAL.	Original Formula	2415C	5 GAL.	50 State Formula
BRAKE	2413-55	55 GAL.	Original Formula	2417C-55	55 GAL.	50 State Formula
CLEANERS	2418	10 OZ.	45 % VOC Compliant	2421	13 OZ.	SCAQMD RULE 1171
	2417	14 OZ.	45 % VOC Compliant	2421-55	55 GAL.	SCAQMD RULE 1171
	2415	5 GAL.	45 % VOC Compliant	2420	16 OZ.	Non-Flammable Formula
	2456	55 GAL.	45 % VOC Compliant	2420-55	55 GAL.	Non-Flammable Formula
$\Delta \mathcal{A}$	4641NC	10 OZ.	Original Formula	4642-55	55 GAL.	45 % VOC Compliant
0400	4642NC	16.25 OZ.	Original Formula	46410	10 OZ.	50 State Formula
CARB	4641NC-55		Original Formula	46420	16.25 OZ.	50 State Formula
CLEANERS	4641NC-55	10 OZ.	45 % VOC Compliant	40420	10.25 02. 10 0Z.	Throttle Body & AIC - 50 State
	4642	16.25 OZ.	45 % VOC Compliant	4724	10 0Z.	Throttle Body & AIC - 45% VOC
( )  ( )	2212-8	7 OZ.	Synthetic DOT 3	5012	12 OZ.	Synthetic DOT 4
$\langle \rangle \rightarrow \langle \rangle$	2212	12 OZ.	Synthetic DOT 3	5032	32 OZ.	Synthetic DOT 4
BRAKE	2224	12 OZ.	Synthetic DOT 3	5034	1 GAL.	Synthetic DOT 4
FLUIDS	2232	32 OZ.	Synthetic DOT 3	5055	55 GAL.	Synthetic DOT 4
LOIDO	2234	1 GAL.	Synthetic DOT 3	7012-6	12 OZ.	Silicone DOT 5
	2241	5 GAL.	Synthetic DOT 3	7032	32 OZ.	Silicone DOT 5
	2255	55 GAL.	Synthetic DOT 3	7055	55 GAL.	Silicone DOT 5
	2812-8	8 OZ.	Power Steering Fluid	2932	32 OZ.	Universal PSF
POWER	2812	12 OZ.	Power Steering Fluid	2912-55	55 GAL.	Universal PSF
STEERING	4610	32 OZ.	Power Steering Fluid	2813	12 OZ.	PS Sealer/Conditioner
	4611	1 GAL.	Power Steering Fluid	2612	12 OZ.	Honda/Acura PSF
FLUIDS	2855	55 GAL.	Power Steering Fluid	2612-55	55 GAL.	Honda/Acura PSF
	2912	12 OZ.	Universal PSF			
AUTOMATIC	2512	12 OZ.	Automatic Transmission Fluid	4617	12 OZ.	ATF Sealer/Conditioner
	2532	32 OZ.	Automatic Transmission Fluid	4617-55	55 GAL.	ATF Sealer/Conditioner
TRANS	2512-55	55 GAL.	Automatic Transmission Fluid			
FLUIDS	2512-8	7 OZ.	ATF with Stop Leak			
	4600	10 OZ.	Electronics Cleaner	4644	16 OZ.	Engine Degreaser
CLEANERS	4607	10 OZ.	152A Duster	4644-55	55 GAL.	Engine Degreaser
GLEANENS	4750	10 OZ.	DetailAir Duster	4721	10 OZ.	Mass Air Flow Sensor Cleaner
	4645	10 OZ.	Engine Degreaser	4910	32 OZ.	Concrete & Masonry Cleaner
	2300	8 OZ.	Synthetic Brake Caliper Grease	4723	10 OZ.	Chain and Cable Lube
	2301	8 OZ.			8 OZ.	2 Cycle Oil
TINDDICANTS	4602	10 OZ.	Penetrating Oil	5594	32 OZ.	Jack Oil
LUBRIGANIS	4555	55 GAL.	Penetrating Oil	5596	55 GAL.	Jack Oil
	4603	10 OZ.	Silicone Spray	5597	32 OZ.	Jack Oil
	4604	11 OZ.	White Lithium Grease			
$\rightarrow$	4679-8	6 0Z.	Gas Treatment	4688-8	6 OZ.	Octane Booster
	4679	12 OZ.	Gas Treatment	4688-55	55 GAL.	Octane Booster
FUEL	4656	55 GAL.	Gas Treatment	4695-6	6 OZ.	Carb & FIC
FUEL	4684-8	6 OZ.	Fuel Injector Cleaner	4695	12 OZ.	Carb & FIC
ADDITIVES	4684	12 OZ.	Fuel Injector Cleaner	4690	16 OZ.	Fuel Stabilizer
	4684-55	55 GAL.	Fuel Injector Cleaner	4685-6	6 OZ.	Ethanol Fuel Treat
	4688	12 OZ.	Octane Booster	4000 0	0.02.	Ethanorraorraoa
$\rightarrow$ $\rightarrow$ $\rightarrow$	4609	12 02. 12 0Z.	Engine Flush - Concentrate	4625	12 OZ.	Oil Stop Leak
	4608	32 OZ.	Engine Flush	4624-55	55 GAL.	Oil Treatment
OIL	4608	12 OZ.	Oil Treatment	4626	14.5 OZ.	Smoke Eliminator
ADDITIVES	4624 4609-55	55 GAL.	Engine Flush	4628	14.5 OZ. 14.5 OZ.	Smoke Eliminator w/ Stop Leak
$( ) \rightarrow ( ) $	4609-55	55 GAL. 7 OZ.	Semi-Synthetic Oil Treatment	4020	14.3 02.	SHOKE EINIMATOR W. STOP EVAN
TIRE						
	3516	160Z	BM Quick Tire Sealer			
SEALER .	3575	1 GAL.	BM Quick Tire Sealer			
DADIATOD	4618	12 OZ.	Radiator Pump Lube	4917-8	7 OZ.	Radiator Flush
RADIATOR	4618-8	7 OZ.	Radiator Pump Lube	4917-55	55 GAL.	Radiator Flush
PRODUCTS	4618-55	55 GAL.	Radiator Treatment	4918	12 OZ.	Radiator Stop Leak
	4917	12 OZ.	Radiator Flush	4918-8	7 OZ.	Radiator Stop Leak

BATTERY	4605	7.5 OZ.	Battery Terminal Protector			
PRODUCTS	4606 2940	9 OZ. 1 GAL.	Battery Terminal Protector	3280	32 OZ.	Spray Do jear
	2940 2941	6 OZ.	W/W Solvent	3280	32 UZ. 10 OZ.	Spray De-icer De-icer
	2941	12 OZ.	W/W Concentrate	3283	10 02. 15 0Z.	De-icer with Scraper Top
		12 0Z.	50 State W/W		12 OZ.	
WINTED	2943	12 UZ. 16 OZ.		5000	12 02. 32 0Z.	Diesel Fuel Conditioner
WINTER	2944		W/W Concentrate	5100		Air Brake Antifreeze
PRODUCTS	2952	12 OZ.	Gas Line Antifreeze	5101	1 GAL.	Air Brake Antifreeze
	2955	55 GAL.	Low VOC W/W Mix	6732	7.2 OZ.	50% Starting Fluid
	2962	12 OZ.	IPA Gas Line Antifreeze	6752	10.7 OZ.	50% Starting Fluid
	2962-55 2965	55 GAL. 55 GAL.	IPA Gas Line Antifreeze W/W Concentrate	6762	10.7 OZ.	Starting Fluid
	6400	12 OZ.	FREEZE R-134a+	6330	30lb	R-134a
	6610	12 OZ.	FREEZE R-134a+ FOR CA	6335	30lb	R-134a - MADE IN THE USA
	6401	14 OZ.	FREEZE R-134a+ WITH HOSE	6344	12 OZ.	R-134a CALIFORNIA
	6611	14 0Z.	FREEZE R-134a+ W/ HOSE FOR CA		12 0Z.	134a Glow-Charge
R-134a	6402	14 02. 14 0Z.	FREEZE R-134a+ (2 PACK)	6614	12 02. 12 0Z.	134 Glow-Charge - CA
	6412	14 0Z.		6331	30 LB	
REFRIGERANTS	6407	14 0Z. 18 0Z.	JHN FRZ R-134a+ (2PK for CA)	EZF-1	20 OZ.	134a Glow-Charge R134a+With Trigger/Gauge
			JHN FRZ+ W/ Hose/Gauge Assembly JHN FRZ+ W/ Hose/Gauge Assb. CA		18 OZ.	
	6413 6542	18 OZ. 13 OZ.		EZF-2	10 02.	R134a+With AccuFill®
		12 OZ.	High Mileage 134a Treatment R-134a			
	6312 6708-6	12 02. 12 0Z.	Ester 100	6823-6	32 OZ.	PAG 150
	6710-6	32 OZ.	Ester 100	6824	1 GAL.	PAG 150
	6711	32 02. 1 GAL.	Ester 100	6856	55 GAL.	PAG 150
	6808-6	8 OZ.		6830	8 OZ.	
			Ester 100			Hybrid Vehicle AC Lubricant
	6755	55 GAL.	Ester 100	6710UV-6	32 OZ.	Ester W. UV
A/C	6812-6	8 OZ.	PAG 46	6808UV-6	8 OZ.	Ester W. UV
	6813-6	32 OZ.	PAG 46	6812UV-6	8 OZ.	PAG 46 W. UV
LUBRICANTS	6814	1 GAL.	PAG 46	6816UV-6	8 OZ.	PAG 100 W/UV
	6855	55 GAL.	PAG 46	6822UV-6	8 OZ.	PAG 150 W/UV
	6816-6	8 OZ.	PAG 100	6915	12 OZ.	Vacuum Pump Oil
	6817-6	32 OZ.	PAG 100	6912-6	32 OZ.	Refrigeration (Mineral) Oil
	6818	1 GAL.	PAG 100	6913	1 GAL.	Refrigeration (Mineral) Oil
	6857	55 GAL.	PAG 100	6955	55 GAL.	Refrigeration (Mineral) Oil
	6822-6	8 OZ.	PAG 150	6846	8 OZ.	1234YF Lubricant
	6544	1 GAL.	A/C Flush	6574	14 OZ.	R134a Maxi Charge
A/C —	6545-6	32 OZ.	A/C Flush	6564	3 OZ.	R134a Stop Leak
TREATMENTS	6555	55 GAL.	A/C Flush	6540	12 OZ.	R134a With Leak Sealer
IREAIMENTS	6644	1 GAL.	Non-Flammable A/C Flush	6615	12 OZ.	R134a With Leak Sealer
	6645-6	32 OZ.	Non-Flammable A/C Flush			
OIL	6430	3 OZ.	EZ Fill Leak Stop	6535	12 OZ.	Oil Charge for Retrofit
CHARGES	6434	3 OZ.	AC Quick Charge	6435	12 OZ.	Oil Charge for Retrofit - CA
UNARUES	6425	3 OZ.	PAG 134a Charge	6725	3 OZ.	Ester 134a Charge
	8013	EA	R-134A E-Z TAPPER	90038	EA	ADAPTER, HIGHSIDE 3/16" FF X 1/4" M
	8015	EA	UNIV EZ TAPPER W. Inserts	90051	EA	R134a EZ Tapper
	8323	CS	R134a Quick Charge	90081	EA	EZ Tapper Bulk
R-134a 🔪 🚽	8324	EA	R134A Quick Charge - Plastic	8939	EA	R-134a DISPENSING VALVE FOR CA
ACCESSORIES	8908	EA	<b>R134A Manifold Gauge Set</b>	S13024	EA	LOWSIDE MF GAUGE R-134a BLUE
	8917	EA	R134A Hose Converstion Kit	S13025	EA	HIGHSIDE MF GAUGE R-134a RED
	8014	EA	R-134A TO R-12 HOSE ADAPTER	S13038	EA	ADAPTER, 1/4" MF X 1/2" ACME FEMALE
				S19331	EA	VALVE CORES-STANDARD
	6404	24 LB.	R404 Refrigerant Cylinder	6410	26 LB.	R410 Refrigerant Cylinder
		· •				J
OTHER		25 LB.	R407c Refrigerant Cylinder	6507	25 LB.	R507 Refrigerant Cylinder
OTHER REFRIGERANTS	6407C 6846	25 LB. 8 FL. OZ.	R407c Refrigerant Cylinder 1234yf Lubricant	6507 6848	25 LB. 8 OZ.	R507 Refrigerant Cylinder 1234yf Can

INTERIOR	840-06	8 OZ.	Interior Detailer	914-06	22 OZ.	Heavy Foam Upholstery Cleaner
	841-06	16 OZ.	Interior Detailer	910-06	19 OZ.	Glass Cleaner
PRODUCTS	900-06	22 OZ.	Carpet Stain and Spot Lifter	$\rightarrow$	$\langle - \rangle - \langle$	
	800-06	16 OZ.	Leather & Vinyl Cleaner	901-06	8.7 OZ.	Upholstery Stain & Spot Lifter
LEATHER	850-06	16 OZ.	Leather Cream Conditioner	905-06	23 OZ.	Carpet Stain & Spot Lifter w/Trigge
PRODUCTS	855-06	8 OZ.	Leather Cleaner & Conditioner	909-06	22 OZ.	Multi-Purpose Cleaner
	860-06	23 OZ.	Leather Care Gel	912-06	22 OZ.	Heavy Foam Carpet Cleaner
	NA110	24 PK	Glass Cleaner	NA119	24 PK	BUG & TAR Remover
	NA1110	100 PK	Glass Cleaner	NA1119	100 PK	BUG & TAR Remover
	NA115	24 PK	VINYL 'N' MORE Protectant	NA125	24 PK	RAIN VISION Towelette
	NA1115	100 PK	VINYL 'N' MORE Protectant	NA1125	100 PK	RAIN VISION Towelette
TOWELETTES	NA116	24 PK	VINYL 'N' MORE Cleaner	NA127	24 PK	BLACK JACK Tire Shine
TOWELLTILS	NA1116	100 PK	VINYL 'N' MORE Cleaner	NA1127	100 PK	BLACK JACK Tire Shine
	NA117	24 PK	JUST FOR LEATHER Conditioner	NA128	24 PK	NEVER FOG Towelette
	NA1117	100 PK	JUST FOR LEATHER Conditioner	NA1128	100 PK	NEVER FOG Towelette
	NA118	24 PK	JUST FOR LEATHER Cleaner	NA250	24 PK	Glass Wipes
	NA1118	100 PK	JUST FOR LEATHER Cleaner			
	725-06	8 OZ.	Headlight Lens Restorer	730PK	.75 OZ.	Headlight Lens Sealer
HEADLIGHT	725PK	.75 OZ.	Headlight Lens Restorer	725CD-06	6 PK	HL Restorer Counter Display
LENS RESTORER	730-06	8 OZ.	Headlight Lens Sealer	730CD-06	6 PK	HL Sealer Counter Display
	100-12	3.5 OZ.	Metal Polish Box Display	300-12	3.5 OZ.	Metal Polish Blister Tube
METAL	200-06	8 OZ.	Metal Polish Flip Cap	400-06	7 OZ.	Metal Polish Display Jar
POLISH	230-06	10 OZ.	Metal Polish Quick Shine Aerosol	500-06	38 OZ.	Metal Polish Jar
I OLION	235PK	.75 OZ.	Metal Polish Packet	550-02	4.5lb	Metal Polish Pail
	NA647	8 OZ.	Black Again	780-06	32 OZ.	Supreme W&T Cleaner Refill
AUTO,	680-06	15 OZ.	Supreme Tire Shine	781-06	23 OZ.	Supreme W&T Cleaner Spray
WHEEL,	685-06	23 OZ.	Supreme Tire Shine Spray	778-06	32 OZ.	Super Strength Wheel Cleaner
TIRE	690-06	8 OZ.	Supreme Tire Shine - Wipe on	750-06	8 OZ.	Plastic and Plexi Cleaner
TINL	707-06	16 OZ.	Convertible Top Cleaner w/Trigger	875-06	8 OZ.	Bug and Tar Remover
	BOT55TRI	4 OZ.	Brush On Elect. Tape Black-B/C	5215-12	5 OZ.	Invisible Glove® Hanger Tube
	BOT58TRI	4 OZ.	Brush On Elect. Tape-Red B/C	12A-6	16 OZ.	Tr-3® Resin Glaze
REPAIR	BOT59TRI	4 OZ.	Brush On Elect. Tape-White B/C	975	12 OZ.	Non-Flam. Flat Fixer w/ Cone Top
PRODUCTS	1008-24	11.4 OZ.	Seal-Up® (Liquid Glass) Permanent Engine	976	16 OZ.	Non-Flam. Flat Fixer w/Hose/Cap Assy
TRODUCTO	1000 24		Block, Head And Radiator Sealer		10 02.	
	1116-24	22.8 OZ.	Seal-Up® (Liquid Glass) Permanent Engine Block, Head & Radiator Sealer	977	20 OZ.	Non-Flam. Flat Fixer w/ Hose/Cap
	6002TRI-12	2 OZ.	Quiksteel Self Display Box	16002TRI	2 OZ.	Quiksteel Repair Blister Card
	6002TRI-24	2 OZ.	Quiksteel Self Display Box	16562TRI	2 OZ.	Xtreme Heat Putty
	6002ADTRI	2 OZ.	Quiksteel Acrylic Display	16302US	2 OZ.	Copper Repair Blister Card
	6004TRI	4 OZ.	Quiksteel Professional Size	16402US	2 OZ.	Aluminum Repair Blister Card
QUIKSTEEL®	6022KTRI	2 OZ.	Metal Tank Repair Kit	16502TRI	2 OZ.	Plastic Repair Blister Card
REPAIR	6502TRI-12	2 OZ.	Quiksteel Tri Plastic	17002TRI	2 OZ.	Quiksteel Paste Steel B/C
PRODUCTS	6502TRI-24	2 OZ.	Quiksteel Tri Plastic	17502TRI	2 OZ.	Quiksteel Paste White B/C
FRUDUCIS	6502ADTRI	2 OZ.	Plastic Repair Self Display Box	16532TRI	2 OZ.	Aquasteel Putty
	6522KTRI	2 OZ.	Plastic Tank Repair Kit	18003TRI	3 OZ.	Thermosteel Blister Cards
	16001-6	1 OZ.	Quiksteel Singles Epoxy Putty	18022KTRI	2 OZ.	Exhaust System Repair Kit
	16552TRI	2 OZ.	Fuel Tank Repair	17532TRI	2 OZ.	Aquasteel Paste
	NA229-6	4 OZ.	Pure Citrus® Blend	NA90-6	8 OZ.	PC® Orange Solid Air Freshene
PURE	NA230-6	4 OZ.	Pure Citrus® Lemon	NA91-6	8 OZ.	PC® Blend Solid Air Freshener
	NA228-6	4 OZ.	Pure Citrus® Orange	NA92-6	8 OZ.	PC® Lemon Solid Air Freshene
CITRUS®	NA200	32 OZ.	Pure Citrus® Orange Cleaner	NA93-6	8 OZ.	PC® Fresh Linen Solid Air Fres
	NA30	16 OZ.	TURBO 108 Octane Boost	NA34-06	16 OZ.	T-108 Mega Mileage Improver
TURBO	NA31	32 OZ.	TURBO 108 Octane Boost	NA35	16 OZ.	T-08 Racing Fuel Concentrate
108 <sup>®</sup>	NA32	16 OZ.	TURBO 108 Fuel Injector Cleaner	NA37	32 OZ.	T-108 Racing Fuel Concentrate
	NA33-06	16 OZ.	TURBO 108 Turbo Enhancer	NA301	1 GAL.	T-108 8 IN 1 Diesel Cleaner
	NA34-06	16 OZ.	TURBO 108 Emissions Reducer	NA302	32 OZ.	T-108 8 IN 1 Diesel Cleaner
SPRAY-X®	SPX10GC	10 OZ.	Foaming Glass Cleaner	SPX19GC	19 OZ.	Foaming Glass Cleaner

# BRAKE CLEANER

### **ORIGINAL FORMULA NON-CHLORINATED**

Removes oil, grease, brake fluid and contaminants quickly and with no residue. For use on all ABS, disc and drum brakes.

For sale in areas that do not regulate the VOC content of consumer products.

2418NC	10 OZ.	12 PER CASE
2413	14 OZ.	12 PER CASE
2435	5 GALLON	ONE EACH
2413-55	55 GALLON	ONE EACH




### **OTC COMPLIANT NON-CHLORINATED BRAKE CLEANER**

Removes oil, grease, brake fluid and contaminants quickly and with no residue. For use on all ABS, disc and drum brakes.

For sale in areas that restrict the VOC content of consumer products to 45%.

2418	10 OZ.	12 PER CASE
2417	14 OZ.	12 PER CASE
2415	5 GALLON	ONE EACH
2456	55 GALLON	ONE EACH







2417

JOHNSEN'S

# BRAKE FLUID SYNTHETIC DOT 3

Synthetic DOT 3 Brake Fluid has a minimum boiling point of 450°F. Meets and exceeds DOT 3 and all other Federal and SAE specifications and standards for motor vehicle brake fluids. Mixes with all DOT 3 approved brake fluids. Designed for use in disc, drum and ABS brake systems.

2212-8	7 FL. OZ.	12 PER CASE
2212	12 FL. OZ.	12 PER CASE
2224	12 FL. OZ.	24 PER CASE
2232	32 FL. OZ.	12 PER CASE
2234	1 GALLON	4 PER CASE
2241	5 GALLON	ONE EACH
2255	55 GALLON	ONE EACH
-		



# PREMIUM SYNTHETIC DOT 4

2232

0)

2234

2212-8

2212

BRAKE FLUID

A premium, synthetic quality brake fluid that contains special ingredients to guard against vapor lock and moisture absorption. Exceeds requirements for both DOT 3 and DOT 4 brake fluids. Specially formulated for DOT 4 brake fluid applications. Designed for use in disc, drum and ABS brake systems.

5012	12 FL. OZ.	12 PER CASE
5032	32 FL. OZ.	12 PER CASE
5034	1 GALLON	4 PER CASE
5055	55 GALLON	ONE EACH



**BRAKE FLUIDS** 



# BRAKE FLUID SILICONE DOT 5

5012

Specially formulated hydraulic brake fluid that provides superior benefits. Johnsen's Silicone DOT 5 Brake Fluid is essentially non-hygroscopic compared to conventional DOT 3 or DOT 4 brake fluids, absorbing less than one percent by weight of water. Not to be used in ABS system.

7012-6	12 FL. OZ.	6 PER CASE
7032	32 FL. OZ.	6 PER CASE
7055	55 GALLON	ONE EACH



		CERAMIC & SYNTHETIC BRAKE CALIPER GREASE BRAKE PRODUCTS					
SYNTHETIC BRAKE CALIPER	CERAMIC BRAKE CALIPER		Wide operatin	g temperature rang Prevents rus		by salt or water. . Reduces noise.	
ELIMINATES DISC BRAKE	GREASE ELIMINATES DISC BRAKE		2300	SYNTHETIC	8 FL. OZ.	12 PER CASE	
FOR DISC BRUDES	FOR DASK BRAKES		2301	CERAMIC	8 FL. OZ.	12 PER CASE	
2300	2301						



### CARB & AIR INTAKE CLEANER


### **ORIGINAL FORMULA**

Removes varnish, sludge, and other deposits from carburetor, linkage, PCV valves, automatic choke and air intake.

For sale in areas that do not regulate the VOC content of consumer products.

4641NC	10 OZ.	12 PER CASE
4642NC	16.25 OZ.	<b>12 PER CASE</b>
4641NC-55	55 GALLON	ONE EACH





linkage, PCV valves, automatic choke and air intake.

Formulated to meet VOC requirements in all 50 states.

4641C	10 OZ.	12 PER CASE
4642C	16.25 OZ.	12 PER CASE
4641C-55	55 GALLON	ONE EACH

**50 STATE** 

Formulated to meet VOC

12/CASE

requirements in all 50 states.

Formulated for modern fuel injected

openings and assemblies; cleans

engines. Cleans fuel injected air intake

butterfly/throttle valve; helps improve

hard starting and performance. Safe on

ensures product sprays in any position.

10 OZ.

metal intake plastic surfaces, 360° valve



OTC

OTC (45%)

VOC

12/CASE

### THROTTLE BODY & AIR INTAKE



Formulated for modern fuel injected engines. Cleans fuel injected air intake openings and assemblies; cleans butterfly/ throttle valve; helps improve hard starting and performance. Safe on metal intake plastic surfaces, 360° valve ensures product sprays in any position.

For sale in areas that restrict the VOC content of consumer products to 45%.

4724

4724

10 OZ.

### THROTTLE BODY & AIR INTAKE

4720



### MASS AIR FLOW SENSOR CLEANER / ORIG

### **ORIGINAL FORMULA**

Helps improve performance and fuel economy, dissolves grease, removes dirt and flux and helps to restore engine performance. Fast acting and drying formula, safe for plastics, leaves no residue. Can be used at every air filter change. 360° valve ensures product sprays in any position.





### FOAMING ENGINE DEGREASER

A premium, foaming, water-based, degreaser which is self emulsifying. Two active ingredients mix with both oil and water. When sprayed on and washed off, the water actually pulls oil and grease off the surface of the engine. VOC compliant.

4645	10 OZ.	12 PER CASE
4644	16 OZ.	12 PER CASE
4644-55	55 GALLON	ONE EACH



# CLEANERS

**CLEANERS** 

**CLEANERS** 

JOHNSEN'S

OHNSEN'S



4644

CLEANERS

4600

### HIGH POWER DUSTER

Use for cleaning dashboards, automotive electronics and engine components. Also great for home and office use.





Instantly removes oil, grease and dirt from a wide range of electrical components without leaving a residue. VOC compliant.

4600	10 OZ.	12/CASE
		<b>VOC</b>
	4600	4600 10 OZ.

### CONCRETE & MASONRY CLEANER

Dissolves grease, oil and dirt from driveways and garage floors. Also cleans brick and stone.

**CLEANERS** 

JOHNSEN'S

4607

4910 32 FL. OZ. 6 PER CASE

### **POWER STEERING FLUID**

### Ó ORIGINAL FORMULA

A high quality power steering fluid and conditioner. Mixes with most factory power steering fluids. Helps stop pump squealing, protects seals and helps prevent unusual wear.

2812-8	7 FL. OZ.	12 PER CASE
2812	12 FL. 0Z.	12 PER CASE
4610*	32 FL. OZ.	12 PER CASE
4611*	1 GALLON	4 PER CASE
2855	55 GALLON	ONE EACH
*(WITH CONDITI	ONERS)	





# POWER STEERING FLUID

### UNIVERSAL

Meets domestic and import vehicle specifications including Ford<sup>®</sup>, GM<sup>®</sup>, Chrysler<sup>®</sup>, Honda<sup>®</sup>, Toyota<sup>®</sup>, and Nissan<sup>®</sup>. Helps stop pumps squealing, protects seals and helps prevent unusual wear.

2912	12 FL. OZ.	12 PER CASE
2932	32 FL. OZ.	<b>12 PER CASE</b>
2912-55	55 GALLON	ONE EACH

### POWER STEERING FLUID


### **LEAK SEALER & CONDITIONER**

A high quality power steering fluid with conditioner and leak stop additives. Mixes with most factory power steering fluids. Helps maintain seals and o-rings soft and pliable to provide maximum sealing of the power steering system.


2813	12 FL. OZ.	12 PER CASE
2813-55	55 GAL.	ONE EACH



JOHNSEN'S



**POWER STEERING** 








### LUBRICANTS HYDRAULIC JACK OIL

Formulated to perform at a wide range of temperatures. Contains antifoam additives and rust inhibitors. Use in hydraulic jacks, refillable shock absorbers, and light to medium duty hydraulics. It is mixable with other standard hydraulic jack oils.

5594	32 FL. OZ.	12 PER CASE
5597	32 FL. OZ.	6 PER CASE



EASY POUR FOR STANDARD AND CAPLESS FUEL TANKS	FUEL	INJECTOR & CARBURETOR	CLEANER	FUEL ADDITIVES
		Cleans fuel injectors and ca economy and performance. H		
TREATS 21 GALLONS	TREATS 21 GALLONS	4695 4695-6*	12 FL. OZ. 6 FL. OZ.	12 PER CASE 12 PER CASE *(concentrated)
JOHINSEN'S CONCENTRATED	JOHNSEN'S	FUEL INJECTOR (	CLEANER	FUEL ADDITIVES
FUEL INJECTORS CARBURETOR LLEANER	FUEL INJECTOR CLEANER MANNES MONTH A	Superconcentrated formula Cleans fuel injectors, allow smoother and	vs vehicles to s	
MPROVES POWER & PUEL ECONOMY MER DOWNONY MER DOWNONY MER DOWNONY MER DOWNONY MER DOWNONY MER DOWNONY	ACCELERATION CLEANER	4684	12 FL. OZ.	12 PER CASE
4695 4695-6	4684 4684-8	4684-8*	6 FL. OZ.	12 PER CASE *(concentrated)



4688	12 FL. OZ.	12 PER CASE
4688-8*	6 FL. OZ.	12 PER CASE
*(CONCENTRATED)		


### FUEL ADDITIVES ETHANOL FUEL TREATMENT & STABILIZER

Super concentrated fuel additive formulated to counteract the harmful effects of Ethanol in fuel. It will stabilize fuel, prevent corrosion caused in the fuel system caused by ethanol, help to remove moisture to prevent phase separation and will clean injectors and other fuel system components.

4685-6*	6 FL. OZ.	12 PER CASE	
*(CONCENTRATE	D)		
FUEL ADDITIV	ES FUEL S	TABILIZER	
	I aid in quick and	el fresh and clean durin easy starts after storag	~ ~
4690	16 FL. OZ.	12 PER CASE	



JOHINSEN'S



### SMOKE ELIMINATOR OIL ADDITIVES

Formulated to help reduce exhaust smoke, quiet lifters, restore compression and improve performance in oil burning engines. Reduces oil consumption caused by blow-by in the combustion chamber.

4626 14.5 FL. OZ. 12 PER CASE

SMOKE ELIMINATOR WITH LEAK STOP

DIL ADDITIVES



Formulated to help reduce exhaust smoke, quiet lifters, restore compression and improve performance in oil burning engines. An additional oil additive is included to reduce or eliminate oil leaks from worn out seals and gaskets. Reduces oil consumption caused by blow-by in the combustion chamber.

4628 14.5 FL. OZ. 12

### . OZ. 12 PER CASE

### OIL ADDITIVES ENGINE FLUSH

A premium crankcase cleaner. While some products are only a solvent, Johnsen's Engine Flush also contains a special residue solubilizer and high quality oil. Use prior to changing oil. Engine flushing provides better oil flow and helps maintain engine power.

4609*	12 FL. OZ.	12 PER CASE
4608	32 FL. OZ.	12 PER CASE

\*(CONCENTRATED)



### RADIATOR PRODUCTS RADIATOR TREATMENT & WATER PUMP LUBRICANT

Formulated to help in the prevention of rust and corrosion in automotive cooling systems. This product may be used in all cooling systems. Designed to protect aluminum, copper, iron and other parts of the cooling system.

4618-8	7 FL. OZ.	12 PER CASE
4618	12 FL. 0Z.	12 PER CASE



### **RADIATOR FLUSH RADIATOR PRODUCTS**

Removes sludge, rust, scale and corrosion deposits. Formulated for today's cooling systems and helps prevent engine overheating. Fast, easy, safe, convenient and one bottle treatment.

4917-8	7 FL. OZ.	12 PER CASE
4917	12 FL. OZ.	<b>12 PER CASE</b>



4917-8




12/CASE

### RADIATOR PRODUCTS **RADIATOR STOP LEAK**

**BATTERY PRODUCTS** 

**JOHNSEN'S** 



4606

**RADIATOR PRODUCTS** 

14

### WINTER PRODUCTS

### PREMIUM STARTING FLUID

50% ether blend. Helps start stubborn engines fast in cold weather, saves batteries, contains upper cylinder lubricant. Performs to -65°F. Works great in passenger cars, diesel engines, lawn mowers, chain saws, outboard motors and fractional horse power engines. This diesel fuel additives complies with federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

6732 fits injector systems found in heavy duty engines.



# STARTING FLUID

Helps start stubborn engines fast in cold weather, saves batteries, contains upper cylinder lubricant. Performs to -65°F. Works great in passenger cars, diesel engines, lawn mowers, chain saws, outboard motors and fractional horse power engines. This diesel fuel additives complies with federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

6762 10.7 OZ. 12 PER CASE

WINTER PRODUCTS



OHNSEN'S




## WINTER PRODUCTS DE-ICER

For frozen windshields, locks, and doors. Removes frost and ice from windshields, locks, doors, and mirrors.


3282	10 OZ.	12 PER CASE
3283	15 OZ. w/ Scraper	12 PER CASE
3280	32 FL. OZ. Trigger	6 PER CASE





Recommended for fuel-injected vehicles. Isopropyl alcohol combines with fuel system moisture to form a combustible mixture and reduce the risk of ice formation.

2962 12 FL. OZ. 12 PER CASE



**JOHNSEN'S** 

# REFRIGERANTS R-134a

For use in factory installed and/or retrofitted R-134a auto A/C systems. Comes with standard ACME threaded cap. Meets AHRI 700-2006 and SAE J 2276 purity standards.

6312	12 OZ.	12 PER CASE
6344*	12 OZ.	12 PER CASE
6330	<b>30 LB. CYLINDER</b>	ONE EACH
6335**	30 LB. CYLINDER	ONE EACH

\*(FOR CALIFORNIA)

\*\*(MADE IN THE USA)





6330



6335

OHNSEN'S


### **REFRIGERANTS R-134a** with UV DYE GLOW-CHARGE™

A fast and easy method to recharge an A/C system and detect leaks using UV dye. May be used in any vehicle that uses R-134a refrigerant, including systems that were originally equipped with R-134a and those that have been retrofitted from R-12 to R-134a.

6313	12 OZ.	12 PER CASE
6614*	12 OZ.	12 PER CASE
6331	30 LB. CYLINDER	ONE EACH

\*(FOR CALIFORNIA)





# JOHNSEN'S


REFRIGERANTS

### **404A REFRIGERANT BLEND** REFRIGERANTS

A blend of R-125, R-143a, and R-134a intended for low and medium temperature refrigeration applications where R-502 was previously used. R-404A requires polyolester (POE) lubricant, which is usually charged into new equipment. If retrofitting existing equipment, the original oil must be replaced with POE.

# 24 LB. CYLINDER ONE EACH 6404 JOHNSEN'S A blend of R-32 and R-125 that nearly forms an azeotrope, which means it has extremely low temperature glide and almost no fractionation potential. R-410A will require POE lubricants. Retrofitting R-22 equipment is not recommended under any circumstances. FLUOROMETHANE AI

6410 **25 LB. CYLINDER** ONE EACH



### **407C REFRIGERANT BLEND**

A blend of R-32, R-125, and R-134a that has very similar properties to R-22 in air conditioning equipment. R-407C has the closest property match to R-22 in an air conditioning retrofit project compared to other blends on the market. It can also be used in medium temperature R-22 refrigeration systems.

6407C **25 LB. CYLINDER** ONE EACH



REFRIGERANTS



18

JOHNSEN'S




### **507 REFRIGERANT BLEND**

**410A REFRIGERANT BLEND** 

An azeotropic blend of R-125 and R-143a intended for low and medium temperature refrigeration systems. There will be slightly higher pressures and capacity with R-507 compared to R-404A. R-507 requires polyolester (POE) lubricant, which is usually charged into new equipment. If retrofitting existing equipment, the original oil must be replaced with POE.

6507 **25 LB. CYLINDER** ONE EACH

NON-FLAMMABLE GAS



		1234yf PRODL	ICTS R	EFRIGERANTS
		w viscosity PAG lubrica lated for optimum perfo	-	-
	LUBRICANT	6846	8 FL. OZ.	6 PER CASE
1234yf PAG	1234yf refrigerant is a low GWP, z Thermally stable under extreme u Comparab		perating condi	tions as R-134a.
For B COVIT Systems     File and Systems	8 OZ. CAN	6848	8 OZ.	4 PER CASE
( man )	BRASS DISPENSING VALVE	6849 C	LAM SHELL	4 PER CASE
6846	10 LB. CYLINDER	6123	10 LB.	ONE EACH

### REFRIGERANTS **FREEZE™** R-134a PLUS PRODUCTS

Johnsen's FREEZE R-134a Plus products make it easy to add refrigerant, lubricant and a performance booster to any R-134a mobile A/C system. These uniquely blended products produce cold air fast by including R-134a refrigerant, a premium synthetic A/C lubricant/ conditioner and a leak sealer. Complete A/C recharging just got easier!

			UNDER OF
6400	12 <b>0Z</b> .	12 PER CASE	COLD A
6610*	12 OZ.	12 PER CASE	New York Contractions of the second s
6401	14 OZ. W/ CHARGING HOSE	12 PER CASE	C 400
6611*	14 OZ. W/CHARGING HOSE	12 PER CASE	6400
6402	(2) 14 OZ. W/ PREMIUM CHA	<b>RGING HOSE &amp; GLOV</b>	V GAUGE
6412*	(2) 14 OZ. W/ PREMIUM CHA	<b>RGING HOSE &amp; GLOV</b>	V GAUGE
6407	18 OZ. W/ PREMIUM CHARG	ING HOSE & GLOW G	AUGE
6413*	18 OZ. W/ PREMIUM CHARG	ING HOSE & GLOW G	AUGE
*(FOR CALIF	FORNIA)		

6407

A/C TREATMENTS

EZ FREEZE

R-134a refrigerant plus A/C performance boosters. Synthetic A/C lubricant and conditioner. Seals leaks. No Tools needed!

EZF-1

20 OZ.

6 PER CASE



Premium R-134a refrigerant plus A/C performance boosters. Includes trigger and high pressure gauge assembly with wireless AccuFill® technology. Synthetic A/C lubricant, conditioner and leak sealer.

AccuFill<sup>®</sup> is the most advanced A/C recharge system that allows instant, wireless reading of


EZF-1

6401

6 PER CASE 6 PER CASE 6 PER CASE

**6 PER CASE** 

the A/C's output temperature using RFID technology. Prevent overfilling with a more accurate and reliable read than traditional wired A/C recharge systems. No additional tools or accessories needed. Includes new selfsealing valve to ensure safe storage of remaining refrigerant for future use.





\* (AccuFill® US Patent No. US 9,981,637 B2. Additional patents pending.)



# JOHNSEN'S

### A/C LUBRICANTS

**A/C LUBRICANTS** 

### **ESTER LUBRICANTS**

A synthetic polyolester (POE) lubricant formulated with a proprietary additive package. Its unique chemistry allows it to be used in R-12 or R-134a A/C systems.

6808-6	8 FL. OZ.	6 PER CASE
6708-6	12 FL. OZ.	6 PER CASE
6710-6	32 FL. OZ.	6 PER CASE
6711	1 GALLON	<b>4 PER CASE</b>



# ESTER LUBRICANTS WITH UV DYE A/C LUBRICANTS Image: Colspan="2">Image: Colspan="2">A premium synthetic polyolester (POE) lubricant formulated with a proprietary additive package and SAE-approved UV dye for fast and efficient A/C leak detection. Image: Colspan="2">6808UV-6 8 FL. 0Z. 6 PER CASE Image: Colspan="2">6710UV-6 32 FL. 0Z. 6 PER CASE



Premium polyalkylene glycol (PAG) in three viscosity grades for R-134a systems, provides superior protection against compressor wear and prevents lubricant breakdown even under extreme conditions.

**PAG LUBRICANTS** 


	6812-6	ISO 46	8 FL. OZ.	6 PER CASE
	6813-6	ISO 46	32 FL. OZ.	6 PER CASE
	6814	ISO 46	1 GALLON	4 PER CASE
	6816-6	ISO 100	8 FL. OZ.	6 PER CASE
	6817-6	ISO 100	32 FL. OZ.	6 PER CASE
	6818	ISO 100	1 GALLON	4 PER CASE
	6822-6	ISO 150	8 FL. OZ.	6 PER CASE
	6823-6	ISO 150	32 FL. OZ.	6 PER CASE
0	6824	ISO 150	1 GALLON	4 PER CASE
•				

### PAG LUBRICANTS WITH UV DYE A/C LUBRICANTS

Three different viscosity grades of premium polyalkylene glycol (PAG) lubricants formulated for R-134a A/C systems. An SAE-approved UV dye is included to make A/C leak detection fast and efficient.

6812UV-6	ISO 46	8 FL. OZ.	6 PER CASE
6816UV-6	ISO 100	8 FL. OZ.	6 PER CASE
6822UV-6	ISO 150	8 FL. OZ.	6 PER CASE






6915

12 FL OZ.

**12 PER CASE** 





21

**OHNSEN'S** 



# A/C TREATMENTS

## A/C FLUSH

A/C Flush is a fast and effective way to remove debris and sludge from A/C systems. Use with standard flush gun and shop air. A/C Flush is compatible with R12, R-134a, mineral, ester and PAG oils.

6544	1 GALLON	4 PER CASE

### A/C TREATMENTS

### **COMPLETE A/C FLUSH**

Non-flammable and non-ozone depleting replacement for R-141b. Strong cleaning action. Evaporates quickly. Safe for machines. Strong cleaning action, removes mineral oil, residue refrigerant and contaminants.

6645-6

32 FL. OZ. 6 PER CASE



PAG OIL CHARGE

PAG oil charge contains a universal PAG oil for use in all R-134a auto A/C systems

6425 3 OZ. 12 PER CASE

**OIL CHARGES** 



01		ADC	EC
UI	L CH	ARG	IE O

# ESTER OIL CHARGES

Ester oil charge contains a universal Ester oil for use in all retrofitted R-134a auto A/C systems.

6535	12 OZ.	12 PER CASE
6435*	12 OZ.	12 PER CASE
6725	3 OZ.	12 PER CASE
*(FOR CALIFORNIA)		

OIL CHARGE	KITS	OIL CHARGES
6430 6434	3 OZ. 3 OZ.	6 PER CASE 6 PER CASE
NBRILE A/C REFRIGERANT DBRILE A/C REFRIGERANT DBRILE A/C REFRIGERANT DBRILE A/C REFRIGERANT DBRILE A/C REFRIGERANT		TREFRIGERANT DE DE D
For R-134a Systems Carga de aceite con Iubricante ESTER Marcalitors in pace pale Para en la parte restorate fela LGA NET WT. 3 OZ. ( 85 9)	Carga de Al	R-134a Leak Stop and Detector teute con sellador de escapes (Attoin PRESSURE CAUTIONS OIL BACK PANEL EN LA PARTE POSTERIOR DE LA LATA 12 OZ. (340 g)

**OIL CHARGES** 

### A/C ACCESSORIES

### **R-134a RECHARGE KIT**

Designed for easy recharging of R-134a A/C systems using 12 OZ. cans. Contains dispensing valve, hose and low side quick coupler.

8323	BRASS	RETAIL PACKAGED	12 PER CASE
8324	PLASTIC	RETAIL PACKAGED	<b>12 PER CASE</b>
8325*	PLASTIC	RETAIL PACKAGED	12 PER CASE
8326*	BRASS	RETAIL PACKAGED	<b>12 PER CASE</b>

\*(FOR SELF-SEALING VALVES)





8939

**A/C ACCESSORIES** 

### **EZ TAPPER\***

The unique design makes servicing A/C systems with 12 OZ. cans of refrigerant fast and easy. EZ Tappers include an adapter for 4 OZ. can of oil charge and #8015 includes an additional adapter and fitting for R-12 Cans.

8013	FOR R-134a	RETAIL PACKAGED	6 PER CASE
8015	FOR R-12 & R-134a	RETAIL PACKAGED	6 PER CASE
90051	FOR R-134a		1 PER CASE
90081	FOR R-12 & R-134a		1 PER CASE

\* (U.S. patent #6,041,0810 and #6,655,407)







UEMAG

### LEATHER & VINYL CLEANER **LEATHER PRODUCTS**

Lifts ground-in dirt and removes stains. Unique pH balance safely cleans all leather and vinyl surfaces. For use on auto and truck interiors, furniture, saddlery, luggage and briefcases, shoes and boots, sports equipment, and more.

> 16 FL. OZ. **6 PER CASE** 800-06

### LEATHER CREAM CONDITIONER LEATHER PRODUCTS

Restores leather & vinyl. Prevents cracking, moisturizes and softens. Contains a natural sunblock to help prevent fading and cracking. Keeps leather and vinyl soft and supple. Great for cars, trucks, furniture, saddlery, luggage, apparel, boots, and more.

> 850-06 16 FL. OZ. **6 PER CASE**



LEATHER PRODUCTS



### LEATHER PRODUCTS

Deep cleans, conditions, and protects auto and truck interiors, furniture, saddlery, luggage and briefcases, shoes and boots, sports equipment, and more.

855-06 8 FL. OZ. **6 PER CASE** 

### LEATHER PRODUCTS LEATHER CARE GEL

Deep cleans, conditions, and protects. Advanced gel formula. Superior UV inhibitors and protection. Rich, new leather scent. For use on auto and truck interiors, furniture, saddlery, luggage and briefcases, shoes and boots, sports equipment, and more.

860-06	23 FL. OZ.	6 PER CASE





TOWELETTES

**JE MAG** 







- WIPE ON, WIFE OFF
- NO SPECIAL TOOLS REQUIRED
- ELIMINATES COSTLY REPAIRS

# METAL POLISH METAL POLISH CREAM

For all metal surfaces. Non-abrasive. Great on brass, copper, sterling silver, aluminum, stainless steel, or gold. Removes tarnish & oxidation. Can be used with buffers and polishers. Provides lasting protective coating.

400-06	7 OZ. JAR	6 PER CASE
500-06	19.38 OZ. JAR	6 PER CASE
550-02	4.5 LB. JAR	2 PER CASE
550-06	4.5 LB. JAR	6 PER CASE
300-12	3.5 OZ. TUBE	BLISTER CARD
100-12*	3.5 OZ. TUBE	12 CT. COUNTER D
*(NOT SHOW	N)	

BLUEMAGIC





### METAL POLISH

For all metal surfaces, chrome, or alloy wheels. Great on brass, copper, sterling silver, aluminum, stainless steel or gold. Non-abrasive. Also recommended for plastic and fiberglass. Leaves a sealant that bonds to the surface.


TEAR HERE		_	READY TO USE
	BLU	EMAGIC	
6	Just Like I	iew, Just Like Hegic!"	
MFT	Γ <b>Δ</b> Ι	PN	IISH

200-06	8 FL OZ. BOTTLE	6 PER CASE
235PK	.75 OZ. PACKETTE	100 PER CASE



# METAL POLISH QUICK SHINE METAL POLISH

For all metal surfaces, chrome, or alloy wheels. Spray on. Buff off. Instantly renews shine. Removes tarnish & oxidation.





28

230-06



AUTOMOTIVE, WHEE

CUDDEME WHEEL & TIDE CLEANED

-	rmula. Safe for all whe rease, grime, and brak			TANKING	7
781-06 780-06	23 FL. OZ. SPRAY 32 OZ. REFILL			CHURMACK CHURMACK WHEELER CHEANER	
AUTOMOTIV	SUPER STRE	NGTH WHEEL CLEANER	THURMON THE	HICK CONTRACT OF THE STATE	
AUTOMOTIVE			The set of second set of the second s		strength Whe
Super stren	gth. Safe for all wheel rease, grime, and brak	s and tires.		780-06	Clean Clean



## **REPAIR PRODUCTS**

### **BRUSH-ON® ELECTRICAL TAPE**

Use anywhere a dependable weatherproof connection is required. Great for hard to tape places. Quick drying formula.

BOT55TRI	4 FL. OZ.	BLACK	12 PER CASE
BOT58TRI	4 FL. 0Z.	RED	12 PER CASE
BOT59TRI	4 FL. OZ.	WHITE	12 PER CASE







B0T55TRI

BOT59TRI



Permanent cooling system sealer. Liquid glass and copper formula. Forms permanent copper-ceramic seal. Seal withstands up to 2000°F/1093°C and 3000 PSI. 11.4 OZ. bottle is for use in systems up to 6 gallons. 22.8 OZ. bottle is for use in systems up to 12 gallons.

1008-24 11.4 OZ. 24/CASE 1116-24 22.8 OZ. 24/CASE

Protects hands from grease, oil, dirt, paint, chemicals, and inks. Thin film protects pores, cracks, and fingernails. Nongreasy — Improves grip on tools. Easy clean up with just soap and water. Contains no harsh or dangerous chemicals.

**INVISIBLE GLOVE®** 

5215-12 5 OZ. 12/CASE

### 5215-12

Rossy to west dirt. presse & skind off kands

**Protects** sk NET WE SEE (HER

REPAIR

**PURE RUBBER COATING** 



Pure rubber — Contains no asphalt. Works as a sealer, sound deadener and best undercoat money can buy. Fast drying, paintable, will not bleed.

950-06	15 OZ.	6/CASE





950-06



# **TR-3® RESIN GLAZE POLISH**



NET 16 FL. 0Z. (1 PT.) .473 LITERS

12A-6

REPAIR

uid Glass Met

pacity cooling:

CORES + FREEZE PU

1116-24

REPAIR

The Origina uid Glass Me

1008-24

World's best selling resin glaze. Restores old, faded, and oxidized finishes to new in one easy application. Cleans, shines, protects. Can be used with buffers and polishers.

16 FL. OZ. 6/CASE 12A-6





### **TURBO 108**® TURBO ENHANCER

Formulated to improve performance. Restores engine performance, lost power and acceleration. Helps reduce hesitation and rough idle.

### 16 FL. OZ. **6 PER CASE** NA33-06

### **MEGA MILEAGE IMPROVER TURBO 108**®

Specially formulated to improve fuel economy by up to 5.7%. Treats up to 18 gallons of gasoline.

16 FL. OZ. NA34-06 **6 PER CASE** 

### **EMISSIONS REDUCER TURBO 108**®



NA33-06

NA32

NA32



NA34-06

MISSIONS

REDUCER

NET 60 FL 62 (000

and poor acceleration.

12/CASE

16 FL. OZ.

Formulated to help reduce Hydrocarbon and Carbon Monoxide emissions. Helps clean fuel injectors, intake valves, and combustion chambers, prior to emissions testing.

**6 PER CASE** NA43-06 16 FL. OZ.


# QUIKSTEEL® EPOXY PUTTY



- Withstands Up To 500°F/260°C Temperature
- Can Be Drilled, Tapped, Filed, Machined, Sanded, & Painted
- Bonds To All Metals, Fiberglass, Plastics, Glass Wood, Ceramics, Brick — Almost Anything Except Rubber
- Sets In 5 Minutes
   Steel Hard In 15 Minutes
  - Full Cure In 1 Hour







- Withstands Up To 500°F/260°C Temperature
- Sets In 5 Minutes, Steel Hard In 15 Minutes, Full Cure In 1 Hour
- Can Be Drilled, Tapped, Filed, Machined, Sanded, & Painted
- Bonds To All Metals, Fiberglass, Plastics, Glass, Wood, Ceramics, Brick Almost Anything Except Rubber

# uikSteel

# REPAIR PRODUCTS

33

QUIKSTEEL®

### QUIKSTEEL® TANK REPAIR KITS



- Includes Everything Needed To Repair Larger Leaks In Tanks Or Housings
- Impervious To Gasoline, Diesel Fuel, Oil, Automotive Fluids, Water, Coolant, And Solvents
- Can Be Drilled, Tapped, Filed, Machined, Sanded & Painted



### THERMOSTEEL HIGH TEMPERATURE METAL REPAIR

- 2400°F/1300°C
- Exhaust Manifolds, Catalytic Converters, Crossovers, Mufflers, Exhaust Pipes, Home, Office, Farm And Industrial Furnace, Fire Boxes, Heat Exchange, And Much More
- For Larger Repairs

10002TDI	2 07	10 DED CACE



### **PURE CITRUS®**

### AIR FRESHENERS — NON-AEROSOL SPRAY

All natural non-aerosol air freshener.

The strongest and most effective odor eliminator available.

Non man-made chemicals, heavy perfumes, or artificial ingredients.

NA228-6	4 OZ.	ORANGE	6 PER CASE
NA229-6	4 OZ.	CITRUS BLEND	6 PER CASE
NA230-6	4 OZ.	LEMON	6 PER CASE










NA90-6	8 OZ.	ORANGE	6/CASE
NA91-6	8 OZ.	CITRUS BLEND	6/CASE
NA92-6	8 OZ.	LEMON	6/CASE
NA93-6	8 OZ.	FRESH LINEN	6/CASE

**PURE CITRUS® ORANGE CLEANER** 



**PURE CITRUS®** 

### SPRAY-X<sup>®</sup> FOAMING GLASS CLEANER — 10 OZ.

Heavy-duty foam clings to vertical surfaces. Sprays in any position. Streak free formula, guaranteed to leave no film. Great on windshields, mirrors, chrome, windows, glass, tile, granite, stone, glass stove tops, porcelain and more. Safe for use on plastics, plexiglass, carbon fiber, fiberglass and other non-porous surfaces. Ammonia free.

SPX10GC	10 OZ.	12 PER CASE		



### FOAMING GLASS CLEANER — 15 OZ.



Heavy-duty foam clings to vertical surfaces. Sprays in any position. Streak free formula, guaranteed to leave no film. Great on windshields, mirrors, chrome, windows, glass, tile, granite, stone, glass stove tops, porcelain and more. Safe for use on plastics, plexiglass, carbon fiber, fiberglass and other non-porous surfaces. Ammonia free.



SPX15GC 15 OZ. 12 PER CASE

# SPRAY-X®



### SPRAY-X<sup>®</sup> FOAMING GLASS CLEANER — 19 OZ.

Heavy-duty foam clings to vertical surfaces. Sprays in any position. Streak free formula, guaranteed to leave no film. Great on windshields, mirrors, chrome, windows, glass, tile, granite, stone, glass stove tops, porcelain and more. Safe for use on plastics, plexiglass, carbon fiber, fiberglass and other non-porous surfaces. Ammonia free.





35

Learn more about auto detailing on our website.