

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : BlueDevil Radiator Flush

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Automotive Radiator Flush

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-US)

Skin Corr. 1C H314

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) : Danger  
Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage  
Precautionary statements (GHS-US) : P260 - Do not breathe vapors  
P264 - Wash hands and other exposed areas thoroughly after handling  
P280 - Wear protective equipment  
P301+P330+P331 - If swallowed: Rinse mouth. Do NOT induce vomiting  
P303+P361+P353 - If on skin (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304+P340 - If inhaled: Remove to fresh air and keep at rest in a position comfortable for breathing  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P363 - Wash contaminated clothing before reuse  
P405 - Store locked up

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-US)

None of the ingredients in the mixture are of unknown toxicity

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable – product is a mixture

#### 3.2. Mixtures

Name	Product identifier	%	Classification (GHS-US)
Proprietary Ingredient*		0 – 5*	Acute Tox. 4 (Oral), H302

\* The exact identity of some of the ingredients and their concentrations are being withheld as a trade secret

# BlueDevil Radiator Flush

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- |                                       |   |
|---------------------------------------|---|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the product label where possible).                                 |
| First-aid measures after inhalation   | : Assure fresh air breathing. Allow the victim to rest. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately seek medical attention. |
| First-aid measures after skin contact | : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately seek medical attention.  |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately seek medical attention.                |
| First-aid measures after ingestion    | : Rinse mouth. Do NOT induce vomiting. Immediately seek medical attention.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

- |                   |  |
|-------------------|--|
| Symptoms/injuries | : Causes severe skin burns and eye damage. |
|-------------------|--|

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- |                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                     |

#### 5.2. Special hazards arising from the substance or mixture

- |            |   |
|------------|---|
| Reactivity | : Thermal decomposition generates : Corrosive vapors. |
|------------|---|

#### 5.3. Advice for firefighters

- |                                |  |
|--------------------------------|--|
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Contain all water used for fire-fighting to the greatest extent possible. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection.  |

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- |                      |                                   |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

##### 6.1.2. For emergency responders

- |                      |  |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Ventilate area.                            |

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

- |                         |  |
|-------------------------|--|
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. |
|-------------------------|--|

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- |                               |  |
|-------------------------------|--|
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking, and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe vapors. |
| Hygiene measures              | : Wash hands and other exposed areas thoroughly after handling. Wash contaminated clothing before reuse.   |

#### 7.2. Conditions for safe storage, including any incompatibilities

- |                       |   |
|-----------------------|---|
| Technical measures    | : Comply with applicable regulations.   |
| Storage conditions    | : Keep only in the original container in a cool, well ventilated place away from heat and direct sunlight. Keep container closed when not in use. |
| Incompatible products | : Strong bases. Strong acids.   |

# BlueDevil Radiator Flush

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials : Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.  
Hand protection : Wear protective gloves.  
Eye protection : Chemical goggles or face shield.  
Skin and body protection : Wear suitable protective clothing.  
Respiratory protection : Not typically required.  
Other information : When using, do not eat, drink or smoke.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Color : Color may vary due to dye.  
Odor : No odor.  
Odor threshold : No data available  
pH : 11.0  
Relative evaporation rate (butyl acetate=1) : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : 100 °C  
Flash point : No data available  
Self ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : No data available  
Vapor pressure : 17.5 mm Hg  
Relative vapor density at 20 °C : 0.67  
Relative density : 1.119  
Density : 9.323 lbs/gal  
Solubility : Infinite in water.  
Log Pow : No data available  
Log Kow : No data available  
Viscosity, kinematic : No data available  
Viscosity, dynamic : No data available  
Explosive properties : No data available  
Oxidizing properties : No data available  
Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Thermal decomposition generates : Corrosive vapors.

### 10.2. Chemical stability

Stable under normal conditions of use, storage and transport.

### 10.3. Possibility of hazardous reactions

Will not occur.

# BlueDevil Radiator Flush

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.4. Conditions to avoid

Heat. Open flame. Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Oxidizing agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapors.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### Proprietary Ingredient

LD50 oral rat	1658 mg/kg
---------------	------------

Skin corrosion/irritation : Causes severe skin burns and eye damage.  
pH: 11

Serious eye damage/irritation : Not classified  
pH: 11

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Proprietary Ingredient

LC50 fish 1	41 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
-------------	---

LC50 fish 2	59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
-------------	---

### 12.2. Persistence and degradability

#### BlueDevil Radiator Flush

Persistence and degradability	Not established.
-------------------------------	------------------

### 12.3. Bioaccumulative potential

#### BlueDevil Radiator Flush

Bioaccumulative potential	Not established.
---------------------------	------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local, state, and federal regulations.

Ecology - waste materials : Avoid release to the environment.

# BlueDevil Radiator Flush

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1760 Corrosive liquids, n.o.s. (contains ethylenediaminetetraacetic acid tetrasodium salt solution), 8, III

UN-No.(DOT) : 1760

DOT NA no. : UN1760

DOT Proper Shipping Name : Corrosive liquids, n.o.s.  
(contains ethylenediaminetetraacetic acid tetrasodium salt solution)

Department of Transportation (DOT) Hazard Classes : 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive



DOT Symbols : G - Identifies PSN requiring a technical name

Packing group (DOT) : III - Minor Danger

DOT Special Provisions (49 CFR 172.102) : IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal. 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling =  $97 / 1 + a (tr - tf)$  Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203

DOT Packaging Bulk (49 CFR 173.xxx) : 241

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

#### Additional information

Emergency Response Guide (ERG) Number : 154

Other information : No supplementary information available.

#### ADR

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### BlueDevil Radiator Flush

SARA Section 311/312 Hazard Classes : Immediate (acute) health hazard

##### Proprietary Ingredient

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# BlueDevil Radiator Flush

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. International regulations

#### CANADA

BlueDevil Radiator Flush	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Proprietary Ingredient	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

#### EU-Regulations

Proprietary Ingredient
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

#### 15.2.2. National regulations

Proprietary Ingredient
Listed on the AICS (the Australian Inventory of Chemical Substances) Listed on Inventory of Existing Chemical Substances (IECSC) Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory. Listed on the Korean ECL (Existing Chemical List) inventory. Listed on New Zealand - Inventory of Chemicals (NZIoC) Listed on Inventory of Chemicals and Chemical Substances (PICCS)

### 15.3. US State regulations

No additional information available

## SECTION 16: Other information

Other information : None.

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Skin Corr. 1C	skin corrosion/irritation Category 1C
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage

SDS US (GHS HazCom 2012)

This information is furnished without warranty expressed or implied except that it is accurate to the best knowledge of Universal Products, Inc. (Company). The data and information on this Safety Data Sheet relates only to the specific material designated herein. Company assumes no legal responsibility for use or reliance upon the data.