



Inline blade fuse holders provide a wide variety of circuit protection options



Inline holders are available for ATR, ATM, ATC and MAX blade fuses

Product description:


Eaton Bussmann® series inline and add-a-fuse blade fuse holders and taps meet a variety of automotive and marine circuit protection needs.

Easily applied for adding circuits to power accessories, inline blade fuse holders are available up to 60 amps.

Bussmann series inline blade fuse holders are available for the new, micro ATR blade fuses, compact ATM and low-profile ATM fuses, popular ATC fuses and, for high power needs, MAX fuses.

Package options include traditional, retail and bulk packs.

Features and benefits:




- Now available for ATR micro fuses, conventional holders meet basic needs for circuit protection. Available for ATR, ATM, ATC and MAX fuses.



- *easyID™* holders indicate a blown fuse. Available for ATM, ATC and MAX fuses.



- Gasket-sealed holders seal out contaminants. They are available for ATM and ATC fuses and are ideal for trailers and marine applications where water infiltration is a problem.



- Add-a-fuse holders plug into fuse blocks to create a new, fused circuit for auxiliary and accessory loads. Available for the new ATR micro fuses, ATM and low-profile ATM and ATC fuses.

Eaton Bussmann series inline blade fuse holders are available in a variety of styles and ratings to meet your customer's circuit protection needs.

Fuse	Traditional pack	Retail pack	Bulk pack (Qty)	Max amps	Wire gauge/length	Lead color	Description
Conventional holders							
ATR <i>NEW</i>	HH2	—	BK/HH2 (500)	10A	#16/2X5"	Red	Holder with cover
ATM	HHL	BP/HHL-RP	BK/HHL (100)	20A	#16/2X4"	Black	Holder with cover
	HHM	BP/HHM-RP	—	30A	#12/2X4"	Red	Holder with cover
ATC	HHC	BP/HHC-RP	BK/HHC (600)	20A	#16/2X4"	Yellow	Holder without cover
	HHD	BP/HHD-RP	BK/HHD (600)	30A	#12/2X4"	Yellow	Heavy-duty fuse holder without cover
	HHF	BP/HHF-RP	—	20A	#16/2X4"	Yellow	Holder with protective cover
	HHG	BP/HHG-RP	BK/HHG (600)	30A	#12/2X4"	Yellow	Heavy-duty holder with cover
	—	BP/HHS-RP	—	20A	N/A	Blue	Self-stripping fuse holder for #18 to #14 wire
MAX	HHX	—	BK/HHX (100)	60A	#6/2X5"	Red	Fuse holder with cover
easyID indicating holders with open fuse illuminating LED							
ATM	ATM-FHID	BP/ATM-FHID	—	20A	#16/2X4"	Red	Holder with protective cover
ATC	ATC-FHID	BP/ATC-FHID	—	20A	#16/2X6"	Red	Holder with protective cover
MAX <i>NEW</i>	MAX-FHID	—	BK/MAX-FHID (100)	60A	#6/2X5"	Red	Holder with protective cover
Gasket-sealed holders							
ATM	HHU	BP/HHU	—	30A	#12/2X4"	Red	Water-resistant holder
ATC	HHR	BP/HHR	—	30A	#12/2X5"	Red	Water-resistant holder
Add-a-fuse holders — add a 10A max fused circuit by inserting into an existing fuse block, main fuse 30A max - fuses not included							
ATR	HHTR	BP/HHTR-RP	BK/HHTR (500)	10A	#16/5"	Red	ATR 2-leg micro fuse
ATMLP	HHLP	BP/HHLP-RP	BK/HHLP (500)	10A	#16/5"	Red	Low-profile ATM fuse
ATM	HHH	BP/HHH-RP	BK/HHH (500)	10A	#16/5"	Red	ATM fuse
ATC	HHA	BP/HHA-RP	BK/HHA (500)	10A	#16/5"	Red	ATC fuse
Fuse taps — tap into existing fuse by fitting over the fuse terminal to provide a non-fused circuit							
ATM	—	BP/ATM-TAP-RP	BK/ATM-TAP (1000)	N/A	N/A	N/A	5-count pack, taps come with quick-connect crimp-on terminals
ATC	—	BP/ATC-TAP-RP	BK/ATC-TAP (1000)	N/A	N/A	N/A	5-count pack, taps come with quick-connect crimp-on terminals

Conventional holders




easyID holders



Gasket-sealed holders



Add-a-fuse holders



Fuse taps



Now available for ATR micro-blade fuses



Quickly and easily protect additional accessories



Bussmann series add-a-fuse holders safely and easily double your fusible circuits.

Product description:

With the Bussmann® series add-a-fuse, you can easily convert an existing fuse holder into two fusible circuits for protecting items such as car stereos, portable navigation systems and other add-on accessories up to 10 amps.

Add-a-fuse help provide a safe, cost-effective alternative to splicing electrical wires, and do not disrupt existing circuits.

The addition of the Bussmann series HHTR and HHLP add-a-fuse holders continue to build on our legacy of offering cutting edge circuit protection technology.

These new add-a-fuse holders tap into the growing demand of using smaller and lighter-weight fuses to reduce the amount of space and weight added to your vehicle when protecting your valuable automotive accessories.

Features and benefits:

- High temperature performance wire rated for 125°C.
- Superior electrical safety by providing a fused circuit for additional loads.
- Environmentally friendly plastic body is free of phosphorous, halogens and heavy metals.
- Quality construction consists of tin-plated copper alloy contacts and 16AWG wire gauge.

Retail packaging:

Catalog number	Description	UPC	Unit pack	
			Qty.	Dimensions (HxWxD)
BP/HHTR-RP	Adds a 10A max ATR 2-leg micro fuse circuit by inserting into an existing ATR fuse block with 5 inch #16 leadwire and crimp connector - fuses not included	051712496681	1	4.75" x 2.75" x 0.088"
BP/HHLP-RP	Adds a 10A max low-profile ATM fuse circuit by inserting into an existing ATM fuse block with 5 inch #16 leadwire and crimp connector - fuses not included	051712496698	1	4.75" x 2.75" x 0.088"
BP/HHH-RP	Adds a 10A max ATM fuse circuit by inserting into an existing ATM fuse block with 5 inch #16 leadwire and crimp connector - fuses not included	051712182522	1	4.75" x 2.75" x 0.088"
BP/HHA-RP	Adds a 10A max ATC fuse circuit by inserting into an existing ATC fuse block with 5 inch #16 leadwire and crimp connector - fuses not included	051712182515	1	4.75" x 2.75" x 0.088"

Bulk packaging:

Shelf carton (poly bag) qty: 100

Master carton qty: 500

Catalog number	Description	UPC
BK/HHTR	ATR Micro 2-Blade	051712497503
BK/HHLP	Low-Profile ATM	051712497510
BK/HHH	ATM Fuse	051712203982
BK/HHA	ATC Fuse	051712593564

BP/HHTR-RP



ATR 2-leg micro fuse; main fuse at specified circuit rating up to 30A max. Additional circuit up to 10A max.

BP/HHLP-RP



Low-profile ATM fuse; main fuse at specified circuit rating up to 30A max. Additional circuit up to 10A max.

BP/HHH-RP



ATM fuse; main fuse at specified circuit rating up to 30A max. Additional circuit up to 10A max.

BP/HHA-RP



ATC fuse; main fuse at specified circuit rating up to 40A max. Additional circuit up to 10A max.