



## SaltDogg®1.5 Cubic Yard Electric Stainless Steel Hopper Spreader - Adjustable

**Buyers Part Number:** 1400701SS

**Buyers Products SaltDogg 1.5 Cubic Yard Electric Stainless Hopper Spreader is ready for commercial use. Great for contractors and businesses.**

- Designed for 1 ton trucks above 10,000 lb GVW (gross vehicle weight).
- Available with 72 in. hopper with a capacity of 1.5 cubic yards.
- Conveyor and spinner powered by independent electric motors.
- Spreads bulk salt or a 50/50 salt/sand mix.
- In-cab controls with independent variable speeds for the conveyor and spinner.
- 14 in. poly spinner broadcasts up to 30 ft, using a regular or extended chute.
- Versatile 12 in. chain conveyor drive.
- 12 in. adjustable height chute.
- High quality, 304 stainless steel construction for optimum corrosion resistance.
- Stainless steel inverted V improves flow and reduces stress on the drive line.
- Top screen included.
- Made in the USA.



### Specifications

<b>Capacity</b>	1.50 yd <sup>3</sup>	<b>Chute Primary Material</b>	304 Stainless Steel
<b>ChuteStandardAdjustableExtended</b>	Adjustable Height	<b>Controller Type</b>	High Current Variable Speed

## Specifications continued:

<b>Drive Motor Horse Power</b>	0.75 HP	<b>Drive Type</b>	Electric
<b>Feed Mechanism</b>	Conveyor Chain	<b>Feed Mechanism2</b>	12 in. Pintle Chain Conveyor
<b>Hopper Length</b>	72.00"	<b>Hopper Material</b>	304 Stainless Steel
<b>Hopper Width</b>	47.00"	<b>Included Cover</b>	N
<b>Number of Motors</b>	2	<b>Overall Height</b>	32.00"
<b>Overall Length</b>	87.30"	<b>Overall Width (at top)</b>	47.00"
<b>Spinner Diameter</b>	14.00"	<b>Spinner Material</b>	Polyurethane
<b>Spinner Motor Horse Power</b>	0.50 HP	<b>Spreading Width Range</b>	5 To 30'
<b>System Voltage</b>	12 VDC	<b>Top Screen</b>	Yes
<b>Vehicle Application</b>	1-Ton Trucks	<b>Vibrator Included?</b>	No
<b>Works with Bagged #1 Rock Salt</b>	Yes	<b>Works with Bulk Salt</b>	Yes
<b>Works with Bulk Sand</b>	Yes	<b>Works with Salt / Sand Mix</b>	Yes
<b>Shipping Weight</b>	681.5 lb		