
CARGOGLIDE WORK



SLIDE OUT CARGO TRAYS FOR TRUCKS, VANS & SUV'S WALL & FLOOR SOLUTIONS



Imagine never having to climb into a truck or van to retrieve anything. Welcome to CargoGlide's slide out wall and floor solutions.

CargoGlide truck trays carry up to 2200lbs and extend up to 100% outside of your truck. WallSlide carry from 500lbs to 1500lbs and extend UP TO 100% outside of your van.

CargoGlide wall & floor solutions allow you to remain grounded, significantly reducing the risk of injury. CargoGlide is the safest way to work, organize and retrieve your tools and materials.

Less impact on your back, neck, knees, shins or in short the entire skeletal structure, is the smart and efficient way for you to work.

Whether you are hauling heavy tools, making dozens of deliveries or making several service calls.....


CargoGlide is simply the safest, most efficient, and productive way to get to your gear.





CG1000







<u>DIMENSIONS / WEIGHT RANGES</u>

*Additional Custom Sizes Available Upon Request

Length
Width
Profile/Deck Height (inches)
Side Rails
Grab Rail
Weight

36" - 95"*
24" - 48"*
3 3/4"
4"
Based on width of unit
99 - 181 lbs

1000 lb capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 6 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile.









DETAIL

Powder Coating

Available Upon Request

Weight

DIMENSIONS / WEIGHT RANGES

Length
Width
Profile/Deck Height (inches)
Side Rails
Grab Rail

36" - 95"* 24" - 48"* 3 3/4" 4"

Based on width of unit

*Additional Custom Sizes Available Upon Request


1200 Ib capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 6 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile.











DIMENSIONS / WEIGHT RANGES

*Additional Custom Sizes Available Upon Request

Length Width Profile/Deck Height (inches) Side Rails Grab Rail Weight

36" - 95"* 24" - 48"* 4 3/4" Based on width of unit 110 - 210 lbs

1500 lb capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 6 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile.









Length Width Profile/Deck Height (inches) Side Rails Grab Rail Weight

36" - 95"* 24" - 48"* 4 3/4"


4" with 8" High Sides Based on width of unit 155 - 251 lbs

*Additional Custom Sizes Available Upon Request

1800 lb capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 6 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.









Length Width Profile/Deck Height (inches) Side Rails Grab Rail Weight


36" - 95"* 24" - 48"* 5 1/4" 4" with 8" High Sides Based on width of unit 165 - 295 lbs *Additional Custom Sizes Available Upon Request

2200 lb capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 8 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.









*Additional Custom Sizes Available Upon Request

Length Width Profile/Deck Height (inches) Side Rails

Grab Rail Weight

48" - 75"* 24" - 48"* 4 1/4" 4" with 8" High Sides Based on width of unit 165 - 295 lbs

1000 lb capacity. 100% of the Cargo Tray Length slides out for total access to your cargo. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 20 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.









Length Width Profile/Deck Height (inches) Side Rails Grab Rail

Weight

48" - 95"* 24" - 48"* 6 I/4 Std, 5 I/4" Low Profile 4" with 8" High Sides Based on width of unit 300 - 455 lbs *Additional Custom Sizes Available Upon Request

1500 lb capacity. 100% of the Cargo Tray Length Slides Out for Total Access to your Cargo. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 36 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Powder Coated Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.









48" - 95"* Length Width 24" - 48"*


Profile/Deck Height (inches) 6 I/2 Std, 5 I/2" Low Profile Side Rails 4" with 8" High Sides Grab Rail Based on width of unit

Weight 339 - 439 lbs

*Additional Custom Sizes Available Upon Request

2200 lb capacity. 100% of the Cargo Tray Length Slides Out for Total Access to your Cargo. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 22 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Powder Coated Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.







65" - 95"* Length Width 24" - 48"* Profile/Deck Height (inches) 5 1/4"

Side Rails 4" with 8" High Sides Grab Rail Based on width of unit Weight 165 - 295 lbs

*Additional Custom Sizes Available Upon Request

2200 lb capacity. Sturdy steel frame construction. Real plywood deck with an industrial laminated surface for strength and durability. Custom Aluminum and Steel decks available upon request. 8 Industrial Cam Follower Needle and Ball Bearings provide dependable lasting support for the cargo you haul in your CargoGlide. Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with integrated Full Perimeter Tie-Down Tracks and four Infinitely Adjustable Eyebolt Tie-Downs to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo. The Removable Gooseneck Deck ensures that your CargoGlide can be used with or without the trailer and hitch. Installation may require a Spacer Kit and Safety Chain Extensions purchased separately.

Custom Sizes Available






Lighting & Strobe Options Available

500lb to 1500lb Capacity Per Wall

Proximity Sensor Option Available

Custom or Standard Shelving Units Available





24" - 60"* Height Width 30" - 110"* Weight 100 - 800 lbs 500lbs - 1500lbs Capacity

Systems Available for most Ford, Chevrolet, Dodge,

Nissan, & Mercedes Vans

*Additional Custom Sizes Available Upon Request

500 lb to 1500 lb capacity per wall. Available per sliding wall, the patent pending CargoGlide WallSlide systems can be customized to fit your needs to improve safety and efficiency in your use of Vans, Trucks and Trailers. A powder coated steel framework supports the all Aluminum WallSlide system with a full wall panel of 1/8 inch thick solid aluminum to mount your customized shelving system to. The supporting aluminum rail structure is made from a high strength 6061-T6 hardened aircraft grade aluminum alloy and slides on industrial cam follower needle bearings for durability and reliability. For even greater safety and efficiency options are available for remote controlled motor drives to open and close the walls, bright LED lighting options, as well as various weather canopy options for overhead protection and shelf protection.

Custom Sizes Available



WALLSLIDE







Cargo Glide now features a full Interactive Model so that users can outfit their Van with different shelving packages to cater to their craft or industry. The Interactive Model allows users to see their vehicle completely upfitted before purchase.

Accessories Include -


CargoGlide out the Side and Back Doors
Aluminum, Steel, & Marine Grade Plywood Decks
Custom & Prefabricated Shelving Packages
Automated (Motorized) or Manual Walls
Proximity Sensors
CeilingSlide for Weather Protection
Multiple Lighting Packages
Wall/Shelf Weather Cover
Strobe Safety lighting
Internal Ladder Rack
Custom Accessories Available Upon Request
Bulkhead WallSlide
Side or Rear Overhead Hoist

RUCK WALLS









24" - 60"* Height Width 30" - 110"* 100 - 800 lbs Weight 500lbs - 1500lbs Capacity


500 lb to 1500 lb capacity per wall. Available per sliding wall, the patent pending CargoGlide WallSlide systems can be customized to fit your needs to improve safety and efficiency in your use of Vans, Trucks and Trailers. A powder coated steel framework supports the all Aluminum WallSlide system with a full wall panel of 1/8 inch thick solid aluminum to mount your customized shelving system to. The supporting aluminum rail structure is made from a high strength 6061-T6 hardened aircraft grade aluminum alloy and slides on industrial cam follower needle bearings for durability and reliability. For even greater safety and efficiency options are available for remote controlled motor drives to open and close the walls, bright LED lighting options, as well as various weather canopy options for overhead protection and shelf protection.


Custom Sizes Available

CARGOGLIDE

















Bike Rack CGBR 38 - CGBR 41 - CGBR 48









2018 APPLICATION GUIDE		Ext.	75%, 70% and 65% Extension Models					100% Extension		
Year	Chevrolet / GMC		CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1000XL	CG1500XL	CG2200XL
1970 - 2017	Silverado / Sierra Longbed (8' Bed)	65	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	N/A	CG1500XL-9548	CG2200XL-9548
1970 - 2017	Silverado / Sierra Shortbed (61/2' Bed)	70	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1000XL-7548	CG1500XL-7548	CG2200XL-7548
2005 - 2017	Silverado / Sierra Crew Cab SSB (5½ Bed)	75	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1000XL-6548	CG1500XL-6548	CG2200XL-6548
2002 - 2017	Avalanche / Escalade EXT (CUSTOM **)	75	CG1000- 5748	CG1200-5748	CG1500-5748	CG1800HD-5748	CG2200HD-5748	CG1000XL-5748	Custom *	Custom *
2004 - 2017	Colorado / Canyon Std & Ext Cabs	70	CG1000-7041	CG1200-7041	CG1500-7041	CG1800HD-7041	CG2200HD-7041	CG1000XL-7041	Custom *	Custom *
	Colorado / Canyon Short Box	75	CG1000- 5841	CG1200-5841	CG1500-5841	CG1800HD-5841	CG2200HD-5841	CG1000XL-5841	Custom *	Custom *
1992 - 2016	Suburban / Yukon XL (CUSTOM **)	75	CG1000-6347	CG1200-6347	CG1500-6347	CG1800HD-6347	CG2200HD-6347	CG1000XL-6347	CG1500XL-6347	CG2200XL-6347
1999 - 2016	Tahoe (CUSTOM **)	75	CG1000-4146	CG1200-4146	CG1500-4146	CG1800HD-4146	CG2200HD-4146	CG1000XL-4146	Custom *	Custom *
Year	Ford		CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1000XL	CG1500XL	CG2200XL
1970 - 2017	All F-Series Longbed - All Cab Designs	65	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	N/A	CG1500XL-9548	CG2200XL-9548
1999 - 2017	Super-Duty Shortbed - All Cabs	70	CG1000-8048	CG1200-8048	CG1500-8048	CG1800HD-8048	CG2200HD-8048	N/A	CG1500XL-8048	CG2200XL-8048
1970 - 2017	Shortbed 6.5' Bed - All Cab Designs	70	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1000XL-7548	CG1500XL-7548	CG2200XL-7548
2001 - 2017	F150 Super Crew - Super Shortbed	75	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1000XL-6548	CG1500XL-6548	CG2200XL-6548
1998 - 2011	Ranger	70	CG1000-7038	CG1200-7038	CG1500-7038	Custom *	Custom *	CG1000XL-7038	Custom *	Custom *
2010 - 2017	Ford Raptor with and w/o bedliner	75	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1000XL-6548	CG1500XL-6548	CG2200XL-6548
Year	Dodge		CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1000XL	CG1500XL	CG2200XL
	Ram 1500/2500/3500 Longbed (8' Bed)	65	CG1000-9548	CG1200-9548	CG1500-9548		CG2200HD-9548	N/A	CG1500XL-9548	CG2200XL-9548
1970 - 2017	Ram 1500/2500/3500 Shortbed W/O Bedliner	70	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1000XL-7548	CG1500XL-7548	CG2200XL-7548
2009 - 2017	Ram 1500 Shortbed (5.7' Bed)	75	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1000XL-6548	CG1500XL-6548	CG2200XL-6548
Year	Toyota		CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1000XL	CG1500XL	CG2200XL
	Tacoma Regular & Access Cab	70	CG1000-7041	CG1200-7041	CG1500-7041	CG1800HD-7041	CG2200HD-7041	CG1000XL-7041	Custom *	Custom *
	Tacoma Double Cab Longbed	70	CG1000-7041	CG1200-7041	CG1500-7041	CG1800HD-7041	CG2200HD-7041	CG1000XL-7041	Custom *	Custom *
2007 - 2017	Tundra Reg Cab/Dbl/CrewMax Cab Shortbed	70	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1000XL-7548	CG1500XL-7548	CG2200XL-7548
2007 - 2017	Tundra Reg Cab & Dbl Cab Longbed	65	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	N/A	CG1500XL-9548	CG2200XL-9548
2007 - 2013	Tundra CrewMax (5.5' Bed)	75	CG1000-6348	CG1200-6348	CG1500-6348	CG1800HD-6348	CG2200HD-6348	CG1000XL-6348	CG1500XL-6348	CG2200XL-6348
Year	Nissan		CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1000XL	CG1500XL	CG2200XL
	Titan King Cab Longbed (8')	65	CG1000-9548	CG1200-9548	CG1500-9548		CG2200HD-9548	N/A	CG1500XL-9548	CG2200XL-9548
	Titan King Cab Shortbed (6.5')	70	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1000XL-7548	CG1500XL-7548	CG2200XL-7548
2004 - 2017	Titan Crew Cab Shortbed (5.5')	75	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1000XL-6548	CG1500XL-6548	CG2200XL-6548
2000 - 2016	Frontier King and Crew Cab Regular Bed	70	CG1000-7038	CG1200-7038	CG1500-7038	Custom *	Custom *	CG1000XL-7038	Custom *	Custom *
	PRODUCT DESCRIPTIONS 1000 Ib Canacity, Strong PowderCoated Steel Frame, 75%, 70% and 65% Extension, Pre-Assembled for Easy Install, 4" Side Rails with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable									

CG1200 CG1200		1000 lb Capacity, Strong PowderCoated Steel Frame, 75%, 70% and 65% Extension, Pre-Assembled for Easy Install, 4" Side Rails with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable
EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, TPO Rubber Laminated 3/4" Plywood Deck CG1500 CG1500 CG1800HD CG2200HD CG2200HD CG100XL CG1500 EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, TPO Rubber Laminated 3/4" Plywood Deck EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, TPO Rubber Laminated 3/4" Plywood Deck CG1800HD CG2200HD CG200HD CG200HD CG200HD CG30HD CG3		EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, TPO Rubber Laminated 3/4" Plywood Deck
CG1500 CG1500		1200 lb Capacity, Strong PowderCoated Steel Frame, 75%, 70% and 65% Extension, Pre-Assembled for Easy Install, 4" Side Rails with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable
EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, TPO Rubber Laminated 3/4" Plywood Deck CG1800HD CG2200HD CG2200HD CG2200HD CG31800HD CG31800HD EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG31800HD CG31800HD CG31800HD EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG31800XL CG31800HD EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG31800XL CG31800HD EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG31800XL CG31800HD EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG31800XL		EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, TPO Rubber Laminated 3/4" Plywood Deck
EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, TPO Rubber Laminated 3/4" Plywood Deck CG1800HD 1800 Ib Capacity, Heavy Gauge PowderCoated Steel Frame, 75%, 70% and 65% Extension, 6 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1000XL CG1500XL CG1500XL 1800 Ib Capacity, Heavy Gauge PowderCoated Steel Frame, 75%, 70% and 65% Extension, 8 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1500XL CG1500XL 1800 Ib Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 20 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1500XL		1500 lb Capacity, Strong PowderCoated Steel Frame, 75%, 70% and 65% Extension, Pre-Assembled for Easy Install, 4" Side Rails with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable
HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG2200HD CG2200HD CG1000XL HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1000XL 1000 Ib Capacity, Reinforced PowderCoated Steel Frame, 75%, 70% and 65% Extension, 8 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1500XL CG1500XL 1000 Ib Capacity, Reavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 36 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1500XL		EyeBolt Tie-Downs, 6 Industrial Cam Follower Needle and Ball Bearings, TPO Rubber Laminated 3/4" Plywood Deck
HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck 2200 lb Capacity, Reinforced PowderCoated Steel Frame, 75%, 70% and 65% Extension, 8 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1000XL CG1500XI 1000 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 20 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1500XI 1500 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 36 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1500XI		1800 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 75%, 70% and 65% Extension, 6 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8"
HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1000XL 1000 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 20 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSi Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1500XI 1500 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 36 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSi		HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck
HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1000XL 1000 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 20 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSi Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1500XI 1500 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 36 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSi		2200 lb Capacity, Reinforced PowderCoated Steel Frame, 75%, 70% and 65% Extension, 8 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8"
Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1500XI Steel Frame CG1500XI C		HighSide Extensions Included with Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck
Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck CG1500XI 1500 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 36 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSi		1000 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 20 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide
		Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck
Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck	LAUUGIEDE	1500 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 36 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8" HighSide
		Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck
2200 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 22 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8"		2200 lb Capacity, Heavy Gauge PowderCoated Steel Frame, 100% Full Tray Extension, 22 Industrial Cam Follower Needle and Ball Bearings, Pre-Assembled for Easy Install, 4" Side Rails with 8"
HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck		HighSide Extensions Included, Integrated Full Perimeter TieDown Tracks and 4 Infinitely Adjustable Eyebolt Tie-Downs, TPO Rubber Laminated 3/4" Plywood Deck