

## Controls & Features

**Mount Release**  
Press to remove device from mounting bracket

**Power**   
Press to turn Max2 on or off

**Mute**  
Press to mute an alert; press three times to lock out a false alert; press twice while receiving a locked-out alert to unlock

**Brightness (BRT)**  
Press to adjust display brightness (Min, Med, Max, Auto, Dark)

**Sensitivity (SEN)**  
Press to adjust detector sensitivity (Highway, Auto, Auto NoX)

**Volume**  
Press and hold + or - to adjust volume

**Display**  
Alert area

**Display**  
Current speed

**Display (OSP)**  
OverSpeed alert setting that can be adjusted in Preferences. **Bluetooth** icon will appear on display screen blue when paired to phone and Speed limit data will show here when ESCORT Live App is open.

**Mark Location (MRK)**  
To mark a location for future alerts, press MRK twice, then VOL + or - to select the type of marker, then MRK again to confirm. Press twice while receiving marker alert to unmark

**Display (OSP) Examples:**

- OverSpeed Alert
- Bluetooth
- Speed Limit Sign

## Settings & Preferences

Press and hold the MRK and SEN buttons to access Preferences. To exit Preferences, simply wait a few seconds without pressing a button. The unit will display **Completed** to confirm your selections.

	Press MRK to go from one category to the next	Press VOLUME + or - to change your setting within a category
User Mode	<b>Advanced*</b> <b>Novice</b>	Access and customize all Settings and Preferences Access and customize units and display color, (all other Settings are set to factory defaults) <i>NOTE: Switch back to advance mode to view all Preferences</i>
Pilot	<b>Scan Bar*</b> <b>Full Word</b>	Scanning Bar with Full Word Full Word: Auto, Auto NoX, or Highway
Display Color	<b>Blue*/Green/Red/Amber</b>	Set color to match your vehicle's dash display
Speed Display	<b>On*</b> <b>Off</b>	Displays current speed Displays battery voltage
Cruise Alert	<b>20 mph*</b> <b>Off / 20-90 mph</b>	Offers double beep alert tones below specified speed
Over Speed	<b>70 mph*</b> <b>Off / 20-90 mph</b>	Reminds you when you exceed a specified speed
Meter Mode	<b>Standard*</b> <b>Spec</b> <b>Expert</b> <b>Simple</b>	Single band with bar graph of signal strength Single band with numeric frequency Multiple bands with bar graph of signal strengths Simple messages replace bands: <b>Caution</b> (if traveling below cruise alert limit) <b>Slow Down</b> (if traveling above cruise alert limit)
Tones	<b>Standard*</b> <b>Mild</b>	Standard ESCORT alert tones Mild doorbell chime alert tones
AutoMute	<b>On* / Off</b>	Automatically reduces audio during alert
AutoLearn	<b>On* / Off</b>	Automatically stores and locks out false alarms
Units	<b>English* / Metric</b>	Units for distance and speed
Language	<b>English* / Espanol</b>	Language for voice and text
Voice	<b>On* / Off</b>	Voice announcements
GPS Filter	<b>On* / Off</b>	Enables GPS-powered features

AutoPower	<b>Off</b> <b>1 Hour</b> <b>2 Hours</b> <b>4 Hours*</b> <b>8 Hour</b>	Power turns on or off depending on your vehicle's ignition type (constant power or switched) Powers off automatically after 1 hour Powers off automatically after 2 hours Powers off automatically after 4 hours Powers off automatically after 8 hours <i>NOTE: AutoPower only works with constant power ignition</i> <i>NOTE: If auto power is on, the display screen goes blank after 30 minutes to save screen life. Display screen will turn on automatically after you reach 10 MPH</i>
Band Enables	<b>Default*</b> <b>Modified</b>	Default Settings for North America Customize the bands you want to monitor
	<b>Press SEN to go from one band category to the next</b>	<b>Press VOLUME + or - to change your setting within a category</b>
X Band	<b>On* / Off</b>	Automatically rejects traffic flow sensors-monitoring false alarms
K Band	<b>On* / Off</b>	
Ka Band	<b>On* / Off</b>	
Ka-POP	<b>On* / Off*</b>	
Laser	<b>On* / Off</b>	
TSR	<b>On* / Off</b>	Automatically rejects traffic flow sensors-monitoring false alarms
Marker Enable	<b>On* / Off</b> <b>Modified</b>	Other, Red Light Camera, Red and Speed Camera, and Speed Trap Customize the types of locations you want to mark for future reference
	<b>Press SEN to go from one marker category to the next</b>	<b>Press VOLUME + or - to change your setting within a category</b>
Other	<b>On* / Off</b>	Other location
Redlight	<b>On* / Off</b>	Red light camera
Red & Speed	<b>On* / Off</b>	Red light & speed camera
Speed Cam	<b>On* / Off</b>	Speed camera
Speed Trp	<b>On* / Off</b>	Speed trap
Air Patrol	<b>On* / Off</b>	Known aircraft patrolled areas <i>NOTE: User cannot mark an air patrol location</i>
Clear Locations	<b>Marked</b> <b>Lockouts</b> <b>Defender</b> <b>Format</b>	Clear all user Marked locations. Press SEN button to confirm Clear all lockouts. Press SEN button to confirm Clear all DEFENDER data. Press SEN button to confirm Clear DEFENDER database, all markers, and all lockouts. Press SEN button to confirm

\*Default Setting

### Notes for Settings & Preferences

For descriptions of features and functions available when connected to ESCORT Live and download the PASSPORT Max2 Owner's Manual.

To view serial number and software revision press MRK and MUTE while powering on detector.

To restore PASSPORT Max2 to its original factory Settings, press and hold SEN and BRT while turning the power on. A "Restored" message will display, acknowledging the reset.

### Software Updates

PASSPORT Max2's red light and speed camera DEFENDER database is easily updated using our exclusive detector software tools found on our web site. Firmware, or the operating software for the detector, can also be updated using these tools.

In order to have access to these updates, please register your PASSPORT Max2. Once registered, you will receive email notifications that updates are now available for your database or firmware. To handle your software and DEFENDER updates you need to connect your Max2 to a computer first. You can connect Max2 to a computer via USB A / Mini B cable (not included).



Made for iPhone 4, iPhone 4s, iPhone 5, iPhone 5c, iPhone 5s. iPhone is a trademark of Apple Inc., registered in the U.S. and other countries. "Made for iPhone" means that an electronic accessory has been designed to connect specifically to iPhone and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPhone may affect wireless performance. Android is a registered trademark of Google Inc. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by ESCORT is under license.




GPS Powered for Speed and Location Intelligence



Open →

# PASSPORT MAX2

High Definition Radar Performance



Pre-loaded DEFENDER Database



RADAR • LASER • SAFETY CAMERA • DETECTOR


Quick Reference

## Congratulations



You've just purchased the first and only radar/laser detector to offer high-definition (HD) performance and accuracy—the all-new **PASSPORT Max2**.

Go to EscortRadar.com for the full featured PASSPORT Max2 Owner's Manual.



H I G H D E F I N I T I O N R A D A R P E R F O R M A N C E

## PASSPORT Max2 Features

- PASSPORT Max2's HD Performance accurately identifies real threats sooner than any other detector, providing more advanced warning when you need it.
- PASSPORT Max2's GPS location-based intelligence automatically locks out false alerts and allows you to mark locations for future reference.
- PASSPORT Max2 gives you access to ESCORT's DEFENDER Database, which warns you of verified speed traps, speed cameras, and red light cameras.
- The PASSPORT Max2 now with built in Bluetooth® technology gives you access to ESCORT's award-winning app, ESCORT Live. Our exclusive real-time ticket-protection, the network which warns you of upcoming alerts received and reported by other users in the area, and gives you access to local speed limit data for over-speed alerts.



## Registration

Before downloading ESCORT Live, you must first register your PASSPORT Max2 device. Be sure to have your Max2 unit nearby, as you will need the serial number. To view serial number and software revision press MRK and MUTE button while powering on detector.

- 1 Visit EscortRadar and click Product Registration.
- 2 Click the link for Escort Live Ready devices.
- 3 Follow the onscreen instructions to register your device.


Be sure to write down the username and password you create, as you will need this information to access and download ESCORT Live. (You will also receive an e-mail with this information, once you have registered your device.)

## Downloading ESCORT Live!

- 1 Enter the iTunes App Store or Google play store on your smartphone and search for ESCORT Live radar!



- 2 Follow the onscreen instructions to download.
- 3 When prompted, enter the username and password you created when registering your PASSPORT Max2 device.



## Pairing with your Smartphone

To pair your Smartphone with PASSPORT Max2:

- 1 Ensure PASSPORT Max2 power is ON.
- 2 On your Smartphone go to Bluetooth Settings.
- 3 Ensure Bluetooth is ON.
- 4 Press **Scan** for devices and/or wait for the device list to populate, PASSPORT Max2 should appear under devices.

- 5 Tap PASSPORT Max2 to pair the device to your phone.

- 6 Bluetooth icon on the PASSPORT Max2 display screen will appear blue when paired to the phone.

- 7 Open the app, walk through the tutorial, and you're ready to hit the road!

For Bluetooth pairing tips and more information on using ESCORT Live!

## Installation

### Mounting Tips:

- Center of windshield between driver and passenger.
- Ensure clear view of road ahead and sky above.
- Avoid windshield wipers and heavily tinted areas.


- 6 To remove mount from windshield, release locking clamp and pull tab on top of StickyCup.

### StickyCup Care Instructions:

To clean your StickyCup, simply rinse under warm water, gently wipe off any debris and allow to air dry.

### To mount PASSPORT Max2 in your vehicle:

- 1 Remove backing from StickyCup mount.
- 2 Firmly press StickyCup onto windshield and flip locking clamp to secure.
- 3 To adjust view, loosen thumb wheel and adjust angle of mounting bracket. Tighten thumb wheel to secure.
- 4 To remove detector, press mount release button on PASSPORT Max2 and slide device off mount.




## Controls & Features

### Using PASSPORT Max2

- 1 Plug small end of SmartCord into modular jack on PASSPORT Max2 and large end of SmartCord into your car's lighter/accessory socket.
- 2 PASSPORT Max2 should power on automatically. If not, press the device's power button.

*NOTE: You can easily access and customize all of your Settings and Preferences by pressing and holding the MRK and SEN buttons. See Settings & Preferences for details.*



- Earphone Jack**  
Connects to optional 3.5 mm stereo earphone.
- Modular Jack**  
Connects to SmartCord for powering your device
- Mini USB Jack**  
Connects to your computer via USB A / Mini B cable for downloading software updates

### Using SmartCord

- Mute Button: Press to mute an alert; press three times to lock out a false alert; press twice while receiving a locked-out alert to manually report to other users a verified X or K-band alert, or a police officer observing traffic.
- Alert Light: Blinks orange when receiving an alert.
- Power Light: Lights blue when receiving power.



- Modular Connector**  
Plugs into detector jack
- Lighter Adapter**  
Connects to lighter/accessory socket

Continued →