

COMMAND ELECTRONICS INC.

Lighting for the Recreational
Vehicle, Truck, Bus, Emergency and
Utility Vehicle Industries



Dear Customer:

I am pleased to present our latest catalog, which includes several new, innovative, attractive, reliable, and value oriented products. The majority of the products shown are USA designed and manufactured in our Schoolcraft manufacturing facility. Since 1969 our manufacturing experience, knowledge and service polices have been directed toward making you, our customer, as competitive as possible with the highest quality and enhanced design parameters.

We thank you for your continued support and patronage over the years.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Cary Campagna', written in a cursive style.

Cary Campagna
President
COMMAND ELECTRONICS, INC

Interior LED Lighting 12 VDC Color 3300 K Warm White

Made in the U.S.A.



Surface Mount LED Ceiling/Under-Cabinet Light w/Switch

• Lumens: 204, amps: 0.2, watts: 2.5

• 3" x 0.5"

Model Number:

Description

001-1003W	White base
001-1003BL	Black base
001-1003AB	Antique bronze base
001-1003SN	Satin nickel base
001-1003CP	Copper base



Surface Mount LED Ceiling/Under-Cabinet Light w/Switch

• Lumens: 408, amps: 0.33, watts: 4

• 4.85" x 0.75"

Model Number:

Description

001-1020W	White base
001-1020BL	Black base
001-1020AB	Antique bronze base
001-1020SN	Satin nickel base
001-1020CP	Copper base



Surface Mount LED "Stretch" Ceiling/Under-Cabinet Light w/Switch

• Lumens: 650, amps: 0.6

Model Number:

Description

001-1030W	White base
001-1030B	Black base
001-1030AB	Antique bronze base
001-1030SN	Satin nickel base
001-1030CP	Copper base



"Glantastic" Recessed Mount Ceiling/Under-Cabinet Light

Model Number:

Description

Dimensions

K-57L32	10 LEDs lumens: 140, amps: 0.13, watts: 1.54	3.1" x 1.18"
K-58L32	15 LEDs lumens: 197, amps: 0.25, watts: 3.00	4.4" x 1.3"



Surface Mount Incandescent Lighting

Made in the U.S.A.

Command Omega Interior Dome Light

- Unbreakable polycarbonate lens
- CSA certified for the US and Canada
- Patented design
- Available in LED



Model Number:	Description	Dimensions
001-901XPB	Single white light w/black rocker switch	7.4" x 4.75" x 1.7"
001-901XP	Single white light w/white push button switch	7.4" x 4.75" x 1.7"
001-902XPB	Double white light w/black rocker switch	11.4" x 4.7" x 1.7"
001-902XP	Double white light w/white push button switch	11.4" x 4.7" x 1.7"
001-902XNS	Double white light w/o switch	11.4" x 4.7" x 1.7"

Command Mega Star 12 Volt Incandescent Series

- Unbreakable polycarbonate lens
- CSA NRTL/C certified



Model Number:	Description	Dimensions
001-801XP	Single white light w/rocker switch	7.1" x 4.3" x 1.9"
001-802XP	Double white light w/rocker switch	12" x 4.3" x 1.9"
001-801APC	Double white light w/two mounting clamps and six foot extension cord	7.1" x 4.3" x 3.25"
001-801XPJ	Single white light w/permanently mounted porta-lamp jack	7.1" x 4.3" x 1.9"
001-802XPJ1	Double white light w/permanently mounted porta-lamp jack	12" x 4.3" x 1.9"

Command Mini Slimline 12 Volt Incandescent

- 5.7" x 3" x 1.13"

Model Number:	Description
001-101	White base and lens w/rocker switch
001-101BNS	Black base, white lens w/o switch



Incandescent Interior Lighting

Made in the U.S.A

Mega Star 12 Volt Fluorescent Series

- Polymer frame w/unbreakable snap lock lens cover
- CSA certified for the US and Canada
- White base



Model Number:	Description	Dimensions
005-388	16 watt 12 VDC surface mount w/two F8T5 fluorescent lamps 1.0 amps	15.5 x 4.3" x 1.9"
005-788	16 watt 12 VDC flush mount w/two F8T5 fluorescent lamps 1.3 amps	16.8" x 5.5" x 1.2"

Fan/Bunk Light Combo

Command Fan/Bunk Light Combo

- Reading light w/2-speed fan, 2-directional mounting system, fits a 3/4" or 1" tent support. Optional permanent mount swivel bracket
- 8 ft coil cord that will plug into our 1/4" Porta-Lamp Jack, a light equipped with jack, or plug into optional lighter adapter
- 1.3 amps max
- CSA certified for U.S. and Canada



Model Number:	Description	Dimensions
001-103	12 volt fan/bunk light	8.5" x 5.7" x 3"
001-103S	12 volt fan/bunk light w/permanent swivel mount bracket	10.2" x 5.5" x 4.3"
170-25	Cigarette lighter adapter for our fan/bunk combo or bunk light	8.25" long
001-103E	LED fan/bunk light	8.5" x 5.7" x 3"
001-103SE	LED fan/bunk light w/permanent swivel mount bracket	10.2" x 5.5" x 4.3"

LED Courtesy Light

Command Courtesy Light

- Permanent light fixture w/a diode lamp source
- May be used in a variety of applications
- 0.02 amps, 2" x 1.4" x 5"



Model Number:	Description
002-04BBL	Blue LEDs w/black housing
002-04W	Cool white LEDs w/black housing
002-04R	Red LEDs w/black housing
002-04 BWM	Warm white LEDs w//black housing
002-04	Amber LEDs w/back housing
002-04WBL	Blue LEDs w/white housing
002-04WW	Cool white LEDs w/white housing
002-04WWM	Warm white LEDs w/white housing
002-04RW	Red LEDs w/white housing
002-04YW	Amber LEDs w/white housing

LED Scare/Security Lights 12 VDC

Made in the U.S.A.

LED "Eclipse" Scare/Security Light

- Lumens 1,221-960
- Available in incandescent
- 8" x 9.1" x 1.5"


Model Number:
Description

007-80WEA	White and amber LEDs, white base
007-80BEA	White and amber LEDs, black base
007-80WE	White LEDs, white base
007-80BE	White LEDs, black base
007-80BEB	White and blue LEDs, black base
007-80WEB	White and blue LEDs, white base

LED Command 12 Volt Multi-Purpose Light

- White base, clear lens
- 204 Lumens, .21 amps
- Available in incandescent
- 5.7" x 3.1" x 1.25"


Model Number:
Description

007-60E	Multi-purpose light
007-60RE	Multi-purpose light w/rocker switch

High Output Battery Operated Krypton Light

- Available in incandescent
- 51 lumens
- Can be mounted with two or four screws
- Uses two "C" batteries
- 5.8" x 3.2" x 1.6"


Model Number:
Description

001-504E	Light with clear acrylic lens, black base, and switch
-----------------	--

LED Command Wet Location 12 Volt

- Available in incandescent, white base
- 204 lumens
- 5.8" x 3.2" x 1.6"


Model Number:
Description

007-60WE	Clear lens
007-60WEA	Amber lens
007-60WRE	Clear lens w/rocker switch
007-60WREA	Amber lens w/rocker switch

LED Scare/Security Lights 12 VDC

Made in the U.S.A.

Omega Porch Light

- Unbreakable polycarbonate lens UL/CSA listed
- 6.7" x 4.7" x 2"
- White base



Model Number:	Description
007-30SCPE	Clear lens, w/switch
007-30CPE	Clear lens
007-30SAPE	Amber lens, w/switch
007-30APE	Amber lens
140-73-PSA	Optional mounting gasket with adhesive

Round Porch Light

- Unbreakable lens UL/CSA listed
- White base
- 4.9" x 2.1"



Model Number:	Description
007-48SCPE	Clear lens, w/switch
007-48SAPE	Amber lens, w/switch
140-72-PSA	Optional mounting gasket with adhesive

Command Star 12 volt Porch Light

- CSA approved
- White base
- 6" x 4" x 2"



Model Number:	Description
007-40SCPE	Clear lens, w/switch
007-40CPE	Clear lens
007-40APE	Amber lens

Command Classic 12 Volt Porch Light

- CSA approved
- White base
- 5.9" x 3.4" x 2.2"



Model Number:	Description
007-50SCPE	Clear lens w/switch
007-50SAPE	Amber lens w/switch
007-50CPE	Clear lens
007-50APE	Amber lens

Incandescent Scare/Security Porch Light

Made in the U.S.A., CSA Approved



Command Revolutionary Design Security/Porch Light

- 12 Volt surface mount flood/porch light
- Available in LED
- Unbreakable polycarbonate lens w/stainless steel base
- 8.25" x 6" x 2"

Model Number:	Description
007-43	Amber security/porch light, 2.1 amps
007-44	Security light only, 2.1 amps
007-43M1	Security/ramp light w/mounting wedge, 3.5 amps
140-51	Optional mounting gasket w/adhesive



Swivel Mount Adjustable Security/Utility Light

- Surface Mount
- Light points downward at a 20° angle, base rotates 180°
- 12.8 volts
- 10.5" x 4"

Model Number:	Description
007-46W	Adjustable security light, white
007-46B	Adjustable security light, black
140-62-PSA	Optional mounting gasket w/adhesive

Adjustable Security/Utility Light

- 25 watt flush/surface mount halogen light
- 2.0 amps
- Also available in 55 watts

Model Number:	Description	Dimensions
007-47	Flush mount, white	7" x 5" x 2" deep
007-47B	Flush mount, black	7" x 5" x 2" deep
140-64	Optional mounting gasket for 007-47	7" x 5" x 2"
007-49	Surface mount, white	7" x 4.6" x 3.5" tall
007-49B	Surface mount, black	7" x 4.6" x 3.5" tall
140-7	Optional mounting gasket for 007-49	7" x 4.6" x 3.5"



LED Clearance Lights

Hot-Dot LED Clearance/Marker Lights

- 100,000 hour rated life, supplied with two 8" straight wire leads
- 2.8" x 1.1" x .5"
- Made in the U.S.A.


Model Number:
Description

003-17A	Amber LEDs/lens
003-17CA	Amber LEDs /clear lens
003-17R	Red LEDs/lens
003-17CR	Red LEDs/clear lens
003-17GA	Amber LEDs/smoke gray lens
003-17GR	Red LEDs/smoke gray lens
140-59	Optional mounting gasket

LED Round Clearance Lights with Class A Reflex

- Surface or grommet mount
- Available in incandescent
- 2.5" x .92"
- Made in the U.S.A.


Model Number:
Description

003-500	Red lens/LEDs
003-501	Amber lens/LEDs
140-75-PSA	Optional gasket with adhesive

Command Modern LED Clearance Light

- One piece base design
- 3.88" x 1.9" x 1.5"
- Made in the U.S.A.


Model Number:
Description

003-58L	White base/amber LEDs
003-59L	White base/red LEDs
003-58LB	Black base/amber LEDs
003-59LB	Black base/red LEDs
003-58LG	Gray base/amber LEDs
003-59LG	Gray base/red LEDs
140-39	Optional mounting gasket
140-39-PSA	Optional mounting gasket with adhesive

Sealed LED Clearance Light

- Requires base mount bracket 003-1259B
- SAE approved
- 2.6" x 1.2 x 1"


Model Number:
Description

003-1259R	Red lens/LEDs
003-1259A	Amber lens/LEDs

LED Tail and Clearance Lights

DOT and SAE approved

• 100,000 hour rated life



Sealed LED Round Clearance/Side Marker Light

- Fits standard 2" grommets
- 2" x 1"

Model Number:	Description
003-1366R	Red LEDs / red lens
003-1366A	Amber LEDs / amber lens
003-1366W	White LEDs / clear lens
140-1366	Mounting grommet for 2" lights



Flange Mounted Sealed LED Clearance Light/ Side Marker Light

- Can be riveted or screwed on
- Supplied with two 8" wire leads and male bullet terminals
- 3.5" x 1.1"

Model Number:	Description
003-1367R	Red LEDs
003-1367A	Amber LEDs



Sealed LED Clearance Light

- Available in incandescent
- Requires base mount bracket 003-1274B1 or 003-1274B2
- 3.93" x 1.2" x .82"

Model Number:	Description
003-1274A	Amber LEDs / lens
003-1274R	Red LEDs / lens



Sealed LED Clearance Light

- Self grounding hook up w/ mounting gasket
- 4" x .75" x .93"

Model Number:	Description
003-1369R	Red LEDs / lens
003-1369A	Amber LEDs / lens

Incandescent Outdoor Lighting/Clearance Lights

.27 Amps SAE Approved

Made in the U.S.A.



Command Classic 12 Volt Clearance Light

- Water resistant with rotating motion
- 4" x 2" x .96"

Model Number:	Description
003-54P	Red lens
003-53P	Amber lens



Command Rectangular 12 Volt Clearance Light

- Water proof socket assembled with rotating motion
- Mounting screws concealed beneath cover
- 3.9" x 1.8" x .72"

Model Number:	Description
003-56	Red lens
003-55	Amber lens



Command Modern 12 Volt Clearance Light

- One piece base design
- 3.9" x 1.9" x .8"
- Also available w/black base

Model Number:	Description
003-58	Amber lens/white base
003-59	Red lens/white base
140-39	Gasket optional
140-39-PSA	Optional mounting gasket w/adhesive

LED/Incandescent Series Clearance Lights

SAE Approved



Cab Mounted Tear Drop Clearance Light

- Amber lens
- Includes mounting gasket
- 5.6" x 2.3" x 1.5"

Model Number:	Description
003-144A	White base
003-144AB	Black base



Command Combination Side Marker Base and Reflector

- Includes self grounding socket
- Available in LED
- 4" x 2" x .5"

Model Number:	Description
003-1274B1A	Base w/amber class A reflector
003-1274B1R	Base w/red class A reflector



Submersible 3 Light Marker Bar

- 3 sealed lamps
- Unbreakable polycarbonate frame
- Self grounding design w/a single wire connection
- Includes 48" lead wire
- 16.25" x 1.5" x 1.54"

Model Number:	Description
003-401AI	3 amber incandescent lamps and harness
003-401AL	3 amber LED lamps and harness
003-401RI	3 red incandescent lamps and harness
003-401RL	3 red LED lamps and harness

Replacement Part Numbers

Model Number:	Description
003-1259R / 003-1259A	Red LED light/amber LED light
003-1258R / 003-1258A	Red incandescent light/amber incandescent light

Round and Oval LED Tail Light Products

Made in the U.S.A.

- LED surface mount construction • Shock, vibration and water proof submersible
- 9-16 volt DC operating range, 100,000 hour rating • SAE approved, FMVSS-108
- Sealed, all polycarbonate construction • Can be mounted horizontally or vertically



LED Oval Stop-Tail-Turn Signal

Model Number:	Description
003-6015	Light w/red lens
003-6015CR	Light w/clear lens
003-6015SR	Light w/smoke gray lens
003-5505W	White LED back up light, horizontal mount only
140-5500	Oval grommet



LED Oval Stop-Tail-Turn Signal Surface Mount with Reflex Reflector

Model Number:	Description
003-6016	Light w/reflex reflector
140-67	Optional oval mounting gasket



LED Round Stop-Tail-Turn Signal

Model Number:	Description
003-6018R	Light w/red lens
003-6018C	Light w/clear lens
003-6018SR	Light w/smoke gray lens
003-5525W	White LED back up light



LED Round Stop-Tail-Turn Signal Surface Mount with Reflex Reflector

Model Number:	Description
003-6019R	Oval stop-tail-turn light with reflex reflector
140-68	Optional round mounting gasket

LED/ Incandescent Tail Lights

SAE Approved
Made in the U.S.A.

Ultra Modern Surface Mount LED Double Tail Light

- 2 LED modules per light
- Includes mounting gasket
- 9.6" x 6.9" x 1"

Model Number: **Description**

003-20RL Double LED tail light



Command Ultra Modern LED Triple Tail Light with Incandescent Reverse Light

- 14" x 6.9" x 1.9"

Model Number: **Description**

003-30L Triple base with two red LED modules and incandescent reverse light

Surface Mount LED Stop-Tail-Turn Lights

Model Number: **Description**

003-81M1 Passenger side light, white base

003-81LM1 License plate/drivers side light, white base

003-81BM1 Passenger side light, black base

003-81LBM1 License plate/drivers side light, black base



Incandescent Tail Lighting

SAE Approved

Made in the U.S.A.

Command Compact 12 Volt Surface Mount Tail Light

• Corrosion free design • 2 lamps • White base

Model Number:	Description	Dimensions
003-81	Surface tail light	8.7" x 3.8" x 2"
003-81L	Surface tail light with license plate bracket	8.7" x 5.5" x 2"
89-189-10	10 degree bezel	9.25" x 4.35" x .95"
89-189-15	15 degree bezel	9.35" x 4.5" x 1.25"
89-189-20	20 degree bezel	9.45" x 4.85" x 1.6"



Command Modern 12 Volt Recessed Tail Light

• Corrosion free design • Includes Class A reflex • Also available in polar white
 • 2.1 amps • Other lens color configurations available

Model Number:	Description	Dimensions
003-62RC	Twin black base w/1 red brake/turn and 1 clear back up lens	9.8" x 7" x 2"
003-62RA	Twin black base w/1 red brake and 1 amber turn lens	9.8" x 7" x 2"
003-62RCR	Triple black base w/2 red brake/turn and 1 clear back up lens	14.25" x 7" x 2"
003-62RAC	Triple black base w/1 red brake/1 amber turn and 1 clear back up lens	14.25" x 7" x 2"



Command Modern Module 12 Volt Recessed Tail Light

• Corrosion free design • Utilizes S-8 style lamp maintaining high reliability in demanding environments
 • Also available in polar white • 003-64 is 2.1 amps • 003-69 is .27 amps

Model Number:	Description	Dimensions
003-64R	Black base w/red turn lens	4.4" x 5.8" x 2"
003-64C	Black base w/clear back up lens	4.4" x 5.8" x 2"
003-64A	Black base w/amber turn lens	4.4" x 5.8" x 2"
003-69R	Passenger side wrap around base with red reflector and lens	5.4" x 5.7" x 2.9"
003-69L	Drivers side wrap around base with red reflector and lens	5.4" x 5.7" x 2.9"



Command Ultra Modern Double and Triple Tail Light 12 Volt Recessed

• Corrosion free design • Utilizes S-8 wedge style lamp
 • Includes gasket • Black base

Model Number:	Description	Dimensions
003-30	Triple base with two red brake/turn and one back up lens	14" x 6.9" x 1.9"
003-30R	Tripple base with three red brake/turn lens	14" x 6.9" x 1.9"
003-20	Double base with one red brake/turn lens and one back up lens	9.6" x 6.9" x 1.9"
003-20R	Double base with two red brake/turn lens	9.6" x 6.9" x 1.9"



Incandescent Tail Lights

Made in the U.S.A.



Sealed Tail Light-Oval

- Stop-tail-turn light
- Can be mounted horizontally or vertically
- Includes grommet and six inch plug
- 6.5" x 2.25" x 2.13"

Model Number:	Description
003-5400A	Amber light
003-5400R	Red light

Sealed Back-up Light-Oval

- Can be mounted horizontally or vertically
- Includes grommet and six inch plug

Model Number:	Description
003-5400C	Clear back-up light

Sealed License/Utility light

- Two bulb incandescent design
- Side of lens painted to meet license illuminator requirements
- Requires a mounting bracket and plug to complete installation
- 3.8" x 1.25" x .88"

Model Number:	Description
003-1260C	License/utility light

4" Round Tail Light

- Includes grommet
- SAE approved
- 4.3" x 2.1"

Model Number:	Description
003-5300A	Amber light
003-5300C	Clear light
003-5300R	Red light

Incandescent Tail Light Accessories



Flange Mount for 003-5520

- 5.5" x 1.3"

Model Number:

Description

89-5520F

Flange

89-5520FMR

Flange w/red reflector



Pigtails

- 12" 18 gauge wire leads

Model Number:

Description

008-54102

Pigtail for 003-5500R, 5520R, 5560R, and 5400R

008-54103

Pigtail for 003-5520A, 5560A, 5400A, and 5400C



Base Mount Bracket

- Used to surface mount 1259 series
- Includes black chassis mount bracket and hot wire
- For metal surfaces with mounting screws serving as the ground
- 2.9" x 1.5" x .5"

Model Number:

Description

003-1259B

Bracket w/two wires



Base Mount Bracket

- Used to surface mount 1274 series
- 4" x 1" x .5"

Model Number:

Description

003-1274B2

Bracket w/two wires

003-1274B1

Bracket w/one wire

“Hot-Line” LED Light Bar Products Made in the U.S.A.

Available as a stop-tail-turn light, a center high mount 3rd brake light, a three light marker light bar, or as a white LED interior light

- 9-16 volt operating range, 100,000 rating
- Corrosion proof, all polycarbonate construction
- Shock, vibration and water proof, submersible
- Compact 15.25" x 1.25" x .56"

3 LED Clearance Light Bars

- 3 LED light points, spaced to meet marker light requirements
- DOT approved (except amber)
- Also available with smoke gray lenses

Model Number:

Description

003-402A	Amber LEDs and amber lens
003-402C	Amber LEDs and clear lens
003-402R	Red LEDs and red lens
003-402CR	Red LEDs and clear lens

13 LED Stop-Tail-Turn Light Bars

- Three wire hook up provides tail light functions
- DOT approved (except amber)

Model Number:

Description

003-6017R	Red LEDs and red lens
003-6017A	Red LEDs and amber lens
003-6017X	Red LEDs and clear lens plus reflex reflectors
003-6017C	Clear LEDs and clear lens

13 LED Center High Mount Third Brake Light Bars

- Four wire hook up provides center high mount stop light
- Also functions as 3 light marker bar
- DOT approved for horizontal and vertical mounting

Model Number:

Description

003-84R	Red LEDs and red lens
003-84C	Red LEDs and clear lens

13 White LED Interior/Exterior Light Bar

- Water tight clear lens base provides light with minimal amp draw

Model Number:

Description


003-6017W	Interior/exterior general purpose LED light
-----------	---

Mounting Gasket (optional for all Hot-Line products)

Model Number:

Description

140-58	Gasket, hot-line, black
140-58W	Gasket, hot-line, white



High Brake Lighting

SAE Approved

Command High Brake Light- Window Mount

- Meets SAE standards for approved shaded glass w/polycarbonate lens
- Two bulbs

Model Number:	Description	Dimensions
003-60	High brake light-window mount	7.25" x 2.6" x 2.2"

Command High Brake Light- Recessed Mount

- Flush mount with gasket included

Model Number:	Description	Dimensions
003-61	High brake light-recessed mount	8" x 2" x 1.5"

Command Surface Mount LED High Brake Light

- Vertical mount for flat surface
- Screw mounted water tight design
- Gasket included
- Made in the U.S.A.

Model Number:	Description	Dimensions
003-82	Surface mount LED high brake light	11.1 x 1.24 x .76

Command Positive Mount LED High Brake Light


- Can be used in conjunction with 00-104 dome light for clamp action mounting
- Flange mount
- Gasket included

Model Number:	Description	Dimensions
003-79	15° Light	9.75" x 1.5" x 1"
003-80	30° Light	9.75" x 1.6" x 1"
003-83	25° Light	9.8" x 1.5" x .88"

Command LED High Brake Light

- Sealed against the elements
- Made in the U.S.A.

Model Number:	Description	Dimensions
003-74	Top mount LED high brake light	9.3" x .55" x 1.1"
003-75	Top mount enclosed LED high brake light	10.8" x 1.2" x 2"
003-74-15	15 Degree flange mount LED high brake light. Includes gasket	9" x .97" x .1"
003-74-25	25 Degree flange mount LED high brake light. Includes gasket	9.75" x .1.1" x 1"
003-74-90	90 Degree flange mount LED high brake light. Includes gasket	9.75" x 1.1" x 1"



LED/ Incandescent License Plate Lighting



Command LED License Plate Holder with Integral Light

- Available in incandescent
- Made in the U.S.A.
- 15.44" x 9.5" x 3.1"

Model Number:	Description
003-71BE	License plate holder, black
003-71PE	License plate holder, polar white



LED License Plate Light

- 3.5" x 2.75" x 1.4"

Model Number:	Description
003-72WE	License plate light, white
003-72BE	License plate light, black




Chrome License Plate Light

- DOT approved

Model Number:	Description	Dimensions
003-151	Rectangular light	2.6" x 1.15" x .95"
003-73	Round light	1.4" Diameter x 2.05 length

Command Modern LED License Plate Light

- Combination license plate light with molded bracket
- SAE approved
- 8.4" x 2.5" x 2.6"



Model Number:	Description
003-70BE	Black
003-70PE	Polar white
003-70CE	Colonial white

Incandescent / LED Heavy Duty Lighting

- Shock mounted 1157 bulbs provide long life and are easily replaceable in the incandescent models
- Multiple mounting options with wiring tunnels leading to all four sides (Magnetic mounting kits are available)
- Heavy duty, high impact housings
- Weather sealed to keep out the elements and foreign objects
- Grounded through plug for easy installation
- Amber lens meets 4 cp side marker requirements
- Deluxe Weather-Pack® plugs are standard on all lights
- Improved internal connectors won't come loose under hard use
- High impact, shatter resistant lens
- Meets ASAE S279 standards



Double Ag Lamps

Each double lamp has a red and amber lens to the rear and an amber lens facing forward. The standard light uses a 3 conductor Weather-Pack® connection for reliability, the lamps with brake function utilize a four conductor Weather-Pack® connection.

Model Number:

Description



009-202L	Standard lamp, left side
009-202R	Standard lamp, right side
009-212LB	Double lamp, left side with brake function
009-212RB	Double lamp, right side with brake function
009-202LE	LED standard lamp, left
009-202RE	LED standard lamp, right

Single Ag Lamps

Each single lamp displays one lens facing forward and one rearward. Brake functions are available for the red lens version. All versions have Weather-Pack® connections for reliability.

Model Number:

Description



009-201	Standard red & black lenses with single filament bulb
009-211	Single red & black lenses with brake function
009-221	Standard amber lenses with single filament bulb
009-201E	LED standard red & black lenses w/single filament bulb
009-2011E	LED single red & black lenses w/brake function
009-221E	LED standard amber lenses w/single filament bulb

Heavy Duty Lighting Accessories

Magnet Kits

- Each kit contains four powerful 85 pound pull magnets along with attaching screws

Model Number:	Description
----------------------	--------------------

009-301	Magnet kits
----------------	-------------



Enhanced Turn Signal Lighting

- This module converts Command's Ag lights with brake function to operate as specified in the ASAE specifications. ASAE recommended

Model Number:	Description
----------------------	--------------------

18-9	Enhanced light module
-------------	-----------------------



Heavy Duty Lighting Accessories

Magnet Kits

- Each kit contains four powerful 85 pound pull magnets along with attaching screws

Model Number:	Description
----------------------	--------------------

009-301	Magnet kits
----------------	-------------



Enhanced Turn Signal Lighting

- This module converts Command's Ag lights with brake function to operate as specified in the ASAE specifications. ASAE recommended

Model Number:	Description
----------------------	--------------------

18-9	Enhanced light module
-------------	-----------------------

