

# *CrossWind*

CONSUMER **TIRE** CATALOG

**2025**



**CROSSWIND WILL HELP YOU GET THERE;  
HOWEVER, YOU WANT TO TRAVEL.**

## **CROSSWIND WARRANTIES**

### **PASSENGER**



**04**

**HP010 Plus  
Performance All-Season**  
50,000 Mileage Warranty



**06**

**Ultra Sport+  
Ultra-High Performance All-Season**  
50,000 Mileage Warranty

### **SUV / CUV / LIGHT TRUCK**



**08**

**HT2  
Highway All-Season SUV/LT**  
55,000 Mileage Warranty



**10**

**TrailTraxx  
All-Terrain**  
55,000 Mileage Warranty



**12**

**Rugged Traxx  
Rugged Terrain**  
50,000 Mileage Warranty



**14**

**MT  
Traction LT**

# ABOUT CROSSWIND

CrossWind Tires has you covered by providing a continuous supply of quality products at great value, marketed and distributed exclusively by TBC Brands in the USA and Canada. CrossWind tires are continually improving with new technology in design, development, and manufacturing, widely used on passenger and SUV/Light Truck vehicles.

**Founded in 1975**, CrossWind assists in the boasts of global manufacturing facilities and has produced over 79.1 million tires worldwide, making CrossWind tires part of one of the world's largest manufacturers.

Additionally, CrossWind Tires are committed to sustainability. As low-carbon and green trends rise, R&D innovation is key to competitiveness. CrossWind is dedicated to peaking carbon emissions by 2023 and achieving carbon neutrality by 2050. The focus is on reducing, reusing, and recycling waste tires, advancing clean technology, and conserving biodiversity to drive sustainable development.



Recent advancements in technology, big data, and cloud computing have enabled CrossWind Tires to expand more efficiently.

The information contained here is derived from the manufacturer. Every effort has been made to verify the accuracy of the listed specifications.

TBC Corporation and TBC Brands cannot be held responsible for any discrepancies, and as such, the information should be considered as approximate.

# CrossWind

## HP010 PLUS

PERFORMANCE ALL-SEASON

Introducing the **CrossWind HP010 Plus**, a performance all-season tire built to withstand any weather condition and offer superior ride quality for drivers of coupes, compacts, sedans and SUVs.

### Excellent traction

The optimized profile and enlarged contact patch provide outstanding traction and grip performance.

### Silence and comfort

The symmetrical tread design ensures a quiet and comfortable ride. The pitch arrangement is optimized by using FEA (Finite Element Analysis) to lower the tread pattern noise level.



### Long mileage

High distribution carbon-black in the tread rubber improves treadwear. The footprint is optimized using BPT (Balanced Pressure Technology), which contributes to the 50,000 miles mileage warranty.

### SIZES AVAILABLE

Broad range of 14" - 19"

### SPEED RATING

T, H, W & V-rated sizes for expanded market coverage.

### FITS

- Broadline Sedans
- Compacts
- Coupes
- Vans



Free replacement during first 2/32" of treadwear for workmanship and material defects.

# CrossWind

# HP010 PLUS

# PERFORMANCE ALL-SEASON

	ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)	
14	CROS-CTR1724LL	185/70R14	88T	SL	440 A B	10	BLK	5.5	7.44	24.25	1235@51	24	
	CROS-CTR1725LL	195/70R14	91T	SL	440 A B	10	BLK	6.0	7.91	24.80	1356@51	25	
	CROS-CTR1761LL	175/65R14	82H	SL	520 A A	10	BLK	5.0	6.97	22.99	1047@51	23	
	CROS-CTR1762LL	185/65R14	86H	SL	520 A A	10	BLK	5.5	7.44	23.46	1168@51	23	
15	CROS-CTR1733LL	215/70R15	98T	SL	440 A B	10	BLK	6.5	8.70	26.89	1653@51	27	
	CROS-CTR1727LL	185/65R15	88H	SL	520 A A	10	BLK	5.5	7.44	24.45	1235@51	24	
	CROS-CTR1728LL	195/65R15	91H	SL	520 A A	10	BLK	6.0	7.91	25.00	1356@51	25	
	CROS-CTR1730LL	205/65R15	94H	SL	520 A A	10	BLK	6.0	8.23	25.47	1477@51	25	
	CROS-CTR1773LL	185/60R15	84H	SL	520 A A	10	BLK	5.5	7.44	23.74	1102@51	24	
	CROS-CTR1741LL	195/60R15	88H	SL	520 A A	10	BLK	6.0	7.91	24.21	1235@51	24	
16	CROS-CTR1743LL	205/60R15	91H	SL	520 A A	10	BLK	6.0	8.23	24.69	1356@51	25	
	CROS-CTR1712LL	215/70R16	100T	SL	440 A B	10	BLK	6.5	8.70	27.87	1764@51	28	
	CROS-CTR1765LL	215/65R16	98H	SL	520 A A	10	BLK	6.5	8.70	27.01	1653@51	27	
	CROS-CTR1783LL	225/65R16	100H	SL	520 A A	10	BLK	6.5	8.98	27.48	1764@51	27	
	CROS-CTR1799LL	235/65R16	103H	SL	520 A A	10	BLK	7.0	9.45	28.03	1929@51	28	
	CROS-CTR1718LL	205/60R16	92H	SL	520 A A	10	BLK	6.0	8.23	25.67	1389@51	26	
	CROS-CTR1748LL	215/60R16	95V	SL	520 A A	10	BLK	6.5	8.70	26.14	1521@51	26	
	CROS-CTR1752LL	225/60R16	98H	SL	520 A A	10	BLK	6.5	8.98	26.61	1653@51	27	
	CROS-CTR1756LL	235/60R16	100H	SL	520 A A	10	BLK	7.0	9.45	27.09	1764@51	27	
	CROS-CTR1781LL	195/55R16	87H	SL	520 A A	10	BLK	6.0	7.91	24.41	1201@51	24	
	CROS-CTR1742LL	205/55R16	91H	SL	520 A A	10	BLK	6.5	8.43	24.88	1356@51	25	
	CROS-CTR1757LL	215/55R16	93H	SL	520 A A	10	BLK	7.0	8.90	25.28	1433@51	25	
	17	CROS-CTR1731LL	215/65R17	99H	SL	520 A A	10	BLK	6.5	8.70	28.03	1709@51	28
		CROS-CTR1776LL	225/65R17	102H	SL	520 A A	10	BLK	6.5	8.98	28.50	1874@51	29
CROS-CTR1777LL		235/65R17	104H	SL	520 A A	10	BLK	7.0	9.45	29.06	1984@51	29	
CROS-CTR1711LL		215/60R17	96H	SL	520 A A	10	BLK	6.5	8.70	27.17	1565@51	27	
CROS-CTR1755LL		225/60R17	99H	SL	520 A A	10	BLK	6.5	8.98	27.64	1709@51	28	
CROS-CTR1707LL		235/60R17	102H	SL	520 A A	10	BLK	7.0	9.45	28.11	1874@51	28	
CROS-CTR1708LL		215/55R17	94V	SL	520 A A	10	BLK	7.0	8.90	26.30	1477@51	26	
CROS-CTR1788LL		225/55R17	97V	SL	520 A A	10	BLK	7.0	9.17	26.77	1609@51	27	
CROS-CTR1789LL		235/55R17	99V	SL	520 A A	10	BLK	7.5	9.65	27.17	1709@51	27	
CROS-CTR1758LL		215/50R17	95V	XL	520 A A	10	BLK	7.0	8.90	25.51	1521@50	26	
CROS-CTR1766LL		225/50R17	98V	XL	520 A A	10	BLK	7.0	9.17	25.91	1653@50	26	
CROS-CTR1753LL		215/45R17	91W	XL	520 A A	10	BLK	7.0	8.39	24.65	1356@50	25	
18	CROS-CTR1771LL	225/45R17	94W	XL	520 A A	10	BLK	7.5	8.86	24.96	1477@50	25	
	CROS-CTR1754LL	235/45R17	97V	XL	520 A A	10	BLK	8.0	9.29	25.35	1609@50	25	
	CROS-CTR1705LL	235/65R18	106H	SL	520 A A	10	BLK	7.0	9.45	30.04	2094@51	30	
	CROS-CTR1737LL	255/65R18	111H	SL	520 A A	10	BLK	7.5	10.24	31.06	2403@51	31	
	CROS-CTR1734LL	225/60R18	100H	SL	520 A A	10	BLK	6.5	8.98	28.62	1764@51	29	
	CROS-CTR1749LL	235/60R18	103H	SL	520 A A	10	BLK	7.0	9.45	29.09	1929@51	29	
	CROS-CTR1768LL	245/60R18	105H	SL	520 A A	10	BLK	7.0	9.76	29.57	2039@51	30	
	CROS-CTR1709LL	215/55R18	99H	XL	520 A A	10	BLK	7.0	8.90	27.28	1709@50	27	
	CROS-CTR1792LL	225/55R18	98H	SL	520 A A	10	BLK	7.0	9.17	27.76	1653@51	28	
	CROS-CTR1735LL	235/55R18	104V	XL	520 A A	10	BLK	7.5	9.65	28.15	1984@50	28	
	CROS-CTR1726LL	225/50R18	95W	SL	520 A A	10	BLK	7.0	9.17	26.89	1521@51	27	
	CROS-CTR1713LL	235/50R18	101W	XL	520 A A	10	BLK	7.5	9.65	27.28	1819@50	27	
19	CROS-CTR1714LL	225/45R18	95W	XL	520 A A	10	BLK	7.5	8.86	25.94	1521@50	26	
	CROS-CTR1717LL	245/45R18	100W	XL	520 A A	10	BLK	8.0	9.57	26.65	1764@50	27	
	CROS-CTR1778LL	225/40R18	92W	XL	520 A A	10	BLK	8.0	9.06	25.08	1389@50	25	
	CROS-CTR1775LL	245/40R18	97W	XL	520 A A	10	BLK	8.5	9.76	25.71	1609@50	26	
	CROS-CTR1772LL	255/60R19	109H	SL	520 A A	10	BLK	7.5	10.24	31.06	2271@51	31	
	CROS-CTR1721LL	225/55R19	99V	SL	520 A A	10	BLK	7.0	9.17	28.78	1709@51	29	
	CROS-CTR1723LL	235/55R19	105V	XL	520 A A	10	BLK	7.5	9.65	29.17	2039@50	29	
	CROS-CTR1797LL	225/45R19	96W	XL	520 A A	10	BLK	7.5	8.86	26.97	1565@50	27	
	CROS-CTR1794LL	245/45R19	102V	XL	520 A A	10	BLK	8.0	9.57	27.68	1874@50	28	
	CROS-CTR1798LL	255/45R19	104V	XL	520 A A	10	BLK	8.5	10.04	28.07	1984@50	28	
CROS-CTR1702LL	235/40R19	96V	XL	520 A A	10	BLK	8.5	9.49	26.42	1565@50	26		

# CrossWind

## Ultra Sport+

ULTRA-HIGH PERFORMANCE ALL-SEASON

The all-new **Ultra Sport+ UHP** tire is a great option for the driver who wants performance from their vehicle. The new and improved tread pattern has been designed to help with wet conditions such as rain, ice, and snow.

The Ultra Sport+ tire can help transform your vehicle into a sporty responsive drive handling grip and stability at high speeds for any season. This tire is ideal for sports cars, luxury vehicles and high-performance sedans.

### Balance

Balanced foot pressure provides even wear and longer tread wear life.

### Handling

Ridge design allows water to drain, dispersing water quickly for handling wet surfaces better.

### Control

High density sipes allow for better braking and tight cornering and 3D sipes improve wet and snow performance.

### Braking

Four main longitudinal grooves are designed to ensure wet performance.



### SIZES AVAILABLE

17" - 22" Rim Sizes

### SPEED RATING

W & Y

### FITS

- Ford Mustang
- Hyundai Elantra
- Toyota Corolla
- Subaru WRX
- Subaru BRZ & more



Free replacement first 2/32" of treadwear for workmanship and material.

# CrossWind

# Ultra Sport+

## ULTRA-HIGH PERFORMANCE ALL-SEASON


	ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
17	CROS-CLS90	205/50R17	93W	XL	520A A	6.2	BLK	6.50	8.4	25.12	1433@50	20.04
	CROS-CLS51	205/45R17	88W	XL	520A A	6.2	BLK	7.00	8.1	24.25	1235@50	19.13
	CROS-CLS87	215/55R17	98W	XL	520A A	6.2	BLK	7.00	8.9	26.30	1653@50	22.65
	CROS-CLS58	215/50R17	95W	XL	520A A	6.2	BLK	7.00	8.9	25.51	1521@50	21.16
	CROS-CLS53	215/45R17	91W	XL	520A A	6.2	BLK	7.00	8.4	24.65	1356@50	19.94
	CROS-CLS88	225/55R17	101W	XL	520A A	6.2	BLK	7.00	9.2	26.77	1819@50	23.83
	CROS-CLS66	225/50R17	98W	XL	520A A	6.2	BLK	7.00	9.2	25.91	1653@50	22.72
	CROS-CLS71	225/45R17	94W	XL	520A A	6.2	BLK	7.50	8.9	24.96	1477@ 50	20.96
	CROS-CLS89	235/55R17	99W	SL	520A A	6.2	BLK	7.50	9.6	27.17	1709@51	24.82
	CROS-CLS54	235/45R17	97W	XL	520A A	6.2	BLK	8.00	9.3	25.35	1609@50	21.84
18	CROS-CLS02	215/45R18	93W	XL	520A A	6.2	BLK	7.00	8.4	25.63	1433@50	22.50
	CROS-CLS25	225/50R18	95W	SL	520A A	6.2	BLK	7.00	9.2	26.89	1521@ 51	23.17
	CROS-CLS14	225/45R18	95W	XL	520A A	6.2	BLK	7.50	8.9	25.94	1521@50	21.88
	CROS-CLS78	225/40R18	92W	XL	520A A	6.2	BLK	8.00	9.1	25.08	1389@50	21.70
	CROS-CLS34	235/55R18	104W	XL	520A A	6.2	BLK	7.50	9.6	28.15	1984@50	26.22
	CROS-CLS13	235/50R18	101W	XL	520A A	6.2	BLK	7.50	9.6	27.28	1819@50	24.21
	CROS-CLS12	235/45R18	98W	XL	520A A	6.2	BLK	8.00	9.3	26.34	1653@50	22.99
	CROS-CLS82	235/40R18	95W	XL	520A A	6.2	BLK	8.50	9.5	25.39	1521@50	21.74
	CROS-CLS17	245/45R18	100W	XL	520A A	6.2	BLK	8.00	9.6	26.65	1764@50	24.70
	CROS-CLS75	245/40R18	97W	XL	520A A	6.2	BLK	8.50	9.8	25.71	1609@50	23.04
19	CROS-CLS04	225/45R19	96W	XL	520A A	6.2	BLK	7.50	8.9	26.97	1565@50	23.23
	CROS-CLS15	235/35R19	91W	XL	520A A	6.2	BLK	8.50	9.5	25.47	1356@50	22.95
	CROS-CLS94	245/45R19	102W	XL	520A A	6.2	BLK	8.00	9.6	27.68	1874@50	27.02
	CROS-CLS81	245/40R19	98W	XL	520A A	6.2	BLK	8.50	9.8	26.73	1653@50	25.69
	CROS-CLS32	245/35R19	93W	XL	520A A	6.2	BLK	8.50	9.8	25.79	1433@50	23.94
	CROS-CLS03	255/40R19	100W	XL	520A A	6.2	BLK	9.00	10.2	27.05	1764@50	24.92
	CROS-CLS35	255/35R19	96W	XL	520A A	6.2	BLK	9.00	10.2	26.02	1565@50	23.82
	CROS-CLS06	275/35R19	100W	XL	520A A	6.2	BLK	9.50	10.9	26.57	1764@50	27.19
20	CROS-CLS27	245/50R20	102W	SL	520A A	6.2	BLK	7.50	10.0	29.69	1874@51	28.13
	CROS-CLS93	245/45R20	103W	XL	520A A	6.2	BLK	8.00	9.6	28.66	1929@50	27.37
	CROS-CLS38	245/40R20	99W	XL	520A A	6.2	BLK	8.50	9.8	27.72	1709@50	25.97
	CROS-CLS42	245/35R20	95W	XL	520A A	6.2	BLK	8.50	9.8	26.77	1521@50	24.38
	CROS-CLS21	255/45R20	105W	XL	520A A	6.2	BLK	8.50	10.0	29.06	2039@50	28.19
	CROS-CLS20	255/35R20	97W	XL	520A A	6.2	BLK	9.00	10.2	27.01	1609@50	24.49
	CROS-CLS65	275/40R20	106W	XL	520A A	6.2	BLK	9.50	10.9	28.66	2094@50	30.47
	CROS-CLS37	275/35R20	102W	XL	520A A	6.2	BLK	9.50	10.9	27.56	1874@50	28.15
21	CROS-CLS07	275/40R21	107Y	XL	520A A	6.2	BLK	9.50	10.9	29.65	2149@50	31.57
	CROS-CLS16	315/35R21	111W	XL	520A A	6.2	BLK	11.00	12.6	29.65	2403@50	34.48
22	CROS-CLS05	275/35R22	104Y	XL	520A A	6.2	BLK	9.50	10.9	29.57	1984@50	29.83
	CROS-CLS22	285/35R22	106W	XL	520A A	6.2	BLK	10.00	11.4	29.88	2094@50	32.54

# CrossWind

## HT2

HIGHWAY ALL-SEASON SUV/LT

The **CrossWind HT2** is an all-season tire developed for crossover, small- and medium-sized utility vehicle, and minivan drivers looking for reassuring year-round traction combined with a comfortable, quiet ride. Designed to deliver balanced dry performance with dependable wet traction and long tread life, providing a confident drive.



### Confident Driving On Wet Roads

Four wide circumferential grooves and zig-zag siping significantly enhance water evacuation and ensure confident driving even in heavy rain.

### Durable And Long-Lasting

The combination of natural rubber and high wear-resistant carbon black delivers excellent wear performance and superior anti-chip performance.

Carbon black with high wear-resistance



Natural rubber with excellent property



High dispersion



Improved wear life and superior anti-chip performance



### Low Road Noise

Multiple variable pitches design combined with optimized pitch ratio and arrangement reduces noise.

### SIZES AVAILABLE

15" - 22" Metric and LT sizes

### SPEED RATING

H, T & Q

### FITS

- Mid/Full-Size Pickups
- Jeeps
- SUVs



Free replacement during first 2/32" of treadwear for workmanship and material defects.

	ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAM.	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
15	CROS-CHT64	235/75R15	105T	SL	560 A B	11	BLK	6.5	9.25	28.86	2039@44	-	29
	CROS-CHT75	225/75R16	104T	SL	560 A B	11	BLK	6.0	8.78	29.29	1984@44	-	30
16	CROS-CHT36	245/75R16	111T	SL	560 A B	11	BLK	7.0	9.76	30.47	2403@44	-	33
	CROS-CHT04	265/75R16	116T	SL	560 A B	11	BLK	7.5	10.51	31.65	2756@44	-	39
	CROS-CHT41	215/70R16	100H	SL	560 A B	11	BLK	6.5	8.70	27.90	1764@51	-	26
	CROS-CHT77	225/70R16	103T	SL	560 A B	11	BLK	6.5	8.98	28.43	1929@44	-	27
	CROS-CHT53	235/70R16	106T	SL	560 A B	11	BLK	7.0	9.45	28.98	2094@44	-	29
	CROS-CHT81	245/70R16	107T	SL	560 A B	11	BLK	7.0	9.76	29.53	2149@ 44	-	32
	CROS-CHT54	255/70R16	111T	SL	560 A B	11	BLK	7.5	10.24	30.08	2403@44	-	34
	CROS-CHT94	265/70R16	112T	SL	560 A B	11	BLK	8.0	10.71	30.63	2469@44	-	36
	CROS-CHT14	LT215/85R16	115/112Q	E	-	14	BLK	6.0	8.50	30.39	2679@80	2469@80	36
	CROS-CHT17	LT235/85R16	120/116R	E	-	15	BLK	6.5	9.25	31.73	3086@80	2756@80	44
	CROS-CHT23	LT225/75R16	115/112Q	E	-	14	BLK	6.0	8.78	29.29	2679@80	2469@80	36
	CROS-CHT38	LT245/75R16	120/116R	E	-	15	BLK	7.0	9.76	30.47	3086@80	2756@80	43
	CROS-CHT39	LT265/75R16	123/120R	E	-	15	BLK	7.5	10.51	31.65	3417@80	3085@80	49
	CROS-CHT70	245/70R17	110T	SL	560 A B	11	BLK	7.0	9.76	30.55	2337@44	-	34
CROS-CHT87	265/70R17	115T	SL	560 A B	12	BLK	8.0	10.71	31.65	2679@44	-	37	
CROS-CHT76	225/65R17	102H	SL	560 A A	11	BLK	6.5	8.98	28.50	1874@51	-	27	
CROS-CHT74	235/65R17	104T	SL	560 A B	11	BLK	7.0	9.45	29.06	1984@44	-	29	
CROS-CHT47	245/65R17	107T	SL	560 A B	11	BLK	7.0	9.76	29.53	2149@44	-	32	
17	CROS-CHT20	255/65R17	110T	SL	560 A B	11	BLK	7.5	10.24	30.08	2337@44	-	34
	CROS-CHT58	265/65R17	112T	SL	560 A B	11	BLK	8.0	10.71	30.55	2469@44	-	35
	CROS-CHT55	225/60R17	99H	SL	560 A A	11	BLK	6.5	8.98	27.64	1709@51	-	26
	CROS-CHT07	235/60R17	106H	XL	560 A A	11	BLK	7.0	9.45	28.11	2094@50	-	28
	CROS-CHT19	LT245/75R17	121/118R	E	-	14	BLK	7.0	9.57	32.00	3195@80	2910@80	45
	CROS-CHT02	LT265/70R17	121/118R	E	-	15	BLK	8.0	10.71	31.65	3195@80	2910@80	49
18	CROS-CHT52	255/70R18	113T	SL	560 A B	11	BLK	7.5	10.24	32.09	2535@44	-	38
	CROS-CHT22	265/70R18	116T	SL	560 A B	11	BLK	8.0	10.71	32.64	2756@44	-	40
	CROS-CHT05	235/65R18	106H	SL	560 A A	11	BLK	7.0	9.45	30.04	2094@51	-	30
	CROS-CHT37	255/65R18	111T	SL	560 A B	11	BLK	7.5	10.24	31.06	2403@44	-	36
	CROS-CHT56	265/65R18	114T	SL	560 A B	11	BLK	8.0	10.71	31.54	2601@44	-	38
	CROS-CHT95	275/65R18	116T	XL	560 A B	11	BLK	8.0	10.98	32.09	2756@50	-	40
	CROS-CHT34	225/60R18	100H	SL	560 A A	11	BLK	6.5	8.98	28.62	1764@51	-	27
	CROS-CHT49	235/60R18	107H	XL	560 A A	11	BLK	7.0	9.45	29.09	2149@50	-	29
	CROS-CHT68	245/60R18	105H	SL	560 A A	11	BLK	7.0	9.76	29.57	2039@51	-	32
	CROS-CHT91	265/60R18	110T	SL	560 A A	11	BLK	8.0	10.71	30.51	2337@44	-	35
	CROS-CHT92	225/55R18	98H	SL	560 A A	11	BLK	7.0	9.17	27.76	1653@51	-	27
	CROS-CHT03	235/55R18	104H	XL	560 A A	11	BLK	7.5	9.65	28.15	1984@50	-	28
CROS-CHT35	255/55R18	105H	SL	560 A A	11	BLK	8.0	10.43	29.02	2039@51	-	32	
CROS-CHT30	LT265/70R18	121/124R	E	-	15	BLK	8.0	10.63	33.00	3525@80	3195@80	49	
19	CROS-CHT71	255/60R19	109H	SL	560 A A	11	BLK	7.5	10.24	31.06	2271@51	-	34
	CROS-CHT86	235/55R19	101H	SL	560 A A	11	BLK	7.5	9.65	29.17	1819@51	-	30
	CROS-CHT66	245/55R19	103H	SL	560 A A	11	BLK	7.5	9.96	28.70	1929@51	-	31
	CROS-CHT90	255/55R19	111H	XL	560 A A	11	BLK	8.0	10.43	30.04	2403@50	-	34
	CROS-CHT10	255/50R19	107H	XL	560 A A	11	BLK	8.0	10.43	29.09	2149@50	-	32
	CROS-CHT28	245/60R20	107H	SL	560 A A	11	BLK	7.0	9.76	31.57	2149@51	-	34
	CROS-CHT93	255/60R20	113T	XL	560 A A	11	BLK	7.5	10.24	32.05	2535@50	-	36
	CROS-CHT15	275/60R20	115T	SL	560 A A	11	BLK	8.0	10.98	32.99	2679@44	-	41
20	CROS-CHT25	235/55R20	102H	SL	560 A A	11	BLK	7.5	9.65	30.16	1874@51	-	31
	CROS-CHT48	275/55R20	113H	SL	560 A A	11	BLK	8.5	11.18	31.89	2535@51	-	38
	CROS-CHT80	245/50R20	102H	SL	560 A A	11	BLK	7.5	9.96	29.69	1874@51	-	31
	CROS-CHT84	255/50R20	109H	XL	560 A A	11	BLK	8.0	10.43	30.08	2271@50	-	34
	CROS-CHT85	265/50R20	107H	SL	560 A A	11	BLK	8.5	10.91	30.47	2149@51	-	35
22	CROS-CHT33	285/45R22	110H	SL	560 A A	11	BLK	9.5	11.22	32.09	2337@51	-	39

# CrossWind

## TrailTraxx ALL-TERRAIN

The all-new **TrailTraxx** all-terrain tire is a good choice for drivers who want a versatile tire for an everyday commute, as well as planning an adventure for those off-road capabilities.

The new tread design offers a balance of traction, durability and comfort allowing you to drive confidently in unpredictable weather conditions such as rain, ice, or snow.

**NEW**

### Sidewall

Reinforced sidewalls to reduce punctures and damages from rocks and sharp objects.

**Everyday  
commute  
on the road**

### Optimized Block Pattern

- Enhances on and off-road traction
- Allows excellent handling stability
- Provides longer tread life.

### High Density Sipes

- Provides superior snow and wet performance.

### Anti-Stones Design

- Ejects stone from grooves
- Adds grip to deep mud, snow or slush.

**A rigorous  
adventure  
off road**

3PMS Certified



### SIZES AVAILABLE

16" - 22" Rim Sizes

### SPEED RATING

H, S, T & Q

### FITS

- Ford F150/F250/F350
- Ford Explorer
- Chevy Silverado
- Dodge Durango
- Ford Expedition
- Chevy Tahoe & more



Free replacement during first 2/32" of treadwear for workmanship and material.

	ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	STANDARD RIM	OVERALL WIDTH	OVERALL DIAM.	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
16	CROS-CTL53	235/70R16	106S		580AB	12.0	BLK	7.00	9.5	29.00	2094@36		32.95
	CROS-CTL79	245/75R16	111S		580AB	13.4	BLK	7.00	9.8	30.50	2403@36		34.98
	CROS-CTL81	265/75R16	116S		580AB	13.4	BLK	7.50	10.5	31.65	2756@36		39.80
	CROS-CTL93	265/70R16	112S		580AB	13.4	BLK	8.00	10.7	30.65	2469@36		38.91
	CROS-CTL26	LT225/75R16	115/112Q	E		14.2	BLK	6.00	8.8	29.29	2680@80	2470@80	38.30
	CROS-CTL38	LT245/75R16	120/116Q	E		15.4	BLK	7.00	9.8	30.47	3042@80	2778@80	44.02
	CROS-CTL39	LT265/75R16	123/120Q	E		15.4	BLK	7.50	10.5	31.65	3415@80	3085@80	48.95
	CROS-CTL68	LT285/75R16	126/123Q	E		16.4	BLK	8.00	11.3	32.83	3750@80	3415@80	54.82
17	CROS-CTL67	245/65R17	111H	XL	580AB	13.4	BLK	7.00	9.8	29.55	2403@42		34.53
	CROS-CTL87	265/70R17	115S		580AB	13.4	BLK	8.00	10.7	31.68	2679@36		41.36
	CROS-CTL58	265/65R17	116S	XL	580AB	13.4	BLK	8.00	10.7	30.57	2756@42		37.84
	CROS-CTL82	285/70R17	116T		580AB	13.4	BLK	8.50	11.5	32.78	2756@36		43.42
	CROS-CTL19	LT245/75R17	121/118Q	E		15.4	BLK	7.00	9.8	31.50	3195@80	2910@80	45.42
	CROS-CTL92	LT265/70R17	123/120Q	E		15.4	BLK	8.00	10.7	31.65	3415@80	3085@80	49.64
	CROS-CTL84	LT285/70R17	126/123Q	E		16.4	BLK	8.50	11.5	32.76	3750@80	3415@80	54.89
	CROS-CTL02	LT315/70R17	126/123Q	E		16.4	BLK	9.50	12.7	34.41	3750@65	3415@65	67.91
18	CROS-CTL94	35x12.50R17LT	125Q	E		15.7	BLK	10.00	12.5	34.52	3640@65		67.91
	CROS-CTL52	255/70R18	113T		580AB	13.4	BLK	7.50	10.2	32.11	2535@36		40.14
	CROS-CTL22	265/70R18	116T		580AB	13.4	BLK	8.00	10.7	32.66	2756@36		41.85
	CROS-CTL91	265/60R18	110T		580AB	11.3	BLK	8.00	10.7	30.54	2336@36		38.97
	CROS-CTL63	275/65R18	116T		580AB	13.4	BLK	8.00	11.0	32.11	2756@36		41.45
	CROS-CTL72	LT275/70R18	125/122Q	E		15.4	BLK	8.00	11.0	33.19	3640@80	3305@80	52.99
	CROS-CTL40	LT275/65R18	123/120Q	E		15.4	BLK	8.00	11.0	32.09	3415@80	3085@80	49.88
	CROS-CTL23	LT295/70R18	129/126Q	E		16.4	BLK	8.50	11.8	34.29	4080@80	3750@80	63.24
20	CROS-CTL95	35x12.50R18LT	128Q	F		15.7	BLK	10.00	12.5	34.52	3970@80		67.69
	CROS-CTL15	275/60R20	115T		580AB	11.3	BLK	8.00	11.0	33.02	2679@36		42.53
	CROS-CTL48	275/55R20	117S	XL	580AB	11.3	BLK	8.50	11.2	31.91	2833@42		38.38
	CROS-CTL43	LT275/65R20	126/123Q	E		15.4	BLK	8.00	11.0	34.09	3750@80	3415@80	54.33
	CROS-CTL80	LT285/60R20	125/122Q	E		16.4	BLK	8.50	11.5	33.46	3640@80	3305@80	60.34
	CROS-CTL78	LT285/55R20	122/119Q	E		16.4	BLK	9.00	11.7	32.36	3305@80	3000@80	53.34
	CROS-CTL88	33x12.50R20LT	119Q	F		15.7	BLK	10.00	12.5	32.52	3000@80		63.68
22	CROS-CTL71	35x12.50R20LT	125Q	F		15.7	BLK	10.00	12.5	34.52	3640@80		64.18
	CROS-CTL31	285/45R22	110Q		580AB	11.3	BLK	9.50	11.2	32.11	2337@36		42.97
	CROS-CTL90	35X12.50R22LT	121Q	F	520A A	15.7	BLK	10.00	12.5	34.52	3195@80		68.14

# CrossWind

## Rugged Traxx

RUGGED TERRAIN

The all new tough **Rugged Traxx** rugged terrain tire is designed for trucks, SUVs, and jeeps that want an extreme rugged adventure off road while still able to drive on the road. This Rugged Traxx RT is a more aggressive tire that performs between an all-terrain and mud terrain tire in any weather. Additionally, there are dual sidewall designs to choose from to compliment your vehicle. This tire is a popular choice for the enthusiast who is looking for their next adventure on or off road.

**NEW**



### Dual Sidewalls

Two sidewall design options to choose from to compliment your vehicle.

### Mud Traction

Crossed horned block design provides strong traction on muddy and soft surfaces.

### Climbing

A magic compound that deals with all kinds of harsh terrain and climate that gives strong rock traction for climbing.

### Driving Comfort

The pattern pitch design pattern reduces significant noise level allowing you to ride in comfort.

3PMS Certified



### SIZES AVAILABLE

16" - 24" Rim Sizes

### SPEED RATING

Q, S & T



	ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	STANDARD RIM	SECTION WIDTH (IN)	OVERALL DIAM.	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
16	CROS-CRX81	265/75R16	116Q		600 AB	14	BLK	7.5	10.52	31.68	2756@44		42
	CROS-CRX93	265/70R16	112Q		600 AB	14	BLK	8.0	10.72	30.65	2469@44		41
	CROS-CRX38	LT245/75R16	120/116Q	E		15	BLK	7.0	9.76	30.47	3042@80	2778@80	47
	CROS-CRX39	LT265/75R16	123/120Q	E		15	BLK	7.5	10.51	31.65	3415@80	3085@80	53
	CROS-CRX68	LT285/75R16	126/123Q	E		18	BLK	8.0	11.26	32.83	3750@80	3415@80	57
17	CROS-CRX87	265/70R17	115Q		600 AB	14	BLK	8.0	10.72	31.68	2679@44		42
	CROS-CRX58	265/65R17	112Q		600 AB	14	BLK	8.0	10.72	30.57	2469@44		41
	CROS-CRX19	LT245/75R17	121/118Q	E		15	BLK	7.0	9.76	31.50	3195@80	2910@80	49
	CROS-CRX92	LT265/70R17	123/120Q	E		15	BLK	8.0	10.71	31.65	3415@80	3085@80	52
	CROS-CRX84	LT285/70R17	126/123Q	E		18	BLK	8.5	11.50	32.76	3750@80	3415@80	61
	CROS-CRX94	35x12.50R17LT	128Q	F		18	BLK	10.0	12.50	34.52	3970@80		70
18	CROS-CRX52	255/70R18	116T	XL	600 AB	14	BLK	7.5	10.24	32.11	2756@44		41
	CROS-CRX22	265/70R18	116S		600 AB	14	BLK	8.0	10.72	32.66	2756@44		43
	CROS-CRX91	265/60R18	114Q	XL	600 AB	14	BLK	8.0	10.72	30.54	2601@44		41
	CROS-CRX63	275/65R18	116T	XL	600 AB	14	BLK	8.0	10.99	32.11	2756@44		43
	CROS-CRX72	LT275/70R18	125/122Q	E		18	BLK	8.0	10.98	33.19	3640@80	3305@80	58
	CROS-CRX40	LT275/65R18	123/120Q	E		18	BLK	8.0	10.98	32.09	3415@80	3085@80	55
	CROS-CRX95	35x12.50R18LT	128Q	F		18	BLK	10.0	12.50	34.52	3970@80		70
20	CROS-CRX15	275/60R20	116T	XL	600 AB	14	BLK	8.0	10.99	33.02	2756@44		44
	CROS-CRX48	275/55R20	117Q	XL	600 AB	14	BLK	8.5	11.19	31.91	2833@44		46
	CROS-CRX43	LT275/65R20	126/123Q	E		18	BLK	8.0	10.98	34.09	3750@80	3415@80	59
	CROS-CRX80	LT285/60R20	125/122Q	E		18	BLK	8.5	11.50	33.46	3640@80	3305@80	63
	CROS-CRX54	LT305/55R20	121/118Q	E		18	BLK	9.5	12.44	33.23	3195@65	2910@65	63
	CROS-CRX71	35x12.50R20LT	125Q	F		18	BLK	10.0	12.50	34.52	3640@80		70
22	CROS-CRX31	285/45R22	114Q	XL	600 AB	14	BLK	9.5	11.23	32.11	2601@44		44
	CROS-CRX90	35X12.50R22LT	121Q	F		18	BLK	10.0	12.50	34.52	3195@80		68
	CROS-CRX96	37x13.50R22LT	128Q	F		18	BLK	11.0	13.58	36.50	3970@80		79
24	CROS-CRX89	35x12.50R24LT	116Q	F		18	BLK	10.5	12.45	34.52	2755@80		71

# CrossWind

## M/T TRACTION LT

An all-season tire, the **CrossWind M/T** is designed for use on Jeeps, SUVs, and mid- and full-sized pickup trucks, and offers drivers strong on- and off-road traction.

Shallow central grooves, with stronger shoulder blocks to enhance puncture resistance.

Wide pattern blocks to provide strong traction on unpaved roads.

Aggressive design to provide superior off-road performance.



### SIZES AVAILABLE

15" - 20" LT sizes

### FITS

- Pickups
- Jeeps
- SUVs

### SPEED RATING

Q

CrossWind M/T Tires are available through Factory Direct Program. Selection of popular sizes are available through the DC.

\*See size sheet for details.

# CrossWind **M/T** TRACTION LT

	ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	STANDARD RIM	SECTION WIDTH (IN.)	OVERALL DIAM.	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@ PSI	SHIP WEIGHT (LBS.)
15	CROS-MTR2814LL	LT235/75R15	104/101Q	C	17	BLK	6.5	9.25	29.09	1984 @ 51	1819 @ 51	38
	*CROS-MTR2803LL	31X10.50R15LT	109Q	C	18	BLK	8.5	12.52	30.75	2337 @ 51	-	46
	*CROS-MTR2806LL	33X12.50R15LT	108Q	C	18	BLK	10.0	12.52	32.76	2205 @ 36	-	54
16	*CROS-MTR2816LL	LT235/85R16	120/116Q	E	17	BLK	6.5	9.25	31.73	3042 @ 80	2778 @ 80	45
	CROS-MTR2817LL	LT245/75R16	120/116Q	E	17	BLK	7.0	9.76	30.47	3042 @ 80	2778 @ 80	45
	*CROS-MTR2821LL	LT265/75R16	123/120Q	E	18	BLK	7.5	10.51	31.89	3415 @ 80	3085 @ 80	51
	CROS-MTR2826LL	LT285/75R16	126/123Q	E	18	BLK	8.0	10.71	33.07	3750 @ 80	3415 @ 80	57
	*CROS-MTR2829LL	LT315/75R16	127/124Q	E	18	BLK	10.0	12.32	34.80	3860 @ 65	3535 @ 65	68
	CROS-MTR2819LL	LT265/70R16	110/107Q	C	19	BLK	8.0	10.71	30.87	2337 @ 51	2149 @ 51	45
	*CROS-MTR2827LL	LT305/70R16	124/121Q	E	19	BLK	9.0	12.24	33.07	2910 @ 51	2679 @ 51	62
	*CROS-MTR2815LL	LT235/80R17	120/117Q	E	16	BLK	6.5	9.17	32.05	3085 @ 80	2835 @ 80	47
	*CROS-MTR2820LL	LT265/70R17	121/118Q	E	18	BLK	8.0	11.50	31.89	3197 @ 80	2910 @ 80	53
17	CROS-MTR2825LL	LT285/70R17	121/118Q	E	18	BLK	8.5	10.91	32.99	3197 @ 65	2910 @ 65	56
	*CROS-MTR2808LL	35X12.50R17LT	121Q	E	18	BLK	10.0	12.52	34.76	3197 @ 65	-	67
	CROS-MTR2822LL	LT275/70R18	125/122Q	E	18	BLK	8.0	9.45	33.43	3640 @ 80	2755 @ 80	54
	CROS-MTR2807LL	33X12.50R18LT	118Q	E	18	BLK	10.0	12.52	32.76	2910 @ 65	-	62
20	*CROS-MTR2809LL	35X12.50R18LT	123Q	E	18	BLK	10.0	12.52	34.76	3415 @ 65	-	68
	*CROS-MTR2824LL	LT285/65R20	127/124Q	E	19	BLK	8.5	11.41	34.80	3860 @ 80	3525 @ 80	62
	*CROS-MTR2823LL	LT285/55R20	122/119Q	E	19	BLK	9.0	11.61	32.60	3305 @ 80	3000 @ 80	58
	*CROS-MTR2804LL	33X12.50R20LT	114Q	E	20	BLK	10.0	12.40	32.80	2600 @ 65	-	66
	CROS-MTR2810LL	35X12.50R20LT	121Q	E	20	BLK	10.0	12.40	34.80	3195 @ 65	-	69
	*CROS-MTR2805LL	33x12.50R22LT	109Q	E	20	BLK	10.0	12.52	32.51	2271 @ 65	-	64
22	*CROS-MTR2811LL	35x12.50R22LT	117Q	E	20	BLK	10.0	12.52	34.52	2833 @ 65	-	69

\*Factory Direct Only



# LIMITED WARRANTY FOR CROSSWIND TIRES

## LIMITED WARRANTY POLICY

This limited warranty policy is applicable to CrossWind tires offered by TBC Brands and complete D.O.T. serial identification number. Subject to the terms and conditions set out herein, TBC Brands hereby warrants and certifies that tires supplied to its Customer (Buyer) are warranted against failure to complete their satisfactory life as a result of any inherent deficiency relating to workmanship or material.

## DURATION OF WARRANTY AND CONDITIONS

- A. The warranty period is limited to a maximum of 5 years (60 months) from the date of manufacture and/or shall terminate once the tread is worn to TWI (Tread Wear Indicator), whichever occurs first.
- B. Before using, any new tire found with appearance deficiency as stated in item 1 will be replaced with a same new tire at no charge.
- C. Tires that have become unserviceable as stated in item 1 shall be compensated in value according to selling price based on percentage of tread depth remaining.
- D. If the tire wears out (wears down to tread wear indicators) before the warranty miles under the normal passenger use, the tire will be compensated in value according to selling price based on percentage of the warranted miles not received. (Applicable tire, please refer to the attachment 1).

## WHAT IS NOT WARRANTED?

Tires that become unserviceable for the following reasons:

- Road hazard injuries or damages caused by obstacles or debris, such as cuts, punctures (whether repairable or not), snags, bruises, tears, abrasions or impact breaks.
- Improper repairs or repairs that have failed.
- Improper inflation or other maintenance abuses.
- Improper application.
- Improper mounting/dismounting or improper balance.
- Mechanical irregularities such as bent wheel assemblies, misalignment worn or faulty components.
- Accident, corrosion, tire alteration, vandalism, fire, theft or damages cause by nature.
- Damage from over or under inflation, overloading, defective vehicle mechanical conditions.
- Racing, off road use and misapplication.
- Ozone or weather cracking or other abuse, misuse, tire alteration, run flat.
- Tire which D.O.T identification number and/or brand name removed intentionally.
- Tires that have been modified after leaving the factory, such as fillers, sealants, balancing substances and external tire treatments or materials of any kind. If the added material is the cause of a failure, a tire will not be accepted for warranty claim.
- Abnormal tread wear resulting from improper installation, wheel misalignment, tire/wheel assembly imbalance, etc.
- Vehicles or tires operated in excess of the rated Work Capacity Factor.
- Additional monetary loss, such as damage of the vehicle or time, etc.

## COMPENSATION UNDER THE WARRANTY

- Tires that have become unserviceable as stated in item 1 shall be according to Invoice selling price calculated based on percentage of tread remaining.

### EXAMPLE:

If your disabled tire had an original tread depth 8mm and was worn by 4mm, you shall receive 50% compensation according to Invoice selling price of the same tire.

- If the tire wears out (wears down to tread wear indicators) before the warranty miles under the normal passenger use, the tire will be compensated in value according to selling price based on percentage of the warranted miles not received. (Applicable tire, please refer to the attachment 1)

### EXAMPLE:

If your tire had a tread life limited warranty of 50,000 miles and delivered 40,000 miles prior to wear-out, you shall receive 20% compensation according to Invoice selling price of the same tire.

## OWNER'S OBLIGATION

- At the time of purchase, tires must be properly installed with recommended inflation and balanced. Observe rotation and alignment regularly according to recommendations.
- Refer to any authorized TBC Brands dealer or point of purchase for adjustment claim.
- Present your tires and the original purchase receipt to point of purchase or any TBC Brands dealer.
- When making a claim about mileage warranty, you must present your original tire purchase invoice which shows the tire description, mileage and the date the tire(s) were installed.
- Owner must pay service charges such as mounting, balancing and any other applicable taxes and government-mandated charges.
- Complete and sign the Claim Adjustment form provided, keep a copy for your records and leave the tire with the dealer to process the warranty claim.

## DEALER'S OBLIGATION AND CLAIM PROCESS

- TBC Brands's authorized dealer or customer (buyer) submit adjustment claim along with a cut-out slice of full DOT serial from the disabled tire, measurements of tread remaining, photos showing tread area as well as damage area, etc. to LINGLONG Brands to validate and process the adjustment claim.
- Any other information such as VIN (Vehicle Identification Number) or relevant information/material must be submitted if required.

## TIRE CARE AND MAINTENANCE GUIDE

Tire failure can result in serious damage and/or personal injury. To reduce these risks we recommend the following:

- Maintain proper inflation, do not under or over inflate. Always maintain inflation according to the vehicle manufacturer's or TBC Brands's recommendations.
- Wheel alignment and balancing should be checked at regular intervals.
- Do not overload, refer to load carrying capacity information molded on tire sidewall.
- Avoid spinning, driving over curbs, potholes, obstacles and edges of pavement.
- Never drive with smooth (bald) tires. By law, tires must be replaced when worn to TWI (tread wear indicator).
- Check your tires frequently for any damage such as scrapes, cuts, foreign objects, separations or bulges. If damaged replace it with spare and refer to an authorized dealer.
- Do not drive in excess of permitted speed limits and beyond the maximum specified by tire.
- To achieve proper wear and optimize tread life, tire rotation at regular intervals is recommended.


Limitations: This limited warranty is applicable only in the United States and Canada. Attachment 1

NO	PATTERN	MILEAGE WARRANTY
1	CROSSWIND HT2	55,000
2	CROSSWIND HP010 PLUS	50,000
3	CROSSWIND ULTRA SPORT+	50,000
4	CROSSWIND TRAILTRAXX	55,000
5	CROSSWIND RUGGED TRAXX	50,000

# CROSSWIND POINT OF SALE & MERCHANDISE



## CrossWind Sales and Marketing Resources Program

Access the latest CrossWind Sales and Marketing materials conveniently online at <https://www.tbcbrands.com/tire-brands/crosswind/>



As part of our commitment to support your CrossWind Sales and Marketing efforts, we are pleased to provide you with several convenient and easy-to-use online resources. These resources will ensure that you have access to the most up-to-date materials to effectively promote and sell CrossWind Tires.


- **Product Information:** Detailed specifications, features and benefits of each CrossWind tire.
- **Marketing materials:** Catalogs, product sheets and other collateral to help promote CrossWind to your customers.



# CROSSWIND POINT OF SALE & MERCHANDISE

## Custom Web Banners:


Custom Web Banners for E-Commerce Customers and A&D Campaigns



## Counter Mats and Mousepads



## Promotional Items



## SHOP TBC Brands!

The TBC Brands Shop & Marketing Portal gives you access to the point of sale, promotional and marketing materials you need to succeed.

- Brand merchandise
- Brand apparel
- Tire Imagery
- So much more!

Enjoy quick, easy ordering and prompt fulfillment to support all your CrossWind marketing efforts! [www.shoptbcbrands.com](http://www.shoptbcbrands.com)

# *CrossWind*

**TBCBrands.**

4260 Design Center Drive, Palm Beach Gardens, FL 33410  
tbcbrands.com • 1-866-822-4968

CWTC-1124



Scan here with your mobile device to  
view more of CrossWind products

[www.tbcbrands.com/tire-brands/crosswind](http://www.tbcbrands.com/tire-brands/crosswind)