

CRUX Interface Update Program Guide

1. Unzip folder or Extract files from folder.



2.

👸 CRUX-Flasher-Setup
Für die folgenden Komponenten:
Microsoft .NET Framework 4 (x86 und x64)
Lesen Sie den folgenden Lizenzvertrag. Verwenden Sie die BILD-AB-Taste, um den Rest des Vertrags anzuzeigen.
ERGÄNZENDE LIZENZBESTIMMUNGEN FÜR MICROSOFT-
MICROSOFT .NET FRAMEWORK 4 FÜR MICROSOFT WINDOWS- BETRIEBSSYSTEM
MICROSOFT .NET FRAMEWORK 4 CLIENT PROFILE FÜR MICROSOFT WINDOWS-BETRIEBSSYSTEM
Druckansicht der Microsoft-Software-Lizenzbedingungen
Stimmen Sie den Bedingungen des Lizenzvertrags zu?
Wenn Sie auf "Ich semme nicht zu" Ricken, wird die Installation abgebrochen. Für die Installation müsser Sie zustimmen.
Ich stimme zu

3. Double-Click "setup.exe"

organize - includ	emilibrary + Sharewith + Burn	INew Tolder			(
🔆 Favorites	Name	Date modified	Туре	Size	
🧮 Desktop	RVCCH-75W SW 1.1.0.bin	7/9/2015 12:09 PM	BIN File	23 KB	
🚺 Downloads	🔯 setup.exe	7/16/2014 3:23 PM	Application	491 KB	
Music Pictures Videos Computer Solution OS (C:)					

4. Click "Install"



5. The program will open.

C	RUX			
INTERFACIN Press "List device"	IG SOLUTIONS	onnected device:		
-				
Vendor ID:	Product ID:	Start A	Address: Dx	08003800
Vendor ID:	Product ID:	Start A Browse	Address: Ox	08003800 es

6. Connect interface to USB mini cable, wait for device installer to finish and click "List Devices".a. Interface ProductID will show up in display window.

Vendor ID: DxC1CA Product ID: DxB019 Start Address: 0x080050	INTERFACING SOLUTIONS ess "List device"-button to get the currently connected device: endorID=0xC1CA ProductID=0xB019: ZL-MYGIG500 ndor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x08005000 ename: Browse	CRUX-Flasher				
VendorID=0xC1CA ProductID=0xB019: ZL-MYGIG500 Vendor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x080050	ndor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x08005000 ename: Browse List devices			d device:		
Vendor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x080050	ndor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x08005000 ename: Browse List devices	Press "List device"-butt	on to get the currently connecte	ed device:		
Vendor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x080050	ndor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x08005000 ename: Browse List devices					
Vendor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x080050	ndor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x08005000 ename: Browse List devices	VendorID=0xC1CA Pro	ductID=0xB019: ZL-MYGIG500)		
Vendor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x080050	ndor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x08005000 ename: Browse List devices	VendorID=0xC1CA Pro	ductID=0xB019: ZL-MYGIG500)		
Vendor ID: 0xC1CA Product ID: 0x8019 Start Address: 0x080050	ndor ID: 0xC1CA Product ID: 0xB019 Start Address: 0x08005000 ename: Browse List devices	VendorID=0xC1CA Pro	ductID=0xB019: ZL-MYGIG500			
	ename: Browse List devices	VendorID=0xC1CA Pro	ductID=0xB019: ZL-MYGIG500) .		
	ename: Browse List devices	Vendor ID: 0xC1CA	ductID=0xB019: ZL-MYGIG500) Start A	ddress 0x0	8005000
Filename: Browse List devices		VendorID=0xC1CA Pro	ductID=0xB019: ZL-MYGIG500) Start A	uddress: 0x0	8005000
		VendorID=0xC1CA Pro	ductID=0xB019: ZL-MYGIG500 Product ID: 0xB019) Start A Browse	ddress: 0x0	8005000 s

7. Click on "Browse" and select and OPEN "RVCCH-75W SW 1.1.0.bin" BIN file.

CRUX RVC	CH-75W -sw. 1.1.0 🗸	G 🧊 📂 🖽 🗸	
Name	*	Date modified	Туре
RVCCH-75	iW SW 1.1.0.bin	7/9/2015 12:09 PM	BIN File
•	ш		
File <u>n</u> ame:	RVCCH-75W SW 1.1.0.bin	· (Open
Files of type:	Raw binary files (* bin)	•	Cancel
	CRUX RVC Name RVCCH-75 RVCCH-75 File name:	CRUX RVCCH-75W sw. 1.1.0 Name RVCCH-75W SW 1.1.0.bin File name: RVCCH-75W SW 1.1.0.bin	Name Name Date modified RVCCH-75W SW 1.1.0.bin 7/9/2015 12:09 PM File name: RVCCH-75W SW 1.1.0.bin File name: RVCCH-75W SW 1.1.0.bin Image: RVCCH-75W SW 1.1.0.bin

8. Press "Flash", wait for update to finish display will say "update successful!".

CP				
Sr				
INTERFACING S	OLUTIONS			
Press "List device"-butt	on to get the currently connec	ted device:		
updating				
upuale succesiuil!			200000000000	
disconnect device and	connect a new device and pr	ess the FLASH-	Button again!	
disconnect device and Device started.	connect a new device and pr	ess the FLASH-	Button again!	
disconnect device and Device started.	connect a new device and pr	ess the FLASH-	Button again!	
Vendor ID: DxC1CA	Product ID: 0x8019	Start Ad	Button again! dress: 0x0800	05000
Vendor ID: DxC1CA Filename: C:\Users\De	Product ID: 0x8019	Start Ad	Button again! dress: 0x0800 List devices)5000
Vendor ID: DxC1CA Filename: C:\Users\De	Product ID: 0x8019	Start Ad	Button again! dress: 0x0800 List devices)5000

9. FINISHED, press "exit" and disconnect interface module.