

SOHTL-20


Radio Replacement Interface for LEXUS & TOYOTA Vehicles with JBL Systems

PRODUCT FEATURES:

- Retains factory features in select Lexus and Toyota vehicles with JBL Harman-Becker Digital-Synthesis Amplifier, including JBL (Pioneer-made) amplifiers while functioning with an aftermarket radio.
- Variable audio gain adjustment to level match the aftermarket radio and factory amplifier.
- Retains OEM 3.5mm Auxiliary Audio Input.
- Retains factory backup camera (if equipped).
- EIA color coded wiring for easy installation.

NOTES:

- 1. Left-Right Balance Audio Control is supported. Front-Rear Audio Fading is not supported.
- 2. Please make sure the factory radio Balance and Fade options are centered before removing the radio.



IMPORTANT INSTALLATION NOTES:


- 1. In some Lexus/Toyota vehicles 2006 and older, the mute circuit is located in the same pin location as the amplifier turn-on on the OEM harness. If no audio is heard after the installation is complete, disconnect the BLUE/WHITE wire on the SOHTL-20 t-harness from the aftermarket radio AMP Turn-on wire. Insulate with tape to avoid short circuits.
- 2. To retain the factory AUXILIARY INPUT option in the vehicle, the aftermarket radio must have an "Auxiliary Audio Input" feature. Please check your aftermarket radio manual for details.



SOHTL-20

Radio Replacement Interface for LEXUS & TOYOTA Vehicles with JBL Systems


INSTALLATION DIAGRAM:



GAIN ADJUSTMENTS:

Use the gain adjustment to level match the aftermarket radio audio output with the OE amplifier input.

| DIP SETTING | dB | Volts |
|-------------|---------|-------|
| OFF OFF OFF | 0 dB | |
| OFF OFF ON | 1.7 dB | +7mV |
| OFF ON OFF | 3.5 dB | +9mV |
| OFF ON ON | 5.2 dB | +10mV |
| ON OFF OFF | 7.2 dB | +15mV |
| ON OFF ON | 9.1 dB | +18mV |
| ON ON OFF | 11 db | +22mV |
| ON ON ON | 12.9 dB | +27mV |





SOHTL-20 Radio Replacement Interface for

LEXUS & TOYOTA Vehicles with JBL Systems

VEHICLE APPLICATIONS:

| LEXUS | | ΤΟΥΟΤΑ | |
|-----------|-------|-----------|--------------|
| 2004-2006 | ES300 | 2003-2017 | 4 Runner |
| 2003-2005 | IS300 | 2005-2017 | Avalon |
| 2006 | LS430 | 2007-2017 | Camry |
| | | 2004-2008 | Camry Solara |
| | | 2009-2017 | Corolla |
| | | 2007-2014 | FJ Cruiser |
| | | 2008-2017 | Highlander |
| | | 2005-2012 | Matrix |
| | | 2004-2017 | Prius |
| | | 2004-2017 | Rav4 |
| | | 2005-2017 | Sequoia |
| | | 2004-2016 | Sienna |
| | | 2005-2017 | Tacoma |
| | | 2004-2017 | Tundra |

NOTE:

Does not retain Mark Levinson, Pioneer, Nakamichi or Harmon Kardon amplifiers.

2009-2015

2008-2011

Venza

Yaris



PRODUCT FEATURES:

- Retains factory features in select Lexus, Scion and Toyota vehicles with JBL Harman-Becker Digital-Synthesis Amplifier, including JBL (Pioneer-made) amplifiers while functioning with an aftermarket radio.
- Variable audio gain adjustment to level match the aftermarket radio and factory amplifier.
- Retains OEM 3.5mm Auxiliary Audio Input.
- EIA color coded wiring for easy installation.

PARTS INCLUDED:



SOHTL-20 Interface

Module



SOHTL-20 T-Harness

(For Older Models)




SOHTL-20 T-Harness

(For Newer Models)



OEM Camera Retention Harness

INSTALLATION DIAGRAM:





IMPORTANT INSTALLATION NOTES:

1. In some Lexus/Toyota vehicles 2006 and older, the mute circuit is located in the same pin location as the amplifier turn-on on the OEM harness. If no audio is heard after the installation is complete, disconnect the BLUE/WHITE wire on the SOHTL-20 T-Harness from the aftermarket radio AMP Turn-on wire. Insulate with tape to avoid short circuits.

2. To retain the factory AUXILIARY INPUT option in the vehicle, the aftermarket radio must have an "Auxiliary Audio Input" feature. Please check your aftermarket radio manual for details.

GAIN ADJUSTMENTS:



| dB | Volts |
|---------|---|
| 0 dB | |
| 1.7 dB | +7mV |
| 3.5 dB | +9MmV |
| 5.2 dB | +10mV |
| 7.2 dB | +15mV |
| 9.1 dB | +18mV |
| 11 db | +22mV |
| 12.9 dB | +27mV |
| | 0 dB 1.7 dB 3.5 dB 5.2 dB 7.2 dB 9.1 dB 11 db |

VEHICLE APPLICATIONS:

| LEXUS | | ΤΟΥΟΤΑ | |
|-----------|-------|-----------|--------------|
| | 50000 | | 4. Duran and |
| 2004-2006 | ES300 | 2003-2016 | 4 Runner |
| 2003-2005 | IS300 | 2005-2015 | Avalon |
| 2004-2006 | LS430 | 2007-2016 | Camry |
| | | 2004-2008 | Camry Solara |
| SCION | | 2009-2016 | Corolla |
| 2013-2015 | FRS | 2007-2014 | FJ Cruiser |
| 2016 | iM | 2008-2015 | Highlander |
| 2012-2013 | iQ | 2005-2012 | Matrix |
| 2005-2015 | tC | 2004-2012 | Prius |
| 2004-2007 | хА | 2004-2015 | Rav4 |
| 2004-2015 | xB | 2005-2016 | Sequoia |
| 208-2012 | xC | 2004-2016 | Sienna |
| | | 2005-2016 | Tacoma |
| | | 2004-2015 | Tundra |
| | | 2009-2015 | Venza |
| | | 2008-2011 | Yaris |