

## 1. Product and Company Identification

**Product Code:** C99 & C100  
**Product Name:** Starting Fluid

## 2. Hazards Identification

Flammable Gases, Category 1  
Gas Under Pressure, Compressed gas  
Flammable Liquids, Category 1  
Acute Toxicity: Oral, Category 4  
Skin Corrosion/Irritation, Category 2  
Carcinogenicity, Category 1B  
Specific Target Organ Toxicity (single exposure), Category 3  
Aspiration Toxicity, Category 1  
Aquatic Toxicity (Acute), Category 1  
Aquatic Toxicity (Chronic), Category 1



**GHS Signal Word:** Danger

**GHS Hazard Phrases:** H222: Extremely flammable aerosol.  
H229: Pressurized container: may burst if heated  
H224: Extremely flammable liquid and vapor.  
H302: Harmful if swallowed.  
H304: May be fatal if swallowed and enters airways.  
H315: Causes skin irritation.  
H336: May cause drowsiness or dizziness.  
H350: May cause cancer.  
H335: May cause respiratory irritation.  
H410: Very toxic to aquatic life with long lasting effects.

**GHS Precaution Phrases:** P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking.  
P233: Keep container tightly closed.  
P280: Wear protective gloves/clothing and eye/face protection.  
P240: Ground/bond container and receiving equipment.  
P241: Use explosion-proof electrical/ventilating/lighting equipment.  
P264: Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well-ventilated area.  
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273: Avoid release to the environment.

**GHS Response Phrases:** P377: Leaking gas fire: Do not extinguish, unless leak can be stopped safely.  
P381: Eliminate all ignition sources if safe to do so.  
P370+378: In case of fire, use dry chemical, CO2 or alcohol foam for extinction.



# SAFETY DATA SHEET

## Starting Fluid

Revision: 12/21/2015  
Supersedes Revision: 10/02/2014

P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
P363: Wash contaminated clothing before reuse.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P309+311: Call a POISON CENTER or doctor/physician if exposed or you feel unwell.  
P410+403: Protect from sunlight and store in well-ventilated place.  
P403+235: Store in cool/well-ventilated place.  
P501: Dispose of contents/container in accordance with local/regional/national/international regulation.

### GHS Storage and Disposal Phrases:

### Potential Health Effects (Acute and Chronic):

No data available.

## 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
142-82-5	Heptane	50.0 -60.0 %
60-29-7	Ethane, 1,1'-Oxybis-	30.0 -40.0 %
124-38-9	Carbon dioxide	5.0 -10.0 %

## 4. First Aid Measures

### Emergency and First Aid Procedures:

If swallowed, call a physician immediately. If vomiting occurs, keep head lower than hips to prevent aspiration. If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult give oxygen. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of skin contact, wash with soap and water for 15 minutes. If irritation persists or signs of toxicity occur, seek medical attention. Remove contaminated clothing and shoes, and launder before reuse. Call physician immediately if adverse reaction occurs.

## 5. Fire Fighting Measures

**Flammability Classification:** NFPA Level 3 Aerosol

**Flash Pt:** <= -10.00 F (-23.3 C) Method Used: TAG Closed Cup

**Explosive Limits:** LEL: 1.2 UEL: 6.7

**Autoignition Pt:** 365.00 F (185.0 C)

**Suitable Extinguishing Media:** Dry chemical. Carbon dioxide. Alcohol foam. Use water spray to keep containers cool that are exposed to heat or flames.

**Fire Fighting Instructions:** Wear approved positive-pressure self-contained breathing apparatus and protective clothing. Vapor may cause flash fire. Fight from a maximum distance or use unmanned hose holders or monitor nozzles. Containers can build up pressure if exposed to heat; cool with flooding quantities of water until well after the fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of vessel.

**Flammable Properties and Hazards:** No data available.

**Hazardous Combustion Products:** Carbon Dioxide. Carbon Monoxide.



## 6. Accidental Release Measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** Wear appropriate protective clothing and equipment to prevent skin and eye contact. Contain any liquid from leaking containers. Avoid all sources of ignition; heat, sparks and open flames. Do not puncture or incinerate container. Contents under pressure. Leaking containers should be removed to an isolated, well-ventilated area and transferred to other suitable containers. Wipe, scrape or soak up in an inert material and put in a container intended for flammable materials disposal. Do not allow to enter sanitary drains, sewer or surface and subsurface waters. Keep out of lakes, ponds or streams.

## 7. Handling and Storage

**Precautions To Be Taken in Handling:** Caution: Contents under pressure. Keep away from heat and open flame. Use only in a well ventilated area. Avoid breathing vapors, if exposed to high vapor concentration, leave area at once. Avoid contact with skin and eyes. Keep out of the reach of children.

**Precautions To Be Taken in Storing:** Do not puncture, incinerate or store above 120 degrees F. Exospore to high temperatures may cause bursting. Do not store in the passenger compartment of an automobile. Store in a cool, dry place, out of direct sunlight.

## 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
142-82-5	Heptane	PEL: 500 ppm	TLV: 400 ppm	No data.
60-29-7	Ethane, 1,1'-Oxybis-	PEL: 400 ppm	TLV: 400 ppm STEL: 500 ppm	No data.
124-38-9	Carbon dioxide	PEL: 5000 ppm	TLV: 5000 ppm STEL: 30,000 ppm	No data.

**Respiratory Equipment (Specify Type):** No data available.

**Eye Protection:** Chemical goggles; also wear a face shield if splashing hazard exists.

**Protective Gloves:** Wear protective clothing and gloves.

**Other Protective Clothing:** Wear protective clothing and gloves.

**Engineering Controls (Ventilation etc.):** Use in a well ventilated area. Local exhaust ventilation as necessary to maintain exposures to within applicable limits.

## 9. Physical and Chemical Properties

**Physical States:** [ ] Gas [ X ] Liquid [ ] Solid

**Appearance and Odor:** Colorless to pale yellow liquid. Pungent sweet odor.

**Melting Point:** No data.

**Boiling Point:** No data.

**Flash Pt:** <= -10.00 F (-23.3 C) Method Used: TAG Closed Cup

**Evaporation Rate:** NE

**Flammability (solid, gas):** No data available.

**Explosive Limits:** LEL: 1.2 UEL: 6.7

**Vapor Pressure (vs. Air or mm Hg):** NE

**Vapor Density (vs. Air = 1):** NE



**Specific Gravity (Water = 1):** No data.  
**Density:** 5.71 LB/GA  
**Solubility in Water:** Partially  
**Percent Volatile:** 93.3 %  
**Autoignition Pt:** 365.00 F (185.0 C)  
**Viscosity:** NE

## 10. Stability and Reactivity

**Stability:** Unstable [ ] Stable [ X ]  
**Conditions To Avoid - Instability:** Keep away from heat, sparks and flame. Avoid any source of ignition. Do not expose to heat or store at temperatures above 120 degrees F.  
**Incompatibility - Materials To Avoid:** Contact with oxidizing agents. Concentrated oxygen. Nitric acid. Avoid contact with chlorine in the presence of light.  
**Hazardous Decomposition or Byproducts:** Carbon monoxide and other asphxiants. Explosive peroxides. Will react with nitric acid to form explosive nitrates.  
**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]  
**Conditions To Avoid - Hazardous Reactions:** No data available.

## 11. Toxicological Information

**Toxicological Information:** CAS# 142-82-5:  
Other Studies:, TDLo, Oral, Rat, 60.00 GM/KG, 3 W.  
Results:  
Kidney, Ureter, Bladder: Changes in liver weight.  
- National Technical Information Service, Vol/p/yr: OTS0571116,  
  
Other Studies:, TDLo, Oral, Rat, 260.0 GM/KG, 13 W.  
Results:  
Kidney, Ureter, Bladder: Changes in bladder weight.  
Endocrine:Hypoglycemia.  
Nutritional and Gross Metabolic:Weight loss or decreased weight gain.  
- National Technical Information Service, Vol/p/yr: OTS0571116,  
  
Other Studies:, TCLo, Inhalation, Rat, 4000. PPM, 6 D.  
Results:  
Brain and Coverings: Recordings from specific areas of CNS.  
Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Ear: Changes in cochlear structure or function.  
Nutritional and Gross Metabolic:Weight loss or decreased weight gain.  
- Pharmacology and Toxicology, Munksgaard International Pub., POB 2148, Copenhagen K Denmark, Vol/p/yr: 76,41, 1995  
  
Other Studies:, TDLo, Intraperitoneal, Rat, 9625. MG/KG, 7 D.  
Results:  
Liver: Other changes.  
Blood:Changes in serum composition (e.g.  
Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels: Multiple enzyme effects.  
- Toxicology Letters., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam 1000 AE Netherlands, Vol/p/yr: 14,169, 1982



# SAFETY DATA SHEET

## Starting Fluid

Revision: 12/21/2015

Supersedes Revision: 10/02/2014

Other Studies:, TDLo, Intraperitoneal, Rat, 8840. MG/KG, 45 D.

Results:

Liver: Other changes.

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:

Phosphatases.

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels: Hepatic microsomal mixed oxidase (dealkylation, hydroxylation, etc.)

- JAT, Journal of Applied Toxicology., John Wiley & Sons Ltd., Baffins Lane, Chichester, W.Sussex PO19 1UD UK, Vol/p/yr: 8,81, 1988

Acute toxicity, TCLO, Inhalation, Human, 1000. PPM, 6 M.

Results:

Behavioral: Hallucinations, distorted perceptions.

- "U.S. Bureau of Mines Report of Investigation No. 2979," Patty, F.A., and W.P. Yant, 1929 Volume, Vol/p/yr: 2979,-, 1929

Acute toxicity, LC50, Inhalation, Rat, 103.0 GM/M3, 4 H.

Results:

Behavioral: Change in motor activity (specific assay).

Behavioral: Alteration of classical conditioning.

- Gigiena Truda i Professional'nye Zabolevaniya.(Labor Hygiene and Occupational Disease), V/O Mezhdunarodnaya Kniga, Moscow 113095 Russia, Vol/p/yr: 32(10),23, 1988

Acute toxicity, LCLO, Inhalation, Mouse, 59.00 GM/M3, 41 M.

Results:

Behavioral: Convulsions or effect on seizure threshold.

- Biochemische Zeitschrift., For publisher information, see EJBCAI, Berlin Germany, Vol/p/yr: 115,235, 1921

Acute toxicity, LD50, Intravenous, Mouse, 222.0 MG/KG.

Results:

Brain and Coverings: Changes in circulation (hemorrhage,thrombosis, etc.

Lungs, Thorax, or Respiration:Dyspnea.

Gastrointestinal:Nausea or vomiting.

- Journal of Pharmaceutical Sciences., American Pharmaceutical Assoc., 2215 Constitution Ave., NW, Washington, DC 20037, Vol/p/yr: 67,566, 1978

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
142-82-5	Heptane	n.a.	n.a.	n.a.	n.a.
60-29-7	Ethane, 1,1'-Oxybis-	n.a.	n.a.	n.a.	n.a.
124-38-9	Carbon dioxide	n.a.	n.a.	n.a.	n.a.



## 12. Ecological Information

### General Ecological Information:

CAS# 142-82-5:

Effective concentration to 50% of test organisms., Water Flea (*Daphnia magna*), 82500. UG/L, 96 H, Intoxication., Water temperature: 28.00 C (82.4 F) C.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil and Oil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988

LC50, Water Flea (*Daphnia magna*), 50.00 MG/L, 24 H, Intoxication., Water temperature: 20.00 C (68.0 F) - 22.00 C (71.6 F) C, pH: 7.70, Hardness: 16.00 dH.

Results:

No observed effect.

- Results of the Damaging Effect of Water Pollutants on *Daphnia magna* (Befunde der Schadwirkung Wassergefährdender Stoffe Gegen *Daphnia magna*), Bringmann, G., and R. Kuhn, 1977

LC50, Western Mosquitofish (*Gambusia affinis*), adult(s), 4924000. UG/L, 48 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

Age Effects.

- Toxicity to *Gambusia affinis* of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

LC50, Western Mosquitofish (*Gambusia affinis*), adult(s), 4924000. UG/L, 24 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

Age Effects.

- Toxicity to *Gambusia affinis* of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

Not reported., Western Mosquitofish (*Gambusia affinis*), adult(s), 5600000. UG/L, 96 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

No observed effect.

- Toxicity to *Gambusia affinis* of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

LC50, Western Mosquitofish (*Gambusia affinis*), adult(s), 4924000. UG/L, 96 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

No observed effect.

- Toxicity to *Gambusia affinis* of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

Not reported., Coho Salmon, Silver Salmon (*Oncorhynchus kisutch*), 100000. UG/L, 96 H, Mortality, Water temperature: 8.00 C (46.4 F) C, pH: 8.10.

Results:

Age Effects.

- Effects of Some Components of Crude Oil on Young Coho Salmon, Morrow, J.E., R.L. Gritz, and M.P. Kirton, 1975



# SAFETY DATA SHEET

## Starting Fluid

LC50, Mozambique Tilapia (*Oreochromis mossambicus*), 375000. UG/L, 96 H, Mortality, Water temperature: 27.80 C (82.0 F) C.

Results:

No observed effect.

- Acute Toxicity of n-Heptane and n-Hexane on Worm and Fish, Ghatak, D.B., M.M. Hossain, and S.K. Konar, 1988

LC50, Midge Family (Chironomidae), larva(e), 838000. UG/L, 96 H, Intoxication,, Water temperature: 28.00 C (82.4 F) C, pH: 7.00, Hardness: 260.00 MG/L.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil and Oil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988

Effective concentration to 50% of test organisms., Algae (Algae), 1500. UG/L, 8 H, Physiology.

Results:

No observed effect.

- Gulf Underwater Flare Experiment (GUFEX): Effects of Hydrocarbons on Phytoplankton, Brooks, J.M., G.A. Fryxell, D.F. Reid, and W.M. Sackett, 1977

Not reported., Pacific Oyster (*Crassostrea gigas*), egg(s), 3400000. UG/L, 48 H, Mortality, Water temperature: 20.00 C (68.0 F) - 21.50 C (70.7 F) C.

Results:

No observed effect.

- The Effect of Alaskan Crude Oil and Selected Hydrocarbon Compounds on Embryonic Development of the Pacific Oyster, *Crassostrea gigas*, Legore, R.S., 1974

LC50, Oligochaete (*Branchiura sowerbyi*), 2500000. UG/L, 96 H, Mortality, Water temperature: 27.80 C (82.0 F) C.

Results:

No observed effect.

- Acute Toxicity of n-Heptane and n-Hexane on Worm and Fish, Ghatak, D.B., M.M. Hossain, and S.K. Konar, 1988

Effective concentration to 50% of test organisms., Snail (*Viviparus bengalensis*), 472000. UG/L, 96 H, Intoxication,, Water temperature: 28.00 C (82.4 F) C.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil and Oil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988

Lethal concentration to 0% of test organisms., Carp (*Leuciscus idus ssp. melanotus*), 220.0 MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

LC50, Carp (*Leuciscus idus ssp. melanotus*), 270.0 MG/L, 48 H, Mortality.

Results:

No observed effect.



- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 100% of test organisms., Carp (Leuciscus idus ssp. melanotus), 350.0 MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 0% of test organisms., Carp (Leuciscus idus ssp. melanotus), 1370. MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

LC50, Carp (Leuciscus idus ssp. melanotus), 2940. MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 100% of test organisms., Carp (Leuciscus idus ssp. melanotus), 3420. MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

### 13. Disposal Considerations

**Waste Disposal Method:** Dispose of contents/container in accordance with local/regional/national/international regulation.

### 14. Transport Information

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Consumer Commodity  
**DOT Hazard Class:** ORM-D                      ORM-D  
**UN/NA Number:**

**LAND TRANSPORT (European ADR/RID):**

**ADR/RID Shipping Name:** Aerosols, Ltd. Qty.  
**UN Number:** 1950  
**Hazard Class:** N.A.                                      **ADR Classification:** 2.1





# SAFETY DATA SHEET

## Starting Fluid

Revision: 12/21/2015  
Supersedes Revision: 10/02/2014**MARINE TRANSPORT (IMDG/IMO):**

IMDG/IMO Shipping Name: Aerosols, Ltd. Qty.

UN Number: 1950

Hazard Class: N.A.

Packing Group:

IMDG Classification: 2.1

IMDG MFAG Number:

Marine Pollutant: No

IMDG EMS Page:

**AIR TRANSPORT (ICAO/IATA):**

ICAO/IATA Shipping Name: Aerosols, flammable, 2.1, Ltd Qty

UN Number:

Hazard Class: N.A.

IATA Classification: 2.1

## 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
142-82-5	Heptane	No	No	No
60-29-7	Ethane, 1,1'-Oxybis-	No	Yes 100 LB	No
124-38-9	Carbon dioxide	No	No	No

**CAS # Hazardous Components (Chemical Name)**

142-82-5 Heptane

60-29-7 Ethane, 1,1'-Oxybis-

124-38-9 Carbon dioxide

**Other US EPA or State Lists**

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 1339; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: No

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: Yes - 0701; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: No; WI Air: No

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 0343; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: Yes

**CAS # Hazardous Components (Chemical Name)**

142-82-5 Heptane

60-29-7 Ethane, 1,1'-Oxybis-

124-38-9 Carbon dioxide

**International Regulatory Lists**

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes


Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes

### 16. Other Information

Revision Date: 12/21/2015

Hazard Rating System:



**Additional Information About** This Product: No data available.

**This Product:**

**Company Policy or**

**Disclaimer:**

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.