



Automotive
Heavy
Duty
Industrial
Agriculture
Marine

PRODUCT CATALOG





OUR HISTORY

1959

For over 50 years, the Cyclo brand of professional quality products has been used in automotive, heavy duty/fleet, industrial, agricultural and marine services. The brand started as a line of service chemicals which was largely sold through traditional warehouse distributors to jobbers and then to professional mechanics and serious do-it-yourselfers. The line is known for its professional quality formulas and superior packaging since the first Cyclo product was introduced - Carb Clean® Fast Gum Cutter.

The array of colors used in Cyclo packaging was originally introduced for the professional so he could quickly reach for a product without having to read the label. Cyclo products have always been formulated for professionals who use the products as tools to do their jobs quicker, easier and better. One comment heard over and over from mechanics trying products for the first time is that they are amazed at how much quality and effectiveness they can get out of one can.

2000

In 2000, Cyclo acquired the Rally® and No 7® car care brands from the Clorox® Company. The acquisition of these two world-famous appearance brands broadened Cyclo's offering and stature in the aftermarket. Both lines fit perfectly with Cyclo's professional quality products in both performance and quality. In 2003, the additional acquisition of Tanner's Preserve® Leather Care products from Clorox added another category to Cyclo.

2006

Cyclo developed an export business more than 25 years ago, and currently has distributor relationships in over 80 countries around the world. In 2006, Cyclo was acquired by Pidilite USA Inc., a division of Pidilite Industries, Ltd. headquartered in Mumbai, India. Pidilite employs over 3,000 people in 14 countries with customers throughout the world.

Cyclo products are proudly Made in the USA. The company manufactures an american-made product line to ensure their impeccable standards are met. Cyclo is continually researching new formulas and products to bring to dedicated customers that have long depended on Cyclo for the latest developments in strong and effective formulas. Whether it is new VOC compliant formulas or new premium products offering the best and newest innovations, Cyclo is the company that has not only been working for the professional in the past, but will continue to do so for the future.

INDEX

04 BRAKE

06 CLEANER

07 FUEL

11 LUBRICANT AND PENETRANT

16 ENGINE AND TRANSMISSION

20 GREASE

21 SPECIALTY

24 WINTER AND STORAGE

25 ANAEROBIC

28 ADHESIVE AND SEALANT

30 AUTOMOTIVE OEM INTERCHANGE

32 HEAVY EQUIPMENT OEM INTERCHANGE

33 CYCLO APPEARANCE

34 CYCLO ABSOLUTE.

36 TANNER'S PRESERVE® LEATHER CARE

36 RALLY® APPEARANCE

37 NO. 7® APPEARANCE

38 RAIN DANCE® APPEARANCE

39 VIVA-SCENT® AIR FRESHENERS

0110	NO.7 AUTO POLISH & CLEANER.....	37	C111	CA10VOC BRAKE & PARTS CLEAN.....	4	C24006	BLUE MEDIUM STRENGTH GEL 6 mL.....	26
05140	Rally LIQUI-CREAM WAX.....	36	C111TSC	BRAKE & PARTS CLEAN.....	4	C24210	BLUE MEDIUM STRENGTH 10 mL.....	26
06610	NO.7 CLEARCOAT POLISH COMPOUND.....	37	C115-1	LOW ODOR BRAKE & PARTS CLEAN.....	4	C24250	BLUE MEDIUM STRENGTH 50 mL.....	26
07610	NO.7 WHITE POLISHING COMPOUND.....	37	C116	BRAKE & PARTS CLEAN.....	4	C24350	BLUE SURFACE INSENSITIVE 50 mL.....	26
08610	NO.7 RUBBING COMPOUND.....	37	C119C	BRAKE & PARTS CLEAN.....	4	C26250	RED PERMANENT STRENGTH 50 mL.....	27
09610	NO.7 SCRATCH REMOVER.....	37	C120	BATTERY CLEANER & ACID LEAK DETECTOR.....	21	C27006	RED HIGH STRENGTH GEL 6 mL.....	27
10120	NO.7 CHROME & METAL POLISH.....	37	C121	BATTERY PROTECTOR.....	21	C27110	RED HIGH STRENGTH 10 mL.....	27
16140	NO.7 CAR & TRUCK WASH.....	37	C123	RED GREASE.....	13	C27150	RED HIGH STRENGTH 50 mL.....	27
16330	NO.7 CAR & TRUCK WASH.....	37	C124-6	BELT DRESSING.....	21	C27250	RED HIGH TEMPERATURE 50 mL.....	27
16340	NO.7 CAR & TRUCK WASH.....	37	C178	HAND CLEANER.....	21	C27725	RED LARGE DIAMETER 250 mL.....	27
2233	Rain Dance WET TIRE SHINE.....	38	C179	HAND CLEANER.....	21	C27750	RED LARGE DIAMETER 50 mL.....	27
2510	Rain Dance PREMIUM LIQUID WAX.....	38	C206	WINDSHIELD WASHER SOLVENT.....	24	C29010	GREEN PENETRATING GRADE 10 mL.....	26
2540	Rain Dance CARNAUBA CAR WAX.....	38	C207	WINDSHIELD WASHER.....	24	C29050	GREEN PENETRATING GRADE 50 mL.....	26
2550	Rain Dance PREMIUM CLEANER WAX.....	38	C233	POWER STEERING STOP LEAK.....	18	C51550	GENERAL PURPOSE GASKET MAKER 50 mL.....	27
2624	Rain Dance WASH & WAX CONCENTRATE.....	38	C240M	ALUMINIZED STOP LEAK.....	18	C51850	SOLVENT RESISTANT GASKET MAKER 50 mL.....	27
2664	Rain Dance WASH & WAX CONCENTRATE.....	38	C260	6XT DIESEL FUEL TREATMENT.....	10	C54550	PNEUMATIC/HYDRAULIC SEALANT 50 mL.....	25
2931	Rain Dance QUICK DETAILER.....	38	C261	6XT DIESEL FUEL TREATMENT.....	10	C56550	CONTROLLED STRENGTH PIPE SEALANT 50 mL.....	25
65864	Tanner's Preserve LEATHER CLEANER.....	36	C285	DIESEL WATER REMOVER.....	10	C56750	EXTREME TEMP PIPE SEALANT 50 mL.....	25
65893	Tanner's Preserve LEATHER CONDITIONER.....	36	C290	FUEL STABILIZER.....	9 or 24	C59005	GASKET TECH 1 (BLK).....	28
82116	Rally CREAM CAR WAX.....	36	C292	FUEL STABILIZER.....	9 or 24	C59250	HIGH TEMP PIPE SEALANT 50 mL.....	25
C0801	HEADLIGHT RESTORE.....	33	C300	FUSION 3.0.....	14-15	C59905	GASKET TECH 2 (GRAY).....	28
C1	CARB CLEAN.....	6	C301	ULTRAWELD EPOXY PUTTY.....	29	C62050	EXTREME TEMP RETAINING COMPOUND 50 mL.....	25
C-1-CA10VOC	CARB CLEAN.....	6	C330	W4U.....	12	C64050	HIGH TEMP SLEEVE RETAINER 50 mL.....	25
C5	CARB CLEAN.....	6	C331	GLASS CLEAN.....	33	C66050	WORN-PART RETAINING COMPOUND 50 mL.....	25
C10	BREAK-AWAY.....	11	C332	W4U.....	12	C68050	MAX STRENGTH RETAINING COMPOUND 50 mL.....	25
C13	BREAK-AWAY.....	11	C392	MAX CLEAN.....	33	C88200	ENGINE & FUEL SYSTEM MAINTENANCE KIT.....	19
C15	BREAK-AWAY.....	11	C400	FASTER SUPER PENETRANT.....	13	C88201	AIR INTAKE SYSTEM CLEANER.....	6
C19	MOTOR FLUSH.....	16	C401	RD.....	10	C88202	COMBUSTION CHAMBER CLEANER.....	6
C20	MOTOR FLUSH.....	16	C402	RD.....	10	C88211	AIR INTAKE SYSTEM CLEANER.....	6
C21	DIESEL FUEL INJECTOR CLEANER.....	10	C405	Z-LUBE.....	13	C-DFA	DIESEL FUEL TREATMENT.....	10 or 24
C23	DIESEL FUEL TREATMENT.....	10	C470	7 OCTANE BOOST.....	8	C-FG2CH	Viva-Scent SMALL GEL - cherry.....	39
C24	ANTI-GEL DIESEL FUEL TREATMENT.....	10 or 24	C500	TIRE SOS - International Only.....	23	C-FG2CT	Viva-Scent SMALL GEL - coconut.....	39
C27	POWER STEERING FLUID.....	18	C560	GEAR OIL TREATMENT.....	16	C-FG2JS	Viva-Scent SMALL GEL - jasmine.....	39
C28	POWER STEERING FLUID.....	18	C643	HYDRAULIC JACK OIL.....	21	C-FG2MX	Viva-Scent SMALL GEL - assorted box.....	39
C30	ENGINE CLEAN DEGREASER.....	6	C650	AIR TOOL OIL.....	21	C-FG2NC	Viva-Scent SMALL GEL - new car.....	39
C32	BRAKE & PARTS CLEAN.....	4	C661	CHAIN & CABLE LUBE.....	13	C-FG2ST	Viva-Scent SMALL GEL - strawberry.....	39
C33	SILICONE SPRAY.....	13	C682	ANTI-SEIZE.....	22	C-FG2VN	Viva-Scent SMALL GEL - vanilla.....	39
C33V	SILICONE SPRAY.....	13	C684	COPPER ANTI-SEIZE.....	22	C-FG3CH	Viva-Scent LARGE GEL - cherry.....	39
C34	WHITE GREASE.....	13	C686	NICKEL ANTI-SEIZE.....	22	C-FG3CT	Viva-Scent LARGE GEL - coconut.....	39
C35	RUBBERIZED UNDERCOATING.....	23	C706	DIELECTRIC GREASE.....	20	C-FG3JS	Viva-Scent LARGE GEL - jasmine.....	39
C36	DISC BRAKE QUIET.....	5	C710	DIELECTRIC GREASE.....	20	C-FG3NC	Viva-Scent LARGE GEL - new car.....	39
C37	ELECTRIC MOTOR CLEANER.....	6	C800	COLD GALVANIZE.....	22	C-FG3ST	Viva-Scent LARGE GEL - strawberry.....	39
C39	ENGINE CLEAN.....	6	C904	HEADLINER & CARPET ADHESIVE.....	23	C-FG3VN	Viva-Scent LARGE GEL - vanilla.....	39
C40	FUEL INJECTOR CLEAN UP.....	9	C910	REARVIEW MIRROR ADHESIVE.....	29	C-FHCH	Viva-Scent PALM TREES - cherry.....	39
C41	FUEL INJECTOR & CARB CLEANER.....	9	C920	BLUE THREADLOCKER.....	26	C-FHCT	Viva-Scent PALM TREES - coconut.....	39
C42	GASOLINE TREATMENT.....	9	C925	RED THREADLOCKER.....	26	C-FHIB	Viva-Scent PALM TREES - Icee Black.....	39
C43	GASOLINE TREATMENT.....	9	C930	SURFACE ACTIVATOR.....	26	C-FHJS	Viva-Scent PALM TREES - jasmine.....	39
C44	MAX 44 FUEL.....	7	C943	ULTRAWELD CLEAR EPOXY.....	29	C-FHMX	Viva-Scent PALM TREE DISPLAY BOARD - assorted.....	39
C44D	MAX 44 DIESEL.....	7	C944	ULTRAWELD EPOXY STEEL.....	29	C-FHNC	Viva-Scent PALM TREES - new car.....	39
C44E	MAX 44 ETHANOL.....	7	C950	SILICONE GASKET MAKER (ALUM).....	28	C-FHPN	Viva-Scent PALM TREES - pine.....	39
C45	TRANS STOP LEAK & CONDITIONER.....	18	C951	SILICONE GASKET MAKER (BLK).....	28	C-FHST	Viva-Scent PALM TREES - strawberry.....	39
C47	OCTANE BOOST.....	9	C952	SILICONE GASKET MAKER (RED).....	28	C-FHVN	Viva-Scent PALM TREES - vanilla.....	39
C50	FAST FLUSH.....	17	C953	SILICONE GASKET MAKER (CLR).....	28	C-FHWD	Viva-Scent PALM TREES - wildberry.....	39
C51	ANTI RUST & WATER PUMP LUBRICANT.....	17	C956	SILICONE GASKET MAKER (BLU).....	28	C-FN2CH	Viva-Scent ORGANIC - cherry.....	39
C52	STOP LEAK & SEALER.....	17	C959	SILICONE GASKET MAKER (GREY-OX).....	28	C-FN2CT	Viva-Scent ORGANIC - coconut.....	39
C53	COOLANT BOOSTER.....	17	C961	SILICONE GASKET MAKER (BLK-OX).....	28	C-FN2JS	Viva-Scent ORGANIC - jasmine.....	39
C55	DOT3 HEAVY DUTY BRAKE FLUID.....	5	C991	SILICONE CARTRIDGE (BLK).....	28	C-FN2MX	Viva-Scent ORGANIC - assorted scents.....	39
C56	DOT3 HEAVY DUTY BRAKE FLUID.....	5	C992	SILICONE CARTRIDGE (RED).....	28	C-FN2NC	Viva-Scent ORGANIC - new car.....	39
C62	FOAM AWAY TIRE CARE.....	33	C993	SILICONE CARTRIDGE (CLR).....	28	C-FN2ST	Viva-Scent ORGANIC - strawberry.....	39
C64	BUG & TAR CLEAN.....	33	C997	SILICONE CARTRIDGE (WHT).....	28	C-FN2VN	Viva-Scent ORGANIC - vanilla.....	39
C71	DOT 4 HEAVY DUTY BRAKE FLUID.....	5	C999	SILICONE CARTRIDGE (GREY-OX).....	28	C-FN2WD	Viva-Scent ORGANIC - wild berry.....	39
C85	ENERGIZED CIRCUIT & CONTACT CLEANER.....	6	C2100	SMOKE TREATMENT.....	16	C-FS2CH	Viva-Scent AIR FRESHENER SPRAY - cherry.....	39
C87	QUICK DRY ELECTRONIC CLEANER.....	6	C2250	ULTIMATE ENGINE TREATMENT.....	16	C-FS2CT	Viva-Scent AIR FRESHENER SPRAY - coconut.....	39
C89	ENGINE STOP LEAK.....	18	C3322	DRY MOLY.....	13	C-FS2JS	Viva-Scent AIR FRESHENER SPRAY - jasmine.....	39
C90	OIL TREATMENT.....	16	C3342	METAL PARTS PROTECTOR.....	22	C-FS2MX	Viva-Scent AIR FRESHENER SPRAY - assorted box.....	39
C91	OIL TREATMENT.....	16	C3352	RUST CONVERTER.....	22	C-FS2NC	Viva-Scent AIR FRESHENER SPRAY - new car.....	39
C97	AIR BRAKE ANTI-FREEZE & DRYER.....	5 or 24	C4100	FOGGING OIL.....	16 or 24	C-FS2ST	Viva-Scent AIR FRESHENER SPRAY - strawberry.....	39
C98	AIR BRAKE ANTI-FREEZE & DRYER.....	5 or 24	C6601	cyclo absolute. TRIM & TIRE CARE KIT.....	35	C-FS2VN	Viva-Scent AIR FRESHENER SPRAY - vanilla.....	39
C99	FAST START - STARTING FLUID.....	24	C6602	cyclo absolute. INTERIOR CARE KIT.....	35	C-GR11	#2 CARTRIDGE SUPER RED LITHIUM GREASE.....	20
C100	FAST START - STARTING FLUID.....	24	C6603	cyclo absolute. QUICK DETAILER KIT.....	35	C-GR21	#2 SUPER RED LITHIUM GREASE.....	20
C101C	METHANOL BRAKE & PARTS CLEAN.....	4	C6604	cyclo absolute. SCRATCH REMOVER.....	35	C-GR22	#2 LITHIUM GREASE.....	20
C106	AIR BRAKE ANTI-FREEZE & DRYER.....	5 or 24	C6605	cyclo absolute. HEADLIGHT RESTORATION.....	35	C-GR23	#3 SUPER HEAVY DUTY GREASE.....	20
C108C	LOW ODOR BRAKE & PARTS CLEAN.....	4	C6610	cyclo absolute. CREAM WAX.....	34	C-GR24	#2 SUPER BLUE LITHIUM GREASE.....	20
C109	PARTS, TOOLS & BRAKE CLEANER.....	4	C6630	cyclo absolute. FUSION 3.0.....	34	C-GR28	#3 HIGH TEMP WHEEL BEARING GREASE.....	20
C111	BRAKE & PARTS CLEAN.....	4	C22210	PURPLE SMALL SCREWS 10 mL.....	26			
C111C	BRAKE & PARTS CLEAN.....	4	C22250	PURPLE SMALL SCREWS 50 mL.....	26			

NSF Registration assures inspection officials and end users that products and labels meet appropriate food safety regulations. This program endorses that NSF Certified Products from Cyclo are safe for use in food processing equipment and environments.

LOOK FOR THIS ICON to identify the NSF Registered/Certified Cyclo Products.



BRAKE

ONE CAN CLEANS ALL 4 BRAKES



A mechanic was given a can of Cyclo Brake & Parts Clean to try instead of the low-priced alternative he had been using. He was amazed at the way the powerful spray removed thick brake dust and was able to clean all four brakes. While his previous product only could clean two and a half.

The advantage is found in the formulated blend of powerful solvents. This unique formula is more effective at cutting grease, grime, and varnish instantly and can be used without disassembling brake units.

PROFESSIONAL STRENGTH

BRAKE & PARTS CLEAN®

- Quick drying and super strong cleaner
- Eliminates chlorinated solvent concerns in waste oil disposal

C111 12 pack 14 oz. net wt. / 397 g

C116 1 drum 55 gal. / 208 liter

LOW VOC FORMULAS

C111C 12 pack 14 oz. net wt. / 397 g ❖

C111-CA10VOC 12 pack 14 oz. net wt. / 397 g ■

C111SC 12 pack 14 oz. net wt. / 397 g ◆

C119C 1 pack 5 gal / 18.9 liter ❖

METHANOL FORMULA

- Methanol formula
- Metal surfaces, CV joints, clutches, brakes

C101C 12 pack 13 oz. net wt. / 368 g

LOW ODOR FORMULA

- Low odor citrus scent
- Metal surfaces, CV joints, clutches, brakes
- Quick drying
- Non-chlorinated low odor

C108C 12 pack 14 oz. net wt. / 397 g

C115-1 1 drum 55 gal. / 208 liter

CHLORINATED FORMULAS

PROFESSIONAL STRENGTH

BRAKE & PARTS CLEAN®


- Strongest, most effective cleaner
- Extra fast drying
- Non-flammable blended chlorinated formula

C32 12 pack 18 oz. net wt. / 510 g ▲

PARTS, TOOLS & BRAKE CLEANER™

- Excellent cleaner, quick drying
- Metal surfaces, CV joints, clutches, brakes
- Non-flammable blended chlorinated formula

C109 12 pack 18 oz. net wt. / 510 g ▲



BRAKE

SUPER HEAVY DUTY

DOT 3 BRAKE FLUID

450° F DOT 3

- High-temp formula 450° F (232° C) min. dry boiling point
- Mixes with ALL DOT 3 brake fluids
- Formulated for disc & drum brakes

C55 12 pack 12 fl. oz. / 355 mL

C56 12 pack 32 fl. oz. / 946 mL



SUPER HEAVY DUTY

DOT 4 BRAKE FLUID

500° F DOT 4

- High-temp formula 500° F (260° C) min. dry boiling point
- High-temp formula 336° F (168° C) min. wet boiling point
- Mixes with ALL DOT 4 brake fluids
- Formulated for disc & drum brakes

C71 12 pack 12 fl. oz. / 355 mL



HIGH TEMP FORMULA

DISC BRAKE QUIET

- Stops disc brake squeal
- Fast drying
- Applies smoothly & evenly

C36 12 pack 8.5 oz. net wt. / 241 g



AIR BRAKE ANTI-FREEZE & DRYER

- Dissolves ice on contact
- Year-round protection for air brake systems
- Moisture remover

C97 12 pack 32 fl. oz. / 946 mL

C98 4 pack 1 gal. / 3.79 liter

C106 1 drum 55 gal. / 208 liter



BRAKE CLEANERS GUIDE

	C108C/ C115	C101C	C111/ C116	C111C/ C119C	C111- CA10VOC	C111SC	C32	C109
Flammable								
Non-chlorinated								
Non-flammable							■	■
Low Odor								
Chlorinated							■	■
VOC Compliant for OTC States								
Low VOC for CA (except SCAQMD)								
Meets SCAQMD Standards								

■ Meets Low VOC requirements of California

❖ Meets VOC requirements of OTC states - Connecticut, Delaware, Illinois, Washington DC, Maine, Maryland, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Ohio, and Virginia. NOT available for California

▲ Chlorinated (includes Perchloroethylene TCE) NOT available for California and New Jersey

◆ Low VOC formula to meet South Coast Air Quality (SCAQMD) standards.

❖ All Winter and Storage on Page 24

CLEANER



PROFESSIONAL STRENGTH

CARB CLEAN®

Fast Gum Cutter

- Powerful solvent spray removes varnish, carbon & dirt from carbs, automatic chokes, PCV valves & linkages
- Safe for oxygen sensors
- Cleans fuel injector throttle plates

C1 12 Pack 12.5 oz. net wt./ 354 g □

C5 12 Pack 19 oz. net wt./ 538 g □

C1-CA10VOC 12 pack 12.5 oz. net wt./ 354 g ■



DEGREASER

ENGINE CLEAN®

- Cuts & dissolves grease & grime
- Spray on – rinse off
- C-30 Penetrating solvent formula
- C-39 Self-emulsifying foaming formula (low VOC)

C30 12 pack 16 oz. net wt./ 454 g □

C39 12 pack 16 oz. net wt./ 454 g ❖



PROFESSIONAL STRENGTH

ELECTRIC MOTOR CLEANER®

- Cleans & degreases electrical systems, starters, generators, alternators, solenoids & equipment
- Non-flammable
- Use without disassembling
- Evaporates quickly & completely

C37 12 pack 18 oz. net wt./ 510 g ○



INDUSTRIAL STRENGTH

ENERGIZED CIRCUIT & CONTACT CLEANER®

- 141b Alternative
- Safe in enclosed areas
- No residue, no flashpoint

C85 12 pack 11 oz. net wt./ 312 g □



PROFESSIONAL GRADE

QUICK-DRY™

ELECTRONIC CLEANER

- Fast drying formula
- Leaves no residue
- Precision cleaner designed to replace CFC products where lower flashpoint solvents may be used

C87 12 pack 11 oz. net wt./ 312 g

NO ADDITIONAL TOOLING REQUIRED!

C88202 comes with an aerator nozzle that attaches directly onto an unmetred vacuum port



HIGH TEMP FORMULA

COMBUSTION CHAMBER CLEANER

- Reduces fuel consumption & emissions
- Reduces intake valve & combustion chamber, and intake valve deposits
- Increases power & improves performance

C88202 12 pack 11.46 oz. net wt./ 325 g

HIGH TEMP FORMULA

AIR INTAKE SYSTEM CLEANER

- Decontaminates sensors for correct air flow control
- Reduces accumulated dirt and varnishes from linkages

C88211 12 pack 9.24 oz. net wt./ 262 g

C88201 12 pack 5.29 oz. net wt./ 150 g

■ Meets Low VOC requirements of California

❖ Meets VOC requirements of OTC states - Connecticut, Delaware, Illinois, Washington DC, Maine, Maryland, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Ohio, and Virginia. NOT available for California

□ Not for sale in California

○ Not for sale in California, Connecticut, Delaware, Maine, Maryland, Massachusetts, Michigan, New Jersey, New York, Rhode Island

MAX₄₄

3 Powerful Synthetic Formulas That Clean Fuel Injectors, Carburetors, Intake Valves, Manifolds and Combustion Chambers Removing Power-Robbing Carbon Deposits and Treat Fuels



GASOLINE/PETROL

FUEL SYSTEM MAXIMIZER


- Increases fuel economy
- Restores maximum power
- No alcohol
- Reduces emissions
- Improves acceleration & starting
- Eliminates hesitation
- Eliminates knock, ping and "run-on" **
- Synthetic formula mixes with ALL gasolines

C44 6 Pack 16 fl. oz./ 473 mL

** Problems associated with gas engines only



Reduces Deposits on Combustion Chamber & Intake Ports



Cleans Intake Valves & Manifolds



Cleans Fuel Injectors & Carburetors




DIESEL

FORMULATED TO SOLVE PROBLEMS SPECIFIC TO DIESEL FUEL

ALL THE BENEFITS OF ORIGINAL MAX₄₄ PLUS

- Reduces smoke
- Reduces exhaust - HC & CO
- Removes water
- Synthetic formula mixes with ALL diesel formulas, added lubricity for low sulfur fuels
- Corrosion inhibitors, NACE test rated "A"

C44D 6 Pack 16 fl. oz./ 473 mL



Improved acceleration & starting



Restores maximum power



Cleans Fuel Injectors

NEW ADVANCED FORMULA Nueva Fórmula Avanzada



ETHANOL

FUEL TREATMENT & CONDITIONER

- Ideal for marine applications
- Prevents corrosion and other internal damage typically caused by ethanol blended fuels
- Keeps carburetors and fuel injectors free from deposits
- Reverses separation in water contaminated ethanol/gasoline
- Protects against ethanol/water separation for up to 6-months
- Restores lost octane
- Can be used in both 2- & 4- cycle engines

C44E 6 Pack 16 fl. oz./ 473 mL



Samples of Ethanol blended fuels



Dyed water with phase separation



Adding Max₄₄E solves phase separation

Bulk sizes available on most products, Inquire for details.



FUEL

Increases octane rating up to 7 full octane numbers or 70 points (1 octane number = 10 points)



RACING FORMULA 7 OCTANE BOOST

Improves overall engine performance by stopping knocks, pinging, and hesitation.

- Improves fuel efficiency
- Safe for oxygen sensors and catalytic converters
- Cleans fuel injectors and combustion chamber
- Reduces hydrocarbon & carbon monoxide emissions
- Provides corrosion protection
- Prevents valve sticking
- Prevents stalling and hesitation
- Not EPA approved for street use (USA only)

Recommended for ultra high-performance, marine, industrial, lawn, farm and recreational engines.

C470 6 pack 16 fl. oz./ 474 g



CONCENTRATED FUEL STABILIZER



- Keeps gasoline & diesel fuel fresh for quick starts
- Prevents fuel deterioration, gum & varnish
- No need to drain fuel for storage
- For all 2 and 4 cycle engines

C290 12 pack 8 fl. oz./ 237 mL
C292 6 pack 32 fl. oz./ 946 mL



OCTANE BOOST Dual Action Formula

- Boosts octane & cleans the fuel system for improved performance
- Helps stop knock, ping & "run-on"
- Excellent for helping reach maximum horsepower for mountain driving, towing, passing & performance needs!
- Increases octane effect up to 3 numbers or 30 points

C47 12 pack 12 fl. oz./ 355 mL



FUEL INJECTOR CLEAN UP™

Super Concentrated

- One bottle cleans injectors FAST
- Restores lost power & performance
- Dissolves injector & manifold deposits
- Helps maximize fuel economy
- Stops uneven acceleration & rough idle

C40 12 pack 12 fl. oz./ 355 mL



FUEL INJECTOR & CARB CLEANER

- Improves performance & saves gas
- Reduces exhaust emissions
- Helps keep injectors, carburetors & fuel system clean

C41 12 pack 12 fl. oz./ 355 mL



GASOLINE TREATMENT

- Detergent formula cleans fuel system
- Improves performance & saves gas
- Removes water
- Fights rust & corrosion
- Fights gas line freeze

C42 12 pack 12 fl. oz./ 355 mL
C43 12 pack 8 fl. oz./ 236 mL



FUEL



•RID• DIESEL FUEL PROTECTOR

Controls steel and aluminum corrosion, removes sediment and fuel sludge improving storage stability.

- Keeps injectors clean
- Removes sludge sediment
- Absorbs & disperses moisture
- Improves storage stability
- C402 - Treats 130 gallons
- Eliminates hard starting & excessive smoking
- Absorbs and disperses moisture burned off with fuel

C401 12 pack 12 fl. oz. / 355 mL

C402 12 pack 1 L. / 1000 mL



DIESEL FUEL TREATMENT

Year-round Formula with ANTI-GEL Winter Protection

- Keeps injectors clean
- Fights fuel line freeze
- Improves cold weather flow
- Helps prevent filter clogging
- Lubricant for low sulfur fuel
- 8 oz. treats up to 25 gallons
- Perfect for cars, light trucks & vans

C23 12 pack 8 fl. oz. / 236 mL



DIESEL FUEL INJECTOR CLEANER

Meets Cummins L-10 superior performance levels for diesel injector cleanliness

- Cleans injectors
- Restores performance to save fuel
- Reduces smoke emissions
- Lubricant for low sulfur fuel

C21 12 pack 32 fl. oz. / 946 mL



NO ALCOHOL 6XT™ DIESEL FUEL TREATMENT

Meets Cummins L-10 superior performance levels for diesel injector cleanliness

- Cleans injectors and fuel system
- Reduces smoke
- Reduces emissions (HC & CO)
- Saves fuel
- Restores power
- Removes water

C260 12 pack 12 fl. oz. / 355 mL

C261 12 pack 8 fl. oz. / 236 mL



ADVANCED FORMULA

DIESEL FUEL TREATMENT

Super Concentrated ANTI-GEL • DE-ICER • STABILIZER

- Prevents formation of wax crystals and ice formation, lowering the pour point temperature as much as 50°F below the base fuel (i.e. 10°F, adding the product at the recommended concentration will lower the pour point of the fuel to -40°F)
- Prevents filter plugging from wax or ice
- Keeps injectors clean
- Disperses water
- Lubricant for low sulfur fuel
- C-24 treats 250 gallons
- C-DFA treats 50 gallons

CDFA 12 pack 8 fl. oz. / 237 mL

C24 12 pack 32 fl. oz. / 946 mL



DIESEL WATER REMOVER

- Disperses water
- Reduces freezing point of water in fuel
- Cleans injectors
- No alcohol

C285 12 pack 12 fl. oz. / 355 mL

LUBRICANT and PENETRANT

HEAVY DUTY

BREAK•AWAY®

Fast Penetrating Oil & Lubricant

- Penetrant & super lubricant
- Breaks loose rusted joints & bolts
- Controls rust, corrosion & squeaks
- Contains no silicone
- Pure oil blend
- NSF Certified

C10 12 Pack 13 oz. net wt. / 369 g

C13 2 Pack 1 gal. / 3.7 liters

C15 1 drum 55 gal. / 208 liters

BREAKS THROUGH RUST WHEN NOTHING ELSE WILL!

Cyclo Break•Away® is a fast penetrating lubricant that is truly a "tool in a can" making jobs easier and faster.

Norris Beebe from King City, California restored an old tractor that had sat untouched and unmovable in a field for more than seven years.

"I've tried every kind of penetrating oil over the years – nothing is as good as Break•Away. I now get up every morning and say I can perform a miracle today because I have a can of Break•Away always with me."

Norris and many others claim Break•Away breaks through rust when nothing else will.

Along with breaking down rust and corrosion to free rusted and frozen parts, Break•Away also leaves a protective coating against further oxidation. The 100% pure oil blend does not evaporate like other light duty, multi-purpose products and provides superior long-lasting lubrication. Every shop and toolbox needs a can of Break•Away!



HEAVY DUTY BREAK•AWAY®

FAST PENETRATING OIL

Frees Rusted & Frozen Parts

Long Lasting Super Lubricant

Pure Oil Blend • Inhibits Rust & Corrosion

ACEITE DE PENETRACION Y SUPER LUBRICANTE



Norfolk Compounds Program Listed HQ 137315

Bulk sizes available on most products, Inquire for details.



W4U

RUST PREVENTATIVE LUBRICANT



Dries to a Waxy Film to Protect & Lubricate

Offers long term protection especially in water and high humidity environments.

Works great on lawn & garden equipment, hinges, locks, bicycle chains & cables, rollers, and fishing gear!

AGRICULTURAL & INDUSTRIAL STRENGTH W4U RUST PREVENTATIVE LUBRICANT


This special formulation dries to a waxy film, offering long term protection especially in water and high humidity environments. W4U is formulated with heavy duty, anti-wear, and extreme pressure additives that provide superior lubrication for all chains, cables, and sprockets. W4U penetrates deeply lubricating non accessible areas.

- Your one tool for every job
- Ideal for lubrication - Eliminates "sling off" & seals lubricant to surfaces
- Weatherproof and waterproof
- Protects against corrosion on marine, automotive, and agricultural equipment
- Exhibits excellent adhering/clinging ability
- Does not attract dirt.
- Not harmful to paint, plastics, metal, wood, rubber, and electrical connections
- Meets the following specifications: Mil-C-83933A, Mil-PFR 16173E Grade 4, Class I

C330 6 pack 8.25 oz. net wt. / 233 g
 C332 6 pack 17 oz. net wt. / 482 g



LUBRICANT and PENETRANT



DRY MOLY LUBRICANT

- Fills in metal imperfections to create a smooth surface
- Low shear resistance
- Quick air-drying
- Withstands 800° F (420° C)
- No pretreatment needed

C3322 12 pack 10.25 oz. net wt. / 291 g



INDUSTRIAL GRADE

RED GREASE™

Waterproof - Resistant to Wash Off

- Aluminum complex red grease protects & lubricates all types of industrial bearings, striker plates, chains and cables, etc.
- Chemical resistant properties - withstands attack from acids, salt sprays, etc.
- High temperature up to 400° F (200° C) & high load bearing strength
- Red color provides easy visual inspection

C123 6 pack 10.5 oz net wt / 298 g



INDUSTRIAL GRADE

MOLY & GRAPHITE CHAIN & CABLE LUBE

Penetrates, Coats & Protects. Chain, Bar & Cable Lubricant

- Extra cling to reduce sling-off & friction
- Foams on to stay in place - then penetrates to provide maximum lubrication
- O-ring safe
- Reduces friction & wear with a unique blend of lubricants fortified with molybdenum disulfide and graphite
- NSF Certified

Use for: chains, bars, wire ropes, cables, pulleys, sprockets, conveyors, drive & hoist chains, forklifts

C661 6 pack 11 oz. net wt. / 312 g



HEAVY DUTY

FASTER™

Super Penetrant

- Loosens, cleans & lubricates rusted nuts, bolts & parts FAST
- Penetrates instantly
- Contains no silicone
- NSF Certified

C400 12 pack 11 oz. net wt. / 312 g



HEAVY DUTY

SILICONE SPRAY

Synthetic Oil-Free Lubricant -40° to +400° F (-40° to +200° C)

- Superior lubrication for metal, rubber & plastic
- Heavy duty formula contains more active silicone than many other brands (up to 250% more silicone)
- Prevents sticking, freezing & squeaks
- Reduces friction & seals out moisture
- Use for locks, hinges, sliding mechanisms & thousands of other applications
- Great for rubber seals, hoses, and gaskets
- NSF Certified

LOW VOC FORMULA

C33 12 pack 10 oz. net wt. / 283 g

FAST DRYING FORMULA

C33V 12 pack 10 oz. net wt. / 283 g



HEAVY DUTY

WHITE GREASE

Lithium Unique liquified blend of greases 2 stage performance...penetrates, then solidifies

- Long lasting & stays pliable
- Reduces wear & stops squeaks
- Repels moisture
- Protects against rust & corrosion
- Great for hinges, latches, slides, cables, etc.
- NSF Certified

C34 12 pack 11.5 oz. net wt. / 326 g



HEAVY DUTY

Z•LUBE®

Multi-Purpose Lube Water Displacement Formula

- Displaces moisture
- Stops squeaks & reduces friction
- Loosens rusted parts
- Protects against moisture, rust & corrosion
- Cleans
- Low odor
- CO2 propellant
- No silicone

C405 12 pack 10 oz. net wt. / 283 g

Bulk sizes available on most products, Inquire for details.

C33v Is Not For Sale In California, Connecticut, Delaware, District Of Colombia, Illinois, Indiana, Maryland, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Ohio, Pennsylvania, Rhode Island, Virginia



NEW

Unmatched Performance In 3 Critical Areas

Proprietary formulation to be the most effective multipurpose lubricant, which performs as a lubricant/penetrant/rust and corrosion protection product at any price.



SUPER CONCENTRATED FUSION 3.0

Lubricates moving parts, penetrates & frees rusted or frozen parts & inhibits rust and corrosion.

- Reduces friction and stops annoying squeaks on rollers, hinges, chains, bearings, wheels, bicycle & motorcycle chains, fishing equipment & more.
- Penetrates and frees bolts, nuts, locks, engine parts, hinges, metal pipes, chains, and other hardware.
- Leaves behind a proprietary blend of rust inhibitors.
- Fusion 3.0 can be used on marine equipment, tools, industrial machinery, switches, relays, rollers, locks, guns, chrome surfaces and much more.

The 4 unique benefits of the NEW cap are:

- Durability
- A 360° swivel
- Permanent straw
- 2 methods of SPRAY:
 - Fan Pattern &
 - Pin Point accuracy

C300 6 pack 13 oz. net wt. / 369 g

LUBRICANT and PENETRANT

1 :: Unmatched Lubrication

The coefficient of friction testing was completed using a modified ASTM D1894 standard. 0.5 mls of material was applied to the aluminum block that was then placed on the aluminum panel. Both the static and kinetic coefficients of friction were measured utilizing a Tinius Olsen Universal Testing Machine with Navigator software.

Average static and kinetic coefficients of friction with average forces for 10 trials.

SAMPLE	Static CoF	Kinetic CoF	Average Force (lbf)
Blank	0.143	0.368	0.811
Leading Competitor	0.089	0.185	0.407
C300	0.272	0.156	0.345

2 :: Faster Penetration

It has superior penetration for a product that has such high corrosion protection. 33% reduction in torque required for removal of hardware after 5 minutes of application.

**33%
REDUCTION**



3 :: Rust Inhibition

Examples below of Fusion 3.0 tested against a leading competitor employing a modified salt spray test, based on ASTM B-117.



The leading competitor and C300 were removed from the cabinet after 26 days. The C300 inhibited corrosion on approximately 95% of the treated area, while the leading competitor inhibited corrosion on approximately 50% of the treated area after 26 days. Picture taken after 26 days of testing.



This test was completed after 48 hours. These panels were sprayed regularly with a 5% salt solution. Label 6 is a control with no protection, Label 1 and 2 is the C300, Label 3 is the leading competitor.

Test results available upon requests.

ENGINE AND TRANSMISSION

ENGINE AND TRANSMISSION



PREMIUM GOLD SUPER CONCENTRATED OIL TREATMENT

- Added protection with high-tech CX3™ anti-wear additives. Special detergent formula with sludge-fighting additives.
- Fights oil breakdown
 - Cleans & quiets noisy lifters & valves

C90 12 pack 14 fl. oz. / 414 mL



GEAR OIL TREATMENT with PTFE

- Limited Slip Gear Oil Additive
- Minimizes noise
 - Creates protective film that extends life of gears
 - Stops rough shifting
 - Non-foaming/foam resistant

C560 12 pack 7 fl. oz. / 207 mL



PREMIUM CONCENTRATED OIL TREATMENT

- Fortifies oil; stops oil burning
- Restores compression and lost power
- Quiets noisy lifters, valves & pistons
- Reduces oil consumption & exhaust smoke


C91 24 pack 15 fl. oz. / 443 mL



SMOKE TREATMENT

- Formulated to thicken protective oil barrier to help reduce exhaust smoke & oil consumption
- Reduces metal-to-metal contact
 - Quiets noisy lifters, valves & pistons

C2100 12 pack 14.5 fl. oz. / 428 mL



MOTOR FLUSH

- Cleans Engines in 3 Minutes
- Easy to use! Add to oil before changing
 - Removes power-robbing deposits
 - Dissolves gum, sludge & varnish
 - Helps free sticking valve lifters & rings

C19 24 pack 15 fl. oz. / 443 mL
C20 12 pack 30 fl. oz. / 887 mL



FOGGING OIL

- Year-round protection for the inside & outside of engines
- Formulated like a liquid to "creep" into areas most Fogging Oils don't reach
- Outstanding rust & corrosion protection

C4100 12 pack 13 oz. net wt. / 369 g



ULTIMATE ENGINE TREATMENT

- Significantly reduces friction and wear by up to 650%
- Bonds with metal to protect against friction, filling very fine cracks/crevices; Concentrated metal reconditioning agent
 - Prevents harmful effects of thermal break-down; Reduces oil burning
 - Long-lasting formulation
 - Used effectively significantly reduces future maintenance costs
 - Meets or exceeds API and SAE (Society of Automotive Engineers) specifications

C2250 6 pack 12 fl. oz. / 355 mL



FAST FLUSH

- The 10-Minute Cleaner
- Quickly removes rust & scale
 - Safe for all cooling systems
 - Clean radiators and operate cooler & trouble-free

C50 12 pack 12 fl. oz. / 355 mL



ANTI RUST & WATER PUMP LUBRICANT

- Fights rust, corrosion & scale
- Lubricates water pump seals & parts
- Keeps cooling system clean & running cool
- Mixes with all types of anti-freeze

C51 12 pack 12 fl. oz. / 355 mL



STOP LEAK & SEALER

- Quickly finds & seals leaks with natural fibers
- Safe for all cooling systems
- Circulates without clogging
- Effective on all metals

C52 12 pack 12 fl. oz. / 355 mL



CONCENTRATED COOLANT BOOSTER

- Plus Anti-Rust & Anti-Foam Water Pump Lubricant
- Extends coolant life
 - Restores the additives contained in a full gallon of quality anti-freeze
 - Stops rust & corrosion
 - Lubricates water pump seals & moving parts
 - Stops water pump squeaks
 - Preserves aluminum alloy & other metals in cooling system from rust and corrosion

C53 12 pack 12 fl. oz. / 355 mL

ENGINE AND TRANSMISSION

ENGINE AND TRANSMISSION



SUPER HEAVY DUTY

POWER STEERING FLUID

- Meets service requirements of GM, Ford, Chrysler, and most imports
- Helps stop squeals
- Smooth year-round performance
- Protects against wear

C27 12 pack 12 fl. oz. / 355 mL
 C28 12 pack 32 fl. oz. / 946 mL



POWER STEERING STOP LEAK

- Sealer & conditioner
- Conditions seals to keep them soft and pliable
- Helps protect system from wear

C233 12 pack 12 fl. oz. / 355 mL

PROFESSIONAL ENGINE & FUEL SYSTEM MAINTENANCE KIT

3 Steps in less than 20 minutes to a complete engine & fuel system cleaning service. Only basic hand tools needed! No special tools required!

C88200 6 pack 2 lbs, 12 oz. / 1.247 kg

AIR INTAKE SYSTEM CLEANER

5.3 oz/150 g
 Decontaminates sensors for correct air flow control

- Reduces accumulated dirt and varnishes from linkages
- Cleans throttle plates & bodies

FUEL SYSTEM CLEANER


16 oz/473 mL
 Removes fuel injector deposits, gum & varnish

- Improves fuel flow & engine starting
- Reduces fuel consumption & emissions
- Total fuel system cleaner

COMBUSTION CHAMBER CLEANER

11.5 oz/326 g
 Increases power and improves performance

- Reduces intake valve & combustion chamber valve deposits



ENGINE STOP LEAK

Stops Oil Leaks

- Formulated to help reduce or stop oil leaks, revitalize & condition "dried out" seals & gaskets
- Recommended for gasoline and diesel engines
- Easy to use, just add to oil


C89 12 pack 15 fl. oz. / 443 mL



TRANS STOP LEAK & CONDITIONER

- Stops leaks
- Conditions seals
- Assures smooth shifting
- Compatible with all transmission fluids

C45 12 pack 12 fl. oz. / 355 mL



ALUMINIZED

STOP LEAK RADIATOR SEALER

- Stops leaks fast & permanently
- Repairs leaks in radiators, water pumps, cylinder heads, hose connections, engine blocks, freeze plugs, heaters & gasket joints
- Inhibits rust
- 20 tubes per dispenser

C240M 12 dispensers/240 tubes
 3/4 oz. / 21.2g each tube



GREASE

SPECIALTY



#2 LITHIUM GREASE
Multi-purpose protection for damp environments and heavy loads. Protection for bearings (plain, roller & ball), suspension points, ball joints, universal joints, steering linkages and chassis. Ideal for general plant use.

- Formulated with lithium high quality base oils
- Dropping point 350° F (175° C)
- N.L.G.I. grade 2
- Added rust & oxidation inhibitors



#2 LITHIUM GREASE
CGR22 12 pack 16 oz./ 454 g

#2 SUPER BLUE LITHIUM GREASE
CGR24 12 pack 16 oz./ 454 g



#2 SUPER RED LITHIUM GREASE
CGR11 25 pack 14 oz./ 400 g
CGR21 12 pack 16 oz./ 454 g



#3 SUPER HEAVY DUTY GREASE
Fibrous sodium grease creates thick seal to block out dirt, dust, salt & other air-borne contaminants. Crucial for demanding commercial operations with long periods between applications. Super tackiness for high-temperature/ extreme-pressure applications.

- Emulsifies water for superior rust protection
- Essential for vehicles carrying or towing heavy loads
- Dropping point 365° F (185° C)
- N.L.G.I. grade 3

CGR23 12 pack 16 oz./ 454 g



PROFESSIONAL GRADE

DIELECTRIC GREASE

- Lubricates, seals & protects electrical connections
- Rust & corrosion protection
- Locks out moisture, oil, salt & dirt
- Improved conductivity, heat transfer & connections
- Allows for easy assembly & disassembly
- Reduces risk of shorts, electrical fires & arcing

*Use on: electrical connections, spark plug boots, weather stripping, headlights, light bulb sockets, wire connectors, ballast resistors, switching units, switches, fuses, ignition coil connectors, slide contacts, molex connectors.

C710 6 pack .5 oz./ 14 g

C706 6 pack 3 oz./ 85 g

#3 HEAVY DUTY HIGH-TEMP WHEELBEARING GREASE

Vehicles • Industrial • Agriculture • Recreational Vehicles

- Formulated with lithium and quality base oils
- High dropping point 566° F (296.6° C)
- Added rust and oxidation inhibitors
- Outstanding protection in water and salt environments
- Resists water washout & thinning while in use

Excellent water resistance and continued performance after water contact. Ideal for passenger cars, trucks, boat trailers, recreational vehicles and applications with heavy shock loads. Maximum protection for bearings (plain, roller & ball), suspension points, ball joints, universal joints, steering linkages and chassis.

CGR28 12 pack 16 oz./ 454 g



HAND CLEANER

Citrus Lotion with Pumice

- Removes grease, oil, ink, undercoating, pipe dope & more
- No water needed!
- Conditioner enriched - contains 6 skin care ingredients: glycerin, aloe vera, jojoba, wheat germ extract, and vitamins C & E
- Petroleum solvent-free - complies with USA State VOC regulations

C178 12 pack 15 fl. oz./ 443 mL

C179 4 pack 1 gal./ 3.78 L



HEAVY DUTY

HYDRAULIC JACK OIL

- Lubricates & protects seals/cylinders
- Anti-wear & anti-foam protection
- Rust & oxidation inhibitors
- Maximizes performance & extends jack life

C643 12 pack 32 fl. oz. (1 qt)/ 946 mL



PROFESSIONAL

BATTERY CLEANER & ACID LEAK DETECTOR

- Cleans & helps protect battery terminals, clamps, connectors, cables & carriers
- Removes corrosion
- Locates & identifies acid leaks
- Extends battery life

C120 12 pack 15 oz. net wt./ 425 g



HEAVY DUTY

BATTERY PROTECTOR

- Protective red-colored coating prevents corrosion
- Soft pliable formula flows into cracks & crevices for maximum protection
- Extends battery life

C121 12 pack 11 oz. net wt./ 312 g



HEAVY DUTY

BELT DRESSING

- Stops squeaks, adds traction
- Protects against further slippage
- For fan belts and motor-driven belts
- Conditions/preserves new & used belts
- Protects against drying & cracking

C124-6 6 pack 8 oz. net wt./ 226 g



HEAVY DUTY

AIR TOOL OIL

- Cleans, lubricates & protects
- For rotary & piston-type air tools
- Helps ensure peak efficiency & extends tool life

C650 12 pack 4 fl. oz./ 118 mL

SPECIALTY



HEAVY DUTY ANTI-SEIZE
Extreme Pressure Lubricating Blend of Graphite, Copper & Aluminum Exceeds MIL-A-907E

- Protects metal parts from extreme heat, pressure, rust & corrosion
- Prevents galling, seizing & pitting
- Reduces wear & friction
- Ensures accurate torque & easy disassembly

C682 12 pack 8 oz. net wt. / 226.8 g



HEAVY DUTY COPPER ANTI-SEIZE
Finely divided copper particles. Protects & seals up to 2000°F/1090°C

- Protects metal parts from extreme temperatures and harsh environments including pressure, steam & water exposure
- Prevents rust & corrosion
- Prevents galling, seizing & pitting
- Reduces wear & friction
- Ensures accurate torque & easy disassembly

C684 12 pack 8 oz. net wt. / 226.8 g



HEAVY DUTY NICKEL ANTI-SEIZE
Pure Nickel & Graphite. Protects & seals up to 2600°F/1425°C

- Complete waterproof protection in the most extreme temperatures & harsh environments including heat, corrosive & acidic conditions
- Prevents rust & corrosion
- Prevents galling, seizing & pitting
- Reduces wear & friction
- No sulfur, lead, copper, halogens or clay fillers
- Ensures accurate torque & easy disassembly

C686 12 pack 8 oz. net wt. / 226.8 g



HEAVY DUTY HEADLINER & CARPET ADHESIVE

- Superior moisture/temperature/water resistance
- Non-staining formula
- Bonds carpet & foam to metal, fabric, leather, plastics, wood & paper

C904 12 pack 14.25 oz. net wt. / 404 g



ZINC-RICH COLD GALVANIZE
Mil-Spec Protective Coating

- 98% Pure Zinc coating provides long-term protection against rust and corrosion
- Heat resistant coating - up to 300°F (149°C)
- Combines tough properties of epoxy and galvanic protection of zinc
- Paint primer or finished coat
- Excellent repair for cracked, galvanized, rusted, or welded surfaces

C800 12 pack 13 oz. net wt. / 369 g



METAL PARTS PROTECTOR

- Superior indoor/outdoor protector
- Resists rock & gravel abrasion
- Single coat protects against salts & chemicals
- Flexible from -40° F (-40° C); non-flowing to 275° F (135° C)

C3342 12 pack 14 oz. net wt. / 397 g



RUST CONVERTER

- Seals & converts rusted surface into paintable area
- Neutralizes rust & Long-lasting
- Use on gates, bridges, marine equipment, farm tools, metal roofs and more

C3352 12 pack 10 oz. net wt. / 283 g



RUBBERIZED UNDER COATING

- Professional Looking Textured Finish
- Fights rust, soundproofs & restores protection
 - Paintable
 - Blocks out salt & water
 - Quick drying

C35 12 pack 16 oz. net wt. / 454 g

TIRE SOS

NEW ADVANCED FORMULA
Nueva Fórmula Avanzada



ADVANCED FORMULA

TIRE SOS

Tire SOS quickly re-inflates and seals punctures from the inside of a damaged tire.

- Comes with a handy hose applicator for ease of use
- Shake can well before using
- Wear eye protection during use
- Avoid skin contact

C500 12 pack 12 oz. net wt. / 340 g

***NOT FOR SALE IN THE USA**

Meets requirements of Department of Defense & Military Specifications: DOD-P-21035A, MIL-P-26915, MIL-P-46105

WINTER AND STORAGE



100% CONCENTRATE WINDSHIELD WASHER Cleaner & Anti-Freeze

- All-season product: winter anti-freeze & summer cleaner
- 100% CONCENTRATE formula (many competitive products on the market are 40% water)
- User may custom blend solvent to match weather conditions

C207 12 pack 16 fl. oz. / 473 mL



WINDSHIELD WASHER SOLVENT CONCENTRATED

- With Ammonia
- Removes bugs, road film, and grime
 - Add to windshield washer fluid reservoir
 - Easy-to-use 6 ounce bottle – use 1 oz. per 1 quart of water

(In winter use C-207 Anti-Freeze formula)

C206 24 pack 6 fl. oz. / 177 mL



FOGGING OIL

- Year-round protection for the inside & outside of engines
- Formulated like a liquid to "creep" into areas most Fogging Oils don't reach
- Outstanding rust & corrosion protection

C4100 12 pack 13 oz. net wt. / 369 g



ADVANCED FORMULA DIESEL FUEL TREATMENT

- Super Concentrated ANTI-GEL • DE-ICER • STABILIZER
- Prevents formation of wax crystals and ice formation, lowering the pour point temperature as much as 50°F below the base fuel (i.e. 10°F, adding the product at the recommended concentration will lower the pour point of the fuel to -40°F)
 - Prevents filter plugging from wax or ice
 - Keeps injectors clean
 - Disperses water
 - Lubricant for low sulfur fuel
 - C-24 treats 250 gallons
 - C-DFA treats 50 gallons

C DFA 12 pack 8 fl. oz. / 237 mL

C24 12 pack 32 fl. oz. / 946 mL



AIR BRAKE ANTI-FREEZE & DRYER

- Dissolves ice on contact
- Year-round protection for air brake systems
- Moisture remover

C97 12 pack 32 fl. oz. / 946 mL

C98 4 pack 1 gal. / 3.79 liter

C106 1 drum 55 gal. / 208 liter



FAST START™ STARTING FLUID

- Professional quality
- For gasoline & diesel engines
- Fast cold weather starts to -65° F (-53° C)
- Contains upper cylinder lubricant & rust inhibitor

C99 12 pack 7.2 oz. net wt. / 204 g

C100 12 pack 10.7 oz. net wt. / 303 g



CONCENTRATED FUEL STABILIZER

- Keeps gasoline & diesel fuel fresh for quick starts
- Prevents fuel deterioration, gum & varnish
- No need to drain fuel for storage
- For all 2 and 4 cycle engines

C290 12 pack 8 fl. oz. / 237 mL

C292 6 pack 32 fl. oz. / 946 mL

RETAINING COMPOUNDS

All 50 mL, 6 pack

	CONDITION OF ASSEMBLY			
	WORN/LOOSE	NEW INSTALLATION		
	C66050 Worn-part Retaining Compound	C62050 Extreme Temperature Retaining Compound	C64050 High Temperature Sleeve Retainer	C68050 Maximum Strength Retaining Compound
	• For large gaps and severely worn parts • Ideal for repairs without re-machining	• Extreme temperature resistance • Best for high stress environments	• High temperature resistance • Restores fit with added 3,000 PSI hold	• High stress, medium viscosity • Restores fit with added 2,800 PSI hold
MAX GAP FILL DIAMETRICAL:	up to .020" (.5 mm)	up to .015" (.4 mm)	up to .007" (.18 mm)	up to .015" (.4 mm)
OPERATING TEMPERATURE:	-65° to 300° F (-54° to 149°C)	-65° to 450° F (-54° to 230°C)	-65° to 400° F (-54° to 200°C)	-65° to 300° F (-54° to 149°C)
SHEER STRENGTH**	3000 psi	3900 psi	3000 psi	4000 psi
VISCOSITY CP:	1,200,000	8,500	600	1,250
USES:	Loose set screws; worn couplings; worn shafts & housings	Radiator assemblies; auto transmission bearings; housing sleeves	Liner assemblies; valve guides; cylinder sleeves; bearings	Wheel & press fit bearings; replaces: set screws, clamp rings, snap rings

** steel/steel psi

PIPE SEALANTS

All 50 mL, 6 pack

	APPLICATION			
	FINE THREADS	SOFT METALS	GENERAL PURPOSE	
	C54550 Pneumatic / Hydraulic Sealant	C56750 Extreme Temperature with PTFE	C56550 Controlled Strength with PTFE	C59250 High Temperature with PTFE
	• For fine threaded fittings • Will not contaminate filter systems	• Excellent solvent resistance • For stainless steel or aluminum fittings	• General purpose • Outperforms tapes for easy assembly & disassembly	• High temperature resistance • Strength increases over time
MAX PIPE DIAMETER:	2" (50 mm)	3" (75 mm)	2" (50 mm)	2" (50 mm)
TEMPERATURE RANGE:	-65° to 300° F (-54° to 149°C)	-65° to 400° F (-54° to 200°C)	-65° to 300° F (-54° to 149°C)	-65° to 400° F (-54° to 200°C)
SEAL TO OPERATING PRESSURE:	10,000 psi	10,000 psi	10,000 psi	10,000 psi
VISCOSITY:	14,000 (cP)	300,000 (cP)	300,000 (cP)	350,000 (cP)
USES:	Fittings on hydraulic lines, brakes, transmission fluid	Tapered pipe threads & fittings;	Stainless steel fittings; oil & coolant lines; fuel fittings	Oil PSI switches & sensors; transmission oil & coolant lines; head bolts



ANAEROBIC THREAD LOCKERS

Are parts already assembled?

- YES** → **PENETRATING GRADE**
- NO** → **Is the diameter greater than 1/4"?**
 - YES** → **GEL**
 - NO** → **LIQUID**

Is disassembly required?

- YES** → **LIQUID**
- NO** → **Is the Diameter greater than 1"?**
 - YES** → **LARGE DIAMETER**
 - NO** → **Temp greater than 300°F/149°C?**
 - YES** → **HIGH TEMPERATURE**
 - NO** → **Permanent strength required?**
 - YES** → **PERMANENT STRENGTH**
 - NO** → **LIQUID**

- For threadlocking on pre-assembled fasteners
- Low viscosity seeps into threads & locks into place

- Locks & seals like a liquid with the benefits of a gel - no drips, mess or waste

- Oil resistant - ideal for applications with slight oil film or oil contaminated

- All purpose
- For most nut & bolt applications

- For low-strength metals and small screws that can break during disassembly

- For large fastener applications requiring specialized strength

- For extreme temperatures & heat stress applications
- Ideal for high performance applications

- For permanent locking
- Adds 3,000 PSI holding power on slip/press fits

- Ideal for harsh chemical or environmental conditions

- High strength locking & sealing with the benefits of a gel - no drips, mess or waste

	PENETRATING GRADE	MEDIUM STRENGTH GEL	SURFACE INSENSITIVE	MEDIUM STRENGTH	SMALL SCREWS	LARGE DIAMETER	HIGH TEMPERATURE	PERMANENT STRENGTH	HIGH STRENGTH	HIGH STRENGTH GEL
TYPICAL USE:										
TYPICAL SIZE FASTENER:	#2 to 1/2" (2.2 to 12 mm)	1/4" to 1" (6 to 25 mm)	1/4" to 3/4" (6 to 20 mm)	1/4" to 3/4" (6 to 20 mm)	Up to 1/4" (6 mm)	1" and over (25 mm+)	3/8 to 1-1/2" (10 to 38 mm)	3/8 to 1" (10 to 25 mm)	3/8 to 1" (10 to 25 mm)	3/8 to 1" (10 to 25 mm)
BREAK/PREVAİL**	97 / 266	115 / 50	186 / 53	115 / 53	62 / 35	284 / 284	213 / 230	177 / 266	239 / 266	195 / 248
TEMPERATURE RANGE:	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 450° F (-54° to 230°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP:	12	75,000 / 900,000	2,250 / 12,000	1,200 / 6,000	1,200 / 5,000	7,000	10,000	1,800 / 5,000	500	75,000 / 900,000
SIZES:	C29010 10 mL C29050 50 mL	C24006 6 mL	C24350 50 mL	C24210 10 mL C24250 50 mL	C22210 10 mL C22250 50 mL	C27750 50 mL C27725 250 mL	C27250 50 mL	C26250 50 mL	C27110 10 mL C27150 50 mL	C27006 6 mL
USE ON:	Carburetors; electrical connectors; instrumentation screws; pre-assembled fasteners	Tools; pumps; compressors; gear boxes; bolts - (mounting, pulley, coupling)	Pumps; motor mounting bolts; gear boxes; presses	Tools; pumps; compressors; gear boxes; bolts - (mounting, pulley, coupling)	Set screws; throttle body assembly screws; panel mounting fasteners; meters & gauges	Heavy Duty equipment such as construction & railroad assemblies; suspension bolts; gear bolts	Camshaft sprocket bolts; crankshaft bolts; transmission input & output shaft threads; idler bearings; ring gear or shock bolts	Suspension fasteners; shock absorber mounts; frame brackets; wheel studs	Cylinder block bolts; transmission shaft bolts; ring gear bolts	Cylinder block / rocker arm studs; shock absorber mounts; ring gear & frame bolts

CONVENTIONAL THREAD LOCKERS



THREAD LOCKER - BLUE

- Medium Strength - Removable
- Locks, fastens & seals threads
 - Prevents loosening due to vibration
 - Removable with normal hand tools

C920 6 pack .20 fl oz/6 mL

THREAD LOCKER - RED

- High Strength - Permanent
- Locks, fastens & seals threads securely
 - Prevents loosening due to vibration
 - Disassembly requires extra effort

C925 6 pack .20 fl oz/6 mL



SURFACE ACTIVATOR Preparation for Anaerobics

Increases strength and decreases downtime by:

- Curing faster on cold parts, large gaps and deep threads
- Cleaning surfaces for better locking & sealing
- Activating inactive surfaces
- Active on parts for up to 30 days

C930 6 pack 2 fl oz/59 mL

RECOMMENDED ACTIVE SURFACES:

- brass
- copper
- iron
- soft steel
- nickel
- bronze

REQUIRED INACTIVE SURFACES:

- aluminum
- titanium
- zinc
- stainless steel
- anodized surfaces
- bright platings

GASKET MAKERS

GENERAL PURPOSE



C51550 50 mL, 6 pack

- Flexes with flanges
- Extended work time

SOLVENT RESISTANT



C51850 50 mL, 6 pack

- Fast work time
- For aluminum & rigid machined flanges

	General Purpose	Solvent Resistant
COLOR:	Purple	Red
TEMP RANGE:	-65° to 300° F to (-54° to 149°C)	-65° to 300° F to (-54° to 149°C)
VISCOSITY:	275,000/950,000	800,000/3,750,000
CURE SPEED:	30 min to 4 hrs (primed) 4 to 24 hrs (unprimed)	15 min to 2 hrs (primed) 1 to 12 hrs (unprimed)
USES:	Water pumps; engine cases; timing covers; thermostat housing	Transmission pans; trans axle casings; water pumps

ADHESIVE AND SEALANT

ADHESIVE AND SEALANT

GASKET TECH

Elastomeric Rubber
Formulated to meet OEM specs

- Cuts service bay time by 75% (withstands start-up pressure in 15 min)*
- Superior to cut gaskets in: temperature/oil/coolant resistance; ability to seal on scored surfaces; cost; sealing reliability & durability; leak/vibration resistance

*Conventional silicones take an hour to reach adequate cure state (stiffness) to withstand vehicle start-up pressure

- C59005 Heavy Duty Black 6 pack 5 fl. oz. / 147 mL
- C59905 Heavy Body Gray 6 pack 5 fl. oz. / 147 mL

Cuts service bay time by 75%
AND adheres better than
conventional silicones



MAXPRO™ GREY•OX & BLACK•OX INSTANT RTV GASKET MAKER

- Hi-temp - up to 650° F
- Oxygen sensor-safe
- Low odor / non-corrosive
- Forms instant leakproof gaskets on all engines
- Low volatile formula meets GM 9985443 spec
- Extreme pressure resistance
- 100% Silicone - No fillers added
- Great adhesive & sealant for many materials-metal, glass, plastic, wood, rubber, fiberglass, etc.
- Neutral cure

- C959 Grey•OX 12 pack 3.35 oz. / 95 g
- C961 Black•OX 12 pack 3.35 oz. / 95 g

SUPERPURE™ PROFESSIONAL RTV

SILICONE INSTANT GASKET MAKER

- Oxygen sensor-safe
- Forms instant leakproof gaskets on all engines
- Low volatile formula meets GM 9985443 spec
- Pressure resistant
- 100% Silicone - No fillers added
- Great adhesive & sealant on many materials- metal, glass, plastic, wood, rubber, fiberglass, etc.
- Clear silicone seals windshields & windows
- C950 is an aluminum color version of C951

- C950 Aluminum 12 Pack 1 oz. / 28 g
- C951 Black 12 Pack 3 oz. / 85 g
- C952 Red 12 Pack 3 oz. / 85 g
- C953 Clear 12 Pack 3 oz. / 85 g
- C956 Blue 12 Pack 3 oz. / 85 g



Also available in Cartridges for larger applications (with removable nozzle for easy cleaning)

- C991 Black 24 Pack
- C991-6 Black 6 Pack 9.8 fl. oz. / 290 mL
- C992 Red 24 Pack
- C992-6 Red 6 Pack 9.8 fl. oz. / 290 mL
- C993 Clear 24 Pack
- C993-6 Clear 6 Pack 9.8 fl. oz. / 290 mL
- C997 White 24 Pack
- C997-6 White 6 Pack 9.8 fl. oz. / 290 mL
- C999 Grey-Ox 6 Pack 13 oz. / 368 g



CONCENTRATED

ULTRAWELD® EPOXY STICK

- Super strong, high-temp formula
- Sticks and cures underwater
- No odor
- Fast; no mess, drips, shrinkage, sags, or waste like liquid epoxy
- REPAIRS TO: intake manifolds, water tanks, radiators, engine blocks & more
- For wood, steel, aluminum, fiberglass, plastic. Packed in a 12-count display case

- C301 12 pack 2 oz. / 57 g

PROFESSIONAL STRENGTH

REAR VIEW MIRROR ADHESIVE

- Bonds bracket to windshield
- Permanent in minutes
- Bonds cellular antenna to glass
- Bonds body trim to body work
- O.D.C. Free

- C910 12 pack Two .01-oz. Tubes



HIGH STRENGTH

ULTRAWELD® CLEAR EPOXY

- Quick Set Colorless Bonding Compounds, non-shrinking
- Use on concrete, metal, wood, glass, china, plastic, tile & more
 - Waterproof / solvent resistant
 - No odor
 - Can be drilled, sanded & machined

- C943 12 pack Two 1/2-oz./28 g Tubes

INDUSTRIAL STRENGTH

ULTRAWELD® EPOXY STEEL

- Quick Set Cold Welding Compound, an unrivaled two-part epoxy steel
- Fast & strong
 - NO ODOR like many competitive products
 - Quick to mix & fast to apply
 - Seals & bonds in 4 minutes
 - Cures to a metal-like finish overnight
 - Can be drilled, tapped or machined like original metal part

- C944 12 pack Two 1-oz./57 g Tubes





OEM :: AUTOMOTIVE



Product	Part #'s	Audi	BMW	Chrysler	Daewoo	Fiat	Ford	General Motors	Honda	Hyundai	Isuzu	Jaguar	Land Rover	Maxion	Mazda	Mercedes-Benz	Mitsubishi	Nissan	Opel	Rover	Saab	Saturn	Scania	Subaru	Suzuki	Toyota	Valmet	Volvo	Volkswagon
Anaerobic Flange Sealant	C51550 50 mL			M5CD98A 2654871 7778404 J4570650			WSK-M2G-348-A4 A16	105 2765 1702 1703 998 5361			1-8844-0145-0 1-8844-6376-0							C1335-31X25				21005993	378183			00001-01007			
Anaerobic Gasket Maker	C51850 50 mL		0127784	4318083 MSCD 98-D	Gasket Sealant		WSK-M2G348-A5 ESK-M4G-269-A F8AZ-19B508-AB A16	105 2942 998 5460 105 2943			1-8844-222-0		LRNA-51831					C1335-31X25 999MPAM001			02449790 815373 9321795					00001-01005			
Small Screws Threadlocker - Purple	C22210 10 mL C22250 50 mL					639428500	WSK-M2G351-A4 ESE-M492204-A1	998 5436 1234 5382					LRNA-22231																
Medium Strength Threadlocker - Blue	C24210 10 mL C24250 50 mL	AMV197500	07-58-9-056-031 0121874	2654392 4318031 MS CC75 04057989		639147100 976173410 639197 110	EOAZ-19554-A A WSK-M2G351-A5	12345382 1700 998 5283 9985436		242 Blue	1322, 1338 1324, 1364 1333, 1370-137 1-8844-9032-0 1-8844-9033-0 9-8893-2601-0 9-8893-2605-0			15060003	105177743	A00398931710011 A00398931710002 A00398931710004 A00398931710005	3M4177	999MPAM005	L0010184 L0020184		7990963 7496268	21485277	814283		99000-32020	00001-01003	78723013	591255 8701007 161054-0	AMV197500
Surface Insensitive Threadlocker - Blue	C24350 50 mL		0133789 07-58-9-056-031			886305000	ESK-M4G-247-A2 WSK-M2G351-A7 WSK-M29G351-A2 A25		08718-0009		JVSCDS0922 JVSCDS0921	1031240 JVS CDS0921	LRNA-24078							5H4830						00001-01003			
Permanent Strength Threadlocker - Red	C26250 50 mL	AMV197300	0126374				E2FZ-19554-B WSK-M2G351-A6 A26	9985300 998 5773 1234593			1-8844-6372-0				LA1249111 77-300E-10							21005994	814284 L0020153						AMV197300
High Strength Threadlocker - Red	C27110 10 mL C27150 50 mL		81229400086 (Specified as 270)	4318032 4057987 MSCD 96-A		976033480	EOAZ-19554-B A WSK-M2G351-A3 ESEM4148 A SEEM4203A2	1773 998 5300 9985259			1-8844-6373-0 9-8893-2601-0 9-8893-2602-0	120333	LRNA-21436 (Specified as 270) LRNA-27131	1506033 0710 115		A3459890271 A3459890171	MZ100360 3M4170 3M8730 3M8731	999MPAM004				21005994	814282		99000-32030	00001-01004	078723001	591093 161070	
High Temp Threadlocker -Red	C27250 50mL			0 5014205A J4570669 8800619 5356 779	erifi-T Thread Sealant			12345493 998 5399		272 Red			LRNA-27240								0245761			TB1303					
Large Diameter Threadlocker -Red	C27750 50mL C27725 250mL			2654427 MSCD 96-A			WSK-M2G351-A7 ESE-M4G-203A2 A27	7200 998 5266 1700 1773 12345493			1-8844-6374-0			0710108													07873002	078723001	
Penetrating Grade Threadlocker - Green	C29010 10 mL C29050 50mL			4186369 4187099 MSCC-77			SSM-4G-9520- A WSK-M2G351-A1 ESE-M4G203-A1	998 5306			1320, 1321 1323 1-8844-6375-0 1331, 1361		LRNA-29031	0710109									21485276	814281			078723020	591264	
High Temp Thread Sealant	C59250 50 mL			4318034 4318044 J4570588 2654648 4267247 MSCD-95A			XW7Z-19554- A D8AZ-19554- A WSK-M2G350-A2	12346004 105 2080 998 5253		565 White												21485278							
Bearing Mount for Close Fits Retaining Compound	C68050 50 mL		07-58-9-056-030 (Specified as 638)	2654484 4187443 MSCD97 A MSCD97-B			EOAZ-19554-B A WSK-M2G349-A1 WSK-M2G349-A5	1651343 9985299 9985262 12377901 998 5299				113072																	
HighTemp Sleeve Retainer	C64050 50 mL	AMV185100 AMV185101		28044924 4856852 MSCD 97-B			ESE-M492-167-A1 WSK-M2G349-A10	998 5345 12377901 998 5409								A00298920710003 A00298920710004 A00298920710005			L0010189 L0020189			21005996				078723017		AMV185100 AMV185101	

NOTE: The Cyclo products featured in this interchange guide have been formulated to meet OEM specs. To ensure products meet specific requirements, test before use.



Product	Part #s	Case	Caterpillar	Cummins	Detroit Diesel	Fiat Allis	Ford	GMC	John Deere	Kenworth	Komatsu/Dresser	Mack	International	Volvo GM
Anaerobic Flange Sealant	C51550 50 mL	ZPX51550 ZPX51530	515	LT-51531	23514188 23513509	73127654	EZAZ-1956Z-A							
Anaerobic Gasket Maker	C51850 50 mL	ZPX51850												V111005 V111006 06479-5002
Medium Strength Threadlocker - Blue	C24210 10 mL C24250 50 mL	ZPX24210	953263 4C4030	3375067 3824040 3824041 3375068	23509535 23509536	75000776	D5AZ-19554-A D5AZ-10544-A	1052279	T43512 TY9370 AT52853	KW242-10ML KW242-50ML		5166-2114 5166-24200 5166-2126	576016C1 576017C1 554210C1	06479-5003 20-700-1460
Permanent Strength Threadlocker - Red	C26250 50 mL	ZPX26210 ZPX26236			23509537 23509538	75000776					634017C1	5166-26200		
High Strength Threadlocker - Red	C27110 10 mL C27150 50 mL	ZPX27136 ZPX27110	7M7456	3824038 3875068	75000779	75000779	EOAZ-19554-B	271	T43513 TY9371	KW271-10ML		5166-2223 5166-27121		
Large Diameter Threadlocker - Red	C27750 50mL C27725 250mL	ZPX27736			75000779			277	TY9373					
Penetrating Grade Threadlocker - Green	C29010 10 mL C29050 50mL	ZPX29036	4C9508 4C9509	3823682	23509539	75000780		290	290			5166-29021 5166-29026	290	
High Temp Thread Sealant	C59250 50 mL	ZPX59250	SP3413	3375065 3375066	75000777	75000777	D8AZ-19554-C	1052080	TY9374 TY9375		634016C1	5166-59214 5166-59231	554209C1 554211C1	20-707-6088 20-700-1462 06479-5004
High Temp Sleeve Retainer	C64050 50 mL		4C4031 953265	ST-1272-12	75000778	75000778		1051343 1052624	T43515	KW601-10ML		35, 40, 75, 601, 620	35, 40, 75, 601, 620	20-700-1458 06479-5001
Bearing Mount for Relaxed Fits Retaining Compound	C68050 50 mL	ZPX68036							TY15969			5166-68035		
Surface Prep Activator	C-930 2 fl oz	ZPX24163		ST-1272-13	75000782	75000782		680			64405C1	5166-2556		



APPEARANCE



MAX CLEAN®
All-Purpose Foam Cleaner
Vinyl • Carpet • Fabric • Plastic

- Cleans & restores color/appearance
- Deep-cleaning foaming action
- Spray on - Wipe off
- 1,001 uses: auto, home, boat & more!

C392 12 pack 18 oz. net wt. / 510 g



FOAM•AWAY™
TIRE CARE
One-Step Foam Cleans, Shines & Protects

- Dissolves & removes dirt & brake dust
- Restores a lustrous, like-new finish
- Builds a barrier against cracking, fading & discoloration
- Easy to use – spray it on & watch it work

C62 12 pack 19 oz. net wt. / 538 g



GLASS CLEAN™
Streakproof Formula
Auto • Marine • Farm • Industrial

- Safe for window tinting film
- Cuts grease, grime & nicotine film
- Contains no ammonia
- "No-Run Foam" aerosol spray

C331 12 pack 19 oz. net wt. / 538 g



PROFESSIONAL FORMULA
HEADLIGHT RESTORE
Professional formula that removes surface oxidation, pitting, and scratches with a long-lasting shine and protection.

- Restores headlight finish to new condition
- Not harmful to surrounding chrome and paint finishes
- Easy-to-use, no additional tools required
- No sanding required
- No harsh chemicals
- Added UV protection

Safe for all polycarbonate, including tail lights, face shields, boat & motorcycle windshields, and bug deflectors.

C0801 6 pack 8 oz. net wt. / 236.5 mL



EXTRA STRENGTH
BUG & TAR CLEAN™

- Dissolves & removes tar, tree sap, bugs & more
- Unique creamy formula – does not flash off
- Safe for all automotive finishes

C64 12 pack 12 oz. net wt. / 340 g

cyclo absolute.

A Premium Collection

absolute. - *adjective.* free from imperfection.
absoluto. - *adjetivo.* libre de imperfección.



Fusion 3.0

Uniquely engineered to provide unmatched performance.

13 oz, 6 per carton
SKU C6630



Premium Cream Wax

A polymer based cream wax whose performance is unmatched by any product currently available.

10 oz, 6 per carton
SKU C6610



Scratch Remover

Safely removes light paint scratches, scuffs, swirls, light surface oxidation.

8 fl. oz, 6 per carton
SKU C6604



Interior Care

Quickly locks in a natural satin finish that resists spills, dust and other body oils that soil or crack the interior surfaces.

14 fl. oz, 6 per carton
SKU C6602



Headlight Restoration

Quickly restores headlights to like-new in minutes with little more than a few towels and elbow grease.

8 fl. oz, 6 per carton
SKU C6605



Quick Detailer

A mist-and-wipe spray for maintaining a freshly detailed appearance of your vehicle's exterior.

14 fl. oz, 6 per carton
SKU C6603



Tire & Trim Care

Quickly produces a brilliant shine with long lasting protection. Dries clear with no buffing required.

8 fl. oz, 6 per carton
SKU C6601

APPEARANCE

APPEARANCE

TANNER'S PRESERVE® LEATHER CARE

Tanner's Preserve Leather Conditioning Cream was formulated to put back what time and exposure take out of leather. This easy-to-use cream contains emollients which help restore leather surfaces to a supple, rich luster and keeps surfaces in a rich, like new condition. Also, great for use on furniture, clothing, and accessories.

Tanner's Preserve Leather Cleaner is a specially formulated cleaner and the safe, easy way to clean your car's leather interior. Made without harsh chemicals or ingredients that could harm the leather finish.

- 65864 Leather Cleaner 6 pack 7.5 fl. oz. / 221 mL
- 65893 Leather Conditioning Cream 6 pack 7.5 fl. oz. / 221 mL




CREAM CAR WAX

The fast, easy way to clean & shine your car

- Easy on! Easy off!
- Cleans deep & shines deep
- Special blend of premium silicone & imported montan wax (rich gloss)

82116 6 pack 10 oz. net wt. / 284 g



LIQUI-CREAM™ WAX

Liqui-Cream™ Wax Unique liqui-cream for an easy squeeze bottle application

- Easy on! Easy off! and leaves a rich, beautiful shine
- Safely cleans & polishes metallic, enamel & clearcoat finishes
- Long-lasting protection

05140 12 pack 14 fl. oz. / 414 mL



ORIGINAL FORMULA

AUTO POLISH & CLEANER

New car beauty – fast & easy

- Cleans deep down... removes grime & stains, weathered paint & dulling road film
- Restores "new-car" brilliance to all car finishes
- Gives a bright, long-lasting shine

01110 6 pack 14 fl. oz. / 414 mL



RUBBING COMPOUND

Heavy duty paste cleans & restores very dull finishes

- Restores shine to dull finishes
- Cleans & smoothes rough surfaces
- Removes deep scratches & stains

08610 12 pack 10 oz. net wt. / 284 g



WHITE POLISHING COMPOUND

Removes scratches, cleans & shines dull finishes

- Excellent for removing surface scratches & stains
- Removes heavy traffic film & weathered paint
- Provides smooth, shiny surface quickly & easily

07610 12 pack 10 oz. net wt. / 284 g



CONCENTRATE

CAR & TRUCK WASH

Fast, efficient wash for entire car including vinyl top, windows & chrome

- Strong enough to float off dirt & grime – without harming finish or waxed surfaces
- Economical powder concentrate
- Also great as household cleaner for walls, woodwork, windows, floors & tile

16140 12 pack 8 oz. net wt. / 277 g

16330 4 pack 4 lb. / 1.8 kg

16340 1 pack 16 lb. / 7.26 kg



CLEARCOAT POLISHING COMPOUND

Safely eliminates minor scratches

- Removes light oxidation
- Cleans stains, grime & road film
- Restores vehicle appearance

06610 12 pack 8 fl. oz. / 236 mL



SCRATCH REMOVER

Formulated with Diminishing Abrasives

- Safely removes light scratches/swirls
- Super-fine particles breakdown from friction to gently buff away any surface blemishes
- Safe for all finishes
- For hand or machine use

09610 6 pack 8 fl. oz. / 236 mL



CHROME POLISH

The fast, easy cleaner-polisher & rust remover

- Cleans & polishes in one operation
- Bright mirror shine for chrome bumpers & trim
- Removes traffic film, bug residue & rust stains quickly & easily
- Excellent for polishing nickel, brass, copper & stainless steel

10120 12 pack 8 fl. oz. / 236 mL



APPEARANCE

Rain Dance

BRILLIANT REFLECTIVE SHINE

PREMIUM LIQUID WAX

Formulated to create an exceptionally smooth surface. Blend of synthetic polymers, waxes and carnauba that delivers the best in Water-beading action and surface protection.

- Leaves a velvet-touch feel on paint surface
- Added shine element for show-car shine
- Rich formula leaves no residue
- Clear coat safe

2510 6 pack 16 fl. oz. / 473 mL



PREMIUM CLEANER WAX

3 Products in 1 - Cleaner, Polisher and Protector!

- Formulated to go deeper for a thoroughly clean surface
- Gentle abrasive formula to remove fine lines, swirl marks and contaminants not removable by regular waxes or cleaners
- Helps restore original vehicle appearance
- Leaves surface smooth and protected
- Added carnauba wax for extra protection
- Clear coat safe

2550 6 pack 16 fl. oz. / 473 mL



QUICK DETAILER

Multi-surface Tool for Quick Shine

- Great tool for detailing, everyday touch-ups and in between washing and waxing
- Formulated for superior shine and to enhance vehicle wax protection
- Removes dirt, fingerprints, dust and other everyday contaminants from interior, exterior, tires and wheels
- Masks fine scratches and swirl marks.
- Will not smear or streak paint, glass, plastics or rubber
- Pleasant fragrance

2931 6 pack 22 fl. oz. / 650 mL



WASH & WAX CONCENTRATE

Wash & Wax in One Easy Step! A unique formulation that both washes and protects vehicle surface

- Surface-active agents thoroughly loosen and remove surface contaminants and dirt from the paint, leaving a high gloss protected finish
- Added carnauba wax for extra protection
- Safe for all paint surfaces, including clear coats.
- May be used on all exterior surfaces
- Convenient 22 oz and 64 oz size

2624 6 pack 22 fl. oz. / 650 mL

2664 4 pack 64 fl. oz. / 1.89 L



CARNAUBA CAR WAX

Long-lasting Water-beading shine

- Contains only the purest grades of carnauba and other durable waxes that seal a vehicle's finish
- Smooths fine scratches and swirl marks to create a brilliant and shiny surface
- Blocks out damaging elements that fade paint and cause oxidation
- Removes dirt and stains
- Easy formula can be applied in minutes, not hours
- Clear coat safe

2540 6 pack 10 oz. / 283 g



WET TIRE SHINE

No Wiping! No Rinsing!

- Unique Spray & Shine formulation for deep shine and high gloss
- Helps prevent browning, cracking, and pre-mature aging of tires
- Features unique nozzle application to direct the spray to the precise areas
- Restores deep black appearance

2233 6 pack 14.5 oz. net wt. / 411 g



Viva-Scent Air Fresheners

VIVA-SCENT® ORGANICS

- Three scent-infused blocks - up to 60 days of scent
- Natural, pleasant scents
- Available in assorted & individual display boxes
- Immediately ready for counter placement

Display	Case	Contents
24	144	1.5 oz. / 42 g



VIVA-SCENT® LARGE GELS

- Extra strength scent - lasts up to 60 days
- Natural, pleasant scents
- Offsets foul & unpleasant odors
- One scent per case

Display	Contents
24	3.15 oz. / 93 mL



VIVA-SCENT® SMALL GELS

- Thick concentrated gel - up to 100 days of scent
- Safe to use anywhere - spill-proof, easy-to open can
- Available in assorted & strawberry
- Immediately ready for counter placement

Display	Case	Contents
24	144	1.5 oz. / 42 g



VIVA-SCENT® SPRAY AIR FRESHENER

- Extra strength for stubborn & foul odors
- Refreshes any area - home, office, vehicles
- Available in assorted & individual display boxes
- Immediately ready for counter placement

Display	Case	Contents
12	144	2 fl. oz. / 60 mL



VIVA-SCENT® PALM TREES

- Long lasting - up to 8 weeks
- Immediately ready for display/hanging
- Offsets foul & unpleasant odors
- Wide variety of most popular scents

Display	Case
12	144



PALM TREE DISPLAY BOARD

- Favorite palm tree scents all on one convenient board
- Assorted board arrives ready for display

Display	Case
60	12



AIR FRESHENERS

Scent: ORGANICS

- C-FN2CH Cherry
- C-FN2CT Coconut
- C-FN2JS Jasmine
- C-FN2NC New Car
- C-FN2ST Strawberry
- C-FN2VN Vanilla
- C-FN2WD Wildberry
- C-FN2MX Assorted

LARGE GELS

- C-FG3CH Cherry
- C-FG3CT Coconut
- C-FG3JS Jasmine
- C-FG3NC New Car
- C-FG3ST Strawberry
- C-FG3VN Vanilla

SMALL GELS

- C-FG2ST Strawberry
- C-FG2MX Assorted

SPRAY

- C-FS2CH Cherry
- C-FS2CT Coconut
- C-FS2JS Jasmine
- C-FS2NC New Car
- C-FS2ST Strawberry
- C-FS2VN Vanilla
- C-FS2MX Assorted

PALM TREES

- C-FHCH Cherry
- C-FHCT Coconut
- C-FHJS Jasmine
- C-FHIB Icee Black
- C-FHNC New Car
- C-FHPN Pine
- C-FHST Strawberry
- C-FHVN Vanilla
- C-FHWD Wildberry

DISPLAY

- C-FHMX Assorted