

9-201S/301S-1005 03-8 Nissan 350Z/Infiniti G35 DW200/300 Fuel Pump Installation Guide



Parts List:

- DW201S/301S
- Orings (x3)
- Fuel Sock
- Super Lube

DeatschWerks

03-8 Nissan 350Z/Infiniti G35 DW200/300 Fuel Pump Installation Guide

03-8 Nissan 350Z/Infiniti G35 DW200/300 Fuel Pump Install


PLEASE READ – this guide is intended to aid in the installation of our products. It is recommended that factory manuals or instructions are followed to remove the fuel pump assembly from the vehicle. Some instructions in this guide are generic. The factory manual should supersede any contradiction.

Below is a picture of suggested tools that will make the installation process easier.




DeatschWerks
03-8 Nissan 350Z/Infiniti G35 DW200/300 Fuel Pump Installation Guide

1 – remove the fuel temperature sensor and disconnect the electrical connectors from the pump and level sensor



2 – lift the slide over the tab and pull the bucket away from the center section



3 – pry the pump retainer off the center section and pull the pump out




DeatschWerks
03-8 Nissan 350Z/Infiniti G35 DW200/300 Fuel Pump Installation Guide

4 – prep the DW200/300 using all 3 orings on the pump outlet




5 – install the DW200/300 into the center section. The OE pump isolator/grommet will NOT be used



DeatschWerks
03-8 Nissan 350Z/Infiniti G35 DW200/300 Fuel Pump Installation Guide

6 – plug the connectors back in and replace the fuel temperature sensor



7 – reinstall the assembly into the fuel tank and attach a length of hose to the outlet of the pump assembly allowing it to drain into a fuel safe container and prime the fuel pump assembly

8 – cycle the key to the on position as many times as required to prime the pump assembly and evacuate the air introduced during the pump installation process

9 – attach supply line to the outlet of the pump assembly