


# Different Trend™, INC.

*Quality Driven Products™*

# HD-POLISHED

## Stainless Steel Mufflers



**DTM-24102D24-14**
14" BODY - 2.25" SINGLE IN / 2.25" DUAL OUT

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 02.25" | BW | 08.00" | OL | 20.50" |



**DTM-24102D24-16**
16" BODY - 2.25" SINGLE IN / 2.25" DUAL OUT

**DTM-30102D24-16**
16" BODY - 3.00" SINGLE IN / 2.25" DUAL OUT

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25"/ 03.00" | BL | 16.00" | BH | 05.00" |
| OD | 02.25" | BW | 08.00" | OL | 22.50" |




**DTM-103B**
14" BODY - 2.25" CENTER/CENTER

**DTM-24103FC**
14" BODY - 2.25" CENTER/OFFSET CENTER

**DTM-25103FC**
14" BODY - 2.50" CENTER/OFFSET CENTER

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25"/ 02.50" | BL | 14.00" | BH | 05.00" |
| OD | 02.25"/ 02.50" | BW | 08.00" | OL | 20.50" |



**DTM-30103FC16**
16" BODY - 3.00" CENTER/OFFSET CENTER

| | | | | | |
|---|---|---|---|---|---|
| ID | 03.00" | BL | 16.00" | BH | 05.00" |
| OD | 03.00" | BW | 08.00" | OL | 22.50" |



**DTM-24103FF**
2.25" OFFSET/OFFSET

**DTM-25103FF**
2.50" OFFSET/OFFSET

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25"/ 02.50" | BL | 14.00" | BH | 05.00" |
| OD | 02.25"/ 02.50" | BW | 08.00" | OL | 20.50" |



**DTM-105**
6" ROUND - 2.25" CENTER/CENTER

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 06.00" |
| OD | 02.25" | BW | 06.00" | OL | 20.00" |




**DTM-106**
6" ROUND W/ 4" END

**DTM-106S**
6" ROUND W/ 4" SLANTED

**DTM-106S-BF**
6" ROUND W/ 4" SLANTED BLUE FLAME

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 13.75" | BH | 06.00" |
| OD | 04.00" | BW | 06.00" | OL | 17.50" |



**DTM-107**
OVAL W/ 4.5" SLANTED

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 04.50" | BW | 08.00" | OL | 23.00" |




**DTM-108B**
OVAL W/ DUAL SHORTENED TURN-UP

**DTM-108**
OVAL W/ DUAL TURN-UP

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 06.75" x 03.25" | BW | 08.00" | OL | 22.50" 24.50" |



**DTM-109**
OVAL W/ DUAL DOUBLE LAYER

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 06.75" x 03.00" | BW | 08.00" | OL | 24.00" |



**DTM-110**
OVAL W/ DUAL RESONATED ROLLED

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 15.00" | BH | 05.00" |
| OD | 07.85" x 03.50" | BW | 09.00" | OL | 24.00" |



**DTM-111**
6" ROUND W/ 4.5" SLANTED

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 13.75" | BH | 06.00" |
| OD | 04.50" | BW | 06.00" | OL | 23.00" |

# HD-POLISHED
## Stainless Steel Mufflers



**DTM-112**
6" ROUND W/ 4.5" DOUBLE WALL

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 06.00" |
| OD | 04.50" | BW | 06.00" | OL | 23.00" |



**DTM-113**
5" ROUND W/ 3" SLANTED DOUBLE WALL

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 10.25" | BH | 05.00" |
| OD | 03.00" | BW | 05.00" | OL | 20.50" |



**DTM-114**
6" ROUND W/ 3.5" SLANTED DOUBLE WALL

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 06.00" |
| OD | 03.50" | BW | 06.00" | OL | 24.00" |



**DTM-115**
6" ROUND W/ 4.5" SLANTED DOUBLE WALL

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 06.00" |
| OD | 04.50" | BW | 06.00" | OL | 25.00" |



**DTM-120**
6" ROUND ADJUSTABLE SILENCER (SILVER)

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 06.00" |
| OD | 04.00" | BW | 06.00" | OL | 18.50" |



**DTM-120R**
6" ROUND ADJUSTABLE SILENCER (RED)

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 06.00" |
| OD | 04.00" | BW | 06.00" | OL | 18.50" |



**DTM-120U**
6" ROUND ADJUSTABLE SILENCER (BLUE)

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 06.00" |
| OD | 04.00" | BW | 06.00" | OL | 18.50" |



**DTM-120Y**
6" ROUND ADJUSTABLE SILENCER (YELLOW)

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 06.00" |
| OD | 04.00" | BW | 06.00" | OL | 18.50" |



**DTM-116**
OVAL W/ 4.5" SLANTED DOUBLE WALL

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 04.50" | BW | 08.00" | OL | 25.00" |



**DTM-117**
OVAL W/ DUAL 3" SLANTED DOUBLE WALL

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 06.75" x 03.00" | BW | 08.00" | OL | 24.00" |



**DTM-118**
OVAL W/ DUAL SQUARE TURN-UP

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 07.00" x 03.25" | BW | 08.00" | OL | 25.00" |




**DTM-121**
OVAL W/ DUAL DOUBLE WALL SQUARE

**DTM-121S**
OVAL W/ SLANTED DUAL DOUBLE WALL SQUARE

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 07.00" x 03.00" | BW | 08.00" | OL | 25.00" |

# H-POLISHED

## Stainless Steel Mufflers




**DTM-122S**
DUAL 4.5" ROUND W/ 3" SLANTED

**DTM-122**
DUAL 4.5" ROUND W/ 3" STRAIGHT

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 10.38" | BH | 04.50" |
| OD | 08.00" x 03.00" | BW | 10.00" | OL | 19.00" |




**DTM-123**
5" ROUND SLANTED W/ SILENCER

**DTM-123T**
5" ROUND SLANTED TIG-WELD W/ SILENCER

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 13.50" | BH | 05.00" |
| OD | 03.50" | BW | 05.00" | OL | 18.00" |




**DTM-123B**
5" ROUND SLANTED
W/ ADJUSTABLE SILENCER

**DTM-123BT**
5" ROUND SLANTED TIG-WELD
W/ ADJUSTABLE SILENCER

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 13.50" | BH | 05.00" |
| OD | 03.50" | BW | 05.00" | OL | 18.00" |



**DTM-124**
OVAL W/ 5" ROLLED TURN-UP

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 05.50" x 03.25" | BW | 08.00" | OL | 24.89" |



**DTM-125**
6" ROUND SLANTED W/ SILENCER

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 15.00" | BH | 06.00" |
| OD | 04.00" | BW | 06.00" | OL | 20.00" |



**DTM-126**
OVAL W/ DUAL OVAL DOUBLE WALL

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 08.25" x 03.25" | BW | 08.00" | OL | 24.50" |



**DTM-127**
OVAL W/ DUAL DOUBLE WALL SQUARE

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 08.00" x 03.00" | BW | 08.00" | OL | 24.50" |



**DTM-128**
OVAL W/ DUAL SLANTED DOUBLE WALL SQUARE

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 08.00" x 03.00" | BW | 08.00" | OL | 24.50" |



**DTM-129**
OVAL W/ 5.25" OVAL RESONATED

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 05.50" x 03.50" | BW | 08.00" | OL | 24.50" |



**DTM-130**
OVAL W/ DUAL 3.5" DOUBLE WALL SLANTED

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 07.50" x 03.50" | BW | 08.00" | OL | 24.50" |



**DTM-131**
OVAL W/ DUAL 3.5" DOUBLE LAYERED SLANTED

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 07.50" x 03.50" | BW | 08.00" | OL | 24.50" |



**DTM-132**
DUAL 4" ROUND W/ DUAL 3.5" SLANTED

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 12.50" | BH | 04.00" |
| OD | 08.25" x 03.50" | BW | 08.50" | OL | 23.00" |

# HI-POLISHED
## Stainless Steel Mufflers



**DTM-133**
OVAL W/ 4.5" DOUBLE WALL COBWEB SLANTED

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 14.00" | **BH** | 05.00" |
| **OD** | 04.50" | **BW** | 08.00" | **OL** | 24.00" |



**DTM-134**
OVAL W/ 4" SLANTED ROLLED DOUBLE LAYER

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 14.00" | **BH** | 05.00" |
| **OD** | 04.00" | **BW** | 08.00" | **OL** | 24.00" |



**DTM-135**
7" ROUND BRUSHED STAINLESS STEEL

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 04.00" | **BL** | 21.00" | **BH** | 07.00" |
| **OD** | 04.00" | **BW** | 07.00" | **OL** | 28.00" |



**DTM-136**
OVAL W/ 4.5" BILLET TIP

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 14.00" | **BH** | 05.00" |
| **OD** | 04.50" | **BW** | 08.00" | **OL** | 24.75" |



**DTM-137**
6" ROUND W/ 4.5" BILLET TIP

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 14.50" | **BH** | 06.00" |
| **OD** | 04.50" | **BW** | 06.00" | **OL** | 24.75" |



**DTM-138**
OVAL W/ DUAL OVAL ROUND SLANTED

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 14.00" | **BH** | 05.00" |
| **OD** | 08.00" x 02.25" | **BW** | 08.00" | **OL** | 24.50" |



**DTM-139**
6" ROUND W/ OVAL ROUND SLANTED

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 14.50" | **BH** | 06.00" |
| **OD** | 03.75" x 02.25" | **BW** | 06.00" | **OL** | 24.00" |



**DTM-140**
4.5" ROUND W/ 3" SLANTED

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 11.00" | **BH** | 04.50" |
| **OD** | 03.00" | **BW** | 04.50" | **OL** | 15.25" |



**DTM-141**
4" ROUND W/ 3.5" SLANTED

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 11.00" | **BH** | 04.00" |
| **OD** | 03.50" | **BW** | 04.00" | **OL** | 18.75" |




**DTM-142**
6" ROUND ADJUSTABLE SILENCER SLANTED
**DTM-142T**
6" ROUND TIG-WELD ADJUSTABLE SILENCER SLANTED
**DTM-142-BF**
6" ROUND BLUE FLAME ADJUSTABLE SILENCER SLANTED

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 15.00" | **BH** | 06.00" |
| **OD** | 04.00" | **BW** | 06.00" | **OL** | 20.50" |




**DTM-147S**
6" ROUND ADJUSTABLE SILENCER SLANTED
**DTM-147S-BF**
6" ROUND BLUE FLAME ADJUSTABLE SILENCER SLANTED

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 14.00" | **BH** | 06.00" |
| **OD** | 04.00" | **BW** | 06.00" | **OL** | 20.50" |



**DTM-148**
OVAL W/ RESONATED BATMAN TIP

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 14.00" | **BH** | 05.00" |
| **OD** | 05.67" x 02.86" | **BW** | 08.00" | **OL** | 24.00" |

# HI-POLISHED
## Stainless Steel Mufflers
## & DIESEL Mufflers



**DTM-149**
OVAL W/ RESONATED SCREAMER TIP

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.00" | BH | 05.00" |
| OD | 05.67" x 02.86" | BW | 08.00" | OL | 24.00" |



**DTM-150**
6" ROUND TURN-DOWN

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 14.50" | BH | 06.00" |
| OD | 04.00" | BW | 06.00" | OL | 22.00" |



**DTM-151**
OVAL ROUND

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 09.00" | BH | 04.00" |
| OD | 04.00" x 02.85" | BW | 06.50" | OL | 15.00" |



**DTM-158**
2.5" OVAL ROUND CENTER/CENTER

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.50" | BL | 10.00" | BH | 05.00" |
| OD | 02.50" | BW | 06.50" | OL | 14.00" |




**RSN-243516**
3.5" x 16" RESONATOR
**RSN-243519**
3.5" x 19" RESONATOR

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.25" | BL | 12"/ 15" | BH | 03.50" |
| OD | 02.25" | BW | 03.50" | OL | 16"/ 19" |



**RSN-254009**
**RSN-304009**
4" x 9" RESONATOR

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.50"/ 03.00" | BL | 08.50" | BH | 04.00" |
| OD | 02.50"/ 03.00" | BW | 04.00" | OL | 11.50" |




**RSN-254016**
4" x 16" RESONATOR
**RSN-254019**
4" x 19" RESONATOR

| | | | | | |
|---|---|---|---|---|---|
| ID | 02.50" | BL | 12"/ 15" | BH | 04.00" |
| OD | 02.50" | BW | 04.00" | OL | 16"/ 19" |




**RSN-304016**
4" x 16" RESONATOR
**RSN-304019**
4" x 19" RESONATOR

| | | | | | |
|---|---|---|---|---|---|
| ID | 03.00" | BL | 12"/ 15" | BH | 04.00" |
| OD | 03.00" | BW | 04.00" | OL | 16"/ 19" |



**ALM-407024-30**
7" ALUMINIZED 30" DIESEL MUFFLER
**ALM-507024-30**
7" ALUMINIZED 30" DIESEL MUFFLER
**ALM-408024-30**
8" ALUMINIZED 30" DIESEL MUFFLER

| | | | | | |
|---|---|---|---|---|---|
| ID | 4"/ 5" | BL | 24.00" | BH | 7"/ 8" |
| OD | 04.00" | BW | 7"/ 8" | OL | 30.00" |



**D409-407024-30**
7" 409 STAINLESS 30" DIESEL MUFFLER
**D409-408024-30**
8" 409 STAINLESS 30" DIESEL MUFFLER

| | | | | | |
|---|---|---|---|---|---|
| ID | 04.00" | BL | 24.00" | BH | 7"/ 8" |
| OD | 04.00" | BW | 7"/ 8" | OL | 30.00" |



**800464**
4" ID ALUMINIZED 10" x 45" DIESEL MUFFLER

| | | | | | |
|---|---|---|---|---|---|
| ID | 04.00" | BL | 45.00" | BH | 10.00" |
| OD | 04.00" | BW | 10.00" | OL | 51.00" |



**800465**
5" ID ALUMINIZED 10" x 45" DIESEL MUFFLER

| | | | | | |
|---|---|---|---|---|---|
| ID | 05.00" | BL | 45.00" | BH | 10.00" |
| OD | 05.00" | BW | 10.00" | OL | 51.00" |

# CARBON FIBER Mufflers



WITH STRAP

**DTM-202BK**
BLACK CARBON FIBER W/ ADJUSTABLE SILENCER

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 15.25" | **BH** | 06.00" |
| **OD** | 04.00" | **BW** | 06.00" | **OL** | 20.00" |



WITH STRAP

**DTM-202R**
RED CARBON FIBER W/ ADJUSTABLE SILENCER

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 15.25" | **BH** | 06.00" |
| **OD** | 04.00" | **BW** | 06.00" | **OL** | 20.00" |



WITH STRAP

**DTM-202SV**
SILVER CARBON FIBER W/ ADJUSTABLE SILENCER

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 15.25" | **BH** | 06.00" |
| **OD** | 04.00" | **BW** | 06.00" | **OL** | 20.00" |



WITH STRAP

**DTM-202U**
BLUE CARBON FIBER W/ ADJUSTABLE SILENCER

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 15.25" | **BH** | 06.00" |
| **OD** | 04.00" | **BW** | 06.00" | **OL** | 20.00" |



WITH STRAP

**DTM-202Y**
YELLOW CARBON FIBER W/ ADJUSTABLE SILENCER

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 15.25" | **BH** | 06.00" |
| **OD** | 04.00" | **BW** | 06.00" | **OL** | 20.00" |



WITH STRAP

**DTM-204BK**
BLACK CARBON FIBER W/ ADJUSTABLE SILENCER

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 09.75" | **BH** | 05.00" |
| **OD** | 03.50" | **BW** | 05.00" | **OL** | 14.00" |



WITH STRAP

**DTM-204R**
RED CARBON FIBER W/ ADJUSTABLE SILENCER

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 09.75" | **BH** | 05.00" |
| **OD** | 03.50" | **BW** | 05.00" | **OL** | 14.00" |



WITH STRAP

**DTM-204SV**
SILVER CARBON FIBER W/ ADJUSTABLE SILENCER

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 09.75" | **BH** | 05.00" |
| **OD** | 03.50" | **BW** | 05.00" | **OL** | 14.00" |



WITH STRAP

**DTM-204U**
BLUE CARBON FIBER W/ ADJUSTABLE SILENCER


| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 09.75" | **BH** | 05.00" |
| **OD** | 03.50" | **BW** | 05.00" | **OL** | 14.00" |



WITH STRAP

**DTM-204Y**
YELLOW CARBON FIBER W/ ADJUSTABLE SILENCER

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25" | **BL** | 09.75" | **BH** | 05.00" |
| **OD** | 03.50" | **BW** | 05.00" | **OL** | 14.00" |



# FLOWSOUND™
## Performance Mufflers




### 4"x10"x7" CENTER/CENTER

| | ID | OD | OL |
|---|---|---|---|
| 72426 | 02.25" | 02.25" | 12.00" |
| 72526 | 02.50" | 02.50" | 12.00" |
| 73026 | 03.00" | 03.00" | 12.00" |
| 73526 | 03.50" | 03.50" | 12.00" |




### 4"x10"x7" OFFSET/CENTER

| | ID | OD | OL |
|---|---|---|---|
| 72441 | 02.25" | 02.25" | 12.00" |
| 72541 | 02.50" | 02.50" | 12.00" |
| 73041 | 03.00" | 03.00" | 12.00" |
| 73541 | 03.50" | 03.50" | 12.00" |




### 4"x10"x7" OFFSET/OFFSET

| | ID | OD | OL |
|---|---|---|---|
| 72443 | 02.25" | 02.25" | 12.00" |
| 72543 | 02.50" | 02.50" | 12.00" |
| 73043 | 03.00" | 03.00" | 12.00" |





### 4"x10"x7" CENTER/DUAL

| | SINGLE IN / DUAL OUT | | OL |
|---|---|---|---|
| 7C24D24 | 02.25" | 02.25" | 12.00" |
| 725422 | 02.50" | 02.25" | 12.00" |
| 725400 | 02.50" | 02.50" | 12.00" |
| 730402 | 03.00" | 02.50" | 12.00" |
| 730422 | 03.00" | 02.25" | 12.00" |





### 4"x10"x7" DUAL/DUAL

| | DUAL IN / DUAL OUT | | OL |
|---|---|---|---|
| 72481 | 02.25" | 02.25" | 12.00" |
| 72581 | 02.50" | 02.50" | 12.00" |





### 4"x10"x13" CENTER/CENTER

| | ID | OD | OL |
|---|---|---|---|
| 82426 | 02.25" | 02.25" | 19.00" |
| 82526 | 02.50" | 02.50" | 19.00" |
| 83026 | 03.00" | 03.00" | 19.00" |





### 4"x10"x13" OFFSET/CENTER

| | ID | OD | OL |
|---|---|---|---|
| 82041 | 02.00" | 02.00" | 19.00" |
| 82441 | 02.25" | 02.25" | 19.00" |
| 82541 | 02.50" | 02.50" | 19.00" |
| 83041 | 03.00" | 03.00" | 19.00" |




### 4"x10"x13" CENTER/OFFSET

| | ID | OD | OL |
|---|---|---|---|
| 82042 | 02.00" | 02.00" | 19.00" |
| 82442 | 02.25" | 02.25" | 19.00" |
| 82542 | 02.50" | 02.50" | 19.00" |
| 83042 | 03.00" | 03.00" | 19.00" |




### 4"x10"x13" OFFSET/OFFSET

| | ID | OD | OL |
|---|---|---|---|
| 82043 | 02.00" | 02.00" | 19.00" |
| 82443 | 02.25" | 02.25" | 19.00" |
| 82543 | 02.50" | 02.50" | 19.00" |
| 83043 | 03.00" | 03.00" | 19.00" |

# FLOWSOUND™
## Performance Mufflers





### 4”x10”x13” CENTER/DUAL

| | SINGLE IN / DUAL OUT | | OL |
|---|---|---|---|
| 8C24D24 | 02.25” | 02.25” | 19.00” |
| 825422 | 02.50” | 02.25” | 19.00” |
| 825400 | 02.50” | 02.50” | 19.00” |
| 830402 | 03.00” | 02.50” | 19.00” |
| 830422 | 03.00” | 02.25” | 19.00” |




### 4”x10”x13” OFFSET/DUAL

| | ID | OD | OL |
|---|---|---|---|
| 825432 | 02.50” | 02.25” | 19.00” |
| 830412 | 03.00” | 02.50” | 19.00” |





### 4”x10”x15”CAMARO

| | ID | OD | OL |
|---|---|---|---|
| 825CMRO | 02.50” | 02.50” | 20.50” |




### 4”x10”x17” DUAL/DUAL

| | DUAL IN / DUAL OUT | | OL |
|---|---|---|---|
| 8D24D24-17 | 02.25” | 02.25” | 23.00” |
| 8D25D25-17 | 02.50” | 02.50” | 23.00” |




### 4”x10”x17” OFFSET/OFFSET

| | OFFSET IN / OFFSET OUT | | OL |
|---|---|---|---|
| 842453 | 02.25” | 02.25” | 23.00” |




### 4”x10”x17” OFFSET/CENTER

| | OFFSET IN / CENTER OUT | | OL |
|---|---|---|---|
| 842451 | 02.25” | 02.25” | 23.00” |
| 842551 | 02.50” | 02.50” | 23.00” |
| 843051 | 03.00” | 03.00” | 23.00” |





### 4”x10”x17” CENTER/OFFSET

| | CENTER IN / OFFSET OUT | | OL |
|---|---|---|---|
| 843052 | 03.00” | 03.00” | 23.00” |




### 4”x10”x17” CENTER/DUAL

| | CENTER IN / DUAL OUT | | OL |
|---|---|---|---|
| 8430522 | 03.00” | 02.25” | 23.00” |
| 8430502 | 03.00” | 02.50” | 23.00” |




### 4”x10”x17” DUAL/CENTER

| | DUAL IN / CENTER OUT | | OL |
|---|---|---|---|
| 8424553 | 02.25” | 03.00” | 23.00” |

# FLOW II™

## 409 Stainless Steel Performance Mufflers




### 4" x 9" x 14" OFFSET/CENTER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49224 | 02.00" | 04.00" | 09.00" | 14.00" | 20.00" |
| 49225 | 02.25" | 04.00" | 09.00" | 14.00" | 20.00" |
| 49226 | 02.50" | 04.00" | 09.00" | 14.00" | 20.00" |
| 49229 | 03.00" | 04.00" | 09.00" | 14.00" | 20.00" |




### 4" x 9" x 14" OFFSET/OFFSET

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49234 | 02.00" | 04.00" | 09.00" | 14.00" | 20.00" |
| 49235 | 02.25" | 04.00" | 09.00" | 14.00" | 20.00" |
| 49236 | 02.50" | 04.00" | 09.00" | 14.00" | 20.00" |
| 49239 | 03.00" | 04.00" | 09.00" | 14.00" | 20.00" |




### 4" x 9" x 14" CENTER/CENTER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49219 | 03.00" | 04.00" | 09.00" | 14.00" | 20.00" |




### 4" x 9" x 14" SINGLE/DUAL

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49149 | 02.25" | 04.00" | 09.00" | 14.00" | 20.00" |




### 4" x 9" x 18" OFFSET/CENTER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49255 | 02.25" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49256 | 02.50" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49259 | 04.00" | 04.00" | 09.00" | 18.00" | 24.00" |




### 4" x 9" x 18" OFFSET/OFFSET

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49265 | 02.25" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49266 | 02.50" | 04.00" | 09.00" | 18.00" | 24.00" |




### 4" x 9" x 18" CENTER/CENTER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49249 | 03.00" | 04.00" | 09.00" | 18.00" | 24.00" |




### 4" x 9" x 18" SINGLE/DUAL

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49258 | 02.50"/ 02.25" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49268 | 02.50" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49278 | 03.00"/ 02.25" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49288 | 03.00"/ 02.50" | 04.00" | 09.00" | 18.00" | 24.00" |




### 4" x 9" x 22" OFFSET/CENTER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49589 | 03.00" | 04.00" | 09.00" | 22.00" | 28.00" |

# FLOW II™

## 409 Stainless Steel Performance Mufflers




### 4" x 9" x 22" SINGLE/DUAL

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49585 | 03.00"/ 02.25" | 04.00" | 09.00" | 22.00" | 28.00" |
| 49588 | 03.00"/ 02.50" | 04.00" | 09.00" | 22.00" | 28.00" |
| 49590 | 03.00" | 04.00" | 09.00" | 22.00" | 28.00" |




### 4" x 9" x 22" CENTER/CENTER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49579 | 03.00" | 04.00" | 09.00" | 22.00" | 28.00" |





### 4" x 9" x 22" DUAL/DUAL

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49567 | 02.25" | 04.00" | 09.00" | 22.00" | 28.00" |
| 49568 | 02.50" | 04.00" | 09.00" | 22.00" | 28.00" |




### 5" x 8" x 14" OFFSET/CENTER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58225 | 02.25" | 05.00" | 08.00" | 14.00" | 20.00" |
| 58226 | 02.50" | 05.00" | 08.00" | 14.00" | 20.00" |
| 58229 | 03.00" | 05.00" | 08.00" | 14.00" | 20.00" |




### 5" x 8" x 14" SINGLE/DUAL

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58149 | 02.25" | 05.00" | 08.00" | 14.00" | 20.00" |
| 58158 | 02.50" | 05.00" | 08.00" | 14.00" | 20.00" |
| 58198 | 03.00"/ 02.50" | 05.00" | 08.00" | 14.00" | 20.00" |




### 5" x 8" x 18" OFFSET/CENTER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58255 | 02.25" | 05.00" | 08.00" | 18.00" | 24.00" |
| 58256 | 02.50" | 05.00" | 08.00" | 18.00" | 24.00" |
| 58259 | 03.00" | 05.00" | 08.00" | 18.00" | 24.00" |





### 5" x 8" x 18" OFFSET/OFFSET

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58264 | 03.00" | 05.00" | 08.00" | 18.00" | 24.00" |




### 5" x 8" x 18" SINGLE/DUAL

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58258 | 02.50"/ 02.25" | 05.00" | 08.00" | 18.00" | 24.00" |
| 58268 | 02.50" | 05.00" | 08.00" | 18.00" | 24.00" |
| 58278 | 03.00"/ 02.25" | 05.00" | 08.00" | 18.00" | 24.00" |
| 58288 | 03.00"/ 02.50" | 05.00" | 08.00" | 18.00" | 24.00" |
| 58298 | 03.00" | 05.00" | 08.00" | 18.00" | 24.00" |




### 5" x 8" x18" DUAL/DUAL

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58468 | 02.50" | 05.00" | 08.00" | 18.00" | 24.00" |
| 58469 | 03.00" | 05.00" | 08.00" | 18.00" | 24.00" |

# FLOW II™

## 409 Stainless Steel Performance Mufflers




### 5" x 8" x 22" CENTER/CENTER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58679 | 03.50" | 05.00" | 8.00" | 22.00" | 28.00" |




### 5" x 11" x 22" CENTER/CENTER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58579 | 03.00" | 05.00" | 11.00" | 22.00" | 28.00" |





### 5" x 11" x 22" CENTER/OFFSET

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58589 | 03.00" | 05.00" | 11.00" | 22.00" | 28.00" |





### 5" x 11" x 22" SINGLE/DUAL

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58585 | 03.00"/ 02.25" | 05.00" | 11.00" | 22.00" | 28.00" |
| 58588 | 03.00"/ 02.50" | 05.00" | 11.00" | 22.00" | 28.00" |
| 58590 | 03.00" | 05.00" | 11.00" | 22.00" | 28.00" |
| 58594 | 04.00"/ 03.00" | 05.00" | 11.00" | 22.00" | 28.00" |





### 5" x 11" x 22" DUAL/DUAL

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58567 | 02.25" | 05.00" | 11.00" | 22.00" | 28.00" |
| 58568 | 02.50" | 05.00" | 11.00" | 22.00" | 28.00" |
| 58569 | 03.00" | 05.00" | 11.00" | 22.00" | 28.00" |




### 5" x 8" x 24" OFFSET/CENTER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58286 | 02.50" | 05.00" | 08.00" | 24.00" | 30.00" |
| 58289 | 03.00" | 05.00" | 08.00" | 24.00" | 30.00" |




### 5" x 8" x 18" OFFSET/DUAL CAMARO MUFFLER

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 58265 | 02.50" | 05.00" | 08.00" | 18.00" | 24.00" |
| 58267 | 03.00"/ 02.50" | 05.00" | 08.00" | 18.00" | 24.00" |




### 6" x 14" ROUND CENTER/CENTER

| | IN/OUT | BH | BL | OL |
|---|---|---|---|---|
| 409-246014-20 | 02.25" | 06.00" | 14.00" | 20.00" |
| 409-256014-20 | 02.50" | 06.00" | 14.00" | 20.00" |
| 409-306014-20 | 03.00" | 06.00" | 14.00" | 20.00" |
| 409-256018-24 | 02.50" | 06.00" | 18.00" | 24.00" |




### 4" x 9" 18" CENTER BODY INLET/ DUAL OUTLET

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49206 | 02.50"/02.50" | 04.00" | 09.00" | 18.00" | 24.00" |




### 4" x 9" 18" OFFSET BODY INLET/ DUAL OUTLET

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49306 | 02.50"/02.50" | 04.00" | 09.00" | 18.00" | 24.00" |




### 4" x 9" 18" CENTER BODY INLET/ OFFSET OUTLET

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49207 | 02.50"/02.50" | 04.00" | 09.00" | 18.00" | 21.00" |




### 4" x 9" 18" OFFSET BODY INLET/ OFFSET OUTLET

| | IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|---|
| 49307 | 02.50"/02.50" | 04.00" | 09.00" | 18.00" | 21.00" |

# FLOW IIE™

## Double Wrapped *E*conomy Mufflers




### 4" x 9" x 13" OFFSET/CENTER

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 49301 | 01.75" | 04.00" | 09.00" | 13.00" | 19.00" |
| 49302 | 02.00" | 04.00" | 09.00" | 13.00" | 19.00" |
| 49303 | 02.25" | 04.00" | 09.00" | 13.00" | 19.00" |




### 4" x 9" x 13" OFFSET/OFFSET

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 49311 | 01.75" | 04.00" | 09.00" | 13.00" | 19.00" |
| 49312 | 02.00" | 04.00" | 09.00" | 13.00" | 19.00" |




### 4" x 9" x 15" OFFSET/CENTER

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 49501 | 01.75" | 04.00" | 09.00" | 15.00" | 21.00" |
| 49502 | 02.00" | 04.00" | 09.00" | 15.00" | 21.00" |
| 49503 | 02.25" | 04.00" | 09.00" | 15.00" | 21.00" |




### 4" x 9" x 15" OFFSET/OFFSET

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 49511 | 01.75" | 04.00" | 09.00" | 15.00" | 21.00" |
| 49512 | 02.00" | 04.00" | 09.00" | 15.00" | 21.00" |





### 4" x 9" x 18" OFFSET/CENTER

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 49802 | 02.00" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49803 | 02.25" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49804 | 02.50" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49806 | 2.25"/ 2.00" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49807 | 2.50"/ 2.25" | 04.00" | 09.00" | 18.00" | 24.00" |




### 4" x 9" x 18" OFFSET/OFFSET

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 49812 | 02.00" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49813 | 02.25" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49814 | 02.50" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49816 | 2.25"/ 2.00" | 04.00" | 09.00" | 18.00" | 24.00" |
| 49817 | 2.50"/ 2.25" | 04.00" | 09.00" | 18.00" | 24.00" |




### 4" x 10" x 18" OFFSET/CENTER

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 41082 | 02.00" | 04.50" | 10.00" | 18.00" | 24.00" |
| 41083 | 02.25" | 04.50" | 10.00" | 18.00" | 24.00" |
| 41084 | 02.50" | 04.50" | 10.00" | 18.00" | 24.00" |




### 4 1/2" x 10" x 22" OFFSET/CENTER

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 41283 | 02.25" | 04.50" | 10.00" | 22.00" | 28.00" |
| 41284 | 02.50" | 04.50" | 10.00" | 22.00" | 28.00" |
| 41285 | 03.00" | 04.50" | 10.00" | 22.00" | 28.00" |




### 4 1/2" x 10" x 22" CENTER/DUAL OUT

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 41603 | 3.00"/2.25" | 04.50" | 10.00" | 22.00" | 28.00" |




### 6" x 15" OFFSET/OFFSET

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 60511 | 01.75" | 06.00" | 06.00" | 15.00" | 21.00" |
| 60512 | 02.00" | 06.00" | 06.00" | 15.00" | 21.00" |




### 6" x 18" OFFSET/OFFSET

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 60811 | 01.75" | 06.00" | 06.00" | 18.00" | 24.00" |
| 60812 | 02.00" | 06.00" | 06.00" | 18.00" | 24.00" |
| 60813 | 02.25" | 06.00" | 06.00" | 18.00" | 24.00" |




### 6" x 27" OFFSET/OFFSET

| IN/OUT | BH | BW | BL | OL |
|---|---|---|---|---|
| 60912 | 02.00" | 06.00" | 06.00" | 27.00" | 33.00" |
| 60913 | 02.25" | 06.00" | 06.00" | 27.00" | 33.00" |
| 60914 | 02.50" | 06.00" | 06.00" | 27.00" | 33.00" |

# HD-POLISHED

## Stainless Steel Exhaust Tips



**DT-24002**
4" x 8.5" ALL STAINLESS RESONATED

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 08.50" |
| OD | 04.00" | PK | 10 |



**DT-24004**
DOUBLE WALL SQUARE

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 08.00" |
| OD | 04.00" x 03.50" | PK | 10 |



**DT-005**
ALL STAINLESS RESONATED

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 08.50" |
| OD | 03.50" | PK | 10 |




**DT-006DW, DT-006**
SLANTED STAINLESS DOUBLE WALL,
SLANTED STAINLESS RESONATED

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 07.50"/ 08.50" |
| OD | 03.50" | PK | 10 |



**DT-007**
PENCIL ALL STAINLESS

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 10.00" |
| OD | 02.50" | PK | 10 |




**DT-008S, DT-008**
DUAL DOUBLE LAYER STAINLESS STEEL

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 08.25" |
| OD | 03.50"/ 04.00" | PK | 10 |



**DT-24008DL**
DUAL DOUBLE LAYER STAINLESS STEEL

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 12.25" |
| OD | 07.00" x 03.50" | PK | 10 |



**DT-009**
DOUBLE WALL ALL STAINLESS STEEL

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 07.00" |
| OD | 03.00" | PK | 10 |



**DT-24010**
3.5" ROLLED EDGE

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 07.25" |
| OD | 03.50" | PK | 10 |





12" SUV RESONATED

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-24012 | 02.25" | 04.00" | 12.00" | 10 |
| DT-24012RAC | 02.25" | 04.00" | 12.00" | 10 |
| DT-25012RAC | 02.50" | 04.00" | 12.00" | 10 |
| DT-30012 | 03.00" | 04.00" | 12.00" | 10 |
| DT-30012RAC | 03.00" | 04.00" | 12.00" | 10 |



**DT-253512DW**
3.5" DOUBLE WALL ROLLED EDGE

| | | | |
|---|---|---|---|
| ID | 02.50" | OL | 12.00" |
| OD | 03.50" | PK | 10 |



**DT-243512DS, DT-253512DS**
3.5" DUAL SINGLE WALL SIDEWAYS TIP

| | | | |
|---|---|---|---|
| ID | 02.25"/ 02.50" | OL | 18.00" |
| OD | 07.50" x 03.50" | PK | 5 |

# HI-POLISHED

## Stainless Steel Exhaust Tips




OPEN CASING SLANTED DOUBLE WALL

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-013A** | 02.25” | 03.00” | 08.00” | 10 |
| **DT-013B** | 02.25” | 03.50” | 08.00” | 10 |
| **DT-013C** | 02.25” | 04.00” | 08.00” | 10 |
| **DT-25013C** | 02.50” | 04.00” | 08.00” | 10 |
| **DT-30013C** | 03.00” | 04.00” | 08.00” | 10 |

OPEN CASING STRAIGHT DOUBLE WALL

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-013ST** | 02.25” | 04.00” | 08.00” | 10 |




**BQ9-25013C, BQ9-30013C**
BOLT-ON OPEN CASING SLANTED DOUBLE WALL

**ID** 02.50” / 03.00” **OL** 08.00”
**OD** 04.00” **PK** 10




12” OPEN CASING SLANTED DOUBLE WALL

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24013A-12** | 02.25” | 03.00” | 12.00” | 10 |
| **DT-24013B-12** | 02.25” | 03.50” | 12.00” | 10 |
| **DT-25013B-12** | 02.50” | 03.50” | 12.00” | 10 |
| **DT-24013C-12** | 02.25” | 04.00” | 12.00” | 10 |
| **DT-30013C-12** | 03.00” | 04.00” | 12.00” | 10 |




16” OPEN CASING SLANTED DOUBLE WALL

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24013A-16** | 02.25” | 03.00” | 16.00” | 10 |
| **DT-24013B-16** | 02.25” | 03.50” | 16.00” | 10 |
| **DT-25013B-16** | 02.50” | 03.50” | 16.00” | 10 |
| **DT-30013C-16** | 03.00” | 04.00” | 16.00” | 10 |



**DT-24013BDL, DT-25013BDL**
DUAL 3.5” DOUBLE WALL ANGLE

**ID** 02.25”/ 02.50” **OL** 09.50”
**OD** 07.75” x 03.50” **PK** 10




**DT-014, DT-45014**
4” SLANTED / 4.5” SLANTED

**ID** 02.25”/ 02.50” **OL** 07.00”
**OD** 04.00”/ 04.50” **PK** 10




**DT-015, DT-015S**
**DT-24015, DT-24015S**
DOUBLE LAYER / SLANTED DOUBLE LAYER

**ID** 02.00”/ 02.25” **OL** 06.25”
**OD** 03.00” **PK** 10



**DT-24016ST**
3.5” ROUND DOUBLE WALL

**ID** 02.25” **OL** 04.50”
**OD** 03.50” **PK** 10



**DT-24017AC**
3.5” ANGLE DOUBLE WALL

**ID** 02.25” **OL** 07.00”
**OD** 03.50” **PK** 10



**DT-24018DL**
DUAL SQUARE SINGLE WALL

**ID** 02.25” **OL** 08.30”
**OD** 05.60” x 02.40” **PK** 10



**DT-019**
4.5” DOUBLE WALL

**ID** 02.25” **OL** 10.00”
**OD** 04.50” **PK** 10



**DT-24022DL**
DUAL DOUBLE WALL SQUARE SLANTED

**ID** 02.25” **OL** 09.50”
**OD** 06.50” x 02.80” **PK** 5

# HD-POLISHED

## Stainless Steel Exhaust Tips




**DT-024S, DT-024**
SLANTED DOUBLE WALL

| | | | |
|---|---|---|---|
| **ID** | 02.25” | **OL** | 07.50”/ 08.00” |
| **OD** | 03.50”/ 04.50” | **PK** | 10 |



**DT-24024DS**
DUAL SLANTED ROLLED EDGE

| | | | |
|---|---|---|---|
| **ID** | 02.25” | **OL** | 12.75” |
| **OD** | 07.00” x 03.50” | **PK** | 5 |




**DT-025S, DT-025**
DTM TIP

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25” | **OL** | 11.25”/ 11.50” | **PK** | 10 |
| **OD** | 06.50” x 03.50”/ 08.00” x 04.00” | | | | |




**DT-026A, DT-026B**
DUAL ROLLED / DUAL SLANTED ROLLED

| | | | |
|---|---|---|---|
| **ID** | 02.25” | **OL** | 12.50” |
| **OD** | 07.00” x 03.50” | **PK** | 10 |







| | | ID | OD | OL | PK |
|---|---|---|---|---|---|
| **DT-027A** | (2 PC CAMARO TOOLING) | 02.25” | 08.00” x 02.25” | 10.00” | 10 |
| **DT-027** | (2 PC CAMARO TOOLING) | 02.50” | 08.00” x 02.25” | 10.00” | 10 |
| **DT-027B** | (2 PC CAMARO TOOLING) | 02.75” | 08.00” x 02.25” | 10.00” | 10 |
| **DT-027C** | (2 PC CAMARO TOOLING) | 02.25” | 08.00” x 02.00” | 10.00” | 10 |
| **DT-027CS** | (1 PC CAMARO TOOLING) | 02.25” | 08.00” x 02.00” | 10.00” | 10 |
| **DT-027S** | (1 PC CAMARO TOOLING) | 02.25” | 08.00” x 02.25” | 10.00” | 10 |
| **DT-25027S** | (1 PC CAMARO TOOLING) | 02.50” | 08.00” x 02.25” | 10.00” | 10 |



**DT-027R**
REVERSIBLE CAMARO TIP

| | | | | | |
|---|---|---|---|---|---|
| **ID** | 02.25” | **OL** | 09.40” | | |
| **OD** | 07.60” x 02.20” | **PK** | 10 | | |



**DT-30028DS**
3.5” DUAL DOUBLE WALL SIDEWAYS TIP

| | | | |
|---|---|---|---|
| **ID** | 03.00” | **OL** | 13.50” |
| **OD** | 07.25” x 03.50” | **PK** | 5 |



**DT-24030DL**
DUAL OVAL ROUND

| | | | |
|---|---|---|---|
| **ID** | 02.25” | **OL** | 09.25” |
| **OD** | 07.50” x 03.00” | **PK** | 5 |



**DT-25038DW, DT-30038DW**
4” x 12” DOUBLE WALL ANGLE

| | | | |
|---|---|---|---|
| **ID** | 02.50”/ 03.00” | **OL** | 12.00” |
| **OD** | 04.00” | **PK** | 10 |



**DT-30538RSL**
5” x 13.5” DOUBLE WALL ROLLED SLANT

| | | | |
|---|---|---|---|
| **ID** | 03.00” | **OL** | 13.50” |
| **OD** | 05.00” | **PK** | 10 |




**DT-039A, DT-039B**
5.25” DOUBLE WALL SOFT SQUARE

| | | | |
|---|---|---|---|
| **ID** | 02.25” | **OL** | 07.50”/ 12.00” |
| **OD** | 05.50” x 03.35” | **PK** | 10 |

# HI-POLISHED

## Stainless Steel Exhaust Tips




**DT-24038DL, DT-30038DL**
4" DUAL DOUBLE WALL ROLLED SLANT

**ID** 02.25"/ 03.00" **OL** 18.75"
**OD** 08.25" x 04.00" **PK** 5




**DT-24038DS, DT-30038DS**
4" DUAL DOUBLE WALL SIDEWAYS ROLLED EDGE

**ID** 02.25"/ 03.00" **OL** 20.50"
**OD** 08.25" x 04.00" **PK** 5



**DT-30538DL**
5" DUAL DOUBLE WALL ROLLED EDGE

**ID** 03.00" **OL** 20.50"
**OD** 10.25" x 05.00" **PK** 5



**DT-30538DS**
5" DUAL SIDE WAY DOUBLE WALL ROLLED EDGE

**ID** 03.00" **OL** 20.50"
**OD** 10.25" x 05.00" **PK** 5



**DT-30538PL**
5" DUAL DOUBLE WALL PENCIL ROLLED EDGE

**ID** 03.00" **OL** 19.75"
**OD** 10.25" x 05.00" **PK** 5



**DT-040**
OVAL DOUBLE WALL

**ID** 02.25" **OL** 07.00"
**OD** 03.75" x 03.25" **PK** 10



**DT-041**
SOFT SQUARE DOUBLE WALL

**ID** 02.25" **OL** 07.00"
**OD** 03.75" x 03.00" **PK** 10



**DT-042**
SQUARE SLANTED DOUBLE WALL

**ID** 02.25" **OL** 07.00"
**OD** 03.75" x 03.13" **PK** 10



**DT-305040-12**
OVAL ROUND DOUBLE WALL

**ID** 03.00" **OL** 12.00"
**OD** 05.00" x 04.00" **PK** 10



**DT-305041-12**
RECTANGULAR DOUBLE WALL

**ID** 03.00" **OL** 12.00"
**OD** 05.25" x 04.25" **PK** 10




**DT-043S, DT-043**
6" ROLLED ANGLE, 5" ROLLED TURN-UP

**ID** 02.25" **OL** 09.00"/ 09.50"
**OD** 05.50" x 03.25" **PK** 10




**DT-24043S-15RS**
RESONATED ROLLED ANGLE
**DT-24043UP-15RS**
RESONATED ROLLED TURN-UP

**ID** 02.25" **OL** 15.00"
**OD** 05.75" x 03.00"
05.50" x 03.25" **PK** 10

# HD-POLISHED

## Stainless Steel Exhaust Tips




**DT-045L, DT-045**
ESCALADE TIP

| ID | OL |
|---|---|
| 02.25" | 12.00" |
| OD | PK |
| 06.25 x 03.75" | 10 |



**DT-24046**
DOUBLE WALL & DOUBLE LAYER

| ID | OL |
|---|---|
| 02.25" | 07.50" |
| OD | PK |
| 04.00" | 10 |



**DT-047**
SQUARE TIP

| ID | OL |
|---|---|
| 02.25" | 06.50" |
| OD | PK |
| 03.50" x 03.00" | 10 |



**DT-048**
DUAL DOUBLE WALL TURN-UP TIP

| ID | OL |
|---|---|
| 02.25" | 10.00" |
| OD | PK |
| 06.25" x 03.00" | 10 |



**DT-049**
OVAL ROUND SLANT

| ID | OL |
|---|---|
| 02.25" | 07.00" |
| OD | PK |
| 03.75" x 02.25" | 10 |



**DT-051**
4.5" DOUBLE WALL COBWEB SLANTED

| ID | OL |
|---|---|
| 02.25" | 08.25" |
| OD | PK |
| 04.50" | 10 |




**DT-052, DT-25052**
4" SLANTED ROLLED DOUBLE LAYER

| ID | OL |
|---|---|
| 02.25"/ 02.50" | 08.25" |
| OD | PK |
| 04.00" | 10 |




SLANTED ROLLED DOUBLE LAYER

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-304052-12 | 03.00" | 04.00" | 12.00" | 10 |
| DT-255052-12 | 02.50" | 05.00" | 12.00" | 10 |
| DT-305052-12 | 03.00" | 05.00" | 12.00" | 10 |
| DT-244052-18 | 02.25" | 04.00" | 18.00" | 10 |
| DT-305052-18 | 03.00" | 05.00" | 18.00" | 10 |




3.75" OVAL ROUND DOUBLE WALL (10PK)

| | ID | OD | OL |
|---|---|---|---|
| DT-24053A-6 | 02.25" | 03.75" x 03.25" | 06.50" |
| DT-24053A-12 | 02.25" | 03.75" x 03.25" | 12.00" |
| DT-24053A-16 | 02.25" | 03.75" x 03.25" | 16.00" |




4.5" OVAL ROUND DOUBLE WALL (10PK)

| | ID | OD | OL |
|---|---|---|---|
| DT-24053B-6 | 02.25" | 04.50" x 03.75" | 06.50" |
| DT-25053B-6 | 02.50" | 04.50" x 03.75" | 06.50" |
| DT-24053B-12 | 02.25" | 04.50" x 03.75" | 12.00" |




4.75" OVAL ROUND DOUBLE WALL (10PK)

| | ID | OD | OL |
|---|---|---|---|
| DT-24053C-6 | 02.25" | 04.75" x 04.25" | 06.50" |
| DT-25053C-6 | 02.50" | 04.75" x 04.25" | 06.50" |
| DT-30053C-6 | 03.00" | 04.75" x 04.25" | 06.50" |
| DT-30053C-12 | 03.00" | 04.75" x 04.25" | 12.00" |




**DT-24055A, DT-25055A, DT-30055A**
SINGLE BOW-TIE

| ID | BH | OD | OL | PK |
|---|---|---|---|---|
| 02.25" | 03.30" | 04.50" x 01.70" | 09.00" | 10 |
| 02.50" | 03.30" | 04.50" x 01.70" | 09.00" | 10 |
| 03.00" | 03.30" | 04.50" x 01.70" | 09.00" | 10 |

# HD-POLISHED
## Stainless Steel Exhaust Tips




**DT-24055B, DT-25055B**
DUAL BOW-TIE

| ID | BH | OD | OL | PK |
|---|---|---|---|---|
| 02.25" | 03.30" | 09.50" x 01.70" | 13.50" | 10 |
| 02.50" | 03.30" | 09.50" x 01.70" | 13.50" | 10 |




**DT-061L, DT-061R**
OVAL ROUND TURN-UP

**ID** 02.25" **OL** 06.00"
**OD** 04.25" x 03.25" **PK** 10



**DT-062**
OVAL ROUND SLANT RESONATED

**ID** 02.25" **OL** 07.00"
**OD** 04.50" x 03.75" **PK** 10



**DT-24063**
OVAL ROUND ROLLED EDGE

**ID** 02.25" **OL** 07.00"
**OD** 03.25" x 03.00" **PK** 10




DOUBLE WALL RESONATED
OVAL ROUND TIP

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-064 | 02.50" | 04.50" x 03.25" | 08.25" | 10 |
| DT-25064 | 02.50" | 04.50" x 03.25" | 10.25" | 10 |



**DT-30065-8**
OVAL ROUND DOUBLE WALL

**ID** 03.00" **OL** 08.00"
**OD** 05.50" x 03.50" **PK** 10



**DT-24065DL**
DUAL OVAL ROUND DOUBLE WALL

**ID** 02.25" **OL** 14.50"
**OD** 12.00" x 03.50" **PK** 5



**DT-242565RAC**
2.5" x 6.5" ROLLED ANGLE

**ID** 02.25" **OL** 06.50"
**OD** 02.50" **PK** 10




**DT-24066LDS, DT-24066RDS**
DUAL SIDEWAYS ROLLED ANGLE

**ID** 02.25" **OL** 10.50"
**OD** 05.50" x 03.25" **PK** 5



**DT-17069**
HONDA REPLACEMENT TIP

**ID** 01.75" **OL** 05.50"
**OD** 02.50" **PK** 10



**DT-243070DW**
3" x 7" ROLLED ANGLE DOUBLE WALL

**ID** 02.25" **OL** 07.00"
**OD** 03.00" **PK** 10



**DT-24071**
RECTANGULAR RESONATED

**ID** 02.25" **OL** 08.50"
**OD** 03.20" x 02.70" **PK** 10

# H10-POLISHED

## Stainless Steel Exhaust Tips




**DT-24075**
DOUBLE WALL OVAL ROUND

**ID** 02.25" **OL** 04.70"
**OD** 03.20" x 02.75" **PK** 10



**DT-24076**
ROLLED OVAL ROUND

**ID** 02.25" **OL** 05.70"
**OD** 03.25" x 02.85" **PK** 10



**DT-24077**
RESONATED ANGLE

**ID** 02.25" **OL** 04.30"
**OD** 03.00" **PK** 10



**DT-20078, DT-24078**
DOUBLE WALL SQUARE

**ID** 02.00"/ 02.25" **OL** 06.50"
**OD** 03.15" x 02.70" **PK** 10



**DT-24079**
DOUBLE WALL OVAL ROUND

**ID** 02.25" **OL** 06.00"
**OD** 04.50" x 03.40" **PK** 10




**DT-24080-6, DT-24080-12**
6" & 12" RESONATED BATMAN TIP

**ID** 02.25" **OL** 06.00"/ 12.00"
**OD** 05.75" x 03.00" **PK** 10




**DT-24081-6, DT-24081-12**
6" & 12" SCREAMER TIP

**ID** 02.25" **OL** 06.00"/ 12.00"
**OD** 05.75" x 03.00" **PK** 10




**DT-24082L, DT-24082R**
DOUBLE ROLLED EDGE

**ID** 02.25" **OL** 08.50"
**OD** 05.50" x 03.50" **PK** 10



**DT-25083, DT-30083**
DUAL PARALLEL 3" DOUBLE WALL ANGLE TIP

**ID** 02.50" / 03.00" **OL** 09.50"
**OD** 06.25" x 03.00" **PK** 10




**DT-25083L, DT-25083R**
**DT-30083L, DT-30083R**
DUAL 3" DOUBLE WALL STAGGERED ANGLE TIP

**ID** 02.50"/ 03.00" **OL** 09.50"
**OD** 06.25" x 03.00" **PK** 10




**DT-25483L, DT-25483R**
**DT-30483L, DT-30483R**
DUAL 4" DOUBLE WALL STAGGERED ANGLE TIP

**ID** 02.50"/ 03.00" **OL** 12.00"
**OD** 08.50" x 04.00" **PK** 5




**DT-24084L, DT-24084R**
DOUBLE ROLLED EDGE

**ID** 02.25" **OL** 08.50"
**OD** 05.50" x 03.50" **PK** 10

# HD-POLISHED
## Stainless Steel Exhaust Tips



**DT-24085, DT-25085**
OVAL ROUND

**ID** 02.25"/ 02.50" **OL** 09.40"
**OD** 06.00" x 02.90" **PK** 10




**DT-24086L, DT-24086R**
RECTANGULAR ROUND DOUBLE WALL

**ID** 02.25" **OL** 09.60"
**OD** 06.00" x 02.80" **PK** 10



**DT-25087**
OVAL ROUND ANGLED

**ID** 02.50" **OL** 09.60"
**OD** 04.40" x 03.40" **PK** 10



**DT-24088DL, DT-25088DL**
DUAL ANGLE CUT

**ID** 02.25"/ 02.50" **OL** 10.00"
**OD** 07.50" x 03.50" **PK** 5



**DT-24089**
MZB TURN-UP

**ID** 02.25" **OL** 11.00"
**OD** 04.25" x 03.00" **PK** 10




DOUBLE WALL STRAIGHT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24091A** | 02.25" | 03.00" | 07.25" | 10 |
| **DT-24091B** | 02.25" | 03.50" | 07.25" | 10 |
| **DT-25091** | 02.50" | 04.00" | 07.25" | 10 |
| **DT-254591** | 02.50" | 04.50" | 07.25" | 10 |



**DT-25092**
3.5" DOUBLE WALL ANGLE

**ID** 02.50" **OL** 05.50"
**OD** 03.50" **PK** 10




**DT-25093, DT-253593**
DOUBLE WALL ANGLE

**ID** 02.50" **OL** 04.00"/ 05.50"
**OD** 03.00"/ 03.50" **PK** 20



**DT-24096, DT-25096**
DUAL PARALLEL 3" DOUBLE WALL ANGLE TIP

**ID** 02.25" / 02.50" **OL** 09.50"
**OD** 06.25" x 03.00" **PK** 5




DUAL 3" DOUBLE WALL STAGGERED ANGLE TIP

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24096L** | 02.25" | 6.25" x 3.00" | 08.50" | 5 |
| **DT-24096R** | 02.25" | 6.25" x 3.00" | 08.50" | 5 |
| **DT-25096L** | 02.50" | 6.25" x 3.00" | 08.50" | 5 |
| **DT-25096R** | 02.50" | 6.25" x 3.00" | 08.50" | 5 |




**DT-24097L, DT-24097R**
RECTANGULAR DOUBLE WALL TIP

**ID** 02.25" **OL** 07.50"
**OD** 07.00" x 03.50" **PK** 5




**DT-24098L, DT-24098R**
BUICK ENCLAVE SUV OVAL ROUND

**ID** 02.25" **OL** 10.00"
**OD** 06.00" x 03.50" **PK** 10

# HI-POLISHED

## Stainless Steel Exhaust Tips



**DT-25100**
TRIPLE OVAL ROUND

**ID** 02.50" **OL** 08.00"
**OD** 07.75" x 03.25" **PK** 10




**DT-25101, DT-30101**
DOUBLE WALL ANGLE

**ID** 02.50"/ 03.00" **OL** 05.25"
**OD** 04.00" **PK** 10



**DT-24102DS**
DUAL 2.50" RESONATED SIDEWAYS TIP

**ID** 02.25" **OL** 06.00"
**OD** 05.50" x 02.75" **PK** 10



**DT-24103**
DUAL 3" RESONATED ROLLED ANGLE

**ID** 02.25" **OL** 09.25"
**OD** 06.25" x 03.00" **PK** 5



**DT-24104**
DUAL PARALLEL OVAL ROUND RESONATED

**ID** 02.25" **OL** 09.75"
**OD** 07.25" x 02.50" **PK** 5



**DT-24105**
RECTANGULAR DOUBLE WALL

**ID** 02.25" **OL** 08.50"
**OD** 07.25" x 03.00" **PK** 5



**DT-24106**
DUAL 2.75" SQUARE ROLLED

**ID** 02.25" **OL** 07.50"
**OD** 05.75" x 02.75" **PK** 10



**DT-24107**
OVAL ROUND SLANTED

**ID** 02.25" **OL** 05.75"
**OD** 05.25" x 02.25" **PK** 10



**DT-24108**
DUAL OVAL DOUBLE WALL ROLLED EDGE

**ID** 02.25" **OL** 04.75"
**OD** 07.00" x 03.35" **PK** 10



**DT-24109**
DOUBLE WALL S2000 STRAIGHT

**ID** 02.25" **OL** 07.00"
**OD** 03.00" **PK** 25



**DT-24110**
DUAL DOUBLE WALL ANGLE TIP

**ID** 02.25" **OL** 08.25"
**OD** 03.50" x 03.25" **PK** 10



**DT-24111**
SQUARE ANGLE

**ID** 02.25" **OL** 14.25"
**OD** 04.00" x 03.25" **PK** 10

# HI-POLISHED

## Stainless Steel Exhaust Tips




**DT-30112, DT-25112**
DOUBLE WALL ANGLE

**ID** 03.00"/ 02.50" **OL** 09.50"
**OD** 03.50" **PK** 10




DOUBLE WALL CLOSED OUTER CASING

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24113A** | 02.25" | 03.00" | 08.00" | 10 |
| **DT-24113B** | 02.25" | 03.50" | 08.00" | 10 |
| **DT-24113C** | 02.25" | 04.00" | 08.00" | 10 |
| **DT-25113D** | 02.50" | 04.50" | 09.00" | 10 |
| **DT-30113D** | 03.00" | 04.50" | 09.00" | 10 |
| **DT-25113E** | 02.50" | 05.00" | 09.00" | 10 |
| **DT-30113E** | 03.00" | 05.00" | 09.00" | 10 |



**DT-114**
COLLECTOR

**ID** 03.00" **OL** 10.00"
**OD** 03.63" x 03.63" **PK** 10



**DT-24115**
5 POINT STAR

**ID** 02.25" **OL** 03.50"
**OD** 05.50" x 04.50" **PK** 10



**DT-24116**
VALENTINE

**ID** 02.25" **OL** 03.50"
**OD** 05.50" x 04.00" **PK** 10



**DT-25117**
4" x 9" RESONATED TIP

**ID** 02.50" **OL** 09.00"
**OD** 04.00" **PK** 10



**DT-25118RSL**
4" x 14.5" SLANTED RESONATED TIP

**ID** 02.50" **OL** 14.50"
**OD** 04.00" **PK** 10



**DT-25119**
DUAL REVERSIBLE TRIANGULAR TIP

**ID** 02.50" **OL** 11.00"
**OD** 08.75" x 04.25" **PK** 10



**DT-25120**
DOUBLE WALL ROLLED ANGLE

**ID** 02.50" **OL** 08.25"
**OD** 06.00" x 04.25" **PK** 10



**DT-24121**
DOUBLE WALL ROLLED SLANT

**ID** 02.25" **OL** 07.00"
**OD** 04.00" **PK** 10



**DT-24122**
DUAL OVAL ROLLED SLANT

**ID** 02.25" **OL** 09.00"
**OD** 06.50" x 02.40" **PK** 10



**DT-24123**
DOUBLE WALL OVAL ROLLED STRAIGHT

**ID** 02.25" **OL** 07.25"
**OD** 04.00" x 03.25" **PK** 10

# HD-POLISHED

## Stainless Steel Exhaust Tips



**DT-30124**
4" DUAL DOUBLE WALL SIDEWAYS TIP

**ID** 03.00" **OL** 16.00"
**OD** 09.00" x 04.00" **PK** 10



**DT-25124S, DT-30124S**
4" x 6" DOUBLE WALL ANGLE

**ID** 02.50"/ 03.00" **OL** 06.00"
**OD** 04.00" **PK** 10



**DT-24125**
4" x 9" DOUBLE WALL ANGLE

**ID** 02.25" **OL** 09.00"
**OD** 04.00" **PK** 10




**DT-24126L, DT-24126R**
**DT-25126L, DT-25126R**
DOUBLE WALL ROLLED SLANT

**ID** 02.25"/ 02.50" **OL** 08.50"
**OD** 09.00" x 03.25" **PK** 10




**DT-24127L, DT-24127R**
**DT-25127L, DT-25127R**
DUAL OVAL ROUND ROLLED EDGE

**ID** 02.25"/ 02.50" **OL** 07.50"
**OD** 08.25" x 03.25" **PK** 10




**DT-24128L, DT-24128R**
DUAL OVAL ROUND DOUBLE WALL ROLLED SLANT

**ID** 02.25" **OL** 07.25"
**OD** 06.25" x 02.75" **PK** 10



**DT-24129**
RESONATED RECTANGULAR SLANT

**ID** 02.25" **OL** 07.00"
**OD** 07.00" x 02.75" **PK** 10



**DT-24130**
RESONATED OVAL ROUND DOUBLE WALL ANGLE

**ID** 02.25" **OL** 07.75"
**OD** 04.75" x 03.50" **PK** 10



**DT-24131, DT-25131**
4" x 6" DOUBLE WALL ROLLED ANGLE

**ID** 02.25"/ 02.50" **OL** 06.125"
**OD** 04.00" **PK** 10



**DT-24132**
OVAL ROUND DOUBLE LAYER ROLLED ANGLE

**ID** 02.25" **OL** 07.50"
**OD** 05.00" x 03.00" **PK** 10



**DT-24133**
RESONATED OVAL ROUND DOUBLE WALL ROLLED SLANT

**ID** 02.25" **OL** 07.25"
**OD** 04.75" x 03.25" **PK** 10



**DT-24134**
RESONATED OVAL ROLLED SLANT

**ID** 02.25" **OL** 09.00"
**OD** 04.75" x 03.25" **PK** 10

# HD-POLISHED
## Stainless Steel Exhaust Tips



**DT-24135**
DOUBLE WALL CAMARO ANGLE TIP

**ID** 02.25" **OL** 07.75"
**OD** 03.00" **PK** 10



**DT-24136**
DOUBLE WALL ANGLE TIP

**ID** 02.25" **OL** 09.00"
**OD** 03.50" **PK** 10




**DT-24137L, DT-24137R**
DOUBLE LAYER ROLLED ANGLE TIP

**ID** 02.25" **OL** 09.50"
**OD** 03.50" x 02.75" **PK** 10




**DT-24138L, DT-24138R**
DUAL DOUBLE WALL SQUARE TIP

**ID** 02.25" **OL** 13.00"
**OD** 10.00" x 03.50" **PK** 5




**DT-24138LSP, DT-24138RSP**
DOUBLE WALL SQUARE TIP

**ID** 02.25" **OL** 12.50"
**OD** 05.25" x 03.50" **PK** 10




**DT-24139L, DT-24139R**
DOUBLE WALL CRESCENT TIP

**ID** 02.25" **OL** 12.00"
**OD** 06.75" x 03.50" **PK** 5




**DT-24140L, DT-24140R**
DUAL SINGLE WALL OVAL ROUND TIP

**ID** 02.25" **OL** 11.00"
**OD** 09.50" x 3.25" **PK** 5




**DT-24141L, DT-24141R**
DOUBLE WALL HALF MOON TIP

**ID** 02.25" **OL** 09.75"
**OD** 06.50" x 03.50" **PK** 5




**DT-24142L, DT-24142R**
DOUBLE WALL RECTANGULAR TIP

**ID** 02.25" **OL** 09.25"
**OD** 08.00" x 03.00" **PK** 5




**DT-24143L, DT-24143R**
DOUBLE LAYER SQUARE TIP

**ID** 02.25" **OL** 08.50"
**OD** 04.50" x 03.00" **PK** 5



**DT-24144**
DUAL SINGLE WALL OVAL ROLLED EDGE TIP

**ID** 02.25" **OL** 10.75"
**OD** 08.25" x 03.50" **PK** 5




**DT-24146L, DT-24146R**
DOUBLE LAYER CRESCENT TIP

**ID** 02.25" **OL** 09.00"
**OD** 05.25" x 03.25" **PK** 5

# HD-POLISHED

## Stainless Steel Exhaust Tips



**DT-24147**
4" x 9" RESONATED SLANTED TIP

**ID** 02.25" **OL** 09.00"
**OD** 04.00" **PK** 10




**DT-24150L, DT-24150R**
DUAL AMG STYLE EXHAUST TIP

**ID** 02.25" **OL** 12.00"
**OD** 09.50" x 03.00" **PK** 5



**DT-25152**
DUAL SINGLE WALL SQUARE TIP

**ID** 02.50" **OL** 08.25"
**OD** 08.25" x 02.25" **PK** 5




**DT-24153L, DT-24153R**
DUAL 3.5" DOUBLE WALL SIDEWAYS ROLLED SLANT

**ID** 02.25" **OL** 10.50"
**OD** 07.50" x 3.50" **PK** 5



**DT-24154**
DUAL 3" DOUBLE WALL SIDEWAYS TIP

**ID** 02.25" **OL** 09.50"
**OD** 06.25" x 03.00" **PK** 5




**DT-25155L, DT-25155R**
SINGLE WALL SQUARE ROLLED SLANT

**ID** 02.50" **OL** 07.50"
**OD** 05.00" x 03.00" **PK** 10



**DT-24156**
DUAL 3.5" DOUBLE WALL ROLLED SLANT

**ID** 02.25" **OL** 09.50"
**OD** 07.25" x 03.50" **PK** 5




**DT-24156L, DT-24156R**
DUAL 3.5" DOUBLE WALL STAGGERED ROLLED SLANT

**ID** 02.25" **OL** 09.50"
**OD** 07.25" x 03.50" **PK** 5



**DT-24157**
DUAL 3" DOUBLE LAYER ROLLED EDGE W/ CARBON FIBER ACCENTS

**ID** 02.25" **OL** 08.75"
**OD** 06.25" x 03.00" **PK** 5




**DT-24157L, DT-24157R**
DUAL 3" DOUBLE LAYER ROLLED EDGE STAGGERED W/ CARBON FIBER ACCENTS

**ID** 02.25" **OL** 08.75"
**OD** 06.25" x 03.00" **PK** 5



**DT-24160**
REVERSIBLE DUAL ROUND ROLLED EDGE

**ID** 02.25" **OL** 09.00"
**OD** 06.25" x 03.00" **PK** 5



**DT-24161**
DUAL 3.5" DOUBLE WALL ROLLED SLANT

**ID** 02.25" **OL** 09.75"
**OD** 07.25" x 03.50" **PK** 5

# HD-POLISHED

## Stainless Steel Exhaust Tips




**DT-24179L, DT-24179R**
3.5" DUAL ROLLED ANGLE DOUBLE-WALL
DRIVE SIDE & PASSENGER SIDE

**ID** 02.25" **OL** 09.00"
**OD** 7 3/8" **PK** 5



**DT-24182**
3.5" ROLLED ANGLE DOUBLE-LAYERS

**ID** 02.25" **OL** 7 3/4"
**OD** 03.50" **PK** 10



4" X 7 3/4" DOUBLE-WALL ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24183** | 02.25" | 04.00" | 7 3/4" | 10 |
| **DT-25183** | 02.50" | 04.00" | 7 3/4" | 10 |



**DT-24188**
4" DUAL DOUBLE WALL ANGLE, I.D. 2 1/4"

**ID** 02.25" **OL** 10.50"
**OD** 08.25" **PK** 5



**DT-25189**
POLISHED STAINLESS 3.5" x 8" ANGLE
DOUBLE-WALL

**ID** 02.50" **OL** 08.00"
**OD** 03.50" **PK** 10



**DT-25192**
5" x 14" 2009 RAM TRUCK DIRECT
FIT REPLACEMENT

**ID** 02.50" **OL** 14.00"
**OD** 05.00" **PK** 10



**DT-25193**
3.5" DOUBLE-WALL ROLLED ANGLE

**ID** 02.50" **OL** 05.00"
**OD** 03.00" **PK** 10



**DT-25194**
4.5" x 7" ANGLE DOUBLE WALL

**ID** 02.50" **OL** 07.00"
**OD** 04.50" **PK** 10





**DT-25195L, DT-25195R**
6.37" x 3.75" ROLLED EDGE
DRIVER & PASSENGER SIDE

**ID** 02.50" **OL** 11.625"
**OD** 6.37" x 03.75" **PK** 10




**DT-25196L, DT-25196R**
6.62" x 3.62" ROLLED EDGE
DRIVER & PASSENGER SIDE

**ID** 02.50" **OL** 09.00"
**OD** 6.62" x 3.62" **PK** 10



**DT-304080DW**
4" x 8" ANGLE DOUBLE-WALL

**ID** 02.50" **OL** 08.50"
**OD** 04.00" **PK** 10



**DT-255084**
5" x 12" ANGLE DOUBLE-WALL

**ID** 02.50" **OL** 09.00"
**OD** 05.00" **PK** 10

# HD-POLISHED

## Stainless Steel Exhaust Tips



**DT-25199**
3 1/2" HIGH HEAT RESISTANT GREY ALUMINIZED TIP

**ID** 02.50" **OL** 6.50"
**OD** 03.50" **PK** 10



**DT-25201**
4" DOUBLE-WALL ROLLED EDGE ANGLE TIP

**ID** 02.50" **OL** 8.90"
**OD** 04.00" **PK** 10



**DT-25201BL**
BLACK CHROME LOOK 4" DOUBLE-WALL ROLLED EDGE ANGLE TIP

**ID** 02.50" **OL** 8.90"
**OD** 04.00" **PK** 10




**DT-25202L, DT-25202R**
7.20" * 3.50" RECTANGULAR DOUBLE LAYER ANGLE TIP DRIVER & PASSENGER SIDE

**ID** 02.50" **OD** 7.20" * 3.50"
**BW** 07.20" **BH** 03.50"
**OL** 07.70" **PK** 5




**DT-25203L, DT-25203R**
7.20" * 3.50" HI-HEAT GREY RECTANGULAR DOUBLE LAYER ANGLE TIP, DRIVER & PASSENGER SIDE

**ID** 02.50" **OD** 7.20" * 3.50"
**BW** 07.20" **BH** 03.50"
**OL** 07.70" **PK** 5




**DT-30204L, DT-30204R**
6.80" * 3.10" RECTANGULAR TIP DRIVER & PASSENGER SIDE

**ID** 03.00" **OD** 6.80" * 3.10"
**BW** 06.80" **BH** 03.10"
**OL** 09.10" **PK** 5




**DT-30205L, DT-30205R**
6.90" * 3.10" RECTANGULAR TIP DRIVER & PASSENGER SIDE

**ID** 03.00" **OD** 6.90" * 3.10"
**BW** 06.90" **BH** 03.10"
**OL** 14.10" **PK** 5




**DT-24206, DT-2406BF**
3.70" * 3" OVAL-ROUND ANGLE
3.70" * 3" BLUE-FLAME OVAL-ROUND ANGLE

**ID** 02.25" **OD** 3.70" * 3.00"
**BW** 03.70" **BH** 03.00"
**OL** 07.30" **PK** 10



**DT-24207B**
3.5" DOUBLE-LAYER ANGLE

**ID** 02.25" **OL** 07.30"
**OD** 03.50" **PK** 10



**DT-25213CBL**
4" BLACK-CHROME LOOK SINGLE LAYER ANGLE

**ID** 02.50" **OL** 09.60"
**OD** 04.00" **PK** 10




**DT-25208L, DT-25208R**
3" DUAL DOUBLE LAYER CARBON FIBER ROLLED EDGE EXHAUST TIP

**ID** 02.50" **OL** 08.50"
**OD** 6.25" (3" x 2) **PK** 5




**DT-25209L, DT-25209R**
3" DUAL DOUBLE LAYER CARBON FIBER ANGLE EXHAUST TIP

**ID** 02.50" **OL** 08.50"
**OD** 6.25" (3" x 2) **PK** 5

# Vintage Exhaust Tips



**DT-24165, DT-25165**
DUAL DOUBLE WALL HEXAGON SLANTED TIP

**ID** 02.25"/ 02.50" **OL** 11.75"
**OD** 11.00" x 03.00" **PK** 5




CHALLENGER DUAL

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-20073L | 02.00" | 08.19" x 02.00" | 10.50" | 10 |
| DT-20073R | 02.00" | 08.19" x 02.00" | 10.50" | 10 |
| DT-24073L | 02.25" | 08.19" x 02.00" | 10.50" | 10 |
| DT-24073R | 02.25" | 08.19" x 02.00" | 10.50" | 10 |
| DT-25073L | 02.50" | 08.19" x 02.00" | 10.50" | 10 |
| DT-25073R | 02.50" | 08.19" x 02.00" | 10.50" | 10 |




CUDA

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-20074L | 02.00" | 06.88" x 02.00" | 10.50" | 10 |
| DT-20074R | 02.00" | 06.88" x 02.00" | 10.50" | 10 |
| DT-24074L | 02.25" | 06.88" x 02.00" | 10.50" | 10 |
| DT-24074R | 02.25" | 06.88" x 02.00" | 10.50" | 10 |
| DT-25074L | 02.50" | 06.88" x 02.00" | 10.50" | 10 |
| DT-25074R | 02.50" | 06.88" x 02.00" | 10.50" | 10 |



**DT-24174**
4" SLANTED ROLLED DOUBLE LAYER

**ID** 02.25" **OL** 05.00"
**OD** 04.00" **PK** 10



CLASSIC RECTANGULAR SLANT 14" & 17"

| | ID | OD | OL | PK |
|---|---|---|---|---|
| MPR-24101-14 | 02.25" | 03.75" x 01.75" | 14.00" | 10 |
| MPR-25101-14 | 02.50" | 03.75" x 01.75" | 14.00" | 10 |
| MPR-30101-14 | 03.00" | 03.75" x 01.75" | 14.00" | 10 |
| MPR-24101-17 | 02.25" | 03.75" x 01.75" | 17.00" | 10 |
| MPR-25101-17 | 02.50" | 03.75" x 01.75" | 17.00" | 10 |
| MPR-30101-17 | 03.00" | 03.75" x 01.75" | 17.00" | 10 |



CLASSIC OVAL SLANT 14" & 17"

| | ID | OD | OL | PK |
|---|---|---|---|---|
| MPR-24102-14 | 02.25" | 04.25" x 02.50" | 14.00" | 10 |
| MPR-25102-14 | 02.50" | 04.25" x 02.50" | 14.00" | 10 |
| MPR-30102-14 | 03.00" | 04.25" x 02.50" | 14.00" | 10 |
| MPR-24102-17 | 02.25" | 04.25" x 02.50" | 17.00" | 10 |
| MPR-25102-17 | 02.50" | 04.25" x 02.50" | 17.00" | 10 |
| MPR-30102-17 | 03.00" | 04.25" x 02.50" | 17.00" | 10 |



**DT-24175, DT-25175**
4" RESONATED ANGLE CUT BELL TIP

**ID** 02.25"/ 02.50" **OL** 06.00"
**OD** 04.00" **PK** 10




9" STAINLESS STEEL ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-202090AC | 02.00" | 02.25" | 09.00" | 10 |
| DT-242490AC | 02.25" | 02.50" | 09.00" | 10 |
| DT-252590AC | 02.50" | 02.75" | 09.00" | 10 |




9" STAINLESS STEEL PENCIL ROLLED

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-202090PL | 02.00" | 02.25" | 09.00" | 10 |
| DT-242490PL | 02.25" | 02.50" | 09.00" | 10 |
| DT-252590PL | 02.50" | 02.75" | 09.00" | 10 |




9" STAINLESS STEEL TURN-DOWN

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-202090TD | 02.00" | 02.25" | 09.00" | 10 |
| DT-242490TD | 02.25" | 02.50" | 09.00" | 10 |
| DT-252590TD | 02.50" | 02.75" | 09.00" | 10 |
| DT-272790TD | 02.875" | 02.75" | 09.00" | 10 |

# BLUE FLAME
## Exhaust Tips




ANGLE DOUBLE WALL W/ BLUE FLAME

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24017BF** | 02.25" | 03.50" | 07.00" | 10 |
| **DT-244017BF** | 02.25" | 04.00" | 07.00" | 10 |
| **DT-254017BF** | 02.50" | 04.00" | 07.00" | 10 |
| **DT-254517BF** | 02.50" | 04.50" | 07.00" | 10 |



### DT-24156BF
DUAL 3.5" DOUBLE WALL ROLLED SLANT W/ BLUE FLAME

**ID** 02.25" **OL** 09.50"
**OD** 07.25" x 03.50" **PK** 5




### DT-24156LBF, DT-24156RBF
DUAL 3.5" DOUBLE WALL STAGGERED ROLLED SLANT W/ BLUE FLAME

**ID** 02.25" **OL** 09.50"
**OD** 07.25" x 03.50" **PK** 5



### DT-24158BF
4" DOUBLE WALL STRAIGHT W/ BLUE FLAME

**ID** 02.25" **OL** 07.00"
**OD** 04.00" **PK** 10



### DT-24159BF
3.5" DOUBLE WALL STRAIGHT W/ BLUE FLAME

**ID** 02.25" **OL** 07.25"
**OD** 03.50" **PK** 10



### DT-24160BF
REVERSIBLE DUAL ROUND ROLLED EDGE W/ BLUE FLAME

**ID** 02.25" **OL** 09.00"
**OD** 06.25" x 03.00" **PK** 5



### DT-24161BF
DUAL 3.5" DOUBLE WALL ROLLED SLANT W/ BLUE FLAME

**ID** 02.25" **OL** 09.75"
**OD** 07.25" x 03.50" **PK** 5




### DT-24161LBF, DT-24161RBF
DUAL 3.5" DOUBLE WALL STAGGERED ROLLED SLANT W/ BLUE FLAME

**ID** 02.25" **OL** 09.75"
**OD** 07.25" x 03.50" **PK** 5




### DT-24162LBF, DT-24162RBF
DUAL 3" DOUBLE WALL STAGGERED ANGLE TIP W/ BLUE FLAME

**ID** 02.25" **OL** 09.25"
**OD** 06.25" x 03.00" **PK** 5




### DT-24163LBF, DT-24163RBF
DUAL 3" SINGLE WALL STAGGERED ANGLE TIP W/ BLUE FLAME

**ID** 02.25" **OL** 09.25"
**OD** 06.25" x 03.00" **PK** 5



### DT-24164BF
3.5" DOUBLE WALL STRAIGHT W/ BLUE FLAME

**ID** 02.25" **OL** 07.75"
**OD** 03.50" **PK** 10





### BQ9-25176, BQ9-25176BF
BOLT-ON ANGLE DOUBLE WALL W/ BLUE FLAME

**ID** 02.50" **OL** 07.00"
**OD** 04.50" **PK** 10

# BLUE FLAME

## Exhaust Tips



**DT-24170BF**
3.5" DOUBLE-LAYER ANGLE BLUE-FLAME

| | | | |
|---|---|---|---|
| **ID** | 02.50" | **OL** | 07.75" |
| **OD** | 03.50" | **PK** | 10 |




**DT-24177LBF, DT-24177RBF**
3.5" DUAL DOUBLE LAYER ROLLED ANGLE BLUE-FLAME DRIVER & PASSENGER SIDE

| | | | |
|---|---|---|---|
| **ID** | 02.25" | **OL** | 11.00" |
| **OD** | 07.50" | **PK** | 5 |




**DT-24178LBF, DT-24178RBF**
DUAL OVAL-ROUND DOUBLE-WALL ANGLE BLUE FLAME DRIVER & PASSENGER SIDE

| | | | |
|---|---|---|---|
| **ID** | 02.25" | **OL** | 10.50" |
| **OD** | 08.50" | **PK** | 5 |




**DT-24179LBF, DT-24179RBF**
3.5" DUAL ROLLED ANGLE DOUBLE-WALL BLUE FLAME DRIVER & PASSENGER SIDE

| | | | |
|---|---|---|---|
| **ID** | 02.25" | **OL** | 09.00" |
| **OD** | 07.38" | **PK** | 5 |



**DT-24182BF**
3.5" ROLLED ANGLE DOUBLE-LAYER BLUE FLAME

| | | | |
|---|---|---|---|
| **ID** | 02.25" | **OL** | 07.75" |
| **OD** | 03.50" | **PK** | 5 |



**DT-25183BF**
4" DOUBLE-WALL ANGLE BLUE FLAME

| | | | |
|---|---|---|---|
| **ID** | 02.25" | **OL** | 07.75" |
| **OD** | 04.00" | **PK** | 10 |



**DT-255084BF**
5" * 10" DOUBLE-WALL ANGLE I.D. 2 1/2"

| | | | |
|---|---|---|---|
| **ID** | 02.50" | **OL** | 10.00" |
| **OD** | 05.00" | **PK** | 10 |




**DT-24190LBF, DT-24190RBF**
3.5" DUAL DOUBLE-WALL ANGLE BLUE FLAME DRIVE & PASSENGER SIDE

| | | | |
|---|---|---|---|
| **ID** | 02.25" | **OL** | 09.50" |
| **OD** | 07.25" | **PK** | 5 |



**DT-25194BF**
4.5" x 7" ANGLE DOUBLE-WALL BLUE FLAME

| | | | |
|---|---|---|---|
| **ID** | 02.50" | **OL** | 07.00" |
| **OD** | 04.50" | **PK** | 10 |



**BQ9-25194BF**
BOLT-ON 4.5" x 7" ANGLE DOUBLE-WALL BLUE FLAME

| | | | |
|---|---|---|---|
| **ID** | 02.50" | **OL** | 07.00" |
| **OD** | 04.50" | **PK** | 10 |



4" x 12" ANGLE DOUBLE-WALL BLUE FLAME

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-25038DWBF** | 02.50" | 04.00" | 12.00" | 10 |
| **DT-30038DWBF** | 03.00" | 04.00" | 12.00" | 10 |



5" x 12" ANGLE DOUBLE-WALL BLUE FLAME

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-255013ABF-12** | 02.50" | 05.00" | 12.00" | 10 |
| **DT-305013ABF-12** | 03.00" | 05.00" | 12.00" | 10 |

# BLACK CHROME
## Exhaust Tips



**DT-027SBM**
BLACK CHROME SLANTED
1 PIECE TOOLING CAMARO TIP

| | | | |
|---|---|---|---|
| **ID** | 02.25" | **OL** | 10.00" |
| **OD** | 08.00" x 02.00" | **PK** | 10 |



**DT-24030BM**
BLACK CHROME DUAL OVAL ROUND

| | | | |
|---|---|---|---|
| **ID** | 02.25" | **OL** | 09.25" |
| **OD** | 07.50" x 03.00" | **PK** | 5 |



**DT-043SBM**
BLACK CHROME 6" ROLLED ANGLE

| | | | |
|---|---|---|---|
| **ID** | 02.25" | **OL** | 09.00" |
| **OD** | 06.00" x 03.25" | **PK** | 10 |



**DT-24085BM**
BLACK CHROME OVAL ROUND

| | | | |
|---|---|---|---|
| **ID** | 02.25" | **OL** | 09.40" |
| **OD** | 06.00" x 02.90" | **PK** | 10 |



BLACK CHROME DUAL PARALLEL 3" ANGLE
DOUBLE-WALL

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24096BM** | 02.25" | 06.25" | 08.50" | 5 |
| **DT-25096BM** | 02.50" | 06.25" | 08.50" | 5 |




BLACK CHROME DUAL 3" DOUBLE-WALL
STAGGERED ANGLE DRIVER/PASSENGER SIDE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24096LBM** | 02.25" | 06.25" | 08.50" | 5 |
| **DT-24096RBM** | 02.25" | 06.25" | 08.50" | 5 |
| **DT-25096LBM** | 02.50" | 06.25" | 08.50" | 5 |
| **DT-25096RBM** | 02.50" | 06.25" | 08.50" | 5 |



**DT-254090RBM**
BLACK CHROME
4" x 9" ROLLED SLANTED TIP

| | | | |
|---|---|---|---|
| **ID** | 02.50" | **OL** | 09.00" |
| **OD** | 04.00" | **PK** | 10 |



BLACK CHROME 3.5" X 18" ANGLE
BLACK CHROME 4" X 18" ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-243518ABM** | 02.25" | 03.50" | 18.00" | 10 |
| **DT-244018ABM** | 02.25" | 04.00" | 18.00" | 10 |



BLACK CHROME 3.5" X 18" ROLLED ANGLE
BLACK CHROME 4" X 18" ROLLED ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-243518RBM** | 02.25" | 03.50" | 18.00" | 10 |
| **DT-244018RBM** | 02.25" | 04.00" | 18.00" | 10 |



**Q9-405012RBM**
BLACK CHROME 5" X 12" ROLLED SLANT

| | | | |
|---|---|---|---|
| **ID** | 04.00" | **OL** | 12.00" |
| **OD** | 05.00" | **PK** | 10 |



**Q9-506015RBM**
BLACK CHROME 6" X 15" ROLLED SLANT

| | | | |
|---|---|---|---|
| **ID** | 05.00" | **OL** | 15.00" |
| **OD** | 06.00" | **PK** | 10 |



**Q9-406018RBM**
BLACK CHROME 6" X 18" ROLLED SLANT

| | | | |
|---|---|---|---|
| **ID** | 04.00" | **OL** | 18.00" |
| **OD** | 06.00" | **PK** | 10 |

# BLACK CHROME LOOK TIPS



**DT-24113CBL**
BLACK CHROME LOOK 4" * 8.50" ANGLE DOUBLE-WALL

**ID** 02.25" **OL** 08.50"
**OD** 04.00" **PK** 10

DT-25013CBL DT-25013CBL DT-30013CBL-12



BLACK CHROME LOOK 4" x 9" & 4" x 12" ANGLE DOUBLE-WALL

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-25013CBL | 02.50" | 04.00" | 09.00" | 10 |
| DT-25013CBL-12 | 02.50" | 04.00" | 12.00" | 10 |
| DT-30013CBL-12 | 03.00" | 04.00" | 12.00" | 10 |



**DT-027SBL**
BLACK CHROME LOOK CAMARO TIP

**ID** 02.25" **OL** 10.50"
**OD** 08" * 3 1/8" **PK** 10



**DT-043SBL**
BLACK CHROME LOOK 5.50" ROLLED ANGLE

**ID** 02.25" **OL** 09.50"
**OD** 5.50" * 3 1/8" **PK** 10



**DT-25189BL**
BLACK CHROM LOOK 3 1/2" * 8" ANGLE DOUBLE-WALL
**Polished stainless steel available

**ID** 02.25" **OL** 08.00"
**OD** 03.50" **PK** 10



**DT-243518ABL**
BLACK CHROME LOOK 3 1/2" * 18" ANGLE

**ID** 02.25" **OL** 18.00"
**OD** 03.50" **PK** 10



**DT-243518RBL**
BLACK CHROME LOOK 3 1/2" * 18" ROLLED ANGLE

**ID** 02.25" **OL** 18.00"
**OD** 03.50" **PK** 10



**Q9-354512RBL**
BLACK CHROME LOOK 4.5" * 12" ROLLED ANGLE

**ID** 03.50" **OL** 12.00"
**OD** 04.50" **PK** 10

Q9-406012RBL Q9-406015RBL Q9-406018RBL



WELD-ON BLACK CHROME LOOK ROLLED SLANT
4" * 6" * 12" / 4" * 6" * 15" / 4" * 6" * 18"

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-406012RBL | 04.00" | 06.00" | 12.00" | 10 |
| Q9-406015RBL | 04.00" | 06.00" | 15.00" | 10 |
| Q9-406018RBL | 04.00" | 06.00" | 18.00" | 10 |

Q9-506012RBL Q9-506015RBL Q9-506018RBL



WELD-ON BLACK CHROME LOOK ROLLED SLANT
5" * 6" * 12" / 5" * 6" * 15" / 5" * 6" * 18"

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-506012RBL | 05.00" | 06.00" | 12.00" | 10 |
| Q9-506015RBL | 05.00" | 06.00" | 15.00" | 10 |
| Q9-506018RBL | 05.00" | 06.00" | 18.00" | 10 |

BQ9-406012RBL BQ9-406015RBL BQ9-406018RBL



BOLT-ON BLACK CHROME LOOK ROLLED SLANT
4" * 6" * 12" / 4" * 6" * 15" / 4" * 6" * 18"

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-406012RBL | 04.00" | 06.00" | 12.00" | 10 |
| BQ9-406015RBL | 04.00" | 06.00" | 15.00" | 10 |
| BQ9-406018RBL | 04.00" | 06.00" | 18.00" | 10 |

BQ9-506012RBL BQ9-506015RBL BQ9-506018RBL



BOLT-ON BLACK CHROME LOOK ROLLED SLANT
5" * 6" * 12" / 5" * 6" * 15" / 5" * 6" * 18"

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-506012RBL | 05.00" | 06.00" | 12.00" | 10 |
| BQ9-506015RBL | 05.00" | 06.00" | 15.00" | 10 |
| BQ9-506018RBL | 05.00" | 06.00" | 18.00" | 10 |

# STAINLESS STEEL w/ ANODIZED ALUMINUM CARBON FIBER NUMERIC

## Exhaust Tips




DOUBLE WALL CLOSED OUTER CASING
W/ GREY ANODIZED ALUMINUM BILLET

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24166A** | 02.25" | 03.00" | 06.50" | 10 |
| **DT-24166B** | 02.25" | 03.50" | 07.50" | 10 |
| **DT-24166C** | 02.25" | 04.00" | 07.50" | 10 |




DOUBLE WALL CLOSED OUTER CASING
W/ BLACK ANODIZED ALUMINUM BILLET

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24167A** | 02.25" | 03.00" | 06.50" | 10 |
| **DT-24167B** | 02.25" | 03.50" | 07.50" | 10 |
| **DT-24167C** | 02.25" | 04.00" | 07.50" | 10 |




**DT-24173L, DT-24173R**
DUAL ANGLED ROUND SIDEWAYS TIP
W/ GREY ANODIZED ALUMINUM BILLET

**ID** 02.25" **OL** 07.00"
**OD** 06.00" x 03.00" **PK** 5




**DT-25171B, DT-25171BG**
BOLT-ON 3.5" x 7" CARBON-FIBER
RESONATED TIP

**ID** 02.50" **OL** 07.00"
**OD** 3.50" **PK** 10




DOUBLE LAYER ROLLED ANGLE
CARBON FIBER TIP

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-24168A** | 02.25" | 03.00" | 07.00" | 10 |
| **DT-24168B** | 02.25" | 03.50" | 07.00" | 10 |
| **DT-24168C** | 02.25" | 04.00" | 07.00" | 10 |
| **DT-24168D** | 02.25" | 04.50" | 07.00" | 10 |




BOLT-ON DOUBLE LAYER ROLLED ANGLE
CARBON FIBER TIP

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-25169B** | 02.50" | 03.50" | 06.50" | 10 |
| **DT-25169C** | 02.50" | 04.00" | 06.50" | 10 |
| **DT-25169D** | 02.50" | 04.50" | 06.50" | 10 |




BOLT-ON DOUBLE LAYER SLANT CUT
CARBON FIBER TIP

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **DT-25170B** | 02.50" | 03.50" | 06.50" | 10 |
| **DT-25170C** | 02.50" | 04.00" | 06.50" | 10 |
| **DT-25170D** | 02.50" | 04.50" | 06.50" | 10 |



**DT-24191B**
3.50" x 8.25" RESONATED CARBON FIBER TIP

**ID** 02.25" **OL** 08.25"
**OD** 03.50" **PK** 10




3.5" ANGLED 90° CUT NUMERICAL SLEEVE INSERTS

| | | | |
|---|---|---|---|
| #1 | NUM-35001AC | #6 | NUM-35006AC |
| #2 | NUM-35002AC | #7 | NUM-35007AC |
| #3 | NUM-35003AC | #8 | NUM-35008AC |
| #4 | NUM-35004AC | #9 | NUM-35009AC |
| #5 | NUM-35005AC | #0 | NUM-35010AC |

3.5" SLANTED 15° CUT NUMERICAL SLEEVE INSERTS

| | | | |
|---|---|---|---|
| #1 | NUM-35001SL | #6 | NUM-35006SL |
| #2 | NUM-35002SL | #7 | NUM-35007SL |
| #3 | NUM-35003SL | #8 | NUM-35008SL |
| #4 | NUM-35004SL | #9 | NUM-35009SL |
| #5 | NUM-35005SL | #0 | NUM-35010SL |



# COLOR Exhaust Tips



**DT-24017ACG**
GREEN COLOR BURNED 3.5"
ANGLE DOUBLE WALL

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 07.00" |
| OD | 03.50" | PK | 10 |



**DT-24017ACU**
BLUE COLOR BURNED 3.5"
ANGLE DOUBLE WALL

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 07.00" |
| OD | 03.50" | PK | 10 |



**DT-24017ACP**
PURPLE COLOR BURNED 3.5"
ANGLE DOUBLE WALL

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 07.00" |
| OD | 03.50" | PK | 10 |



**DT-30038DWG**
GREEN COLOR BURNED 4" x 12"
DOUBLE WALL ANGLE

| | | | |
|---|---|---|---|
| ID | 03.00" | OL | 12.00" |
| OD | 04.00" | PK | 10 |



**DT-30038DWU**
BLUE COLOR BURNED 4" x 12"
DOUBLE WALL ANGLE

| | | | |
|---|---|---|---|
| ID | 03.00" | OL | 12.00" |
| OD | 04.00" | PK | 10 |



**DT-30038DWP**
PURPLE COLOR BURNED 4" x 12"
DOUBLE WALL ANGLE

| | | | |
|---|---|---|---|
| ID | 03.00" | OL | 12.00" |
| OD | 04.00" | PK | 10 |




COLOR BURNED DOUBLE WALL
CLOSED OUTER CASING

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-24113AG (GREEN) | 02.25" | 03.00" | 08.00" | 10 |
| DT-24113AU (BLUE) | 02.25" | 03.00" | 08.00" | 10 |
| DT-24113AP (PURPLE) | 02.25" | 03.00" | 08.00" | 10 |




COLOR BURNED DOUBLE WALL
CLOSED OUTER CASING

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-24113BG (GREEN) | 02.25" | 03.50" | 08.00" | 10 |
| DT-24113BU (BLUE) | 02.25" | 03.50" | 08.00" | 10 |
| DT-24113BP (PURPLE) | 02.25" | 03.50" | 08.00" | 10 |




COLOR BURNED DOUBLE WALL
CLOSED OUTER CASING

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-24113CG (GREEN) | 02.25" | 04.00" | 08.00" | 10 |
| DT-24113CU (BLUE) | 02.25" | 04.00" | 08.00" | 10 |
| DT-24113CP (PURPLE) | 02.25" | 04.00" | 08.00" | 10 |



**DT-25198**
3.75" x 9" TEXTURED OUTER CASING

| | | | |
|---|---|---|---|
| ID | 02.50" | OL | 09.00" |
| OD | 03.75" | PK | 10 |



**DT-25198BK**
BLACK POWDER COATED 3.75" x 9"
TEXTURED OUTER CASING

| | | | |
|---|---|---|---|
| ID | 02.50" | OL | 09.00" |
| OD | 03.75" | PK | 10 |



**DT-25200**
DUAL OVAL ROUND SINGLE WALL ROLLED EDGE

| | | | |
|---|---|---|---|
| ID | 02.50" | OL | 08.25" |
| OD | 06.00" x 05.25" | PK | 10 |

# TEXAS Exhaust Tips



3" ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-243012AC | 02.25" | 03.00" | 12.00" | 10 |
| DT-243016AC | 02.25" | 03.00" | 16.00" | 10 |
| DT-243018AC | 02.25" | 03.00" | 18.00" | 10 |
| DT-243022AC | 02.25" | 03.00" | 22.00" | 10 |
| DT-243024AC | 02.25" | 03.00" | 24.00" | 10 |



3.5" ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-243512AC | 02.25" | 03.50" | 12.00" | 10 |
| DT-253512AC | 02.50" | 03.50" | 12.00" | 10 |
| DT-243516AC | 02.25" | 03.50" | 16.00" | 10 |
| DT-243518AC | 02.25" | 03.50" | 18.00" | 10 |
| DT-253518AC | 02.50" | 03.50" | 18.00" | 10 |
| DT-243522AC | 02.25" | 03.50" | 22.00" | 10 |
| DT-253522AC | 02.50" | 03.50" | 22.00" | 10 |



3.5" ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-303512AC | 03.00" | 03.50" | 12.00" | 10 |
| DT-303518AC | 03.00" | 03.50" | 18.00" | 10 |
| DT-303522AC | 03.00" | 03.50" | 22.00" | 10 |



4" ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-244012AC | 02.25" | 04.00" | 12.00" | 10 |
| DT-254012AC | 02.50" | 04.00" | 12.00" | 10 |
| DT-244018AC | 02.25" | 04.00" | 18.00" | 10 |
| DT-254018AC | 02.50" | 04.00" | 18.00" | 10 |
| DT-244022AC | 02.25" | 04.00" | 22.00" | 10 |
| DT-254022AC | 02.50" | 04.00" | 22.00" | 10 |



4" ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-304012AC | 03.00" | 04.00" | 12.00" | 10 |
| DT-354012AC | 03.50" | 04.00" | 12.00" | 10 |
| DT-354015AC | 03.50" | 04.00" | 15.00" | 10 |
| DT-304018AC | 03.00" | 04.00" | 18.00" | 10 |
| DT-304022AC | 03.00" | 04.00" | 22.00" | 10 |




3" ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-243012AC | 02.25" | 03.00" | 12.00" | 10 |
| Q9-243018AC | 02.25" | 03.00" | 18.00" | 10 |




3.5" ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-243512AC | 02.25" | 03.50" | 12.00" | 10 |
| Q9-243518AC | 02.25" | 03.50" | 18.00" | 10 |
| Q9-253518AC | 02.50" | 03.50" | 18.00" | 10 |
| Q9-243522AC | 02.25" | 03.50" | 22.00" | 10 |
| Q9-253522AC | 02.50" | 03.50" | 22.00" | 10 |




4" ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-244012AC | 02.25" | 04.00" | 12.00" | 10 |
| Q9-254012AC | 02.50" | 04.00" | 12.00" | 10 |
| Q9-244018AC | 02.25" | 04.00" | 18.00" | 10 |
| Q9-254018AC | 02.50" | 04.00" | 18.00" | 10 |
| Q9-304018AC | 03.00" | 04.00" | 18.00" | 10 |
| Q9-244022AC | 02.25" | 04.00" | 22.00" | 10 |



3" ROLLED ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-243012RAC | 02.25" | 03.00" | 12.00" | 10 |
| DT-243016RAC | 02.25" | 03.00" | 16.00" | 10 |
| DT-243018RAC | 02.25" | 03.00" | 18.00" | 10 |
| DT-243022RAC | 02.25" | 03.00" | 22.00" | 10 |

# TEXAS Exhaust Tips



3.5" ROLLED ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-243512RAC | 02.25" | 03.50" | 12.00" | 10 |
| DT-253512RAC | 02.50" | 03.50" | 12.00" | 10 |
| DT-303512RAC | 03.00" | 03.50" | 12.00" | 10 |
| DT-243516RAC | 02.25" | 03.50" | 16.00" | 10 |
| DT-243518RAC | 02.25" | 03.50" | 18.00" | 10 |
| DT-253518RAC | 02.50" | 03.50" | 18.00" | 10 |
| DT-303518RAC | 03.00" | 03.50" | 18.00" | 10 |
| DT-243522RAC | 02.25" | 03.50" | 22.00" | 10 |
| DT-253522RAC | 02.50" | 03.50" | 22.00" | 10 |
| DT-303522RAC | 03.00" | 03.50" | 22.00" | 10 |



4" ROLLED ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-244012RAC | 02.25" | 04.00" | 12.00" | 10 |
| DT-254012RAC | 02.50" | 04.00" | 12.00" | 10 |
| DT-304012RAC | 03.00" | 04.00" | 12.00" | 10 |
| DT-354012RAC | 03.50" | 04.00" | 12.00" | 10 |
| DT-354015RAC | 03.50" | 04.00" | 15.00" | 10 |
| DT-244018RAC | 02.25" | 04.00" | 18.00" | 10 |
| DT-254018RAC | 02.50" | 04.00" | 18.00" | 10 |
| DT-304018RAC | 03.00" | 04.00" | 18.00" | 10 |
| DT-244022RAC | 02.25" | 04.00" | 22.00" | 10 |
| DT-254022RAC | 02.50" | 04.00" | 22.00" | 10 |
| DT-304022RAC | 03.00" | 04.00" | 22.00" | 10 |




3" & 3.5" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-243012RSL | 02.25" | 03.00" | 12.00" | 10 |
| DT-243016RSL | 02.25" | 03.00" | 16.00" | 10 |
| DT-243018RSL | 02.25" | 03.00" | 18.00" | 10 |
| DT-243512RSL | 02.25" | 03.50" | 12.00" | 10 |
| DT-303512RSL | 03.00" | 03.50" | 12.00" | 10 |
| DT-243518RSL | 02.25" | 03.50" | 18.00" | 10 |



4" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-244012RSL | 02.25" | 04.00" | 12.00" | 10 |
| DT-304012RSL | 03.00" | 04.00" | 12.00" | 10 |
| DT-304018RSL | 03.00" | 04.00" | 18.00" | 10 |




3" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-243012RSL | 02.25" | 03.00" | 12.00" | 10 |
| Q9-243016RSL | 02.25" | 03.00" | 16.00" | 10 |
| Q9-243018RSL | 02.25" | 03.00" | 18.00" | 10 |
| Q9-243022RSL | 02.25" | 03.00" | 22.00" | 10 |




3.5" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-243512RSL | 02.25" | 03.50" | 12.00" | 10 |
| Q9-253512RSL | 02.50" | 03.50" | 12.00" | 10 |
| Q9-303512RSL | 03.00" | 03.50" | 12.00" | 10 |
| Q9-243518RSL | 02.25" | 03.50" | 18.00" | 10 |
| Q9-253518RSL | 02.50" | 03.50" | 18.00" | 10 |
| Q9-243522RSL | 02.25" | 03.50" | 22.00" | 10 |




4" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-254090RSL | 02.50" | 04.00" | 09.00" | 10 |
| Q9-244012RSL | 02.25" | 04.00" | 12.00" | 10 |
| Q9-354012RSL | 03.50" | 04.00" | 12.00" | 10 |
| Q9-244018RSL | 02.25" | 04.00" | 18.00" | 10 |
| Q9-244022RSL | 02.25" | 04.00" | 22.00" | 10 |




12" BOLT-ON ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-303512RSL | 03.00" | 03.50" | 12.00" | 10 |
| BQ9-404012RSL | 04.00" | 04.00" | 12.00" | 10 |




CHROME OVER STAINLESS STEEL TIP


| | ID | OD | OL | PK |
|---|---|---|---|---|
| CMS-303512RSL | 03.00" | 03.50" | 12.00" | 10 |
| CMS-304012RSL | 03.00" | 04.00" | 12.00" | 10 |

# TEXAS Exhaust Tips




3" PENCIL ROLLED

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-243012PL | 02.25" | 03.00" | 12.00" | 10 |
| DT-243016PL | 02.25" | 03.00" | 16.00" | 10 |
| DT-243018PL | 02.25" | 03.00" | 18.00" | 10 |
| DT-243022PL | 02.25" | 03.00" | 22.00" | 10 |



3.5" PENCIL ROLLED

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-243512PL | 02.25" | 03.50" | 12.00" | 10 |
| DT-303512PL | 03.00" | 03.50" | 12.00" | 10 |
| DT-243518PL | 02.25" | 03.50" | 18.00" | 10 |
| DT-303518PL | 03.00" | 03.50" | 18.00" | 10 |
| DT-243522PL | 02.25" | 03.50" | 22.00" | 10 |



4" PENCIL ROLLED

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-304012PL | 03.00" | 04.00" | 12.00" | 10 |
| DT-304018PL | 03.00" | 04.00" | 18.00" | 10 |



3" PENCIL ROLLED

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-243012PL | 02.25" | 03.00" | 12.00" | 10 |
| Q9-243018PL | 02.25" | 03.00" | 18.00" | 10 |
| Q9-243022PL | 02.25" | 03.00" | 22.00" | 10 |



3.5" PENCIL ROLLED

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-243512PL | 02.25" | 03.50" | 12.00" | 10 |
| Q9-243518PL | 02.25" | 03.50" | 18.00" | 10 |
| Q9-243522PL | 02.25" | 03.50" | 22.00" | 10 |



4" PENCIL ROLLED

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-244012PL | 02.25" | 04.00" | 12.00" | 10 |
| Q9-244018PL | 02.25" | 04.00" | 18.00" | 10 |
| Q9-244022PL | 02.25" | 04.00" | 22.00" | 10 |



3.5" STRAIGHT TIP

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-243518ST | 02.25" | 03.50" | 18.00" | 10 |
| Q9-243522ST | 02.25" | 03.50" | 22.00" | 10 |




3.5" SLANT TIP

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-243512SL | 02.25" | 03.50" | 12.00" | 10 |
| DT-243518SL | 02.25" | 03.50" | 18.00" | 10 |
| DT-243522SL | 02.25" | 03.50" | 22.00" | 10 |




3.5" & 4" x 12" SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-243512SL | 02.25" | 03.50" | 12.00" | 10 |
| Q9-253512SL | 02.50" | 03.50" | 12.00" | 10 |
| Q9-303512SL | 03.00" | 03.50" | 12.00" | 10 |
| Q9-304012SL | 03.00" | 04.00" | 12.00" | 10 |

# DIESEL
## Exhaust Tips



5" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-255012RSL | 02.50" | 05.00" | 12.00" | 10 |
| Q9-305012RSL | 03.00" | 05.00" | 12.00" | 10 |
| Q9-355012RSL | 03.50" | 05.00" | 12.00" | 10 |
| Q9-405012RSL | 04.00" | 05.00" | 12.00" | 10 |
| Q9-505012RSL | 05.00" | 05.00" | 12.00" | 10 |
| Q9-355015RSL | 03.50" | 05.00" | 15.00" | 10 |
| Q9-405015RSL | 04.00" | 05.00" | 15.00" | 10 |
| Q9-405018RSL | 04.00" | 05.00" | 18.00" | 10 |
| Q9-405022RSL | 04.00" | 05.00" | 22.00" | 10 |



6" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-406012RSL | 04.00" | 06.00" | 12.00" | 10 |
| Q9-506012RSL | 05.00" | 06.00" | 12.00" | 10 |
| Q9-406015RSL | 04.00" | 06.00" | 15.00" | 10 |
| Q9-506015RSL | 05.00" | 06.00" | 15.00" | 10 |
| Q9-406018RSL | 04.00" | 06.00" | 18.00" | 10 |
| Q9-506018RSL | 05.00" | 06.00" | 18.00" | 10 |



5" & 6" SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-405012SL | 04.00" | 05.00" | 12.00" | 10 |
| Q9-405018SL | 04.00" | 05.00" | 18.00" | 10 |
| Q9-406018SL | 04.00" | 06.00" | 18.00" | 10 |
| Q9-506018SL | 05.00" | 06.00" | 18.00" | 10 |
| Q9-405022SL | 04.00" | 05.00" | 22.00" | 10 |




BOLT-ON & WELD-ON 4.5" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-354512RSL | 03.50" | 04.50" | 12.00" | 10 |
| BQ9-354515RSL | 03.50" | 04.50" | 15.00" | 10 |
| Q9-354512RSL | 03.50" | 04.50" | 12.00" | 10 |




BOLT-ON 5" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-255012RSL | 02.50" | 05.00" | 12.00" | 10 |
| BQ9-305012RSL | 03.00" | 05.00" | 12.00" | 10 |
| BQ9-405012RSL | 04.00" | 05.00" | 12.00" | 10 |
| BQ9-505012RSL | 05.00" | 05.00" | 12.00" | 10 |
| BQ9-355015RSL | 03.50" | 05.00" | 15.00" | 10 |
| BQ9-405015RSL | 04.00" | 05.00" | 15.00" | 10 |
| BQ9-255018RSL | 02.50" | 05.00" | 18.00" | 10 |
| BQ9-305018RSL | 03.00" | 05.00" | 18.00" | 10 |
| BQ9-405018RSL | 04.00" | 05.00" | 18.00" | 10 |
| BQ9-505018RSL | 05.00" | 05.00" | 18.00" | 10 |
| BQ9-405022RSL | 04.00" | 05.00" | 22.00" | 10 |



BOLT-ON 6" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-406012RSL | 04.00" | 06.00" | 12.00" | 10 |
| BQ9-506012RSL | 05.00" | 06.00" | 12.00" | 10 |
| BQ9-406015RSL | 04.00" | 06.00" | 15.00" | 10 |
| BQ9-506015RSL | 05.00" | 06.00" | 15.00" | 10 |
| BQ9-406018RSL | 04.00" | 06.00" | 18.00" | 10 |
| BQ9-506018RSL | 05.00" | 06.00" | 18.00" | 10 |




BOLT-ON & WELD-ON 4.5" X 12" SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-354512SL | 02.50" | 05.00" | 18.00" | 10 |
| Q9-354512SL | 02.50" | 06.00" | 18.00" | 10 |



BOLT-ON 5" & 6" SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-405012SL | 04.00" | 05.00" | 12.00" | 10 |
| BQ9-405018SL | 04.00" | 05.00" | 18.00" | 10 |
| BQ9-406018SL | 05.00" | 06.00" | 18.00" | 10 |



BOLT-ON PENCIL ROLL & WELD-ON PENCIL ROLL

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-405012PL | 04.00" | 05.00" | 12.00" | 10 |
| BQ9-406018PL | 04.00" | 06.00" | 18.00" | 10 |
| Q9-405012PL | 04.00" | 05.00" | 12.00" | 10 |
| Q9-506018PL | 05.00" | 06.00" | 18.00" | 10 |




5" X 18" ANGLE, I.D. 2 1/2"
6" X 18" ANGLE, I.D. 2 1/2"

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-255018AC | 02.50" | 05.00" | 18.00" | 10 |
| Q9-256018AC | 02.50" | 06.00" | 18.00" | 10 |




BOLT-ON ROLLED SLANT
WELD-ON ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-255018RSL | 02.50" | 05.00" | 18.00" | 10 |
| BQ9-256018RSL | 02.50" | 06.00" | 18.00" | 10 |
| Q9-255018RSL | 02.50" | 05.00" | 18.00" | 10 |
| Q9-256018RSL | 02.50" | 06.00" | 18.00" | 10 |

# DIESEL
## Exhaust Tips




DOUBLE WALL ANGLE TIP

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-405013AC-6 | 04.00" | 05.00" | 06.00" | 10 |
| DT-405013AC-12 | 04.00" | 05.00" | 12.00" | 10 |
| DT-405013AC-15 | 04.00" | 05.00" | 15.00" | 5 |
| DT-406013AC-15 | 04.00" | 06.00" | 15.00" | 5 |



BOLT-ON 5" x 12" DOUBLE WALL ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-405013AC-12 | 04.00" | 05.00" | 12.00" | 10 |



INTERCOOLER TIP

U-SLOTTED INTERCOOLER W/ INNER FAN ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| IUF-405016RSL | 04.00" | 05.00" | 16.00" | 10 |
| IUF-506016RSL | 05.00" | 06.00" | 16.00" | 10 |



INTERCOOLER ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| IQ9-405012RSL | 04.00" | 05.00" | 12.00" | 10 |



INTERCOOLER TIP

U-SLOTTED INTERCOOLER ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| IUQ9-405012RSL | 04.00" | 05.00" | 12.00" | 10 |
| IUQ9-405016RSL | 04.00" | 05.00" | 16.00" | 10 |
| IUQ9-506016RSL | 05.00" | 06.00" | 16.00" | 10 |



INTERCOOLER TIP

BOLT-ON INTERCOOLER ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| IB-405060RSL | 04.00" | 05.00" | 06.50" | 10 |
| IB-405090RSL | 04.00" | 05.00" | 09.50" | 10 |
| IB-406015RSL | 04.00" | 06.00" | 15.00" | 10 |
| IB-506015RSL | 05.00" | 06.00" | 15.00" | 10 |



BOLT-ON INTERCOOLER 5" ANGLE CUT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| IB-405060AC | 04.00" | 05.00" | 06.00" | 10 |
| IB-405090AC | 04.00" | 05.00" | 09.00" | 10 |



BOLT-ON & WELD-ON 16" & 18" TURNDOWN

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-303016TD | 03.00" | 03.00" | 16.00" | 10 |
| Q9-353516TD | 03.50" | 03.50" | 16.00" | 10 |
| Q9-404018TD | 04.00" | 04.00" | 18.00" | 10 |
| BQ9-404018TD | 04.00" | 04.00" | 18.00" | 10 |



BOLT-ON & WELD-ON 5" X 16" TURNDOWN

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-405016TD | 04.00" | 05.00" | 16.00" | 10 |
| BQ9-505016TD | 05.00" | 05.00" | 16.00" | 10 |
| Q9-405016TD | 04.00" | 05.00" | 16.00" | 10 |
| Q9-505016TD | 05.00" | 05.00" | 16.00" | 10 |

# DIESEL
## Exhaust Tips & Short Stacks



7", 8" & 10" x 15" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-407015RSL | 04.00" | 07.00" | 15.00" | 10 |
| Q9-507015RSL | 05.00" | 07.00" | 15.00" | 10 |
| Q9-408015RSL | 04.00" | 08.00" | 15.00" | 10 |
| Q9-508015RSL | 05.00" | 08.00" | 15.00" | 10 |
| Q9-401015RSL | 04.00" | 10.00" | 15.00" | 10 |



4" ID 7"/8"/10"/12" x 18" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-407018RSL | 04.00" | 07.00" | 18.00" | 10 |
| Q9-408018RSL | 04.00" | 08.00" | 18.00" | 10 |
| Q9-401018RSL | 04.00" | 10.00" | 18.00" | 4 |
| Q9-401218RSL | 04.00" | 12.00" | 18.00" | 4 |



5" ID 7"/8"/10"/12" x 18" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-507018RSL | 05.00" | 07.00" | 18.00" | 10 |
| Q9-508018RSL | 05.00" | 08.00" | 18.00" | 10 |
| Q9-501018RSL | 05.00" | 10.00" | 18.00" | 4 |
| Q9-501218RSL | 05.00" | 12.00" | 18.00" | 4 |



4" ID 7"/8"/10"/12" x 18" ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-407018AC | 04.00" | 07.00" | 18.00" | 10 |
| Q9-408018AC | 04.00" | 08.00" | 18.00" | 10 |
| Q9-401018AC | 04.00" | 10.00" | 18.00" | 4 |
| Q9-401218AC | 04.00" | 12.00" | 18.00" | 4 |



BOLT-ON 7", 8" & 10" x 15" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-407015RSL | 04.00" | 07.00" | 15.00" | 10 |
| BQ9-507015RSL | 05.00" | 07.00" | 15.00" | 10 |
| BQ9-408015RSL | 04.00" | 08.00" | 15.00" | 10 |
| BQ9-508015RSL | 05.00" | 08.00" | 15.00" | 10 |
| BQ9-401015RSL | 04.00" | 10.00" | 15.00" | 10 |
| BQ9-501015RSL | 05.00" | 10.00" | 15.00" | 10 |



BOLT-ON 7" x 18" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-407018RSL | 04.00" | 07.00" | 18.00" | 10 |
| BQ9-507018RSL | 05.00" | 07.00" | 18.00" | 10 |



BOLT-ON 8" x 18" ROLLED SLANT

| | ID | OD | OL | PK |
|---|---|---|---|---|
| BQ9-408018RSL | 04.00" | 08.00" | 18.00" | 10 |
| BQ9-508018RSL | 05.00" | 08.00" | 18.00" | 10 |



**CM-405099**
CHROME 5" x 23" ELBOW

ID 04.00" OL 23.00"
OD 05.00" PK 1



**CM-506099**
CHROME 6" x 23" ELBOW

ID 05.00" OL 23.00"
OD 06.00" PK 1

# DIESEL Stacks



4" ID x 36" ROLLED SLANT STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-407036RSL | 04.00" | 07.00" | 36.00" | 1 |
| Q9-408036RSL | 04.00" | 08.00" | 36.00" | 1 |
| Q9-401036RSL | 04.00" | 10.00" | 36.00" | 1 |
| Q9-401236RSL | 04.00" | 12.00" | 36.00" | 1 |



5" ID x 36" ROLLED SLANT STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-506036RSL | 05.00" | 06.00" | 36.00" | 1 |
| Q9-507036RSL | 05.00" | 07.00" | 36.00" | 1 |
| Q9-508036RSL | 05.00" | 08.00" | 36.00" | 1 |
| Q9-501036RSL | 05.00" | 10.00" | 36.00" | 1 |



4" ID x 48" ROLLED SLANT STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-407048RSL | 04.00" | 07.00" | 48.00" | 1 |
| Q9-408048RSL | 04.00" | 08.00" | 48.00" | 1 |



4" ID x 36" MITERED ANGLE STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-407036AC | 04.00" | 07.00" | 36.00" | 1 |
| Q9-408036AC | 04.00" | 08.00" | 36.00" | 1 |
| Q9-401036AC | 04.00" | 10.00" | 36.00" | 1 |
| Q9-401236AC | 04.00" | 12.00" | 36.00" | 1 |



5" ID x 36"MITERED ANGLE STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-506036AC | 05.00" | 06.00" | 36.00" | 1 |
| Q9-507036AC | 05.00" | 07.00" | 36.00" | 1 |
| Q9-508036AC | 05.00" | 08.00" | 36.00" | 1 |
| Q9-501036AC | 05.00" | 10.00" | 36.00" | 1 |
| Q9-501236AC | 05.00" | 12.00" | 36.00" | 1 |



5" ID x 36" STRAIGHT STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-507036ST | 05.00" | 07.00" | 36.00" | 1 |
| Q9-508036ST | 05.00" | 08.00" | 36.00" | 1 |




4" & 5" ID x 36" CAT STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-407036CAT | 04.00" | 07.00" | 36.00" | 1 |
| Q9-507036CAT | 05.00" | 07.00" | 36.00" | 1 |
| Q9-408036CAT | 04.00" | 08.00" | 36.00" | 1 |
| Q9-508036CAT | 05.00" | 08.00" | 36.00" | 1 |
| Q9-501036CAT | 05.00" | 10.00" | 36.00" | 1 |



BLACK POWDER COATED 36" MITERED ANGLE STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-407036ABK | 04.00" | 07.00" | 36.00" | 1 |
| Q9-507036ABK | 05.00" | 07.00" | 36.00" | 1 |
| Q9-408036ABK | 04.00" | 08.00" | 36.00" | 1 |
| Q9-508036ABK | 05.00" | 08.00" | 36.00" | 1 |



BLACK POWDER COATED 36" CAT STACKS


| | ID | OD | OL | PK |
|---|---|---|---|---|
| Q9-407036CATBK | 04.00" | 07.00" | 36.00" | 1 |
| Q9-507036CATBK | 05.00" | 07.00" | 36.00" | 1 |
| Q9-508036CATBK | 05.00" | 08.00" | 36.00" | 1 |

# DIESEL Stacks




CHROME 5" ID X 36" BULL-HORN STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **CM-505036BH** | 05.00" | 05.00" | 36.00" | 1 |
| **CM-506036BH** | 05.00" | 06.00" | 36.00" | 1 |



CHROME 5" ID X 48" BULL-HORN STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **CM-505048BH** | 05.00" | 05.00" | 48.00" | 1 |



CHROME 6" x 48" BULL-HORN STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **CM-406048IBH** | 04.00" | 06.00" | 48.00" | 1 |
| **CM-506048IBH** | 05.00" | 06.00" | 48.00" | 1 |



CHROME 5" ID x 36" PIG-EAR STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **CM-505036PE** | 05.00" | 05.00" | 36.00" | 1 |
| **CM-506036PE** | 05.00" | 06.00" | 36.00" | 1 |



CHROME 5" ID x 48" PIG-EAR STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **CM-505048PE** | 05.00" | 05.00" | 48.00" | 1 |
| **CM-506048PE** | 05.00" | 06.00" | 48.00" | 1 |



5" CHROME TURNDOWN STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **CM-505036TD** | 05.00" | 05.00" | 36.00" | 1 |
| **CM-505048TD** | 05.00" | 05.00" | 48.00" | 1 |




CHROME 6" x 48" TURNDOWN STACKS

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **CM-406048ITD** | 04.00" | 06.00" | 48.00" | 1 |
| **CM-506048ITD** | 05.00" | 06.00" | 48.00" | 1 |



# DIESEL
## Stack Pipe Kits



409 STAINLESS DIESEL DUAL EXHAUST STACK KIT

| DK-400 | | DK-500 | |
|---|---|---|---|
| (1) 4" Y-Pipe | ID 04.00" | (1) 5" Y-Pipe | ID 04.00" |
| (1) 4" Long 90° | | (1) 5" Long 90° | |
| (2) 4" Short 90° | OD 04.00" | (2) 5" Short 90° | OD 05.00" |
| (1) 4" Adapter | | (1) 4" to 5" Adapter | |
| (7) 4" U-Clamps | PK 1 SET | (6) 5" U-Clamps | PK 1 SET |
| | | (1) 4" U-Clamp | |



BLACK POWDER COATED 409 STAINLESS DIESEL DUAL EXHAUST STACK KIT

| DK-400BK | | DK-500BK | |
|---|---|---|---|
| (1) 4" Y-Pipe | ID 04.00" | (1) 5" Y-Pipe | ID 04.00" |
| (1) 4" Long 90° | | (1) 5" Long 90° | |
| (2) 4" Short 90° | OD 04.00" | (2) 5" Short 90° | OD 05.00" |
| (1) 4" Adapter | | (1) 4" to 5" Adapter | |
| (7) 4" U-Clamps | PK 1 SET | (6) 5" U-Clamps | PK 1 SET |
| | | (1) 4" U-Clamp | |



409 STAINLESS DIESEL SINGLE EXHAUST STACK KIT


| SK-400 | | SK-500 | |
|---|---|---|---|
| (1) 4" Long Pipe | ID 04.00" | (1) 5" Long Pipe | ID 04.00" |
| (1) 4" Short 90° | | (1) 5" Short 90° | |
| (1) 4" Adapter | OD 04.00" | (1) 4" to 5" Adapter | OD 05.00" |
| (4) 4" U-Clamps | | (3) 5" U-Clamps | |
| | PK 1 SET | (1) 4" U-Clamp | PK 1 SET |



BLACK POWDER COATED 409 STAINLESS DIESEL SINGLE EXHAUST STACK KIT

| SK-400BK | | SK-500BK | |
|---|---|---|---|
| (1) 4" Long Pipe | ID 04.00" | (1) 5" Long Pipe | ID 04.00" |
| (1) 4" Short 90° | | (1) 5" Short 90° | |
| (1) 4" Adapter | OD 04.00" | (1) 4" to 5" Adapter | OD 05.00" |
| (4) 4" U-Clamps | | (3) 5" U-Clamps | |
| | PK 1 SET | (1) 4" U-Clamp | PK 1 SET |

# DOWN PIPE



**DP-001**
1999-2003 FORD 7.3L POWERSTROKE TURBO DIESEL 4" MANDREL BENT EXHAUST DOWNPIPE

**ID** 04.25"
**OD** 04.00" **PK** 1




**DP-002**
1994-1997 FORD 7.3L POWERSTROKE 3" DIESEL EXHAUST DOWN PIPE KIT

**ID** 03.75"
**OD** 03.00" **PK** 1 SET



**DP-003**
EXHAUST 3" TURBO DOWN PIPE 6.6L GM DURAMAX LB7 2001-2004

**ID** 03.00"
**OD** 03.75" **PK** 1



**DP-004**
DOWN PIPE FOR GM DURAMAX 2004-2010 6.6L LLY/LBZ/LMM

**ID** 03.125"
**OD** 03.75" **PK** 1



**MDP-404030, MDP-505030**
ALUMINIZED STEEL
30" MUFFLER DELETE PIPE

**ID** 04.00"/ 05.00" **OL** 30.00"
**OD** 04.00"/ 05.00" **PK** 1



**MDP-404030SS, MDP-505030SS**
409 STAINLESS STEEL
30" MUFFLER DELETE PIPE

**ID** 04.00"/ 05.00" **OL** 30.00"
**OD** 04.00"/ 05.00" **PK** 1



Serving the Motor Vehicle Aftermarket

**MEMBER**

# Performance Pipes

# JOINT BAND & U-BOLT Clamps



## ALUMINIZED "X" PIPE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| AX2020 | 02.00" | 02.00" | 13.00" | 1 |
| AX2424 | 02.25" | 02.25" | 13.00" | 1 |
| AX2525 | 02.50" | 02.50" | 13.00" | 1 |
| AX3030 | 03.00" | 03.00" | 13.00" | 1 |



## POLISHED "X" PIPE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| PSX2020 | 02.00" | 02.00" | 13.00" | 1 |
| PSX2424 | 02.25" | 02.25" | 13.00" | 1 |
| PSX2525 | 02.50" | 02.50" | 13.00" | 1 |
| PSX3030 | 03.00" | 03.00" | 13.00" | 1 |



## ALUMINIZED "Y" PIPE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| AY2020 | 02.00" | 02.00" | 10.00" | 1 |
| AY2424 | 02.25" | 02.25" | 10.00" | 1 |
| AY2525 | 02.50" | 02.50" | 10.00" | 1 |
| AY2524 | 02.50" | 02.25" | 10.00" | 1 |
| AY3030 | 03.00" | 03.00" | 10.00" | 1 |
| AY3024 | 03.00" | 02.25" | 10.00" | 1 |
| AY3025 | 03.00" | 02.50" | 10.00" | 1 |



## POLISHED "Y" PIPE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| PSY2020 | 02.00" | 02.00" | 10.00" | 1 |
| PSY2424 | 02.25" | 02.25" | 10.00" | 1 |
| PSY2525 | 02.50" | 02.50" | 10.00" | 1 |
| PSY2524 | 02.50" | 02.25" | 10.00" | 1 |
| PSY3030 | 03.00" | 03.00" | 10.00" | 1 |
| PSY3024 | 03.00" | 02.25" | 10.00" | 1 |
| PSY3025 | 03.00" | 02.50" | 10.00" | 1 |



## ALUMINIZED "Y" PIPE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| AY4040 | 04.00" | 04.00" | 14.00" | 1 |



## ALUMINIZED LAP JOINT BAND CLAMP (50PK)

| SIZE | | SIZE | |
|---|---|---|---|
| BC-200 | 02.00" | BC-312 | 03.50" |
| BC-214 | 02.25" | BC-400 | 04.00" |
| BC-212 | 02.50" | BC-412 | 04.50" |
| BC-234 | 02.75" | BC-500 | 05.00" |
| BC-300 | 03.00" | BC-600 | 06.00" |



## STAINLESS LAP JOINT BAND CLAMP (50PK)

| SIZE | | SIZE | |
|---|---|---|---|
| BCS-200 | 02.00" | BCS-312 | 03.50" |
| BCS-214 | 02.25" | BCS-400 | 04.00" |
| BCS-212 | 02.50" | BCS-412 | 04.50" |
| BCS-234 | 02.75" | BCS-500 | 05.00" |
| BCS-300 | 03.00" | BCS-600 | 06.00" |



## ZINC PLATED OPEN SADDLE U-BOLT CLAMP

| SIZE | | SIZE | |
|---|---|---|---|
| UC-200 | 02.00" | UC-300 | 03.00" |
| UC-214 | 02.25" | UC-312 | 03.50" |
| UC-212 | 02.50" | UCN-400 | 04.00" |
| UC-234 | 02.75" | UCN-500 | 05.00" |



## ZINC PLATE CLOSED SADDLE U-BOLT CLAMP

| SIZE |
|---|
| UC-400 |
| UC-412 |
| UC-500 |

# OXYGEN SENSORS, strap & Hardware



## OX-001
18MM x 1.5 THREAD
NOTCHED O2 OXYGEN SENSOR BUNG

**ID** 0.645" **OL** 0.510"
**OD** 01.10" **PK** 10



## OX-002
18MM x 1.5 THREAD
FLAT O2 OXYGEN SENSOR BUNG

**ID** 0.645" **OL** 0.510"
**OD** 01.10" **PK** 10



## OX-003
FITS 18MM x 1.5 THREAD
SPARK PLUG EXTENDER / NON-FOULER

**OL** 01.82" **PK** 10




## 304 STAINLESS V-BAND CLAMP SET, 1 V-BAND CLAMP & 2 V-BAND FLANGES

**VFQ-214** 2.25" 304 STAINLESS V-BAND CLAMP SET
**VFQ-212** 2.50" 304 STAINLESS V-BAND CLAMP SET
**VFQ-300** 3.00" 304 STAINLESS V-BAND CLAMP SET
**VFQ-400** 4.00" 304 STAINLESS V-BAND CLAMP SET

**PK** 20




## BC-2214, BC-2212, BC-2300, BC-2400

**BC-2214** 2.25" ALUMINIZED 1.25" BAND CLAMP
**BC-2212** 2.50" ALUMINIZED 1.25" BAND CLAMP
**BC-2300** 3.00" ALUMINIZED 1.25" BAND CLAMP
**BC-2400** 4.00" ALUMINIZED 1.25" BAND CLAMP

**PK** 20




## BCS-2214, BCS-2212, BCS-2300, BCS-2400

**BCS-2214** 2.25" 409 STAINLESS 1.25" BAND CLAMP
**BCS-2212** 2.50" 409 STAINLESS 1.25" BAND CLAMP
**BCS-2300** 3.00" 409 STAINLESS 1.25" BAND CLAMP
**BCS-2400** 4.00" 409 STAINLESS 1.25" BAND CLAMP

**PK** 20




## DST-001, DST-002, DST-003


**DST-001** 5.00" x 8.00" OVAL ROUND STRAP
**DST-002** 6.00" ROUND STRAP
**DST-003** 5.00" ROUND STRAP

**PK** 20



STAINLESS STEEL DIESEL STACK CLAMPS


| | SIZE | PK |
|---|---|---|
| **DSC-700** | 07.00" | 25 |
| **DSC-800** | 08.00" | 20 |
| **DSC-100** | 10.00" | 20 |




## DTS-123, DTS-142

**DTS-123** 3 3/8" **OD** ADJUSTABLE SILENCER
**DTS-142** 3 7/8" **OD** ADJUSTABLE SILENCER

**OL** 08.50"
**PK** 10




| | | |
|---|---|---|
| **DTJ-001** | 5/16" | **J HOOKS** |
| **DTJ-038** | 3/8" | **J HOOKS** |
| **DTJ-002** | 1/2" | **J HOOKS** |
| **DTJ-004** | 3/8" | **ARROW J HOOKS** |

**OL** 08.00"/ 10.50"/ 10.50"/ 10.00"
**PK** 100/ 50/ 50/ 100




TEXAS HANGERS

| | |
|---|---|
| **HD-001R** | 3/8" Opposite Side |
| **HD-001L** | 3/8" Original Side |
| **HD-002** | 3/8" Reversible Side |
| **HD-003** | Rubber Body |
| **HD-004** | 3/8" Arrow Reversible Side |

**OL** 11.00" **PK** 50



**CUSTOMIZED**
**BLACK POWDER COATING**
**AVAILABLE**

*SPECIAL REQUEST POWDER COATED PRODUCTS ARE POWDER COATED IN THE USA*

# FLEXIBLE PIPE

## Stainless Steel Double Braid



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-1704B | 1.75” | 04.00” | 10 |
| DTF-1706B | 1.75” | 06.00” | 10 |
| DTF-1708B | 1.75” | 08.00” | 10 |
| DTF-1710B | 1.75” | 10.00” | 10 |



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-2004B | 2.00” | 04.00” | 10 |
| DTF-2006B | 2.00” | 06.00” | 10 |
| DTF-2008B | 2.00” | 08.00” | 10 |
| DTF-2010B | 2.00” | 10.00” | 10 |



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-2404B | 2.25” | 04.00” | 10 |
| DTF-2406B | 2.25” | 06.00” | 10 |
| DTF-2408B | 2.25” | 08.00” | 10 |
| DTF-2410B | 2.25” | 10.00” | 10 |



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-2504B | 2.50” | 04.00” | 10 |
| DTF-2506B | 2.50” | 06.00” | 10 |
| DTF-2508B | 2.50” | 08.00” | 10 |
| DTF-2510B | 2.50” | 10.00” | 10 |



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-3004B | 3.00” | 04.00” | 10 |
| DTF-3006B | 3.00” | 06.00” | 10 |
| DTF-3008B | 3.00” | 08.00” | 10 |
| DTF-3010B | 3.00” | 10.00” | 10 |



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-3508B | 3.50” | 08.00” | 10 |
| DTF-3510B | 3.50” | 10.00” | 10 |



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-4008B | 4.00” | 08.00” | 10 |
| DTF-5010B | 5.00” | 10.00” | 10 |



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | OL | PK |
|---|---|---|---|---|
| DTF-1704N | 1.75” | 04.00” | 08.00” | 10 |
| DTF-1706N | 1.75” | 06.00” | 10.00” | 10 |
| DTF-1708N | 1.75” | 08.00” | 12.00” | 10 |
| DTF-1710N | 1.75” | 10.00” | 14.00” | 10 |



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | OL | PK |
|---|---|---|---|---|
| DTF-2004N | 2.00” | 04.00” | 08.00” | 10 |
| DTF-2006N | 2.00” | 06.00” | 10.00” | 10 |
| DTF-2008N | 2.00” | 08.00” | 12.00” | 10 |
| DTF-2010N | 2.00” | 10.00” | 14.00” | 10 |



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | OL | PK |
|---|---|---|---|---|
| DTF-2404N | 2.25” | 04.00” | 08.00” | 10 |
| DTF-2406N | 2.25” | 06.00” | 10.00” | 10 |
| DTF-2408N | 2.25” | 08.00” | 12.00” | 10 |
| DTF-2410N | 2.25” | 10.00” | 14.00” | 10 |



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | OL | PK |
|---|---|---|---|---|
| DTF-2504N | 2.50” | 04.00” | 08.00” | 10 |
| DTF-2506N | 2.50” | 06.00” | 10.00” | 10 |
| DTF-2508N | 2.50” | 08.00” | 12.00” | 10 |
| DTF-2510N | 2.50” | 10.00” | 14.00” | 10 |



DOUBLE BRAIDED STAINLESS FLEXIBLE PIPES

| | ID | BL | OL | PK |
|---|---|---|---|---|
| DTF-3004N | 3.00” | 04.00” | 08.00” | 10 |
| DTF-3006N | 3.00” | 06.00” | 10.00” | 10 |
| DTF-3008N | 3.00” | 08.00” | 12.00” | 10 |
| DTF-3010N | 3.00” | 10.00” | 14.00” | 10 |

# INTERLOCK FLEXIBLE PIPE

## Stainless Steel



INTERLOCK STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-1704BI | 1.75” | 04.00” | 10 |
| DTF-1706BI | 1.75” | 06.00” | 10 |
| DTF-1708BI | 1.75” | 08.00” | 10 |
| DTF-1710BI | 1.75” | 10.00” | 10 |



INTERLOCK STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-2004BI | 2.00” | 04.00” | 10 |
| DTF-2006BI | 2.00” | 06.00” | 10 |
| DTF-2008BI | 2.00” | 08.00” | 10 |
| DTF-2010BI | 2.00” | 10.00” | 10 |



INTERLOCK STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-2404BI | 2.25” | 04.00” | 10 |
| DTF-2406BI | 2.25” | 06.00” | 10 |
| DTF-2408BI | 2.25” | 08.00” | 10 |
| DTF-2410BI | 2.25” | 10.00” | 10 |



INTERLOCK STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-2504BI | 2.50” | 04.00” | 10 |
| DTF-2506BI | 2.50” | 06.00” | 10 |
| DTF-2508BI | 2.50” | 08.00” | 10 |
| DTF-2510BI | 2.50” | 10.00” | 10 |



INTERLOCK STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-3004BI | 3.00” | 04.00” | 10 |
| DTF-3006BI | 3.00” | 06.00” | 10 |
| DTF-3008BI | 3.00” | 08.00” | 10 |
| DTF-3010BI | 3.00” | 10.00” | 10 |



INTERLOCK STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-3508BI | 3.50” | 08.00” | 10 |
| DTF-3510BI | 3.50” | 10.00” | 10 |



INTERLOCK STAINLESS FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-4008BI | 4.00” | 08.00” | 10 |



OUTER STAINLESS MESH INTERLOCK FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-11704BI | 1.75” | 04.00” | 10 |
| DTF-11706BI | 1.75” | 06.00” | 10 |
| DTF-11708BI | 1.75” | 08.00” | 10 |
| DTF-11710BI | 1.75” | 10.00” | 10 |



OUTER STAINLESS MESH INTERLOCK FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-12004BI | 2.00” | 04.00” | 10 |
| DTF-12006BI | 2.00” | 06.00” | 10 |
| DTF-12008BI | 2.00” | 08.00” | 10 |
| DTF-12010BI | 2.00” | 10.00” | 10 |



OUTER STAINLESS MESH INTERLOCK FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-12404BI | 2.25” | 04.00” | 10 |
| DTF-12406BI | 2.25” | 06.00” | 10 |
| DTF-12408BI | 2.25” | 08.00” | 10 |
| DTF-12410BI | 2.25” | 10.00” | 10 |



OUTER STAINLESS MESH INTERLOCK FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-12504BI | 2.50” | 04.00” | 10 |
| DTF-12506BI | 2.50” | 06.00” | 10 |
| DTF-12508BI | 2.50” | 08.00” | 10 |
| DTF-12510BI | 2.50” | 10.00” | 10 |



3” & 3.5” OUTER STAINLESS MESH INTERLOCK FLEXIBLE PIPES

| | ID | BL | PK |
|---|---|---|---|
| DTF-13004BI | 3.00” | 04.00” | 10 |
| DTF-13006BI | 3.00” | 06.00” | 10 |
| DTF-13008BI | 3.00” | 08.00” | 10 |
| DTF-13010BI | 3.00” | 10.00” | 10 |
| DTF-13508BI | 3.50” | 08.00” | 10 |
| DTF-13510BI | 3.50” | 10.00” | 10 |

# BIG RIG HEAT SHIELD

## Stainless Steel

180° HEAT SHIELD BRACKET W/ 3 STANDOFFS



[ TOP VIEW]







MOUNTING BRACKETS INCLUDED

*MUFFLER NOT INCLUDED

HI-POLISHED STAINLESS STEEL 180 DEGREE HEAT SHIELD
10" MUFFLER DIAMETER X 48" LENGTH
CIRCLE DESIGN W/ BRACKETS

| | OD | OL | PK |
|---|---|---|---|
| DT-1048180 | 10.00" | 48.00" | 5 |







MOUNTING BRACKETS INCLUDED

HI-POLISHED STAINLESS STEEL 180 DEGREE HEAT SHIELD
10" MUFFLER DIAMETER X 48" LENGTH
VERTICAL SLOTS DESIGN W/ BRACKETS

| | OD | OL | PK |
|---|---|---|---|
| DT-1048181 | 10.00" | 48.00" | 5 |







MOUNTING BRACKETS INCLUDED

HI-POLISHED STAINLESS STEEL 180 DEGREE HEAT SHIELD
10" MUFFLER DIAMETER X 48" LENGTH
HORIZONTAL SLOTS DESIGN W/ BRACKETS

| | OD | OL | PK |
|---|---|---|---|
| DT-1048182 | 10.00" | 48.00" | 5 |

270° HEAT SHIELD BRACKET W/ 4 STANDOFFS



[ TOP VIEW]







MOUNTING BRACKETS INCLUDED

*MUFFLER NOT INCLUDED

HI-POLISHED STAINLESS STEEL 270 DEGREE HEAT SHIELD
10" MUFFLER DIAMETER X 48" LENGTH
CIRCLE DESIGN W/ BRACKETS

| | OD | OL | PK |
|---|---|---|---|
| DT-1048270 | 10.00" | 48.00" | 5 |







MOUNTING BRACKETS INCLUDED

HI-POLISHED STAINLESS STEEL 270 DEGREE HEAT SHIELD
10" MUFFLER DIAMETER X 48" LENGTH
VERTICAL SLOTS DESIGN W/ BRACKETS

| | OD | OL | PK |
|---|---|---|---|
| DT-1048271 | 10.00" | 48.00" | 5 |







MOUNTING BRACKETS INCLUDED

HI-POLISHED STAINLESS STEEL 270 DEGREE HEAT SHIELD
10" MUFFLER DIAMETER X 48" LENGTH
HORIZONTAL SLOTS DESIGN W/ BRACKETS

| | OD | OL | PK |
|---|---|---|---|
| DT-1048272 | 10.00" | 48.00" | 5 |

# BLACK POWDER COATED
## Exhaust Tips



**DT-243512DSBK**
**DT-253512DSBK**
BLACK POWDER COATED
3.5" DUAL SINGLE WALL SIDEWAYS TIP

ID 02.25"/ 02.50" OL 18.00"
OD 07.75" x 03.50" PK 5



**DT-24013C-12BK**
**DT-30013C-12BK**
BLACK POWDER COATED
OPEN CASING SLANTED DOUBLE WALL

ID 02.25"/ 03.00" OL 12.00"
OD 04.00" PK 10



**DT-24013BDLBK**
**DT-25013BDLBK**
BLACK POWDER COATED
3.5" DUAL DOUBLE WALL ANGLE

ID 02.25"/ 02.50" OL 09.50"
OD 07.75" x 03.50" PK 10



**DT-24017ACBK**
BLACK POWDER COATED
3.5" ANGLE DOUBLE WALL

ID 02.25" OL 07.00"
OD 03.50" PK 10




**DT-027CBK**
**DT-027SBK**
BLACK POWDER COATED
1 PIECE TOOLING CAMARO TIP

ID 02.25" OL 10.00"
OD 06.00" x 02.00"
08.00" x 02.25" PK 10



**DT-30028DSBK**
BLACK POWDER COATED
3.5" DUAL DOUBLE WALL SIDEWAYS TIP

ID 03.00" OL 13.50"
OD 07.25" x 03.50" PK 10



**DT-25038DWBK**
**DT-30038DWBK**
BLACK POWDER COATED
12" DOUBLE WALL ANGLE

ID 02.50"/ 03.00" OL 12.00"
OD 04.00" PK 10



**DT-30538DLBK**
BLACK POWDER COATED
5" DUAL DOUBLE WALL ROLLED SLANT

ID 03.00" OL 20.50"
OD 10.25" x 05.00" PK 5



**DT-30538DSBK**
BLACK POWDER COATED
5" DUAL SIDEWAYS DOUBLE WALL
ROLLED EDGE

ID 03.00" OL 20.50"
OD 10.25" x 05.00" PK 5



**DT-30538PLBK**
BLACK POWDER COATED
5" DUAL DOUBLE WALL PENCIL
ROLLED EDGE

ID 03.00" OL 19.75"
OD 10.25" x 05.00" PK 5



**DT-043SBK**
BLACK POWDER COATED
6" ROLLED ANGLE

ID 02.25" OL 09.00"
OD 06.00" x 03.25" PK 10



**DT-305052-12BK**
BLACK POWDER COATED
5" DOUBLE LAYER ROLLED SLANT

ID 03.00" OL 12.00"
OD 05.00" PK 10

# BLACK POWDER COATED

## Exhaust Tips



**DT-30065-8BK**
BLACK POWDER COATED
OVAL ROUND DOUBLE WALL

| | | | |
|---|---|---|---|
| ID | 03.00" | OL | 08.00" |
| OD | 05.50" x 03.50" | PK | 10 |



**DT-24065DLBK**
BLACK POWDER COATED
DUAL OVAL ROUND DOUBLE WALL

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 14.50" |
| OD | 12.00" x 03.50" | PK | 5 |




**DT-25083LBK, DT-25083RBK**
**DT-30083LBK, DT-30083RBK**
BLACK POWDER COATED DUAL 3"
DOUBLE WALL STAGGERED ANGLE TIP

| | | | |
|---|---|---|---|
| ID | 02.50"/ 03.00" | OL | 09.50" |
| OD | 06.25" x 03.00" | PK | 10 |



**DT-24088DLBK**
**DT-25088DLBK**
BLACK POWDER COATED
DUAL 3.5" SINGLE WALL ANGLE CUT

| | | | |
|---|---|---|---|
| ID | 02.25"/ 02.50" | OL | 10.00" |
| OD | 07.50" x 03.50" | PK | 10 |




**DT-24096LBK, DT-24096RBK**
BLACK POWDER COATED DUAL 3"
DOUBLE WALL STAGGERED ANGLE TIP

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 08.50" |
| OD | 06.25" x 03.00" | PK | 5 |



**DT-25101BK, DT-30101BK**
BLACK POWDER COATED
4" DOUBLE WALL ANGLE

| | | | |
|---|---|---|---|
| ID | 02.50"/ 03.00" | OL | 05.25" |
| OD | 04.00" | PK | 10 |



**DT-24111BK**
BLACK POWDER COATED
RESONATED SQUARE ANGLE

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 14.25" |
| OD | 04.00" x 03.25" | PK | 10 |




BLACK POWDER COATED
DOUBLE WALL ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-24113ABK | 02.25" | 03.00" | 08.00" | 10 |
| DT-24113BBK | 02.25" | 03.50" | 08.00" | 10 |
| DT-24113CBK | 02.25" | 04.00" | 08.00" | 10 |



**DT-30124BK**
BLACK POWDER COATED
4" DUAL DOUBLE WALL SIDEWAYS TIP

| | | | |
|---|---|---|---|
| ID | 03.00" | OL | 16.00" |
| OD | 09.00" x 04.00" | PK | 10 |



**DT-25124SBK, DT-30124SBK**
BLACK POWDER COATED
4" x 6" DOUBLE WALL ANGLE

| | | | |
|---|---|---|---|
| ID | 02.50"/ 03.00" | OL | 06.00" |
| OD | 04.00" | PK | 10 |



**DT-24147BK**
BLACK POWDER COATED
4" x 9" RESONATED ROLLED SLANTED TIP

| | | | |
|---|---|---|---|
| ID | 02.25" | OL | 09.00" |
| OD | 04.00" | PK | 10 |



**DT-25152BK**
BLACK POWDER COATED
DUAL SINGLE WALL SQUARE TIP

| | | | |
|---|---|---|---|
| ID | 02.50" | OL | 08.25" |
| OD | 08.25" x 02.25" | PK | 5 |

# BLACK POWDER COATED Exhaust Tips




**DT-24156LBK, DT-24156RBK**
**DT-25156LBK, DT-25156RBK**
BLACK POWDER COATED
DUAL 3.5" DOUBLE WALL
STAGGERED ROLLED SLANT

ID 02.25"/ 02.50" OL 09.50"
OD 07.25" x 03.50" PK 5




**DT-24161LBK, DT-24161RBK**
**DT-25161LBK, DT-25161RBK**
BLACK POWDER COATED
DUAL 3.5" DOUBLE WALL
STAGGERED ROLLED SLANT

ID 02.25"/ 02.50" OL 09.75"
OD 07.25" x 03.50" PK 5




**DT-24162LBK, DT-24162RBK**
**DT-25162LBK, DT-25162RBK**
BLACK POWDER COATED
DUAL 3" DOUBLE WALL
STAGGERED ANGLE TIP

ID 02.25"/ 02.50" OL 09.25"
OD 06.25" x 03.00" PK 5



**DT-24165BK, DT-25165BK**
BLACK POWDER COATED FORD FOCUS
DUAL DOUBLE WALL HEXAGONAL SLANTED TIP

ID 02.25"/ 02.50" OL 11.75"
OD 11.00" x 03.00" PK 5



**DT-24175BK, DT-25175BK**
BLACK POWDER COATED
4" RESONATED ANGLE CUT BELL TIP

ID 02.25"/ 02.50" OL 06.00"
OD 04.00" PK 10



**Q9-254090RBK**
BLACK POWDER COATED
4" x 9" ROLLED SLANTED TIP

ID 02.50" OL 09.00"
OD 04.00" PK 10




BLACK POWDER COATED 3" & 3.5" ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-243016ABK | 02.25" | 03.00" | 16.00" | 10 |
| DT-243512ABK | 02.25" | 03.50" | 12.00" | 10 |
| DT-243518ABK | 02.25" | 03.50" | 18.00" | 10 |
| DT-243522ABK | 02.25" | 03.50" | 22.00" | 10 |




**DT-244012ABK**
**DT-244018ABK**
BLACK POWDER COATED
4" ANGLE

ID 02.25" OL 12"/ 18"
OD 04.00" PK 10



BLACK POWDER COATED
3" & 3.5" ROLLED ANGLE

| | ID | OD | OL | PK |
|---|---|---|---|---|
| DT-243016RBK | 02.25" | 03.00" | 16.00" | 10 |
| DT-243512RBK | 02.25" | 03.50" | 12.00" | 10 |
| DT-243518RBK | 02.25" | 03.50" | 18.00" | 10 |
| DT-243522RBK | 02.25" | 03.50" | 22.00" | 10 |




**DT-244012RBK**
**DT-304012RBK**
**DT-244018RBK**
BLACK POWDER COATED
4" ROLLED SLANT

ID 02.25"/ 03.00" OL 12"/ 18"
OD 04.00" PK 10



**IUF-405016RBK**
BLACK POWDER COATED U-SLOTTED
INTERCOOLER W/ INNER FAN ROLLED SLANT

ID 04.00" OL 16.00"
OD 05.00" PK 10



**DTM-141BK**
BLACK POWDER COATED
4" ROUND W/ 3.5" SLANTED

ID 02.25" BL 11.00" BH 04.00"
OD 03.50" BW 04.00" OL 18.75"

# BLACK POWDER COATED

## Exhaust Tips



**BQ9-405012RBG**
**Q9-405012RBG**
GLOSSY BLACK POWDER COATED
5" ROLLED SLANT

| | | | |
|---|---|---|---|
| ID | 04.00" | OL | 12.00" |
| OD | 05.00" | PK | 10 |



**BQ9-405015RBG**
**BQ9-405018RBG**
GLOSSY BLACK POWDER COATED
5" ROLLED SLANT

| | | | |
|---|---|---|---|
| ID | 04.00" | OL | 15"/ 18" |
| OD | 05.00" | PK | 10 |



**BQ9-406015RBG**
**BQ9-406018RBG**
GLOSSY BLACK POWDER COATED
6" ROLLED SLANT

| | | | |
|---|---|---|---|
| ID | 04.00" | OL | 15"/ 18" |
| OD | 06.00" | PK | 10 |



**BQ9-506015RBG**
**BQ9-506018RBG**
GLOSSY BLACK POWDER COATED
6" ROLLED SLANT

| | | | |
|---|---|---|---|
| ID | 05.00" | OL | 15"/ 18" |
| OD | 06.00" | PK | 10 |



**Q9-405012RBK**
**Q9-405015RBK**
BLACK POWDER COATED 5" ROLLED SLANT

| | | | |
|---|---|---|---|
| ID | 04.00" | OL | 12"/ 15" |
| OD | 05.00" | PK | 10 |



**Q9-406015RBK**
**Q9-406018RBK**
BLACK POWDER COATED 6" ROLLED SLANT

| | | | |
|---|---|---|---|
| ID | 04.00" | OL | 15"/ 18" |
| OD | 06.00" | PK | 10 |



**Q9-506012RBK**
**Q9-506015RBK**
**Q9-506018RBK**
BLACK POWDER COATED 6" ROLLED SLANT

| | | | |
|---|---|---|---|
| ID | 05.00" | OL | 12"/ 15"/ 18" |
| OD | 06.00" | PK | 10 |



**Q9-407015RBK**
**Q9-407018RBK**
**Q9-408015RBK**
**Q9-408018RBK**
BLACK POWDER COATED
7" & 8" ROLLED SLANT

| | | | |
|---|---|---|---|
| ID | 04.00" | OL | 15.00"/ 18.00" |
| OD | 07.00"/ 08.00" | PK | 10 |



**Q9-507015RBK**
**Q9-507018RBK**
**Q9-508015RBK**
**Q9-508018RBK**
BLACK POWDER COATED
7" & 8" ROLLED SLANT

| | | | |
|---|---|---|---|
| ID | 05.00" | OL | 15"/ 18" |
| OD | 07.00"/ 08.00" | PK | 10 |



**Q9-401018RBK**
**Q9-401218RBK**
BLACK POWDER COATED
10" & 12" ROLLED SLANT

| | | | |
|---|---|---|---|
| ID | 04.00" | OL | 18.00" |
| OD | 10.00"/ 12.00" | PK | 4 |



**BQ9-405013ABK-12**
**Q9-405013ABK-12**
BLACK POWDER COATED
5" DOUBLE WALL ANGLE CUT

| | | | |
|---|---|---|---|
| ID | 04.00" | OL | 12.00" |
| OD | 05.00" | PK | 10 |



**BQ9-354512RBK**
BLACK POWDER COATED 4.5" ROLLED SLANT

| | | | |
|---|---|---|---|
| ID | 03.50" | OL | 12.00" |
| OD | 04.50" | PK | 10 |

# BLACK POWDER COATED Exhaust Tips



**BQ9-405012RBK**
**BQ9-405015RBK**
**BQ9-405018RBK**
BLACK POWDER COATED
5" ROLLED SLANT

| | | | |
|---|---|---|---|
| **ID** | 04.00" | **OL** | 12"/ 15"/ 18" |
| **OD** | 05.00" | **PK** | 10 |



**BQ9-406015RBK**
**BQ9-406018RBK**
BLACK POWDER COATED
6" ROLLED SLANT

| | | | |
|---|---|---|---|
| **ID** | 04.00" | **OL** | 15"/ 18" |
| **OD** | 06.00" | **PK** | 10 |



**BQ9-506012RBK**
**BQ9-506015RBK**
**BQ9-506018RBK**
BLACK POWDER COATED
6" ROLLED SLANT

| | | | |
|---|---|---|---|
| **ID** | 05.00" | **OL** | 12"/ 15"/ 18" |
| **OD** | 06.00" | **PK** | 10 |



**BQ9-407015RBK**
**BQ9-407018RBK**
BLACK POWDER COATED
7" ROLLED SLANT

| | | | |
|---|---|---|---|
| **ID** | 04.00" | **OL** | 15"/ 18" |
| **OD** | 07.00" | **PK** | 10 |



**BQ9-507015RBK**
**BQ9-507018RBK**
BLACK POWDER COATED
7" ROLLED SLANT

| | | | |
|---|---|---|---|
| **ID** | 05.00" | **OL** | 15"/ 18" |
| **OD** | 07.00" | **PK** | 10 |



**BQ9-408015RBK**
**BQ9-408018RBK**
BLACK POWDER COATED
8" ROLLED SLANT

| | | | |
|---|---|---|---|
| **ID** | 04.00" | **OL** | 15"/ 18" |
| **OD** | 08.00" | **PK** | 10 |



**BQ9-508015RBK**
**BQ9-508018RBK**
BLACK POWDER COATED
8" ROLLED SLANT

| | | | |
|---|---|---|---|
| **ID** | 05.00" | **OL** | 15"/ 18" |
| **OD** | 08.00" | **PK** | 10 |



**DT-25192BK**
BLACK POWDER COATED 5" x 14" 2009 RAM TRUCK DIRECT FIT REPLACEMENT

| | | | |
|---|---|---|---|
| **ID** | 02.50" | **OL** | 14" |
| **OD** | 05.00" | **PK** | 10 |




6" x 15" & 6" x 18" OCTAGON BLACK POWDER COATED SLANTED

| | ID | OD | OL | PK |
|---|---|---|---|---|
| **BQ8-4615BK** | 04.00" | 06.00" | 15.00" | 10 |
| **BQ8-5615BK** | 05.00" | 06.00" | 15.00" | 10 |
| **BQ8-4618BK** | 04.00" | 06.00" | 18.00" | 10 |
| **BQ8-5618BK** | 05.00" | 06.00" | 18.00" | 10 |



**Q9-353516TDBK**
BLACK POWDER COATED 3.5" TURNDOWN

| | | | |
|---|---|---|---|
| **ID** | 03.50" | **OL** | 16.00" |
| **OD** | 03.50" | **PK** | 10 |



**BQ9-404018TDBK**
BLACK POWDER COATED 4" TURNDOWN

| | | | |
|---|---|---|---|
| **ID** | 04.00" | **OL** | 18.00" |
| **OD** | 04.00" | **PK** | 10 |



**BQ9-405016TDBK**
**BQ9-505016TDBK**
BLACK POWDER COATED 5" TURNDOWN

| | | | |
|---|---|---|---|
| **ID** | 04.00"/ 05.00" | **OL** | 16.00" |
| **OD** | 05.00" | **PK** | 10 |



Learn more about exhaust systems on our website.