

Part Number	Quantity	Description
047-902	10	9/16-18 Wheel Bolt - 3/4 In. Hex, 1 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .560 In. Knurl, 2-3/8 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .535 In. Knurl, 1-17/32 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .620 In. Knurl, 1-5/8 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .668 In. Knurl, 1-3/4 In. Length
047-902	10	9/16-18 Serrated Wheel Stud - .621 In. Knurl, 3-17/32 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .621 In. Knurl, 1-5/8 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .568 In. Knurl, 1-11/16 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.22mm Knurl, 37mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 12.73mm Knurl, 41.5mm Length
047-902	10	1/2-20 Serrated Wheel Stud - .618 In. Knurl, 1-13/16 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .673 In. Knurl, 1-19/32 In. Length
047-902	10	7/16-20 Serrated Wheel Stud - .487 In. Knurl, 2-1/8 In. Length
047-902	10	7/16-20 Serrated Wheel Stud - .565 In. Knurl, 1-3/4 In. Length
047-902	10	7/16-20 Serrated Wheel Stud - .472 In. Knurl, 1-1/2 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.35mm Knurl, 37.5mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.20mm Knurl, 40mm Length
047-902	10	9/16-18 Serrated Wheel Stud - .625 In. Knurl, 2-25/32 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .619 In. Knurl, 1-21/32 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.10mm Knurl, 38.5mm Length
047-902	10	7/16-20 Serrated Wheel Stud - .475 In. Knurl, 1-3/4 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.35mm Knurl, 42.5mm Length
047-902	10	1/2-20 Wheel Bolt - 3/4 In. Hex, 1 In. Length
047-902	10	7/16-20 Serrated Wheel Stud - .564 In. Knurl, 1-5/16 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .625 In. Knurl, 1-5/8 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .545 In. Knurl, 1-3/4 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .625 In. Knurl, 2 In. Length
047-902	10	M12-1.25 Serrated Wheel Stud - 13.00mm Knurl, 32mm Length
047-902	10	1/2-20 Serrated Wheel Stud - .667 In. Knurl, 1-29/32 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .619 In. Knurl, 2-3/16 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.17mm Knurl, 44.5mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 15.93mm Knurl, 46mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 16.00mm Knurl, 54.5mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 12.22mm Knurl, 36mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.30mm Knurl, 35.5mm Length
047-902	10	9/16-18 Serrated Wheel Stud - .620 In. Knurl, 2-5/8 In. Length
047-902	10	9/16-18 Serrated Wheel Stud - .623 In. Knurl, 2-7/16 In. Length
047-902	10	M12-1.50 Wheel Bolt - 17mm Hex, 22mm Thread Length
047-902	10	M12-1.25 Serrated Wheel Stud - 12.83mm Knurl, 41.5mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 15.88mm Knurl, 43mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 13.46mm Knurl, 48mm Length
047-902	10	M10-1.25 Serrated Wheel Stud - 10.24 Knurl, 29mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 12.70mm Knurl, 34.5mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 15.88mm Knurl, 49mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 15.88mm Knurl, 76mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 16.00mm Knurl, 45.5mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.30mm Knurl, 41.5mm Length
047-902	10	1/2-20 Serrated Wheel Stud - .625 In. Knurl, 2-1/4 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud With Clip Head - 14.94mm Knurl, 41mm Length
047-902	10	9/16-18 Serrated Wheel Stud - .677 In. Knurl, 3-9/32 In. Length
047-902	10	M14-1.50 Wheel Bolt - 17mm Hex, 26mm Thread Length
047-902	10	M12-1.50 Serrated Wheel Stud - 12.80mm Knurl, 54mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 15.88mm Knurl, 43mm Length
047-902	10	1/2-20 Serrated Wheel Stud - .570 In. Knurl, 1-7/8 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - 0.627 In. Knurl, 1-31/32 In. Length
047-902	10	9/16-18 Serrated Wheel Stud - .666 In. Knurl, 2-5/16 In. Length

047-902	10	M12-1.25 Serrated Wheel Stud - 12.45mm Knurl, 37.5mm Length
047-902	10	9/16-18 Serrated Wheel Stud - .625 In. Knurl, 2-29/32 In. Length
047-902	10	1/2-20 Wheel Bolt - 3/4 In. Hex, 1 In. Length
047-902	10	9/16-18 Wheel Bolt - 7/8 In. Hex, 1-1/2 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .618 In. Knurl, 1-15/32 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 13.41mm Knurl, 51.5mm Length
047-902	10	1/2-20 Serrated Wheel Stud With Clip Head - .585 In. Knurl, 2 In. Length
047-902	10	M12-1.75 Serrated Wheel Stud - 14.75mm Knurl, 51mm Length
047-902	10	1/2-20 Serrated Wheel Stud - .565 In. Knurl, 2-3/32 In. Length
047-902	10	M12-1.75 Serrated Wheel Stud - 14.63mm Knurl, 54.5mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 15.88mm Knurl, 90.5mm Length
047-902	10	1/2-20 Wheel Bolt - 3/4 In. Hex, 1-3/4 In. Length
047-902	10	9/16-18 Wheel Bolt - 7/8 In. Hex, 1-1/8 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 12.37mm Knurl, 42mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 12.30mm Knurl, 34mm Length
047-902	10	M12-1.5 Wheel Bolt - 17mm Hex, 29.5mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.99mm Knurl, 46mm Length
047-902	10	1/2-20 Serrated Wheel Stud - .620 In. Knurl, 1-15/16 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 13.08mm Knurl, 42mm Length
047-902	10	M12-1.50 Serrated Wheel Stud With Clip Head - 13.82mm Knurl, 49mm Length
047-902	10	M12-1.25 Serrated Wheel Stud - 14.35mm Knurl, 42mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 15.87mm Knurl, 44.5mm Length
047-902	10	M12-1.25 Serrated Wheel Stud - 14.28mm Knurl, 46mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 12.90mm Knurl, 46mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.86mm Knurl, 52.2mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 13.95mm Knurl, 55.25mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 15.67mm Knurl, 80.25mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 16.06mm Knurl, 103.96mm Length
047-902	10	1/2-20 Serrated Wheel Stud - .667 In. Knurl, 1-15/16 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .627 In. Knurl, 1-15/16 In. Length
047-902	10	M12-1.25 Serrated Wheel Stud - 14.43mm Knurl, 41.5mm Length
047-902	10	1/2-20 Serrated Wheel Stud - .582 In. Knurl, 2.230 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .627 In. Knurl, 1-7/8 In. Length
047-902	10	M14-2.0 Serrated Wheel Stud - 15.78mm Knurl, 73.3mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 13.2mm Knurl, 36.46mm Length
047-902	10	1/2-20 Serrated Wheel Stud - .623 In. Knurl, 2-3/16 In. Length
047-902	10	M14-2.0 Serrated Wheel Stud - 15.5mm Knurl, 57.93mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 13.56mm Knurl, 50.75mm Length
047-902	10	1/2-20 Serrated Wheel Stud - .582 In. Knurl, 2 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.38mm Knurl, 45mm Length
047-902	10	9/16-18 Serrated Wheel Stud - .619 In. Knurl, 2.580 In. Length
047-902	10	M14-1.50 Serrated Wheel Stud - 15.70mm Knurl, 65.4mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 16.01mm Knurl, 57.93mm Length
047-902	10	1/2-20 Serrated Wheel Stud - .628 In. Knurl, 2-1/16 In. Length
047-902	10	1/2-20 Serrated Wheel Stud - .684 In. Knurl, 1-15/16 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.20mm Knurl, 44.10mm Length
047-902	10	1/2-20 Serrated Wheel Stud With Clip Head - .619 In. Knurl, 2.24 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud With Clip Head - 13.89mm Knurl, 48.73mm Length
047-902	10	Wheel Nut 9/16-18 Standard - 7/8 In. Hex, 3/4 In. Length
047-902	10	M14-1.50 Wheel Bolt - 19mm Hex, 31.80mm Thread Length
047-902	10	9/16-18 Serrated Wheel Stud - .645 In. Knurl, 2.52 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.73mm Knurl, 45.53mm Length
047-902	10	M12-1.50 Serrated Wheel Stud With Clip Head - 14.60mm Knurl, 44.50mm Length
047-902	10	M14-1.50 Serrated Wheel Stud - 15.93mm Knurl, 73.4mm Length
047-902	10	Wheel Nut 7/16-20 Standard - 3/4 In. Hex, 9/16 In. Length
047-902	10	Wheel Nut 1/2-20 Standard - 13/16 In. Hex, 5/8 In. Length
047-902	10	Wheel Nut 5/8-18 Standard - 1 In. Hex, 21/32 In. Length

047-902	10	M14-2.0 Serrated Wheel Stud - 16mm Knurl, 66.8mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 14.20mm Knurl, 55mm Length
047-902	10	M12-1.50 Serrated Wheel Stud With Clip Head - 14.77mm Knurl, 43.75mm Length
047-902	10	M12-1.50 Serrated Wheel Stud - 12.73mm Knurl, 50.86mm Length
047-902	10	M14-1.5 Serrated Wheel Stud - 15.7mm Knurl, 69.75mm Length
047-902	10	M12-1.50 Wheel Bolt - 17mm Hex, 19.65mm Thread Length
047-902	10	M12-1.50 Serrated Wheel Stud - 13.0mm Knurl, 44.8mm Length
047-902	10	M20-1.50 Serrated Wheel Stud - 21.00mm Knurl, 74.2mm Length
047-902	10	Wheel Nut 1/2-20 Standard - 3/4 In. Hex, 9/16 In. Length
047-902	10	Wheel Nut 5/8-18 Standard - 1-1/16 In. Hex, 21/32 In. Length
047-902	10	Wheel Nut 9/16-18 Standard - 1 In. Hex, 21/32 In. Length
047-902	10	M12-1.50 Serrated Wheel Stud - 12.80mm Knurl, 43.75mm Length
047-902	10	Wheel Nut 5/8-18 Flanged Flat Face - 1-1/8 In. Hex, 1-1/16 In. Length
047-902	10	Wheel Nut M12-1.50 Bulge - 19mm Hex, 23mm Length
047-902	10	Wheel Nut M12-1.25 Standard - 19mm Hex, 16mm Length
047-902	10	Wheel Nut M12-1.50 Acorn - 21mm Hex, 27mm Length
047-902	10	Wheel Nut M12-1.50 Dometop Capped - 19mm Hex, 36mm Length
047-902	10	Wheel Nut M12-1.25 Standard - 21mm Hex, 16mm Length
047-902	10	Wheel Nut 1/2-20 Dometop - 13/16 In. Hex, 1-15/32 In. Length
047-902	10	Wheel Nut 1/2-20 Dometop - 3/4 In. Hex, 1-5/8 In. Length
047-902	10	Wheel Nut Chrome Acorn 1/2-20, Hex 13/16 In.
047-902	10	Wheel Nut M12-1.50 Acorn - 21mm Hex, 35mm Length
047-902	10	Wheel Nut 9/16-18 Standard - 1-1/16 In. Hex, 21/32 In. Length
047-902	10	Wheel Nut 9/16-18 Standard - 1-1/16 In. Hex, 31/32 In. Length
047-902	10	Wheel Nut M12-1.50 Standard - 19mm Hex, 14mm Length
047-902	10	Wheel Nut M12-1.50 Dometop Capped - 19mm Hex, 31mm Length
047-902	10	Wheel Nut M12-1.50 Acorn - 19mm Hex, 24.5mm Length
047-902	10	Wheel Nut M12-1.25 Acorn - 19mm Hex, 24mm Length
047-902	10	Wheel Nut M12-1.50 Dometop Capped - 19mm Hex, 29.5mm Length
047-902	10	Wheel Nut M12-1.50 Flattop - 19mm Hex, 32mm Length
047-902	10	Wheel Nut 1/2-20 Dometop Capped - 3/4 In. Hex, 1-1/16 In. Length
047-902	10	Wheel Nut 9/16-18 Flanged Flat Face - 1-1/16 In. Hex, 1 In. Length
047-902	10	Wheel Nut M12-1.50 Standard - 21mm Hex, 16mm Length
047-902	10	Wheel Nut 7/16-20 Dometop Capped - 3/4 In. Hex, 1-1/8 In. Length
047-902	10	Wheel Nut M12-1.50 Standard - 21mm Hex, 18mm Length
047-902	10	M12-1.50 Wheel Cover Retaining Nut - 19mm Hex, 22mm Length
047-902	10	Wheel Nut 1/2-20 Bulge - 13/16 In. Hex, 15/16 In. Length
047-902	10	Wheel Nut 7/16-20 Acorn - 13/16 In. Hex, 1.377 In. Length
047-902	10	Wheel Nut M12-1.50 External Thread - 19mm Hex, 27.5mm Length
047-902	10	Wheel Nut M12-1.25 Standard - 21mm Hex, 16mm Length
047-902	10	Wheel Nut M14-1.50 External Thread - 22mm Hex, 28.5mm Length
047-902	10	Wheel Nut 1/2-20 Dometop Capped - 3/4 In. Hex, 1-5/16 In. Length
047-902	10	Wheel Nut M12-1.50 Acorn - 21mm Hex, 30mm Length
047-902	10	Wheel Nut M12-1.50 Acorn - 21mm Hex, 27mm Length
047-902	10	Wheel Nut M14-1.50 Bulge - 22mm Hex, 25.5mm Length
047-902	10	Wheel Nut M12-1.50 Mag - 21mm Hex, 47mm Length
047-902	10	Wheel Nut M12-1.50 Mag - 21mm Hex, 37mm Length
047-902	10	Wheel Nut 9/16-18 Flanged Flat Face - 7/8 In. Hex, 1-1/16 In. Length
047-902	10	Wheel Nut M12-1.50 Dometop Capped - 19mm Hex, 37mm Length
047-902	10	Wheel Nut M12-1.50 Mag - 19mm Hex, 40mm Length
047-902	10	Wheel Nut M12-1.50 Acorn - 19mm Hex, 35mm Length
047-902	10	Wheel Nut M12-1.50 Bulge - 19mm Hex, 19.5mm Length
047-902	10	Wheel Nut M12-1.50 External Thread - 19mm Hex, 31mm Length
047-902	10	Wheel Nut 1/2-20 Bulge - 3/4 In. Hex, 29/32 In. Length
047-902	10	1/2-20 Wheel Cover Retaining Nut - 3/4 In. Hex, 1-1/4 In. Length
047-902	10	Wheel Nut 1/2-20 Mag - 13/16 In. Hex, 1.544 In. Length
047-902	10	Wheel Nut M12-1.25 Acorn - 21mm Hex, 29mm Length

047-902	10	Wheel Nut M12-1.50 Acorn - 21mm Hex, 26mm Length
047-902	10	Wheel Nut M12-1.50 External Thread - 19mm Hex, 34mm Length
047-902	10	Wheel Nut M12-1.50 Mag - 21mm Hex, 32.5mm Length
047-902	10	Wheel Nut M14-1.50 Bulge - 22mm Hex, 20.5mm Length
047-902	10	Wheel Nut M12-1.50 Bulge - 19mm Hex, 20.5mm Length
047-902	10	Wheel Nut 1/2-20 Standard - 13/16 In. Hex, 5/8 In. Length
047-902	10	Wheel Nut 1/2-20 Dometop Capped - 13/16 In. Hex, 2-1/32 In. Length
047-902	10	Wheel Nut 9/16-18 Bulge - 15/16 In. Hex, 1-1/32 In. Length
047-902	10	Wheel Nut 1/2-20 External Thread - 13/16 In. Hex, 1-1/8 In. Length
047-902	10	Wheel Nut M12-1.50 Flattop Capped - 19mm Hex, 43.1mm Length
047-902	10	Wheel Nut M14-2.0 Flanged Flat Face - 21mm Hex, 22.6mm Length
047-902	10	1/2-20 Wheel Cover Retaining Nut - 13/16 In. Hex, 1-5/32 In. Length
047-902	10	Wheel Nut M12-1.50 Acorn - 21mm Hex, 30.25mm Length
047-902	10	Wheel Nut M12-1.50 Mag - 21mm Hex, 36.5mm Length
047-902	10	Wheel Nut M12-1.50 Mag - 20mm Hex, 46.5mm Length
047-902	10	Wheel Nut M12-1.50 Mag - 21mm Hex, 42.27mm Length
047-902	10	Wheel Nut M12-1.50 Mag - 21mm Hex, 37.50mm Length
047-902	10	M14-2.0 Wheel Cover Retaining Nut - 21mm Hex, 30.56mm Length
047-902	10	M12-1.50 Wheel Cover Retaining Nut - 19mm Hex, 26.44mm Length
047-902	10	Wheel Nut M12-1.75 Flanged Flat Face - 19mm Hex, 22.5mm Length
047-902	10	Wheel Nut M12-1.50 Mag - 21mm Hex, 40.5mm Length
047-902	10	Wheel Nut M14-1.50 Flanged Flat Face - 22mm Hex, 34mm Length
047-902	10	Wheel Nut 9/16-18 Flattop Capped - 7/8 In. Hex, 1-1/2 In. Length
047-902	10	Wheel Nut M12-1.25 Dometop Capped - 21mm Hex, 29mm Length
047-902	10	Wheel Nut M12-1.50 Acorn - 21mm Hex, 28.62mm Length
047-902	10	Wheel Nut M12-1.50 External Thread - 19mm Hex, 26.19mm Length
047-902	10	Wheel Nut M12-1.50 Acorn - 19mm Hex, 29.5mm Length
047-902	10	1/2-20 Wheel Cover Retaining Nut - 3/4 In. Hex, 1-1/4 In. Length
047-902	10	Wheel Nut M12-1.50 Bulge - 19mm Hex, 22.9mm Length
047-902	10	Wheel Nut M12-1.50 Acorn - 21mm Hex, 33.1mm Length
047-902	10	Wheel Nut M14-1.50 Dometop Capped - 21mm Hex, 36.8mm Length
047-902	10	Wheel Nut M12-1.50 Flattop Capped Nut - 19mm Hex, 35.9mm Length
047-902	10	Black Wheel Nut Cover M24-2.0, Hex 19mm
047-902	10	Black Wheel Nut Cover M27-2.0, Hex 22mm
047-902	10	Wheel Nut M12-1.50 Bulge - 19mm Hex, 27.91mm Length
047-902	10	Wheel Nut M14-1.50 Flanged Flat Face - 21mm Hex, 23.2mm Length
047-902	10	Grey Wheel Nut Cover M24-2.0 Mod, Hex 3/4 In.
047-902	10	Wheel Nut M14-2.0 Flanged Flat Face - 21mm Hex, 44.98mm Length
047-902	10	Wheel Nut M14-1.50 Flattop Capped Nut - 22mm Hex, 44.5mm Length
047-902	10	Wheel Nut M14-1.50 Dometop Capped - 21mm Hex, 43.5mm Length
047-902	10	Black Wheel Nut Cover M24-2.0, Hex 19mm
047-902	10	Gray Wheel Nut Cover M24-2.0, Hex 19mm
047-902	10	Black Wheel Nut Cover M27-2.0, Hex 22mm
047-902	10	M12-1.50 Wheel Cover Retaining Nut - 19mm Hex, 37.48mm Length
047-902	10	Wheel Nut M14-2.0 Dometop Capped - 21mm Hex, 54mm Length
047-902	10	Black Wheel Nut Cover M24-2.0, Hex 19mm
047-902	10	Black Wheel Nut Cover M27-2.0, Hex 22mm