

DXDM280BT

INSTALLATION/OWNER'S MANUAL

AM/FM/CD Receiver















Preparation


Please read entire manual before installation.

Before You Start

- Disconnect negative battery terminal. Consult a qualified technician for instructions.
- Avoid installing the unit where it would be subject to high temperatures, such as from direct sunlight, or where it would be subject to dust, dirt or excessive vibration.

Getting Started


- Remove trim ring from unit.
- Remove 2 transit screws located on top of the unit.
- Connect wiring harness and antenna. Consult a qualified technician if you are unsure.
- Certain vehicles may require an installation kit and/or wiring harness adapter (sold separately).
- Test for correct operation.
- Snap trim ring into place.



DXDM280BT INSTALLATION



Wiring Diagram





Control Locations




- 1 Preset 1 / Repeat
- 2 Preset 2 / Random
- 3 Preset 3 / Intro
- 4 Power / Mute
- 5 Tune / Track Down
- 6 Tune / Track Up
- 7 Mode
- (8) Band / Go Back
- 9 Volume Knob

- 10) Bluetooth Talk
- 11) Auxiliary Input
- 12) Audio / Menu
- (13) USB Input
- (14) Display
- (15) Preset 6 / Folder Up
- (16) Preset 5 / Folder Down
- (17) Preset 4 / Play / Pause
- (18) Eject



Remote Control



- 1 Mode
- (2) Volume Up
- (3) Power
- 4 Select
- 5 Tune / Track Up
- 6 Volume Down
- 7 Band / Go Back
- 8 Preset 3 / Intro
- (9) Preset 2 / Random

- 10 Preset 6 / Folder Up
- 11) Mute
- 12 Audio / Menu
- (13) Preset 5 / Folder Down
- (14) Preset 4 / Play / Pause
- (15) Preset 1 / Repeat
- (16) Bluetooth Talk
- (17) Tune / Track Down



General Operation

Power On/Off

Press \circ or any other button (except **EJECT**) to turn the unit on. Press \circ to turn the unit off.

Mode

Press MODE to select between AM/FM, CD player, Bluetooth, auxiliary and USB. Modes of operation are shown in the

display.

NOTE: CD and USB modes will not appear unless a CD is

inserted or USB device is connected.

Auxiliary Input

The DXDM280BT offers a 3.5 mm auxiliary input port on the front panel of the unit for connecting an audio device, MP3 player, etc. Press **MODE** to select auxiliary input mode.

Volume

Adjust volume using volume knob (00-46).

Display

Press **DISP** to show the clock. During playback of MP3/files, ID3 tag information, elapsed time, track number and file/folder names will automatically rotate on the display.

Reset

Press **RESET** upon initial installation or if abnormal operation occurs.

Set the Clock

With the unit on, press and hold DISP until the clock begins to flash, then release. Press the ►► button to adjust the HOUR and press the ◄◄ to adjust the minutes.

12/24-hour Clock

The clock will display 12-hour AM/PM time in USA frequency spacing mode (PM 10:00). In European frequency spacing mode, the clock will display 24-hour time (22:00).

Setup Menu

Press and hold AUDIO for more than 3 seconds to access the setup menu. Press AUDIO momentarily to select between the menu functions and rotate the volume knob left/right to adjust or activate the desired function.

General Operation - Setup Menu

Menu Function	Options	Action	
Auto Station Store	AUTO STORE	Press the volume knob to seek and save 6 strong stations in the current band. (Tuner mode only)	
Local/Distance Tuning	LOCAL OFF	Activates distance tuning (Tuner mode only).	
	LOCAL ON	Activates local tuning for strong station reception only (Tuner mode only).	
Tuner Frequency Spacing	FREQ USA	Programs the unit to USA tuner spacing. (200kHz for FM and 10kHz for AM). (Tuner mode only)	
	FREQ EURO	Programs the unit to European tuner spacing. (50kHz for FM and 9kHz for AM). (Tuner mode only)	
Auxiliary Input	AUX ON	Enables the front panel 3.5mm auxiliary input.	
	AUX OFF	Disables the front panel 3.5mm auxiliary input.	
Beep Confirmation	BEEP OFF	Disables the confirmation beep.	
	BEEP ON	Enables the confirmation beep.	
Programmable Turn On Volume	PRO-VOL#	Programs unit to always turn on at a specific volume (default is OFF). Any volume level 1-30 can be selected.	
Power On Message	MSG OFF	Disables power on message. (Example: GOOD MORNING)	
	MSG ON	Enables power on message to be displayed.	
Scrolling Option	SCROLL 15 SP	Programs unit to scroll information every 15 seconds (default).	
	SCROLL ONCE	Programs unit to scroll once then show the first 10 characters on display	
	SCROLL ON	Programs unit to scroll continuously.	
	SCROLL OFF	Programs the unit to show the first 10 characters on display.	
Demonstration Mode	DEMO OFF	Disables the demonstration mode.	
	DEMO ON	Enables the demonstration mode.	
Bluetooth	BT ON	Enables Bluetooth functionality.	
	BT OFF	Disables Bluetooth functionality.	
Auto Answer	ANSWER Auto	Programs unit to automatically answer every incoming phone call after 2-3 rings.	
	ANSWER Manual	Programs unit to require the button must be pressed to answer incoming phone calls (default).	



General Operation

Audio

Press AUDIO momentarily to select between Bass, Treble, Balance and Fader.

---> BASS → TREBLE → BALANCE → FADER → EQ → LOUD → SOURCE LEVEL ---

Bass

Press **AUDIO** until **BASS** appears then rotate volume knob left/right to adjust (-6 minimum / +6 maximum).

Treble

Press AUDIO until TREBLE appears then rotate volume knob left/right to adjust (-6 minimum / +6 maximum).

Balance

Press AUDIO until BAL appears then rotate volume knob left/right to adjust (BAL 12L - BAL 12R). BAL EVEN represents equal balance

Fader

Press AUDIO until FAD appears then rotate volume knob left/right to adjust (FAD 12R - FAD 12F). FAD EVEN represents equal fader

EQ

Press **EQ**, then turn the **volume knob** to cycle through the following equalization curves: FLAT (default), POP, JAZZ, CLASSIC, BEAT, ROCK and USER. Any manual adjustment to the Bass or Treble settings are automatically saved as USER.

Loudness

Press AUDIO/MENU until LOUD appears then rotate volume knob left/right to adjust LOUD ON/OFF.

Source Volume Level

The source volume level control allows a gain adjustment for each audio source: AM, FM, CD, AUX and USB. Set the source volume level for each mode, depending on the relative volume of each audio source.

To set the source volume level, press AUDIO/MENU until SRC LEVEL appears. After one second, the current mode will appear on the display. Turn the volume knob to adjust the audio level of the current source (-3 minimum/+3 maximum).

Note: Only the current mode will be available for adjustment. To adjust another mode of operation, press MODE until the desired mode is selected, then set the source volume level for that mode.



AM/FM Tuner Operation

Seek Tuning

Press **TUNE** ◀◀ or **TUNE** ▶▶ momentarily to seek to the next strong station.

Manual Tuning

Press and hold TUNE ◀◀ or TUNE ▶▶ until "MANUAL" appears, then press TUNE ◀◀ or TUNE ▶▶ momentarily to change radio frequency up or down one step at a time. Press and hold to advance quickly.

Note: Seek and manual tuning functions are reversed if Seek Priority is set to SEEK 2 in the setup menu (refer to page 7 for details on setting Seek Priority).

Band

Press **BAND** to select between FM1, FM2, FM3, AM1 and AM2 bands.

Storing and Recalling Station Presets Up to 18 FM stations and 12 AM stations can be stored. To store a station, select the desired band and station. Press and hold the desired preset button (1-6) for more than 2 seconds. When stored, the preset number will appear in the display. The station can be recalled anytime by pressing the corresponding preset button.

Automatically Store Stations Press and hold **AUDIO/MENU** for more than 3 seconds to find auto store in the display. Then press volume knob to automatically store strong 6 stations in the current band.



CD Player Operation

Insert CD

With the label facing up, insert a standard size CD into the CD slot. The CD will automatically begin playback.

Eject CD

Press **EJECT** to eject the CD. The unit will change to previous mode of operation. If the disc is not removed within 10 seconds, the unit will reload the disc. The unit does not have to be turned on to eject CD.

Track Select

Press TRACK ►► to skip to the beginning of the next track. Press TRACK ◄◄ to return to the beginning of the current track. Pressing TRACK ◄◄ again skips to the beginning of the previous track.

Fast Forward/Reverse

Press and hold **TRACK** ►► or **TRACK** ◀ on the remote control to fast forward or reverse a track.

Pause

Press /II to temporarily stop CD playback.

Press /II again to resume playback.

Intro

Press **INT** to enter the Intro menu, then turn the volume knob to select one of the following options:

• OFF - Cancels the INT function.

ALL - Plays the first 10 seconds of each track.

Repeat

Press **RPT** to enter the Repeat menu, then turn the volume knob to select one of the following options:

ALL - Plays all tracks on CD.

• TRACK - Continuously repeats selected track.

Random

Press **RDM** to enter the Random menu, then turn the volume knob to select one of the following options:

• OFF - Cancels the RDM function.

ALL- Plays all tracks in random order.

CD-R/CD-RW Compatibility

Some CD-Rs and CD-RWs may be incompatible with this unit, depending on media type and recording method. In addition, the following CDs may be incompatible with this unit:

CDs exposed to extreme temperatures or direct sunlight for extended periods of time, CDs recorded in which a recording session failed or a re-recording was attempted and, or encrypted or copy-protected CDs which do not conform to the audio CD-DA red book recording standard.



CD Player Operation - MP3 Files

Playing an MP3 CD

When an MP3 encoded disc is first inserted,

"DISC READ" will appear in the display. Depending on the number of files and folders, this may take several seconds.

Displaying Information

Press **DISP** to select between song title, artist, file name, folder name, track number, and clock/elapsed time.

"NO ARTIST" or "NO TITLE" will be displayed if the MP3 file contains no ID3 tag information.

"ROOT" will be displayed if the directory name of a root folder is not labeled.

Title Icon

This icon will illuminate when the song title is displayed.

Artist Icon

This icon will illuminate when the artist name is displayed.

Folder Icon

This icon will illuminate when the folder name is displayed.

File Icon

This icon will illuminate when the file name is displayed.

Character Support

Maximum character display information

- Track name 32 character maximum
- Directory name 32 character maximum
- *Song title 32 character maximum
- *Artist name 32 character maximum

*Song title and Artist Name will only be displayed if included with the MP3 file.

When referring to MP3 playback, the following terms are synonymous:

- File name and track name
- · Folder name and directory name

CD Player Operation - MP3 Files

Media Compatibility

The following types of discs/files are compatible:

- CD-ROM (ISO), CD-R, CD-RW
- CD-DA
- MP3 data

The following types of discs/files are not compatible:

- . Discs recorded with Track At Once or packet writing
- MP3 PR0 format
- MP3 playlists
- WAV format
- AAC, protected AAC, M4A format

Playback Order

MP3 playback sequence is based on recorded order of files and begins in the root folder of the disc. Any empty folders or folders that do not include MP3 files are skipped. This unit may not play files in the order they were recorded in. Refer to your recording software's user's manual for more information.

Compatible Recording Formats

- IS09660 level 1
- IS09660 level 2
- Yellow Book MODE 1
- Yellow Book MODE 2 FORM 1
- Multi session
- Maximum files 999
- Maximum folders 255
- Maximum folder levels 8
- MPEG-1/2/2.5 Audio Layer-3

IS09660 standards:

- Maximum nested folder depth is 8 (including the root folder).
- Valid characters for folder/file names are letters A-Z (all caps), numbers 0-9, and "_" (underscore). Some characters may not be displayed correctly, depending on the character type.
- This device can play back discs in Joliet, Romeo, and other standards that conform to ISO9660. MP3 written in the formats other than the above may not play and/or their file names or folder names may not be displayed properly.



CD Player Operation - MP3 Files

Additional MP3Information

An internal buffer provides ESP (Electronic Skip Protection) to virtually eliminate skipping.

When playing a disc recorded with regular audio files (CD-DA or .WAV) and MP3 files, the unit will play the MP3 files only.

Only MP3 files with filename extension (.mp3) can be played.

Do not attempt to play discs which contain non-MP3 files with the MP3 extension.

Sampling Frequency

Rates MP3

8kHz ~ 48kHz

Transfer Bit rates MP3

32kbps ~ 320kbps constant Variable bit rates

Note: Some files may not play or be displayed correctly, depending on sampling rates and bit rates.

MP3 Tag Display

ID3 tags Version 1.0 to 2.4.

This model will not display ID3 Version 2.4 or greater tags.

Recommended Settings

For best results, use the following settings when burning an MP3 disc:

128kbps or higher constant bit rate 44.1kHz or higher sampling frequency

USB Operation

Connecting a USB Device (sold separately)

To play MP3 files from most USB mass storage devices, line up the USB connector and insert the USB device into the unit's USB port.

Playing Music

When a USB device is first connected, "USB READ" will appear in the display and playback will begin momentarily. Depending on the number of files and folders, it may take several seconds for the device to begin playing. If no valid MP3 files are detected, "NO FILE" will be displayed and the last mode will be resumed.

Track Select

Press TRACK ►► to skip to the beginning of the next track. Press TRACK ◄◄ to return to the beginning of the current track. Pressing TRACK ◄◄ again skips to the beginning of the previous track.

Fast Forward and Reverse

Press and hold **TRACK** ►► or **TRACK** ◀ on the remote control to fast forward or reverse a track.

Pause

Press /II to temporarily stop USB playback.

Press /II again to resume playback.

File Search Step 1

Press **SELECT** to enter the file/folder search mode. A list of all the folders from the USB device will be displayed.

Note: Any files located in the root directory will be located in the folder named "ROOT". Press **SELECT** to view the files on the root folder.

Step 2

Turn the volume knob to cycle through all the folders on the device and press **SELECT** to choose the desired folder. The list of files in the selected folder will be displayed. Turn the volume knob to cycle through the list of files.

Note: Pressing GO BACK when viewing the contents of a folder will return to the list of folders on the USB device. Press GO BACK again to exit the search menu.

Step 3

Once the desired song is displayed, press **SELECT** to begin playback of the desired song.

Note: Due to differences in USB device transfer speeds, it is recommended to limit each folder to less than 30 songs.



USB Operation

Displaying Information

When a file is accessed, the clock and elapsed time will be displayed. Press **DISP** momentarily to select beween song title, artist, file name, folder name, track number and clock/elapsed time.

"NO TITLE" will be displayed if no song title information is available.

"NO ARTIST" will be displayed if no artist information is available.

Song Title Icon

This icon will illuminate when the song title is displayed.

Artist Icon

This icon will illuminate when the artist name is displayed.

Folder Icon

This icon will illuminate when the folder name is displayed.

File Icon

This icon will illuminate when the file name is displayed.

Folder Access

Press to select the previous folder.

Press to select the next folder.

Note: Folder access is only available on devices with more than one folder.

Repeat

Press **RPT** to enter the Repeat menu, then turn the volume knob to select one of the following options:

- ALL Plays all tracks on the device.
- TRACK Continuously repeats selected track.
- FOLDER Continuously repeats all files in selected folder.

Random

Press **RDM** to enter the Random menu, then turn the volume knob to select one of the following options:

- OFF Cancels the RDM function.
- ALL Plays all tracks in random order.
- FOLDER Plays all tracks in folder in random order.

Note: Random mode is retained in memory when selecting between other modes and when the unit is turned on/off.

Intro

Press INT to enter the Intro menu, then turn the volume knob to select one of the following options:

- OFF Cancels the INT function.
- ALL Plays first 10 seconds of each track.
- FOLDER Plays first 10 seconds of each track in folder.



USB Operation

Character Support

Maximum character display information

- Track name 32 character maximum
- Directory name 32 character maximum
- *Song title 32 character maximum
- *Artist name 32 character maximum

*Song title and artist name will only be displayed if included with the MP3 file.

Media Compatibility

The following types of files are compatible:

MP3 data

The following types of files are not compatible:

- MP3 PR0 format
- MP3 playlists
- WAV format
- AAC, protected AAC, M4A format

Playback Order

MP3 playback sequence is based on order the files are copied to the USB device and begins in the root folder. Any empty folders or folders that do not include MP3 files are skipped. Depending on your software, the playback order may vary.

Playback Capacity

- Maximum number of files: 999
- Maximum number of folders: 255 plus the root directory
- Maximum number of files in each folder and root. 999

Note: If the number of files/folders exceeds the maximum outlined above, the additional files/folders will be ignored.

Note: Devices that exceed the maximum number of files or folders may not function properly.

USB Device Compatibility

Due to the differences of USB devices, some devices may not be compatible. USB devices must be 'mass storage class' and formatted to the FAT or FAT32 file system in order to ensure compatibility.



USB Operation

Additional MP3Information

Only MP3 files with filename extension (.mp3) can be played. Do not attempt to play non-MP3 files with the MP3 extension.

Sampling Frequency Rates

MP3

8kHz ~ 48kHz

Transfer Bit rates

MP3

32kbps ~ 320kbps constant

Variable bit rates

Note: Some files may not play or be displayed correctly, depending on sampling rates and bit rates.

MP3 Tag Display

ID3 tags Version 1.0 to 2.4

Note: If an invalid ID3 tag version is detected, "NO SUPPORT" will scroll on the display.

Bluetooth® Operation

Pairing a New Device

Before you can use a Bluetooth device, it must be paired and connected. Make sure that Bluetooth is activated on your device before you begin the pairing process.

The unit broadcasts the pairing signal constantly when no devices are currently connected. Complete the pairing sequence from your Bluetooth device. Refer to the owner's manual for your device for more details.

The device name is "DUAL BT" The Bluetooth passcode "1234"

Note: The unit can be in any mode of operation when pairing is performed.

Pairing Additional Devices

If a device is currently connected, press and hold \(\bulleta \) to disconnect the current device before a new device can be paired. Then begin the pairing sequence from the new Bluetooth device.

Connecting a Paired Device

Most Bluetooth devices support the auto-connect feature, and will connect automatically if the device is in range when the unit is powered-on. If your device was previously paired but does not connect, use these instructions below.

- If your most recently connected Bluetooth device becomes disconnected or does not reconnect, press and hold from Bluetooth mode to reconnect your mobile device.
- To connect a previously paired device that was not recently connected:
- 1) Press and hold \uparrow to disconnect any connected mobile devices when Bluetooth is paired. Press and hold \uparrow to connect Bluetooth device again when Bluetooth is not paired.
- 2) The paired device name will appear on the LCD once it is connected.
- 3) Turn the **volume knob** to cycle through the list of devices.
- 4) Press the volume knob to cycle through the list of recent calls up to ten and select the phone number to dial when Bluetooth is paired. NONE appears on the LCD if there are no recent calls.

Disconnecting a Device

Note: Placing a phone call from your cell phone will also initiate Bluetooth function.



Bluetooth® Operation

Recent Calls List

Press SELECT from Bluetooth mode to view recent calls dialed, received or missed while connected to the head unit. Turn the volume knob to cycle through the recent phone numbers. Press SELECT or \(^\infty\) to dial

Redialing the last number

To redial the last phone number, press \uparrow from Bluetooth mode. Press \uparrow or SELECT again to redial the phone number.

Receiving a phone call

Incoming phone calls will automatically appear on the display and a ring tone will be heard.

Note: The volume of the ring tone depends on the volume level of the unit. The incoming ring tone may not be heard if the volume is set to a low level or mute is activated.

- Press \(\bullet \) to receive the incoming phone call.
- Press and hold to refuse the incoming phone call.

Note: If **Auto Answer** is set to **ON** in the setup menu, all phone calls will be received automatically.

Ending a Phone Call

During an active phone call, press \(\cap \) to end a phone call. If the phone call was received when listening to music in another mode, the unit will resume the previous mode.

Streaming Audio

The unit supports A2DP (advanced audio distribution profile) wireless streaming audio from your Bluetooth mobile device directly to your head unit. The following functions can be used to control the music:

- Press ►► to skip to the next available audio track.
- Press / II to toggle between play and pause during playback.

Bluetooth® Operation Streaming Audio Operation

The unit supports A2DP (advanced audio distribution profile) wireless streaming audio from your Bluetooth mobile device directly to your head unit. You can also control your music from the front panel of the head unit using AVRCP (audio video remote control profile).

Notes:

- To stream music to your head unit, your mobile device must support the A2DP and AVRCP Bluetooth profiles. Check the owner's manual of your mobile device for details.
- Streaming audio must be enabled from your mobile device. This option will vary depending on the device. Some devices allow streaming audio to be disabled.

After pairing, connecting and enabling streaming audio from a compatible mobile device, begin playing music using the music player on your mobile device. Once the music is playing, the following functions can be used to control the music:

- The ►► button will skip to the next available audio track.
- The dutton will skip to the previous audio track.
- The ►/II button will toggle between play and pause during playback.

Note: Some Bluetooth devices may not fully support these commands.



Troubleshooting

Problem	Cause	Action
Unit will not turn on (no power)	Yellow wire not connected or incorrect voltage Red wire not connected or incorrect voltage	Check connections for proper voltage (11~16VDC)
(iii periei)	Black wire not connected	Check connection to ground
	Fuse blown	Replace fuse
	Speaker wires not connected	Check connections at speakers
Unit has power (but no sound)	One or more speaker wires touching each other or touching chassis ground	Insulate all bare speaker wires from each other and chassis ground
	Yellow or red wire touching chassis ground	Check for pinched wire
Unit blows fuses	Speaker wires touching chassis ground	Check for pinched wire
	Incorrect fuse rating	Use fuse with correct rating
Evensive ekinning	Unit is not mounted correctly or backstrap is not secure	Check mounting sleeve and backstrap support
Excessive skipping	Physical defect in media (CD, CD-R or CD-RW)	Check media for scratches
ERR FILE appears	Disc read error	Press eject or RESET
on display	Focus error or disc is in upside down	Press eject or RESET
NO FILE appears on display	No playable MP3files found on the device	Check the device for valid MP3 files
Unit will not accept	CD mechanism position out of alignment	Press EJECT to reset CD mechanism position
a uisc	CD transit screws still in place	Remove 2 transit screws located on top of the unit
NO SUPPORT appears on display	An invalid ID3 tag version is present	Version 1.0 to 2.0 ID3 tags are supported.

FCC Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



Specifications

CD Player Frequency response: 20Hz-20kHz

Channel separation @ 1kHz: >60dB

D/A converter: 1 Bit

FM Tuner | Tuning range: 87.5MHz-107.9MHz

Usable sensitivity: 8.5dBf

50dB quieting sensitivity: 10dBf Stereo separation @ 1kHz: >30dB Frequency response: 30Hz-13kHz

AM Tuner Tuning range: 530kHz-1710kHz

Usable sensitivity: <42dBu

Frequency response: 30Hz-2.2kHz

General USB Charge: 1A

Speaker output impedance: 4~8 ohms

Line output voltage: 1.2 Volts RMS

Dimensions: 7" x 7" x 4" (178 x 178 x 100 mm)

Design and specifications subject to change without notice.



CEA-2006 Power Standard Specifications (reference: 14.4VDC +/- 0.2V, 20Hz~20kHz)

Power Output: 16 Watts RMS x 4 channels at 4 ohms and \leq 1% THD+N Signal to Noise Ratio: 75dBA (reference: 1 watt into 4 ohms)