

REVISION HISTORY						
REV.	DESCRIPTION	DATE				
01	PRELIMINARY RELEASE PER LM14214	2014-05-22				
02	REVISED PER LM14214	2014-06-02				
Α	INITIAL RELEASE PER LM14214	2014-06-24				

- 15'[4572] CORD W/DUAL SWITCH LIGHTER ADAPTER

SPECIFICATIONS


I. CERTIFICATIONS: **C€**; ECE R10; SAE J845 (Dec 2007) Class 1

Yellow; IP-35C For a Category 2 Enclosure

Note: Unique components, accessories, and hardware kits are not typically Included in the Product Certification Test Protocols. Unless otherwise Specified, the Product Certifications referred to herein are predicated upon the base product model configuration.

2. FLASH MODE: DOUBLE : 75 ± 5 FLASHES PER MINUTE QUAD : 75 ± 5 FLASHES PER MINUTE QUINT : 75 ± 5 FLASHES PER MINUTE

- 3. VOLTAGE (NOMINAL): 12 to 24 VDC
- 4. VOLTAGE (EXTREME): 9.0 to 32.0 VDC
- 5. CURRENT (PEAK): 4.6A (@ 12 VDC NOMINAL)
- 6. POWER (MAXIMUM): 58.9W (@ 12 VDC NOMINAL)
- 7. TEMPERATURE RANGE: -22°F (-30°C) TO 122°F (50°C)
- 8. CONNECTION: 15' CORD W/DUAL SWITCH LIGHTER ADAPTER
- 9. MOUNTING: MAGNET MOUNT
- 10. BASE MATERIAL: POLYCARBONATE
- 11. LENS MATERIAL: POLYCARBONATE
- 12. PRODUCT WEIGHT: 4.0 LBS (1.8 Kg)



NOTES: 1. DIMENSIONS IN INCHES[MILLIMETERS (FOR REFERENCE)]

2.8 71

NON DISCLOSURE AGREEMENT

NON DISCLOSURE AGREEMENT

ILLY, THE DRAWING AND THE DESIGN IT DISCLOSES ARE THE PRIVATE PROPERTY OF ECCO. AND IS ISSUED IN CONFIDENCE FOR ENGINEERINGINFORMATION

ILLY, THE DRAWING AND JOR DESIGN MAY NOTE BY LESPLOYEDE, REPRODUCED, OR OTHERWISE DISCLOSED IN PART OR AS A WHOLE TO OUTSIDERS O

SED FOR ANY OTHER PURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF ECCO. THE DRAWING IS SUBJECT TO RECALL AT ANY TIME, YOUR POSSESSION
OF THIS DOCUMENT CONSTITUTES ACCEPTANCE OF THESE TERMS, 60 2014 ECCO.

	SCALE 1:4.5	5	APPROVALS	DATE	
	GENERATED DRA		DRAWN BY SNS	2014-06-02	1
	OT MANUALLY UF DEL REFERENCEI		CHECKED	2014-06-03	1
TOLERANCE	S ARE IN INCHES, AND TOLERANCES ARE:	MILLIMETERS	MECH. ENG. NMT	2014-06-02	l
MILLIMETERS DECIMALS	INCHES DECIMALS	ANGLES ± 0.5°	ELEC. ENG. TJT	2014-06-02	1
XX. ± 1.0mm XX.X ± 0.5mm	X.X ± 0.1 X.XX ± 0.04	FRACTIONS	TEST ENG. JRT	2014-06-16	С
I	X.XXX ± 0.02	± 1/64	1.47	00140400	Π.

THIRD ANGLE PROJECTION



LED MINIBAR,8 HEAD,MAG MNT,12-24VDC,A,C1

EST ENG. JRT 2014-06-16 CUSTOMER PART NO. 5585A-MG SIZE: DWG.

MER PART NO.

85A-MG

DWG. NO.

5585A-MG

Electronically Controlled Use Latest Copy | SHEET 1 OF 1 | Project: LM14214 | Date Created: 2014-05-13

REV.