

REVISION HISTORY							
REV.	DESCRIPTION	DATE					
Α	INITIAL RELEASE PER EC4499	2017-04-04					
В	REVISED	2017-04-04					
С	REVISE PER EC4499	2017-04-25					

15'[4572] CORD W/ DUAL SWITCH LIGHTER ADAPTER

SPECIFICATIONS

Note: Unique components, accessories, and hardware kits are not typically Included in the Product Certification Test Protocols. Unless otherwise Specified, the Product Certifications referred to herein are predicated upon the base product model configuration.

2. FLASH MODE: DOUBLE: 75 ± 5 FLASHES PER MINUTE

QUAD: 75 ± 5 FLASHES PER MINUTE QUINT: 75 ± 5 FLASHES PER MINUTE

- 3. VOLTAGE (NOMINAL): 12 to 24 VDC
- 4. VOLTAGE (EXTREME): 9.0 to 32.0 VDC
- 5. CURRENT (PEAK): 6A (@ 12 VDC NOMINAL)
- 6. POWER (MAXIMUM): 76.8W (@ 12 VDC NOMINAL)
- 7. TEMPERATURE RANGE: -22°F (-30°C) TO 122°F (50°C)
- 8. CONNECTION: 15' CORD W/DUAL SWITCH LIGHTER ADAPTER
- 9. MOUNTING: VACUUM/MAGNET MOUNT
- 10. BASE MATERIAL: POLYCARBONATE
- 11. LENS MATERIAL: POLYCARBONATE
- 12. PRODUCT WEIGHT: 5.7 LBS (2.57 Kg)

2.8±0.2[72±5]

NOTES:

- 1. ROHS COMPLIANT
- 2. DIMENSIONS IN INCHES[MILLIMETERS (FOR REFERENCE)]

NON DISCLOSURE AGREEMENT

THIS DRAWING AND THE DESIGN IT DISCLOSES ARE THE PRIVATE PROPERTY OF ELECTRONIC CONTROLS CO. AND IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY THE DRAWING AND / OR DESIGN MAY NOT BE USED. COPIED, PEPRODUCED, OR ADDISCHERINGE INSCLOSED IN PAST OR A A WHOLE TO CUISIDERS OR USED FOR ANY OTHER PURPOSE WITHOUT HIE PRICE WRITTEN CONSENT OF ELECTRONIC CONTROLS CO. THE DRAWING IS SUBJECT TO RECALL AT ANY TIME, YOUR POSSESSION OF THIS DOCUMENT CONSTITUES ACCEPTANCE OF THESE TERM CONTROLS CONTROLS CONTROLS CONTROLS OF

SCALE 1:6			APP	PROVALS	DATE		_		_ ^		
CAD GENERATED DRAWING			DRAWN BY		2017-04-17			CCC]		
DO NOT MANUALLY UPDATE. MODEL REFERENCED: A			CHECKED	ABD	2017-04-18						
TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES UNLESS OTHERWISE STATED ARE:			MECH. ENG.	NMT	2017-04-17						
MILLIMETERS DECIMALS	INCHES DECIMALS	ANGLES ± 0.5°	ELEC. ENG.	JES	2017-04-21	LED N	INIB	AR,8 HEAD,	12-2	4VDC,A,C1	,VM
XX. ± 1.0mm XX.X ± 0.5mm	X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02	FRACTIONS	TEST ENG.	JRT	2017-04-17	CUSTOMER PAR				PRODUCT SERIES:	
THI	RD ANGLE PROJECTION	± 1/64	SALES.	ARS	2017-04-21	5590A-\	- 🗸 / 🗸 /				
						SIZE: A	DWG.	NO. 55	90A	-VM	REV.
			Electronically Controlled Use Latest Copy		SHEET 1 OF 1	Project:	EC4499	Date Cr	eated: 2017-03-30		