


REVISION HISTORY		
REV.	DESCRIPTION	DATE
02	REVISED PER LM13216	2014-09-16
03	REVISED PER LM13216	2014-09-25
A	INITIAL RELEASE PER LM13216	2014-10-15



SPECIFICATIONS



- CERTIFICATIONS: **CE**; ECE R10; SAE J595(NOV 2008) CLASS 1; YELLOW (AMBER);
Note: Unique components, accessories, and hardware kits are not typically Included in the Product Certification Test Protocols. Unless otherwise Specified, the Product Certifications referred to herein are predicated upon the base product model configuration.
- FLASH MODE: WIG WAG : 120 ± 5 FLASHES PER MINUTE
ALTERNATING : 120 ± 5 FLASHES PER MINUTE
- VOLTAGE (NOMINAL): 12 to 24 VDC
- VOLTAGE (EXTREME): 9.0 to 32 VDC
- CURRENT (PEAK): 1.6A (@ 12 VDC NOMINAL)
- POWER (MAXIMUM): 20.4W (@ 12 VDC NOMINAL)
- TEMPERATURE RANGE: -22°F (-30°C) TO 122°F (50°C)
- CONNECTION: 2-16 AWG WIRES AND 15' CABLE
- MOUNTING: MOUNTING KIT PROVIDED
- BASE MATERIAL: ALUMINUM
- LENS MATERIAL: POLYCARBONATE
- PRODUCT WEIGHT: 7.2 LBS (3.24 Kg)

NOTES:
1. DIMENSIONS IN INCHES[MILLIMETERS (FOR REFERENCE)]

THIS DRAWING AND THE DESIGN IT DISCLOSES ARE THE PRIVATE PROPERTY OF ECCO AND IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY. THE DRAWING AND / OR DESIGN MAY NOT BE USED, COPIED, REPRODUCED, OR OTHERWISE DISCLOSED IN PART OR AS A WHOLE TO OUTSIDERS OR USED FOR ANY OTHER PURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF ECCO. THE DRAWING IS SUBJECT TO RECALL AT ANY TIME. YOUR POSSESSION OF THIS DOCUMENT CONSTITUTES ACCEPTANCE OF THESE TERMS. © 2014 ECCO

SCALE 1:6		APPROVALS		DATE	
CAD GENERATED DRAWING DO NOT MANUALLY UPDATE. MODEL REFERENCED: A		DRAWN BY	SNS	2014-09-25	
		CHECKED	MDH	2014-09-29	
TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES ARE:		MECH. ENG.	JLA	2014-09-25	
		ELEC. ENG.	TJT	2014-10-13	
MILLIMETERS DECIMALS XX. ± 1.0mm XX.X ± 0.5mm		INCHES DECIMALS X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02		TEST ENG.	JRT
		ANGLES ± 0.5° FRACTIONS ± 1/64		SALES.	GLB
				Electronically Controlled Use Latest Copy	

ECCO®		
SAFETY DIRECTOR, 15', 12-24V, LED, AMBER		
CUSTOMER PART NO. ED3315A		PRODUCT SERIES: ED3300
SIZE: B	DWG. NO. ED3315A	REV. A
Project: LM13216		Date Created: 2014-09-09
SHEET 1 OF 2		



SCALE 1:2	SIZE: A	DWG. NO.	REV.
CAD GENERATED DRAWING DO NOT MANUALLY UPDATE. MODEL REFERENCED: A	SHEET 2 OF 2	ED3315A	A