

ELDORADO TIRE[®]

PASSENGER • PERFORMANCE • SUV / CUV / LIGHT TRUCK



2021

ELDORADO TIRE[®]

Since 1966, Eldorado[®] has been a leader in the replacement tire market and a key supplier to independent tire dealers throughout North America. The company's guiding principles of Performance, Engineering, Quality and Value continue to drive Eldorado[®] to remain a cornerstone of reliability and quality for our customers.

In addition to Eldorado[®] passenger and SUV/LT tires, our dealers have access to a comprehensive range of high-quality Commercial, Agricultural and Specialty tires, as well as supplemental products such as steel wheels, wheel weights, valve stems and tire equipment. We support all of our programs with informative point-of-sale material, attractive signage and superior customer service.

At Eldorado[®], our goal is to be your complete line supplier, with the products and programs you need and the service and support you deserve.

HIGH QUALITY & HIGH VALUE...

The Eldorado brand offers an exceptional collection of high-value passenger and light truck products and proudly features these lines.

SOLAR 4XS+



ELDORADO SPORT FURY AT4S



WILD TRAIL ALL TERRAIN XT



TABLE OF CONTENTS

TIRE SIZE MATRIX	PASSENGER	4-5
	SUV/LT	6-7
PRODUCT MAPS	PASSENGER	8
	SUV/LT	9
PASSENGER		
TOURING ALL-SEASON	ELDORADO LEGEND TOUR NXT	10-11
	ELDORADO TOURMAX GFT	12-13
PASSENGER ALL-SEASON	CUSTOM 428 A/S	14-15
PERFORMANCE ALL-SEASON	MIRADA SPORT GT2	16-17
	DORAL SDL-SPORT	18-19
	SOLAR 4XS+	20-21
ULTRA HIGH PERFORMANCE ALL-SEASON	VELOZZA ZXV4	22-23
COSMETIC PERFORMANCE	GRAND PRIX PERFORMANCE G/T	24-25
SUV/CUV/LIGHT TRUCK		
HIGHWAY ALL-SEASON SUV/LT	ELDORADO HTX SPORT	26-27
	WILD SPIRIT SPORT HXT	28-29
	TRAIL GUIDE HLT	30-31
	WILD TRAIL TOURING CUV	32-33
	WILD TRAIL COMMERCIAL LT	34-35
	WILD SPIRIT HST-C	36-37
ALL-TERRAIN SUV/LT	ELDORADO SPORT FURY AT4S	38-39
	WILD TRAIL ALL TERRAIN XT	40-41
	TRAIL GUIDE ALL TERRAIN	42-43
COMMERCIAL TRACTION SUV/LT	WILD TRAIL CTX	44-45
TRACTION LT	MUD CLAW EXTREME MT	46-47
ADDITIONAL RESOURCES	ADDITIONAL TIRE PICTURES	48
	ONLINE RESOURCES	49

Every effort has been made to verify the accuracy of the listed specifications. TBC Corporation and TBC Brands cannot be held responsible for any discrepancies, and as such, the information should be considered as approximate.

TIRE SIZE MATRIX PASSENGER

RIM DIAMETER	ASPECT RATIO	SIZE	TOURING ALL-SEASON		PASSENGER ALL-SEASON	PERFORMANCE ALL-SEASON			ULTRA HIGH PERFORMANCE ALL-SEASON	COSMETIC PERFORMANCE		
			ELDORADO LEGEND TOUR NXT	ELDORADO TOURMAX GFT	CUSTOM 428 A/S	MIRADA SPORT GT2	DORAL SDL-SPORT	SOLAR 4XS+	VELOZZA ZXV4	GRAND PRIX PERFORMANCE G/T		
12	80	155/80R12		77T								
14	75	195/75R14			92S							
		205/75R14			95S							
	70	175/70R14		84T								
		185/70R14		88T			88S	88T				
		195/70R14		91T			91S	91T				
		215/70R14								96T		
	65	175/65R14		82T			82T	82T		98T		
		185/65R14		86T			86H	85H				
		185/60R14					82H	82H				
		195/60R14					86H	86H				
15	80	165/80R15		87T								
		75	205/75R15			97S						
			215/75R15			100S						
			225/75R15			102S						
			235/75R15			105S						
		70	205/70R15		96T	95S		96S	96T			
			215/70R15		98T	97S		98S	98T		97T	
			225/70R15			100S						
			255/70R15								108T	
	65	175/65R15						84H	84H			
185/65R15			88T	88T			88H	86H				
		195/65R15	91T, 91H	91T		91H	91H	89H				
		205/65R15	94H	94T		94H	94H	92H				
		215/65R15		96T			96H	95H				
60		185/60R15		84T	84T			84T	84H			
			195/60R15	88T, 88H	88H			88H	87H			
			205/60R15		91H			91H	90H			
			215/60R15		94H			94H	93H			
			235/60R15								98T	
		245/60R15								100T		
		275/60R15								107T		
55	195/55R15			85V								
	50	295/50R15										
16	70	215/70R16	100T									
			225/70R16	103T								
			235/70R16	106T								
	65	205/65R16		95H	95H			95H	95H			
			215/65R16		98T			98T	96H			
			225/65R16		100T			100T	100T			
			235/65R16		103T			103T	103T			
	60	205/60R16		92H, 92V	92H			92H	91H			
			215/60R16		95T, 95H	95T		99H	95H	95V		
			225/60R16		98T	98T		98H	98H	97H		
		235/60R16		100V	100H		100H					
55	195/55R16						87V	87V				
		205/55R16		91H	91H		91V	91H	91H	91W		
		215/55R16		93H	97H			93H	93H	97W		
		225/55R16			99H			95H	95H			
	50	195/50R16						84V	84V			
		205/50R16			87V			87H	91H			
		225/50R16		92H								
45	205/45R16									87W		
	60	215/60R17		96T	96T			96T	95H			
			225/60R17		99T	99T			99H	98H		
			235/60R17		102T							
55	215/55R17		94V	94V			94V	94V	94V	98W		
		225/55R17		97T, 97V	97T			97V	97V	97V	101W	
		235/55R17		99H	99V			99H	99H	99W	103W	
17	65	215/65R17		99T	99T			99T	98T			
			225/65R17		102T, 102H	102T			102H	102H		
			235/65R17		104H			104H				
			245/65R17		107T							
		265/65R17		112T								

RIM DIAMETER	ASPECT RATIO	SIZE	TOURING ALL-SEASON		PASSENGER ALL-SEASON	PERFORMANCE ALL-SEASON			ULTRA HIGH PERFORMANCE ALL-SEASON	COSMETIC PERFORMANCE
			ELDORADO LEGEND TOUR NXT	ELDORADO TOURMAX GFT	CUSTOM 428 A/S	MIRADA SPORT GT2	DORAL SDL-SPORT	SOLAR 4XS+	VELOZZA ZXV4	GRAND PRIX PERFORMANCE G/T
17	50	205/50R17	89W	89V					93W	
		215/50R17	91V	95V		91W	95V	95V	95W	
		225/50R17	94V	94V		94W	94V	98V	98W	
		235/50R17				100W			96W	
	45	205/45R17							88W	
		215/45R17	87H, 87W	91H		87W			91W	
		225/45R17	91H, 91W			91W	91H	94H	94W	
		235/45R17	94W			94W	94H	94H	97W	
		245/45R17				95W			99W	
	40	205/40R17							84W	
		215/40R17							87W	
		245/40R17							95W	
		275/40R17				98W				
18	65	235/65R18	106T							
	60	225/60R18				100H				
		235/60R18	103H				103H	103H		
		245/60R18	105T							
		265/60R18	110T							
	55	225/55R18	98H				98H	98H	98V	
		235/55R18	100V				100V	99V		
	50	225/50R18	95H	95H		95W	95H	95H		
		235/50R18	101V	97W		101W	97H	97W	97W	
		245/50R18	100W						104Y	
	45	215/45R18				89W				
		225/45R18	91W	95W		91W	95V	95W	95W	
		235/45R18							98V	
		245/45R18	96W	100W		100W	100V	100V	100W	
		255/45R18							103W	
	40	225/40R18		92V		88W			92W	
		235/40R18							95W	
		245/40R18		97W					97Y	
	35	215/35R18							84W	
		255/35R18							94W	
19	60	255/60R19	109H	108H						
	55	225/55R19		99H		225/55R19				
		235/55R19	105H	101H						
	50	255/50R19							107V	
	45	245/45R19							98W	
	40	235/40R19		96V					96V	
		245/40R19							98Y	
		255/40R19							100H	
	35	235/35R19							91W	
		255/35R19							96W	
20	60	275/60R20							119H	
	55	275/55R20							117V	
	50	285/50R20							116V	
	45	245/45R20							103W	
		255/45R20							105W	
		275/45R20							110V	
	40	275/40R20							106V	
	35	225/35R20							90W	
		245/35R20							95W	
		255/35R20							97W	
		225/30R20							85Y	
22	40	305/40R22							114V	
	35	265/35R22							102W	
	30	235/30R22							90W	
		245/30R22							92W	
		255/30R22							95W	
24	35	295/35R24							110V	
		305/35R24							112V	


TIRE SIZE MATRIX SUV/LT

RIM DIAMETER	ASPECT RATIO	SIZE	HIGHWAY ALL-SEASON SUV/LT						ALL-TERRAIN SUV/LT			COMMERCIAL TRACTION	TRACTION LT	
			ELDORADO HTX SPORT	WILD SPIRIT SPORT HXT	TRAIL GUIDE HLT	WILD TRAIL TOURING CUV	WILD TRAIL COMMERCIAL LT	WILD SPIRIT HST-C	ELDORADO SPORT FURY AT4S	WILD TRAIL ALL TERRAIN XT	TRAIL GUIDE ALL TERRAIN	WILD TRAIL CTX	MUD CLAW EXTREME MT	
15	75	235/75R15			SL / OWL					XL / RBL	XL / BLK	XL / OWL		
	70	195/70R15C						D / BLK						
	65	205/65R15C						D / BLK						
16	60	185/60R15C						C / BLK						
	75	195/75R16C						D / BLK						
		225/75R16	SL / BLK											
		225/75R16C						E / BLK						
		235/75R16	SL / BLK											
		245/75R16	SL / BLK		SL / OWL				SL / RBL	SL / BLK	SL / OWL			
		265/75R16	SL / BLK		SL / OWL				SL / RBL	SL / BLK	SL / OWL			
	70	215/70R16	SL / BLK		SL / BLK									
		225/70R16	SL / BLK			SL / BLK								
		235/70R16	SL / BLK		SL / OWL	SL / BLK			SL / RBL	XL / BLK	SL / OWL			
		245/70R16	SL / BLK		SL / OWL	SL / BLK			SL / RBL	XL / BLK				
		255/70R16	SL / BLK		SL / OWL	SL / BLK			SL / RBL					
		265/70R16	SL / BLK		SL / OWL	SL / BLK			SL / RBL	SL / BLK	SL / OWL			
	65	235/65R16C						E / BLK						
	55	215/55R16						XL / BLK						
17	75	235/75R17							SL / RBL					
	70	235/70R17	XL / BLK	XL / BLK					XL / RBL					
		245/70R17	SL / BLK		SL / OWL	SL / BLK			SL / RBL	TBD / BLK				
		255/70R17							SL / RBL					
		265/70R17	SL / BLK		SL / OWL	SL / BLK			SL / RBL	SL / BLK	SL / OWL			
	65	215/65R17		SL / BLK										
		225/65R17	SL / BLK	SL / BLK	SL / BLK	SL / BLK								
		235/65R17	SL / BLK		SL / OWL	XL / BLK								
		245/65R17	SL / BLK		SL / OWL	SL / BLK			SL / RBL	XL / BLK	SL / OWL			
		255/65R17							SL / RBL					
		265/65R17	SL / BLK		SL / BLK				SL / RBL		SL / OWL			
	18	60	225/60R17		SL / BLK									
		235/60R17		XL / BLK										
70		255/70R18	SL / BLK	SL / BLK					SL / RBL					
		265/70R18	SL / BLK	SL / BLK					SL / RBL					
65		235/65R18	SL / BLK	SL / BLK	SL / BLK									
		255/65R18	SL / BLK	SL / BLK	SL / BLK	SL / BLK								
		265/65R18	SL / BLK	SL / BLK					SL / RBL					
		275/65R18	SL / BLK	SL / BLK	SL / OWL				SL / RBL	TBD / BLK	SL / OWL			
60		235/60R18	XL / BLK	XL / BLK	SL / BLK									
		245/60R18	SL / BLK	SL / BLK	SL / BLK									
19		265/60R18	SL / BLK	SL / BLK	SL / BLK				SL / RBL					
	55	225/55R18		SL / BLK										
		235/55R18	SL / BLK	SL / BLK	SL / BLK									
		255/55R18	XL / BLK	XL / BLK	XL / BLK									
	60	255/60R19	SL / BLK	SL / BLK	SL / BLK									
		225/55R19	SL / BLK											
		235/55R19	XL / BLK	XL / BLK	SL / BLK									
		245/55R19	SL / BLK	SL / BLK	SL / BLK									
20	50	255/50R19	XL / BLK	XL / BLK										
	45	235/45R19	XL / BLK											
	60	245/60R20	SL / BLK		SL / BLK									
		275/60R20	SL / BLK		SL / BLK				SL / RBL		SL / BLK			

RIM DIAMETER	ASPECT RATIO	SIZE	HIGHWAY ALL-SEASON SUV/LT						ALL-TERRAIN SUV/LT			COMMERCIAL TRACTION	TRACTION LT
			ELDORADO HTX SPORT	WILD SPIRIT SPORT HXT	TRAIL GUIDE HLT	WILD TRAIL TOURING CUV	WILD TRAIL COMMERCIAL LT	WILD SPIRIT HST-C	ELDORADO SPORT FURY AT4S	WILD TRAIL ALL TERRAIN XT	TRAIL GUIDE ALL TERRAIN	WILD TRAIL CTX	MUD CLAW EXTREME MT
20	55	235/55R20	SL / BLK		SL / BLK								
		255/55R20	SL / BLK		SL / BLK								
		275/55R20	XL / BLK	SL / BLK	XL / BLK	XL / BLK			XL / RBL	XL / BLK	XL / BLK		
	50	245/50R20	SL / BLK	SL / BLK									
		255/50R20	XL / BLK	XL / BLK	SL / BLK								
		265/50R20	SL / BLK	SL / BLK	SL / BLK								
	45	275/45R20	XL / BLK										
22	50	275/50R22	SL / BLK										
	45	275/45R22	XL / BLK										
		285/45R22	SL / BLK										
15	75	LT235/75R15								E / BLK			C / BLK
16	85	LT215/85R16			E / BLK			E / BLK		E / BLK			
		LT235/85R16	E / BLK		E / BLK			E / BLK	E / RBL	E / BLK	E / BLK	E / BLK	E / BLK
	75	LT225/75R16	E / BLK		E / BLK			E / BLK	E / RBL	E / BLK	E / BLK	E / BLK	
		LT245/75R16	E / BLK		E / OWL			E / BLK	E / RBL	E / BLK	E / BLK	E / BLK	E / BLK
		LT265/75R16	E / BLK		E / OWL			E / BLK	E / RBL	E / BLK	E / OWL	E / BLK	E / BLK
		LT285/75R16							E / RBL	E / BLK	E / OWL	E / BLK	E / BLK
		LT315/75R16											D / BLK
17	80	LT235/80R17	E / BLK		E / BLK				E / RBL	TBD / BLK	E / OWL	E / BLK	E / BLK
	75	LT245/75R17	E / BLK		E / OWL			E / BLK	E / RBL	E / BLK	E / OWL	E / BLK	E / BLK
	70	LT245/70R17	E / BLK		E / OWL			E / BLK	E / RBL	TBD / BLK	E / OWL	E / BLK	
		LT265/70R17	E / BLK		E / OWL			E / BLK	E / RBL	E / BLK	E / OWL	E / BLK	E / BLK
		LT285/70R17							E / RBL	E / BLK	E / OWL	E / BLK	E / BLK
		LT295/70R17										E / BLK	E / BLK
		LT315/70R17							E / RBL				D / BLK
18	70	LT265/70R18	E / BLK		E / BLK				E / RBL	TBD / BLK	E / BLK		
	70	LT275/70R18	E / BLK		E / OWL			E / BLK	E / RBL	TBD / BLK	E / OWL	E / BLK	E / BLK
		LT295/70R18										E / BLK	
		LT305/70R18											E / BLK
	65	LT275/65R18	E / BLK		E / OWL				E / RBL	TBD / BLK	E / OWL	E / BLK	E / BLK
		LT285/65R18							E / RBL	TBD / BLK			
		LT325/65R18							E / RBL				
20	65	LT275/65R20	E / BLK		E / BLK				E / RBL	TBD / BLK	E / BLK		
	60	LT265/60R20							E / RBL	TBD / BLK			
		LT285/60R20							E / RBL				
		LT325/60R20							D / RBL				
		LT285/55R20							E / RBL	TBD / BLK			
	55	LT305/55R20							E / RBL				E / BLK
15		30X9.50R15LT											C / BLK
		31X10.50R15LT							C / RBL	C / BLK	C / OWL		C / BLK
		32X11.50R15LT											C / BLK
		33X12.50R15LT											C / BLK
		35X12.50R15LT											C / BLK
17		33X12.50R17LT											D / BLK
		35X12.50R17LT											E / BLK
		37X12.50R17LT											D / BLK
18		33X12.50R18LT											F / BLK
		35X12.50R18LT											F / BLK
20		33X12.50R20LT								TBD / BLK			F / BLK
		35X12.50R20LT							E / RBL	E / BLK		E / BLK	F / BLK
		37X12.50R20LT											F / BLK
22		35X12.50R22LT											F / BLK
		37X13.50R22LT											F / BLK


PRODUCT MAP

PASSENGER



SUV/LT

OPTIMUM



ELDORADO LEGEND TOUR NXT

TOURING ALL-SEASON

The Eldorado Legend Tour NXT is the next evolution of the all-season performance touring tire engineered to go beyond expectations! This tire is the perfect choice for drivers of performance-oriented sedans, with uniquely tuned sizes to meet the durability requirements of later model crossovers and SUVs.

FEATURES & BENEFITS

- Precision engineered design for quiet, comfortable ride and exceptional high speed stability
- Uniquely blended tread compound combines outstanding wet traction performance with extended, even wear
- Reinforced large block shoulder area provides confident cornering capability and handling

SIZES

- Broad sizing in T, H, V & W-rated sizes from 15" - 19" for expanded market coverage

FITS

- Sedans, coupes, CUVs and SUVs

WARRANTY

-  85,000-mile/137,000-km. limited treadwear warranty (T-Rated)
-  65,000-mile/105,000-km. limited treadwear warranty (H & V-rated)
-  50,000-mile/80,000-km. limited treadwear warranty (W-Rated)
-  60,000-mile/96,000-km. limited treadwear warranty (CUV/SUV sizes)
-  Lifetime replacement for workmanship and material defects
-  2-year Roadside Assistance coverage
-  30-day test drive



PERFORMANCE



ELDORADO LEGEND TOUR NXT TOURING ALL-SEASON

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
NXT27	185/65R15	88T	SL	700 A B	11	BLK	5.5	7.40	24.40	1235 @ 44	25
NXT40	195/65R15	91T	SL	700 A B	12	BLK	6.0	7.90	25.00	1356 @ 44	25
GLX28*	195/65R15	91H	SL	600 A A	11	BLK	6.0	8.00	25.00	1356 @ 51	24
NXT44	205/65R15	94H	SL	600 A A	11	BLK	6.0	8.20	25.50	1477 @ 51	24
GLX73*	185/60R15	84T	SL	700 A B	11	BLK	5.5	7.30	23.80	1102 @ 44	25
NXT43	195/60R15	88T	SL	700 A B	12	BLK	6.0	7.90	24.20	1235 @ 44	25
GLX41*	195/60R15	88H	SL	600 A A	11	BLK	6.0	7.90	24.20	1235 @ 51	23
NXT12^	215/70R16	100T	SL	600 A B	12	BLK	6.5	8.90	27.80	1764 @ 44	25
GCX77***^	225/70R16	103T	SL	600 A B	12	BLK	6.5	9.20	28.40	1929 @ 44	26
NXT53^	235/70R16	106T	SL	600 A B	12	BLK	7.0	9.60	28.90	2094 @ 44	26
NXT51	205/65R16	95H	SL	600 A A	12	BLK	6.0	8.30	26.50	1521 @ 51	23
NXT55	215/65R16	98T	SL	700 A B	12	BLK	6.5	8.70	27.00	1653 @ 44	25
NXT83	225/65R16	100T	SL	700 A B	12	BLK	6.5	9.10	27.60	1764 @ 51	26
NXT99	235/65R16	103T	SL	700 A B	12	BLK	7.0	9.60	27.90	1929 @ 44	26
NXT18	205/60R16	92H	SL	600 A A	11	BLK	6.0	8.20	25.60	1389 @ 51	24
GLX61*	205/60R16	92V	SL	600 A A	11	BLK	6.0	8.20	25.60	1389 @ 51	24
NXT46	215/60R16	95T	SL	700 A B	12	BLK	6.5	8.60	26.10	1521 @ 44	25
NXT48	215/60R16	95H	SL	600 A A	11	BLK	6.5	8.50	26.10	1521 @ 51	24
NXT52	225/60R16	98T	SL	700 A B	12	BLK	6.5	8.90	26.50	1653 @ 44	25
GLX56*	235/60R16	100V	SL	600 A A	11	BLK	7.0	9.50	27.00	1764 @ 51	24
NXT42	205/55R16	91H	SL	600 A A	11	BLK	6.5	8.40	24.80	1356 @ 51	23
GLX57*	215/55R16	93H	SL	600 A A	11	BLK	7.0	8.80	25.20	1433 @ 51	24
GLX31*	215/65R17	99T	SL	700 A B	12	BLK	6.5	8.60	28.00	1709 @ 44	25
GLX76*	225/65R17	102H	SL	600 A A	11	BLK	6.5	9.00	28.60	1874 @ 51	24
NXT78^	225/65R17	102T	SL	600 A B	12	BLK	6.5	9.00	28.50	1874 @ 44	26
NXT82^	235/65R17	104H	SL	600 A A	11	BLK	7.0	9.50	28.90	1984 @ 51	24
NXT67^	245/65R17	107T	SL	600 A B	12	BLK	7.0	9.70	29.50	2149 @ 44	26
GCX59***^	265/65R17	112T	SL	600 A B	12	BLK	8.0	11.00	30.50	2469 @ 44	26
NXT11	215/60R17	96T	SL	700 A B	12	BLK	6.5	8.60	27.20	1565 @ 44	25
NXT96	225/60R17	99T	SL	700 A B	12	BLK	6.5	8.80	27.70	1709 @ 44	25
NXT07	235/60R17	102T	SL	700 A B	12	BLK	7.0	9.40	28.00	1874 @ 44	26
NXT08	215/55R17	94V	SL	600 A A	11	BLK	7.0	8.70	26.30	1477 @ 51	24
NXT88	225/55R17	97T	SL	700 A B	12	BLK	7.0	9.00	26.70	1609 @ 44	25
GLX87*	225/55R17	97V	SL	600 A A	11	BLK	7.0	9.00	26.70	1609 @ 51	24
GLX89*	235/55R17	99H	SL	600 A A	11	BLK	7.5	9.50	27.10	1709 @ 51	24
GLX90*	205/50R17	89W	SL	440 A A	11	BLK	6.5	8.30	25.20	1279 @ 51	23
GLX58*	215/50R17	91V	SL	600 A A	11	BLK	7.0	8.80	25.60	1356 @ 51	24
NXT66	225/50R17	94V	SL	600 A A	11	BLK	7.0	9.10	25.90	1477 @ 51	24
GLX97*	215/45R17	87H	SL	600 A A	11	BLK	7.0	8.40	24.80	1201 @ 51	23
GLX25*	215/45R17	87W	SL	440 A A	11	BLK	7.0	8.40	24.80	1201 @ 51	23
GLX74*	225/45R17	91H	SL	600 A A	11	BLK	7.5	8.90	25.00	1356 @ 51	23
NXT71	225/45R17	91W	SL	440 A A	11	BLK	7.5	8.90	25.00	1356 @ 51	23
GLX54*	235/45R17	94W	SL	440 A A	11	BLK	8.0	9.40	25.40	1477 @ 51	23
NXT05^	235/65R18	106T	SL	600 A B	12	BLK	7.0	9.50	30.00	2094 @ 44	25
NXT49^	235/60R18	103H	SL	600 A A	11	BLK	7.0	9.30	29.10	1929 @ 51	24
NXT68^	245/60R18	105T	SL	600 A B	12	BLK	7.0	9.60	29.60	2039 @ 44	25
GCX91***^	265/60R18	110T	SL	600 A B	12	BLK	8.0	10.60	30.50	2337 @ 44	25
GLX92*	225/55R18	98H	SL	600 A A	10	BLK	7.0	9.17	27.76	1653 @ 51	27
NXT34	235/55R18	100V	SL	600 A A	11	BLK	7.5	9.40	28.00	1764 @ 51	24
GLX24*	225/50R18	95H	SL	600 A A	10	BLK	7.0	9.25	26.85	1521 @ 51	26
NXT13	235/50R18	101V	XL	440 A A	11	BLK	7.5	9.60	27.30	1819 @ 50	24
GLX02*	245/50R18	100W	SL	440 A A	10	BLK	7.5	10.00	27.70	1764 @ 51	30
GLX14*	225/45R18	91W	SL	440 A A	11	BLK	7.5	8.90	26.10	1356 @ 51	23
GLX17*	245/45R18	96W	SL	440 A A	11	BLK	8.0	9.50	26.70	1565 @ 51	23
NXT72^	255/60R19	109H	SL	600 A A	11	BLK	7.5	10.20	31.10	2271 @ 51	38
GLX86*	235/55R19	105H	XL	600 A A	11	BLK	7.5	9.65	29.17	2039 @ 50	32

*Branded Grand Spirit L/X; slightly different tread design. (See page 48)

**Branded Grand Spirit C/X; slightly different tread design. (See page 48)

^ CUV/SUV sizes: 60,000-mile limited warranty

ELDORADO TOURMAX GFT

TOURING ALL-SEASON

The next generation broadmarket powerline that combines superior quality, market-aligned sizing and two highly efficient, all-weather touring designs. The Eldorado Tourmax GFT powerline packages ride comfort, all-weather traction and superior handling to create our best tire value.

FEATURES & BENEFITS

- Technology-driven tread design for superior all-weather performance
- Precision engineered for even wear and long tread life
- Full-depth siping for long lasting wet and winter traction
- Notched center rib with multi-element blading for improved handling and steering response
- Low rolling resistance for enhanced fuel efficiency

SIZES

- Broad sizing in 12" - 19" S, T, H and V-rated fitments for expanded market coverage

FITS

- Broadline sedans, coupes, compacts and vans



WARRANTY



60,000-mile/96,000-km. limited treadwear warranty (T-Rated)



50,000-mile/80,000-km. limited treadwear warranty (S,H and V-Rated)



45,000-mile/72,000-km. limited treadwear warranty (W-rated)

PERFORMANCE

DRY HANDLING		9
QUIET RIDE		9
RIDE COMFORT		9
TREAD LIFE		9
WET PERFORMANCE		9

ELDORADO TOURMAX GFT TOURING ALL-SEASON

ARTICLE NO.	TIRE SIZE	BRANDED AS	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
CPT05	155/80R12	Classic All Season*	77T	SL	-	9	BLK	4.5	6.20	21.50	908 @ 44	13
GPS21	175/70R14	Grand Prix Tour RS**	84T	SL	500 A B	10	SBL	5.0	6.97	23.70	1102 @ 44	18
GFT24	185/70R14	Eldorado Tourmax GFT	88T	SL	500 A B	10	BLK	5.5	7.44	24.25	1234 @ 44	18
GFT38	195/70R14	Eldorado Tourmax GFT	91T	SL	500 A B	10	BLK	6.0	7.91	24.80	1355 @ 44	20
GFT61	175/65R14	Eldorado Tourmax GFT	82T	SL	500 A B	10	BLK	5.0	6.97	22.99	1047 @ 44	16
GFT62	185/65R14	Eldorado Tourmax GFT	86T	SL	500 A B	10	BLK	5.5	7.44	23.46	1168 @ 44	17
CPT08	165/80R15	Classic All Season*	87T	SL	280 B B	9	BLK	4.5	6.90	25.50	1200 @ 44	15
GFT29	205/70R15	Eldorado Tourmax GFT	96T	SL	500 A B	10	BLK	6.0	8.70	26.89	1565 @ 44	24
GFT33	215/70R15	Eldorado Tourmax GFT	98T	SL	500 A B	10	BLK	6.5	8.23	26.34	1653 @ 44	25
GFT25	185/65R15	Eldorado Tourmax GFT	88T	SL	500 A B	10	BLK	5.5	7.44	24.45	1234 @ 44	18
GFT28	195/65R15	Eldorado Tourmax GFT	91T	SL	500 A B	10	BLK	6.0	7.91	25.00	1355 @ 44	20
GFT30	205/65R15	Eldorado Tourmax GFT	94T	SL	500 A B	10	BLK	6.0	8.23	26.46	1477 @ 44	22
GPS68	215/65R15	Grand Prix Tour RS**	96T	SL	500 A B	10	SBL	6.5	8.70	26.02	1565 @ 44	25
GFT73	185/60R15	Eldorado Tourmax GFT	84T	SL	500 A B	10	BLK	5.5	7.44	23.74	1102 @ 44	19
GFT41	195/60R15	Eldorado Tourmax GFT	88H	SL	460 A A	10	BLK	6.0	7.91	24.21	1234 @ 44	18
GPS43	205/60R15	Grand Prix Tour RS**	91H	SL	460 A A	11	SBL	6.0	8.23	24.69	1356 @ 44	21
GPS22	215/60R15	Grand Prix Tour RS**	94H	SL	460 A A	10	BLK	6.5	8.23	25.67	1477 @ 44	23
GFT27	195/55R15	Eldorado Tourmax GFT	85V	SL	380 A A	10	BLK	6.0	7.91	23.43	1135 @ 44	18
GFT54	205/65R16	Eldorado Tourmax GFT	95H	SL	460 A A	10	BLK	6.0	8.70	27.01	1521 @ 44	21
GFT10	215/65R16	Eldorado Tourmax GFT	98T	SL	500 A B	10	BLK	6.5	8.23	25.47	1653 @ 44	25
GFT83	225/65R16	Eldorado Tourmax GFT	100T	SL	500 A B	10	BLK	6.5	8.98	27.48	1763 @ 44	26
GFT99	235/65R16	Eldorado Tourmax GFT	103T	SL	500 A B	10	BLK	7.0	9.45	28.03	1929 @ 44	27
GFT18	205/60R16	Eldorado Tourmax GFT	92H	SL	460 A A	10	BLK	6.0	8.70	25.16	1388 @ 44	22
GFT48	215/60R16	Eldorado Tourmax GFT	95T	SL	500 A B	10	BLK	6.5	8.70	26.14	1521 @ 44	24
GFT52	225/60R16	Eldorado Tourmax GFT	98T	SL	500 A B	10	BLK	6.5	8.70	27.17	1653 @ 44	25
GPS56	235/60R16	Grand Prix Tour RS**	100H	SL	460 A A	11	SBL	7.0	9.45	27.09	1764 @ 44	27
GFT42	205/55R16	Eldorado Tourmax GFT	91H	SL	460 A A	10	BLK	6.5	8.43	24.88	1355 @ 44	21
GFT57	215/55R16	Eldorado Tourmax GFT	97H	XL	460 A A	10	BLK	7.0	8.90	25.28	1609 @ 44	23
GPS42	225/55R16	Grand Prix Tour RS**	99H	RF	460 A A	11	SBL	7.0	9.17	25.75	1709 @ 50	26
GFT67	205/50R16	Eldorado Tourmax GFT	87V	SL	380 A A	10	BLK	6.5	8.43	24.09	1201 @ 44	21
GPS45	225/50R16	Grand Prix Tour RS**	92H	SL	460 A A	10	SBL	7.0	9.17	24.88	1389 @ 44	25
GPS31	215/65R17	Grand Prix Tour RS**	99T	SL	500 A B	10	SBL	6.5	8.70	28.03	1709 @ 50	26
GFT76	225/65R17	Eldorado Tourmax GFT	102T	SL	500 A B	10	BLK	6.5	8.98	28.50	1653 @ 44	30
GFT79	215/60R17	Eldorado Tourmax GFT	96T	SL	500 A B	10	BLK	6.5	8.98	27.64	1565 @ 44	25
GFT55	225/60R17	Eldorado Tourmax GFT	99T	SL	500 A B	10	BLK	6.5	8.98	26.61	1708 @ 44	26
GFT08	215/55R17	Eldorado Tourmax GFT	94V	SL	380 A A	10	BLK	7.0	8.90	26.30	1477 @ 44	25
GFT88	225/55R17	Eldorado Tourmax GFT	97T	SL	500 A B	10	BLK	7.0	9.17	26.77	1609 @ 44	26
GFT89	235/55R17	Eldorado Tourmax GFT	99V	SL	380 A A	10	BLK	7.5	9.65	27.17	1709 @ 44	30
GFT12	205/50R17	Eldorado Tourmax GFT	89V	SL	380 A A	10	BLK	6.5	8.43	25.12	1278 @ 44	21
GPS58	215/50R17	Grand Prix Tour RS**	95V	RF	380 A A	11	SBL	7.0	8.90	25.51	1521 @ 50	25
GFT66	225/50R17	Eldorado Tourmax GFT	94V	SL	380 A A	10	BLK	7.0	9.17	25.91	1477 @ 44	25
GFT53	215/45R17	Eldorado Tourmax GFT	91H	XL	460 A A	10	BLK	7.0	8.39	24.65	1356 @ 50	21
GFT26	225/50R18	Eldorado Tourmax GFT	95H	SL	460 A A	10	BLK	7.0	9.17	26.89	1521 @ 44	29
GFT13	235/50R18	Eldorado Tourmax GFT	97W	SL	380 A A	10	BLK	7.5	9.65	27.28	1609 @ 44	26
GPS14	225/45R18	Grand Prix Tour RS**	95W	XL	380 A A	10	BLK	7.5	8.86	25.94	1521 @ 50	23
GPS17	245/45R18	Grand Prix Tour RS**	100W	XL	380 A A	10	BLK	8.0	9.57	26.65	1764 @ 50	25
NEW! GPS78	225/40R18	Grand Prix Tour RS**	92V	SL	380 A A	10	BLK	8.0	9.06	25.08	1389 @ 50	24
GPS75	245/40R18	Grand Prix Tour RS**	97W	XL	380 A A	10	BLK	8.5	9.76	25.71	1609 @ 50	24
NEW! GFT74	255/60R19	Eldorado Tourmax GFT	108H	SL	460 A A	11	BLK	7.5	10.24	31.06	2271 @ 44	34
NEW! GFT23	225/55R19	Eldorado Tourmax GFT	99H	SL	460 A A	10	BLK	7.0	9.17	28.78	1709 @ 44	26
NEW! GFT36	235/55R19	Eldorado Tourmax GFT	101H	SL	460 A A	10	BLK	7.5	9.65	29.17	1819 @ 44	32
NEW! GFT11	235/40R19	Eldorado Tourmax GFT	96V	XL	380 A A	10	BLK	8.5	9.49	26.42	1565 @ 50	26

* Branded Classic All Season, different tread design (See page 48)
 ** Branded Grand Prix Tour RS, different tread design (See page 48)

CUSTOM 428 A/S

PASSENGER ALL-SEASON

Dependable and affordable all-season passenger tire. The Custom 428 A/S features attractive white sidewall styling and 9 popular 70/75 series sizes. All-season tread design for dependable traction and handling.

FEATURES & BENEFITS

- White sidewall
- Smooth, quiet ride
- M & S rated for year-round performance capability
- Economy priced
- 4 circumferential grooves provide outstanding water evacuation

SIZES


- Available in 14" & 15" S-rated sizes

FITS

- Sedans, coupes, compacts and minivans



PERFORMANCE



CUSTOM 428 A/S PASSENGER ALL-SEASON

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
CUS39	P195/75R14	92S	SL	440 A B	10	WSW	5.5	7.72	25.51	1400 @ 44	18
CUS47	P205/75R14	95S	SL	440 A B	10	WSW	5.5	7.99	26.14	1532 @ 44	20
CUS34	P205/75R15	97S	SL	440 A B	10	WSW	5.5	7.99	27.13	1598 @ 44	22
CUS45	P215/75R15	100S	SL	440 A B	10	WSW	6.0	8.50	27.68	1742 @ 44	23
CUS49	P225/75R15	102S	SL	440 A B	10	WSW	6.0	8.78	28.31	1874 @ 44	24
CUS64	P235/75R15	105S	SL	440 A B	10	WSW	6.5	9.25	28.86	2028 @ 44	27
CUS29	P205/70R15	95S	SL	440 A B	10	BSW	6.0	8.23	26.34	1499 @ 44	21
CUS33	P215/70R15	97S	SL	440 A B	10	WSW	6.5	8.70	26.89	1620 @ 44	23
CUS96	P225/70R15	100S	SL	440 A B	11	WSW	6.5	8.98	27.44	1753 @ 44	25



MIRADA SPORT GT2

PERFORMANCE ALL-SEASON

The Mirada Sport GT2 – a true high-performance, all-season tire – provides long-lasting treadwear, responsive handling and all-weather traction. This tire delivers the perfect balance of performance and comfort, making it an ideal choice for performance sedans, coupes, compacts and SUVs.

FEATURES & BENEFITS

- Optimized directional tread for ultra-responsive steering and a smooth, quiet ride
- Wide, deep circumferential grooves to maximize traction and vehicle response
- Wide tread channels for superior hydroplane resistance
- Large shoulder blocks for exceptional cornering and handling
- All-season tread compound and variable siped pattern for year-round grip

SIZES





- Broad range of 15" - 18" H, V & W-rated sizes for expanded market coverage

FITS


- Performance sedans, coupes, compacts and SUVs



WARRANTY

-  60,000-mile/96,000-km. limited treadwear warranty (H & V Rated)
-  40,000-mile/64,000-km. limited treadwear warranty (W-rated)
-  Replacement first 50% treadwear for workmanship & materials
-  2-year Roadside Assistance available

PERFORMANCE



Designed and Engineered in Japan and Manufactured by Sumitomo Rubber Industries.
Exclusively marketed and distributed in North America by TBC Brands.

MIRADA SPORT GT2 PERFORMANCE ALL-SEASON

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
MSG28	195/65R15	91H	SL	480 AA	10	BLK	6.0	7.96	25.00	1356 @ 51	19
MSG30	205/65R15	94H	SL	480 AA	10	BLK	6.0	8.34	25.44	1477 @ 51	21
MSG49	215/60R16	99H	XL	480 AA	10	BLK	6.5	8.68	26.12	1709 @ 50	25
MSG52	225/60R16	98H	SL	480 AA	10	BLK	6.5	8.93	26.57	1653 @ 51	26
MSG56	235/60R16	100H	SL	480 AA	10	BLK	7.0	9.51	27.02	1764 @ 51	27
MSG42	205/55R16	91V	SL	360 AAA	10	BLK	6.5	8.48	24.79	1356 @ 51	22
MSG77	235/65R17	104H	SL	480 AA	10	BLK	7.0	9.40	29.00	1984 @ 51	32
MSG71	215/55R17	94V	SL	360 AAA	10	BLK	7.0	8.85	26.54	1477 @ 51	24
MSG88	225/55R17	97V	SL	360 AAA	10	BLK	7.0	9.21	26.91	1609 @ 51	26
MSG89	235/55R17	99H	SL	360 AAA	10	BLK	7.5	9.58	27.23	1709 @ 51	29
MSG58	215/50R17	91W	SL	360 AAA	10	BLK	7.0	8.79	25.55	1356 @ 51	24
MSG66	225/50R17	94W	SL	360 AAA	10	BLK	7.0	9.00	26.09	1477 @ 51	24
MSG69	235/50R17	100W	XL	360 AAA	10	BLK	7.5	9.47	26.33	1764 @ 50	28
MSG96	215/45R17	87W	SL	360 AAA	10	BLK	7.0	8.46	24.76	1201 @ 51	22
MSG97	225/45R17	91W	SL	360 AAA	10	BLK	7.5	8.93	25.03	1356 @ 51	23
MSG54	235/45R17	94W	SL	360 AAA	10	BLK	8.0	9.44	25.49	1477 @ 51	25
MSG55	245/45R17	95W	SL	360 AAA	10	BLK	8.0	9.63	25.84	1521 @ 51	25
MSG63	275/40R17	98W	SL	360 AAA	10	BLK	9.5	10.92	25.70	1653 @ 51	29
MSG34	225/60R18	100H	SL	480 AA	10	BLK	7.0	8.80	28.60	1764 @ 51	29
MSG25	225/50R18	95W	SL	360 AAA	10	BLK	7.0	8.96	27.15	1521 @ 51	29
MSG13	235/50R18	101W	XL	360 AAA	10	BLK	7.5	9.48	27.37	1819 @ 50	30
MSG12	215/45R18	89W	SL	360 AAA	10	BLK	7.0	8.38	25.84	1279 @ 51	22
MSG14	225/45R18	91W	SL	360 AAA	10	BLK	7.5	8.86	26.08	1356 @ 51	24
MSG17	245/45R18	100W	XL	360 AAA	10	BLK	8.0	9.51	26.87	1764 @ 50	28
MSG78	225/40R18	88W	SL	360 AAA	10	BLK	8.0	9.04	25.21	1235 @ 51	22



DORAL SDL-SPORT

PERFORMANCE ALL-SEASON

The Doral SDL-Sport high-performance line is the perfect combination of superior quality, design and value. The affordably priced Doral SDL-Sport is designed to blend good treadwear, a quiet ride and all-season traction on any surface, whether wet or dry. From technologically advanced construction to impressive size coverage, the Doral SDL-Sport has been designed with one goal in mind - outstanding performance in every area.

FEATURES & BENEFITS

- Deep lateral grooves to ensure excellent traction
- Quality and performance at an economical price
- Provides smooth ride and controlled handling
- Improved treadwear throughout life of tire

SIZES

- Broad range of 14" - 18" S, T, H & V-rated sizes for expanded market coverage

FITS

- Broadline sedans, coupes, compacts and vans



WARRANTY



45,000-mile/72,000-km. limited treadwear warranty

PERFORMANCE



Designed and Engineered in Japan and Manufactured by Sumitomo Rubber Industries.
Exclusively marketed and distributed in North America by TBC Brands.

DORAL SDL-SPORT PERFORMANCE ALL-SEASON

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
DOR24	185/70R14	88S	SL	440 A B	10	BLK	5.5	7.52	24.25	1235 @ 51	18
DOR25	195/70R14	91S	SL	440 A B	10	BLK	6.0	7.99	24.80	1356 @ 51	19
DOR61	175/65R14	82T	SL	440 A B	10	BLK	5.0	7.05	22.99	1047 @ 51	15
DOR62	185/65R14	86H	SL	440 A A	10	BLK	5.5	7.52	23.46	1168 @ 51	17
DOR32	185/60R14	82H	SL	440 A A	10	BLK	5.5	7.52	22.80	1047 @ 51	16
DOR35	195/60R14	86H	SL	440 A A	10	BLK	6.0	7.99	23.27	1168 @ 51	18
DOR29	205/70R15	96S	SL	440 A B	10	BLK	6.0	8.31	26.34	1565 @ 51	22
DOR33	215/70R15	98S	SL	440 A B	10	BLK	6.5	8.78	26.89	1653 @ 51	24
DOR10	175/65R15	84H	SL	440 A A	10	BLK	5.0	7.05	23.98	1102 @ 51	19
DOR27	185/65R15	88H	SL	440 A A	10	BLK	5.5	7.52	24.45	1235 @ 51	19
DOR28	195/65R15	91H	SL	440 A A	10	BLK	6.0	7.99	25.00	1356 @ 51	19
DOR30	205/65R15	94H	SL	440 A A	10	BLK	6.0	8.31	25.47	1477 @ 51	24
DOR65	215/65R15	96H	SL	440 A A	10	BLK	6.5	8.78	26.02	1565 @ 51	24
DOR73	185/60R15	84T	SL	440 A B	10	BLK	5.5	7.52	23.78	1102 @ 51	17
DOR40	195/60R15	88H	SL	440 A A	10	BLK	6.0	7.99	24.25	1235 @ 51	20
DOR43	205/60R15	91H	SL	440 A A	10	BLK	6.0	8.31	24.72	1356 @ 51	20
DOR22	215/60R15	94H	SL	440 A A	10	BLK	6.5	8.78	25.20	1477 @ 51	22
DOR54	205/65R16	95H	SL	440 A A	10	BLK	6.0	8.31	26.46	1521 @ 51	22
DOR55	215/65R16	98T	SL	440 A B	10	BLK	6.5	8.78	27.01	1653 @ 51	23
DOR83	225/65R16	100T	SL	440 A B	10	BLK	6.5	9.06	27.48	1764 @ 51	27
DOR99	235/65R16	103T	SL	440 A B	10	BLK	7.0	9.53	28.03	1929 @ 51	28
DOR18	205/60R16	92H	SL	440 A A	10	BLK	6.0	8.31	25.71	1389 @ 51	21
DOR48	215/60R16	95H	SL	440 A A	10	BLK	6.5	8.78	26.18	1521 @ 51	25
DOR58	225/60R16	98H	SL	440 A A	10	BLK	6.5	9.06	26.65	1653 @ 51	24
DOR81	195/55R16	87V	SL	440 A A	10	BLK	6.0	7.91	24.37	1201 @ 51	20
DOR41	205/55R16	91H	SL	440 A A	10	BLK	6.5	8.43	24.84	1356 @ 51	22
DOR57	215/55R16	93H	SL	440 A A	10	BLK	7.0	8.90	25.24	1433 @ 51	24
DOR42	225/55R16	95H	SL	440 A A	10	BLK	7.0	9.17	25.71	1521 @ 51	24
DOR46	195/50R16	84V	SL	440 A A	10	BLK	6.0	7.91	23.70	1102 @ 51	21
DOR67	205/50R16	87H	SL	440 A A	10	BLK	6.5	8.43	24.09	1201 @ 51	20
DOR31	215/65R17	99T	SL	440 A B	10	BLK	6.5	8.78	28.03	1709 @ 51	28
DOR76	225/65R17	102H	SL	440 A A	10	BLK	6.5	9.06	28.50	1874 @ 51	25
DOR11	215/60R17	96T	SL	440 A B	10	BLK	6.5	8.78	27.20	1565 @ 51	25
DOR96	225/60R17	99H	SL	440 A A	10	BLK	6.5	9.06	27.68	1709 @ 51	27
DOR08	215/55R17	94V	SL	440 A A	10	BLK	7.0	8.90	26.26	1477 @ 51	24
DOR88	225/55R17	97V	SL	440 A A	10	BLK	7.0	9.17	26.73	1609 @ 51	25
DOR89	235/55R17	99H	SL	440 A A	10	BLK	7.5	9.65	27.13	1709 @ 51	27
DOR59	215/50R17	95V	XL	440 A A	10	BLK	7.0	8.90	25.51	1521 @ 50	24
DOR66	225/50R17	94V	SL	440 A A	10	BLK	7.0	9.17	25.91	1477 @ 51	25
DOR71	225/45R17	91H	SL	440 A A	10	BLK	7.5	8.86	25.00	1356 @ 51	22
DOR53	235/45R17	94H	SL	440 A A	10	BLK	8.0	9.29	25.39	1477 @ 51	24
DOR49	235/60R18	103H	SL	440 A A	10	BLK	7.0	9.53	29.13	1929 @ 51	33
DOR92	225/55R18	98H	SL	440 A A	10	BLK	7.0	9.17	27.72	1653 @ 51	28
DOR34	235/55R18	100V	SL	440 A A	10	BLK	7.5	9.65	28.11	1764 @ 51	30
DOR26	225/50R18	95H	SL	440 A A	10	BLK	7.0	9.17	26.89	1521 @ 51	24
DOR13	235/50R18	97H	SL	440 A A	10	BLK	7.5	9.65	27.28	1609 @ 51	26
DOR14	225/45R18	95V	XL	440 A A	10	BLK	7.5	8.86	25.98	1521 @ 50	24
DOR17	245/45R18	100V	XL	440 A A	10	BLK	8.0	9.57	26.69	1764 @ 50	29

SOLAR 4XS+

PERFORMANCE ALL-SEASON

The Solar 4XS+ high-performance line is the perfect combination of superior quality, design and value. The affordably priced Solar 4XS+ is designed to blend good treadwear, a quiet ride and all-season traction on any surface, whether wet or dry. From technologically advanced construction to impressive size coverage, the Solar 4XS+ has been designed with one goal in mind - outstanding performance in every area.

FEATURES & BENEFITS

- Designed to deliver a comfortable ride and long life with confident traction in all weather conditions
- Circumferential grooves and wide lateral notches help evacuate water for increased hydroplaning resistance
- Low rolling resistance compound and construction designed to reduce tire's rolling resistance resulting in good energy efficiency
- Optimized variable pitch blocks reduce noise generation resulting in a quiet ride

SIZES

- Progressive range of 14" - 18" T, H, V and W-rated sizes for expanded market coverage

FITS

- Broadline sedans, coupes, compacts and vans

WARRANTY



45,000-mile/72,000-km. limited treadwear warranty



PERFORMANCE



SOLAR 4XS+ PERFORMANCE ALL-SEASON

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
SLR24	185/70R14	88T	SL	440 A A	9	BLK	5.5	7.40	24.30	1235 @ 44	15
SLR25	195/70R14	91T	SL	440 A A	10	BLK	6.0	7.90	24.80	1356 @ 44	16
SLR61	175/65R14	82T	SL	440 A A	9	BLK	5.0	7.00	23.00	1047 @ 44	14
SLR62	P185/65R14	85H	SL	440 A A	9	BLK	5.5	7.40	23.50	1124 @ 44	15
SLR32	185/60R14	82H	SL	440 A A	10	BLK	5.5	7.40	22.80	1047 @ 44	14
SLR35	195/60R14	86H	SL	440 A A	9	BLK	6.0	7.91	23.23	1168 @ 51	15
SLR29	205/70R15	96T	SL	440 A A	10	BLK	6.0	8.20	26.30	1565 @ 44	21
SLR33	215/70R15	98T	SL	440 A A	10	BLK	6.5	8.70	26.90	1653 @ 44	22
SLR10	175/65R15	84H	SL	440 A A	9	BLK	5.0	6.97	23.98	1102 @ 51	15
SLR27	P185/65R15	86H	SL	440 A A	10	BLK	5.5	7.40	24.40	1168 @ 44	16
SLR28	P195/65R15	89H	SL	440 A A	10	BLK	6.0	7.90	25.00	1279 @ 44	16
SLR30	P205/65R15	92H	SL	440 A A	10	BLK	6.0	8.20	25.50	1400 @ 44	17
SLR65	P215/65R15	95H	SL	440 A A	10	BLK	6.5	8.70	26.00	1510 @ 44	19
SLR73	P185/60R15	84H	SL	440 A A	10	BLK	5.5	7.40	23.70	1102 @ 44	15
SLR40	P195/60R15	87H	SL	440 A A	10	BLK	6.0	7.90	24.20	1190 @ 44	16
SLR43	P205/60R15	90H	SL	440 A A	10	BLK	6.0	8.20	24.70	1301 @ 44	18
SLR22	P215/60R15	93H	SL	440 A A	10	BLK	6.5	8.70	25.20	1411 @ 44	19
SLR54	205/65R16	95H	SL	440 A A	10	BLK	6.5	8.23	26.46	1521 @ 44	21
SLR55	P215/65R16	96H	SL	440 A A	10	BLK	6.5	8.70	27.00	1565 @ 44	22
SLR83	225/65R16	100T	SL	440 A A	10	BLK	6.5	8.98	27.48	1764 @ 51	22
SLR99	235/65R16	103T	SL	440 A A	9	BLK	7.0	9.45	28.03	1929 @ 44	25
SLR18	P205/60R16	91H	SL	440 A A	10	BLK	6.0	8.20	25.70	1356 @ 44	18
SLR48	P215/60R16	95V	SL	440 A A	10	BLK	6.5	8.70	26.10	1521 @ 44	19
SLR58	P225/60R16	97H	SL	440 A A	10	BLK	6.5	9.00	26.60	1609 @ 44	22
SLR81	195/55R16	87V	SL	440 A A	10	BLK	6.0	7.91	24.41	1201 @ 51	18
SLR41	205/55R16	91H	SL	440 A A	10	BLK	6.5	8.40	24.90	1356 @ 51	18
SLR57	215/55R16	93H	SL	440 A A	10	BLK	7.0	8.90	25.30	1433 @ 44	20
SLR42	225/55R16	95H	SL	440 A A	10	BLK	7.0	9.17	25.75	1521 @ 51	22
SLR82	195/50R16	84V	SL	440 A A	9	BLK	6.0	7.91	23.70	1102 @ 51	17
SLR67	205/50R16	91H	XL	440 A A	9	BLK	6.5	8.43	24.09	1356 @ 50	19
SLR31	P215/65R17	98T	SL	440 A A	10	BLK	6.5	8.70	28.00	1653 @ 44	23
SLR76	225/65R17	102H	SL	440 A A	10	BLK	6.5	9.00	28.50	1874 @ 44	24
SLR11	P215/60R17	95H	SL	440 A A	10	BLK	6.5	8.70	27.20	1521 @ 44	21
SLR96	P225/60R17	98H	SL	440 A A	10	BLK	6.5	9.00	27.60	1653 @ 44	23
SLR08	215/55R17	94V	SL	440 A A	10	BLK	7.0	8.90	26.30	1477 @ 51	20
SLR88	225/55R17	97V	SL	440 A A	10	BLK	7.0	9.20	26.80	1609 @ 51	23
SLR89	235/55R17	99W	SL	440 A A	10	BLK	7.5	9.65	27.17	1709 @ 44	25
SLR59	215/50R17	95V	XL	440 A A	9	BLK	7.0	8.90	25.51	1521 @ 50	19
SLR66	225/50R17	98V	XL	440 A A	9	BLK	7.0	9.17	25.91	1653 @ 50	21
SLR71	225/45R17	94H	XL	440 A A	9	BLK	7.5	8.86	24.96	1477 @ 50	20
SLR53	235/45R17	94H	SL	440 A A	9	BLK	8.0	9.29	25.35	1477 @ 51	20
SLR49	235/60R18	103H	SL	440 A A	9	BLK	7.0	9.45	29.09	1929 @ 44	29
SLR92	225/55R18	98H	SL	440 A A	10	BLK	7.0	9.20	27.80	1653 @ 51	24
SLR34	P235/55R18	99V	SL	440 A A	10	BLK	7.5	9.60	28.10	1709 @ 51	25
SLR26	225/50R18	95H	SL	440 A A	9	BLK	7.0	9.17	26.89	1521 @ 51	22
SLR13	235/50R18	97W	SL	440 A A	9	BLK	7.5	9.65	27.28	1609 @ 44	26
SLR14	225/45R18	95W	XL	440 A A	9	BLK	7.5	8.86	25.94	1521 @ 50	24
SLR17	245/45R18	100V	XL	440 A A	9	BLK	8.0	9.57	26.65	1764 @ 50	23

VELOZZA ZXV4

ULTRA HIGH PERFORMANCE ALL-SEASON

The next generation of economical, all-season Ultra High Performance. The precision-engineered Velozza ZXV4 delivers maximum all-weather grip, confident high-speed stability and exceptionally crisp handling for those drivers seeking a combination of outstanding performance and superior value.

FEATURES & BENEFITS

- Optimized performance design for confident cornering and excellent straight-line stability
- Advanced tread compound provides extreme grip and maximum stopping power
- Large, angular shoulder blocks enhance precision steering response and handling
- Lateral grooves quickly evacuate water for superior wet weather performance
- Asymmetric tread pattern for reduced irregular wear and a smooth quiet ride
- M & S-rated for year-round performance capability

SIZES

- Broad range of 16" - 24" V, W & Y-rated sizes for expanded market coverage

FITS

- Performance sedans, coupes, compacts, SUVs, CUVs, and light trucks

WARRANTY



40,000-mile/65,000-km. limited treadwear warranty



PERFORMANCE



VELOZZA ZXV4 ULTRA HIGH PERFORMANCE ALL-SEASON

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTOG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
VEP41	205/55R16	91W	STD	340 AA	10	BSW	6.5	6.46	24.89	1356 @ 44	19
VEP57	215/55ZR16	97W	XL	340 AA	10	BSW	7.0	6.77	25.28	1609 @ 49	22
VEP29	205/45ZR16	87W	XL	340 AA	10	BSW	7.0	6.62	23.23	1202 @ 49	18
VEP87	215/55ZR17	98W	XL	340 AA	10	BSW	7.0	6.77	26.30	1653 @ 49	22
VEP88	225/55ZR17	101W	XL	340 AA	10	BSW	7.0	7.09	26.78	1819 @ 49	24
VEP89	235/55ZR17	103W	XL	340 AA	10	BSW	7.5	7.64	27.17	1929 @ 49	25
VEP90	205/50ZR17	93W	XL	340 AA	10	BSW	6.5	6.69	25.12	1433 @ 49	22
VEP58	215/50R17	95W	XL	340 AA	10	BSW	7.0	7.01	25.52	1521 @ 49	22
VEP66	225/50ZR17	98W	XL	340 AA	10	BSW	7.0	7.40	25.91	1653 @ 49	23
VEP69	235/50ZR17	96W	SL	340 AA	10	BSW	7.5	9.60	26.30	1565 @ 44	26
VEP51	205/45ZR17	88W	XL	340 AA	10	BSW	7.0	6.62	24.26	1235 @ 49	19
VEP53	215/45ZR17	91W	XL	340 AA	10	BSW	7.0	7.17	24.65	1356 @ 49	20
VEP71	225/45ZR17	94W	XL	340 AA	10	BSW	7.5	7.48	24.97	1477 @ 49	21
VEP54	235/45ZR17	97W	XL	340 AA	10	BSW	8.0	7.76	25.36	1609 @ 49	23
VEP55	245/45ZR17	99W	XL	340 AA	10	BSW	8.0	9.57	25.67	1709 @ 50	24
VEP04	205/40ZR17	84W	XL	340 AA	10	BSW	7.5	7.01	23.47	1102 @ 49	19
VEP06	215/40ZR17	87W	XL	340 AA	10	BSW	7.5	7.36	23.78	1202 @ 49	20
VEP50	245/40ZR17	95W	XL	340 AA	10	BSW	8.5	9.80	24.73	1521 @ 50	23
VEP92	225/55R18	98V	STD	340 AA	10	BSW	7.0	7.09	27.76	1653 @ 44	27
VEP13	235/50ZR18	97W	STD	340 AA	10	BSW	7.5	7.80	27.29	1609 @ 44	25
VEP02	245/50ZR18	104Y	XL	340 AA	10	BSW	7.5	9.96	27.68	1984 @ 50	27
VEP14	225/45ZR18	95W	XL	340 AA	10	BSW	7.5	7.48	25.95	1521 @ 49	22
VEP05	235/45R18	98V	XL	340 AA	10	BSW	8.0	9.29	26.34	1653 @ 50	25
VEP17	245/45ZR18	100W	XL	340 AA	10	BSW	8.0	8.19	26.66	1764 @ 49	25
VEP19	255/45ZR18	103W	XL	340 AA	11	BSW	8.5	10.4	27.05	1929 @ 50	26
VEP99	225/40ZR18	92W	XL	340 AA	10	BSW	8.0	7.72	25.08	1389 @ 49	21
VEP82	235/40ZR18	95W	XL	340 AA	10	BSW	8.5	8.03	25.40	1521 @ 49	23
VEP84	245/40ZR18	97Y	XL	340 AA	10	BSW	8.5	8.43	25.71	1609 @ 49	24
VEP16	215/35ZR18	84W	XL	340 AA	10	BSW	7.5	7.40	23.90	1102 @ 49	19
VEP26	255/35ZR18	94W	XL	340 AA	10	BSW	9.0	10.24	25.00	1477 @ 50	25
VEP09	255/50R19	107V	XL	340 AA	11	BSW	8.0	8.47	29.10	2149 @ 49	30
VEP94	245/45ZR19	98W	SL	340 AA	10	BSW	8.0	9.57	27.68	1653 @ 44	27
NEW! VEP11	235/40R19	96V	XL	340 AA	10	BSW	8.5	9.49	26.42	1565 @ 50	26
VEP81	245/40ZR19	98Y	XL	340 AA	10	BSW	8.5	8.43	26.74	1653 @ 49	25
VEP03	255/40R19	100H	XL	340 AA	10	BSW	9.0	10.24	27.05	1764 @ 50	28
VEP28	235/35ZR19	91W	XL	340 AA	10	BSW	8.5	8.03	25.48	1356 @ 49	23
VEP35	255/35ZR19	96W	XL	340 AA	10	BSW	9.0	10.24	26.03	1565 @ 50	27
VEP15*	275/60R20	119H	XL	420 AA	12	BSW	8.0	10.98	32.99	2998 @ 50	42
VEP21*	275/55R20	117V	XL	420 AA	12	BSW	8.5	11.18	31.89	2833 @ 50	42
VEP23*	285/50R20	116V	XL	420 AA	12	BSW	9.0	11.69	31.26	2756 @ 50	41
VEP93	245/45ZR20	103W	XL	340 AA	10	BSW	8.0	8.19	28.67	1929 @ 49	28
VEP22	255/45ZR20	105W	XL	340 AA	11	BSW	8.5	10.04	29.06	2039 @ 49	28
VEP74*	275/45R20	110V	XL	420 AA	12	BSW	9.0	10.75	29.76	2337 @ 50	38
VEP68*	275/40R20	106V	XL	420 AA	12	BSW	9.5	10.94	28.66	2094 @ 50	35
VEP10	225/35ZR20	90W	XL	340 AA	10	BSW	8.0	7.68	26.23	1323 @ 49	22
VEP42	245/35ZR20	95W	XL	340 AA	10	BSW	8.5	8.43	26.78	1521 @ 49	25
VEP20	255/35ZR20	97W	XL	340 AA	10	BSW	9.0	10.24	27.01	1609 @ 50	28
VEP18	225/30ZR20	85Y	XL	340 AA	10	BSW	8.0	8.11	25.36	1135 @ 49	22
VEP27*	305/40R22	114V	XL	420 AA	12	BSW	11.0	12.32	31.61	2601 @ 50	44
VEP83*	265/35ZR22	102W	XL	420 AA	12	BSW	9.5	10.67	29.33	1874 @ 50	35
VEP96*	235/30ZR22	90W	XL	420 AA	12	BSW	8.5	9.49	27.60	1323 @ 50	25
VEP08*	245/30ZR22	92W	XL	420 AA	12	BSW	8.5	9.76	27.83	1389 @ 50	26
VEP76*	255/30ZR22	95W	XL	420 AA	12	BSW	9.0	10.24	28.07	1521 @ 50	29
VEP98*	295/35R24	110V	XL	420 AA	12	BSW	10.5	11.85	32.13	2337 @ 50	41
VEP98*	295/35R24	110V	XL	420 AA	12	BSW	10.5	11.85	32.13	2337 @ 50	41
VEP30*	305/35R24	112V	XL	420 AA	12	BSW	11.0	12.32	32.44	2469 @ 50	44

* Slightly different tread design (See page 48)

GRAND PRIX PERFORMANCE G/T

COSMETIC PERFORMANCE

An all-season tire for those who prefer the handling and cosmetic appearance of a performance tire to standard all-season tires.

FEATURES & BENEFITS

- Stylized outline white letters
- Performance all-season tread design
- Flatter tread profile for improved cornering and handling

SIZES


- Available in 14" & 15" T-rated sizes

FITS

- Performance sedans and coupes



PERFORMANCE



GRAND PRIX PERFORMANCE G/T COSMETIC PERFORMANCE

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTOG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
47B47	P215/70R14	96T	SL	440 A B	11	OWL	6.5	8.70	25.80	1554 @ 44	22
47B60	P225/70R14	98T	SL	440 A B	11	OWL	6.5	8.90	26.30	1675 @ 44	24
47B33	P215/70R15	97T	SL	440 A B	11	OWL	6.5	8.70	26.70	1620 @ 44	23
47B64	P255/70R15	108T	SL	440 A B	11	OWL	7.5	10.40	28.90	2183 @ 44	32
67B45	P235/60R15	98T	SL	440 A B	11	OWL	7.0	9.10	26.10	1642 @ 44	25
67B51	P245/60R15	100T	SL	440 A B	11	OWL	7.0	9.47	26.55	1753 @ 44	26
67B64	P275/60R15	107T	SL	440 A B	11	OWL	8.0	10.70	28.10	2149 @ 44	31



ELDORADO HTX SPORT

HIGHWAY ALL-SEASON SUV/LT

Go the extra mile, every time, and get there comfortably with the Eldorado HTX Sport premium highway tire. Its all-season performance capability, responsive handling and superior ride quality optimize the vehicle's performance, providing drivers confidence in any condition.

FEATURES & BENEFITS

- Closed shoulder design minimizes noise, allowing for a quieter, more comfortable ride
- Optimized 5-rib tread design for long, even wear and extended mileage capability
- Precision-aligned tread grooves minimize irregular wear and promote superior all-season handling and traction
- Full-depth siping for extended traction performance and enhanced worn appearance

SIZES

- Available in 16" - 22" Metric and LT sizes

FITS

- CUVs, SUVs, pickups and vans, including later model fitments



WARRANTY



65,000-mile/105,000-km. limited treadwear warranty



Replacement first 50% of treadwear for workmanship and materials



2-year Roadside Assistance coverage



30-day test drive

PERFORMANCE

BRAKING		9
DRY HANDLING		9
RIDE COMFORT		9
TREAD LIFE		9
WET PERFORMANCE		9



ELDORADO HTX SPORT HIGHWAY ALL-SEASON SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
ETX75	225/75R16	104T	SL	640 A B	12	BLK	6.0	8.78	29.29	1984 @ 44	-	28
ETX78	235/75R16	108T	SL	640 A B	12	BLK	6.5	9.25	29.84	2205 @ 44	-	33
ETX79	245/75R16	111T	SL	640 A B	12	BLK	7.0	9.76	30.47	2403 @ 44	-	35
ETX81	265/75R16	116T	SL	640 A B	12	BLK	7.5	10.51	31.65	2756 @ 44	-	40
ETX12	215/70R16	100H	SL	640 A B	12	BLK	6.5	8.70	27.87	1764 @ 44	-	27
ETX77	225/70R16	103T	SL	640 A B	12	BLK	6.5	8.98	28.43	1929 @ 44	-	28
ETX53	235/70R16	106T	SL	640 A B	12	BLK	7.0	9.45	28.98	2094 @ 44	-	31
ETX80	245/70R16	107T	SL	640 A B	12	BLK	7.0	9.76	29.53	2149 @ 44	-	34
ETX86	255/70R16	111T	SL	640 A B	12	BLK	7.5	10.24	30.08	2403 @ 44	-	36
ETX93	265/70R16	112T	SL	640 A B	12	BLK	8.0	10.71	30.63	2469 @ 44	-	40
HST09*	235/70R17	109T	XL	640 A B	12	BLK	7.0	9.45	30.00	2271 @ 49	-	34
ETX89	245/70R17	110T	SL	640 A B	12	BLK	7.0	9.76	30.55	2337 @ 44	-	34
ETX87	265/70R17	115T	SL	640 A B	12	BLK	8.0	10.71	31.65	2679 @ 44	-	39
ETX76	225/65R17	102H	SL	640 A B	12	BLK	6.5	8.98	28.50	1874 @ 44	-	30
ETX82	235/65R17	104T	SL	640 A B	12	BLK	7.0	9.45	29.06	1984 @ 44	-	31
ETX67	245/65R17	107T	SL	640 A B	12	BLK	7.0	9.76	29.53	2149 @ 44	-	33
ETX58	265/65R17	112T	SL	640 A B	12	BLK	8.0	10.71	30.55	2469 @ 44	-	39
HST52*	255/70R18	113T	SL	640 A B	12	BLK	7.5	10.23	32.08	2535 @ 44	-	39
ETX22	265/70R18	116T	SL	640 A B	12	BLK	8.0	10.71	32.64	2756 @ 44	-	42
ETX05	235/65R18	106H	SL	640 A B	12	BLK	7.0	9.45	30.04	2094 @ 44	-	35
ETX37	255/65R18	111T	SL	640 A B	12	BLK	7.5	10.24	31.06	2403 @ 44	-	37
ETX56	265/65R18	114T	SL	640 A B	12	BLK	8.0	10.71	31.54	2601 @ 44	-	40
HST63*	275/65R18	116T	SL	640 A B	14	BLK	8.0	10.98	32.09	2756 @ 44	-	41
ETX49	235/60R18	107H	XL	640 A B	12	BLK	7.0	9.45	29.09	2149 @ 49	-	34
ETX68	245/60R18	105H	SL	640 A B	12	BLK	7.0	9.76	29.57	2039 @ 44	-	33
ETX91	265/60R18	110T	SL	640 A B	12	BLK	8.0	10.71	30.51	2337 @ 44	-	39
ETX34	235/55R18	100H	SL	640 A B	12	BLK	7.5	9.65	28.15	1764 @ 44	-	31
ETX36	255/55R18	109H	XL	640 A B	12	BLK	8.0	10.43	29.02	2271 @ 49	-	36
ETX72	255/60R19	109H	SL	640 A B	12	BLK	7.5	10.24	31.06	2271 @ 44	-	37
NEW! HST21*	225/55R19	99H	SL	640 A B	12	BLK	7.0	9.17	28.78	1709 @ 44	-	26
HST86*	235/55R19	105V	XL	640 A B	12	BLK	7.5	9.65	29.17	2039 @ 49	-	32
HST66*	245/55R19	103H	SL	640 A B	12	BLK	7.5	9.96	29.65	1929 @ 44	-	33
HST10*	255/50R19	107H	XL	640 A B	12	BLK	8.0	10.43	29.09	2149 @ 49	-	34
NEW! HST23*	235/45R19	95H	XL	640 A B	12	BLK	8.0	9.29	27.36	1521 @ 44	-	25
NEW! HST28*	245/60R20	107H	SL	640 A B	12	BLK	7.0	9.76	31.57	2149 @ 44	-	35
ETX15	275/60R20	115T	SL	640 A B	12	BLK	8.0	10.98	32.99	2679 @ 44	-	44
HST87*	235/55R20	102H	SL	640 A B	12	BLK	7.5	9.65	30.16	1874 @ 44	-	33
NEW! HST29*	255/55R20	107H	SL	640 A B	12	BLK	8.0	10.43	31.02	2149 @ 44	-	35
ETX48	275/55R20	117H	XL	640 A B	12	BLK	8.5	11.18	31.89	2833 @ 49	-	43
HST80*	245/50R20	102H	SL	640 A B	12	BLK	7.5	9.96	29.69	1874 @ 44	-	33
HST84*	255/50R20	109V	XL	640 A B	12	BLK	8.0	10.43	30.08	2271 @ 49	-	34
HST85*	265/50R20	107T	SL	640 A B	12	BLK	8.5	10.91	30.47	2149 @ 44	-	35
NEW! HST11*	275/45R20	110V	XL	640 A B	12	BLK	9.0	10.75	29.76	2337 @ 49	-	36
NEW! HST13*	275/50R22	111H	SL	640 A B	12	BLK	8.5	11.18	32.87	2403 @ 44	-	41
NEW! HST14*	275/45R22	112V	XL	640 A B	12	BLK	9.0	10.75	31.77	2469 @ 49	-	36
NEW! HST31*	285/45R22	110H	SL	640 A B	12	BLK	9.5	11.22	32.09	2337 @ 44	-	43
ETX17	LT235/85R16	120/116R	E	-	12	BLK	6.5	9.25	31.73	3042 @ 80	2778 @ 80	41
ETX26	LT225/75R16	115/112R	E	-	12	BLK	6.0	8.78	29.29	2680 @ 80	2470 @ 80	36
ETX38	LT245/75R16	120/116R	E	-	13	BLK	7.0	9.76	30.47	3042 @ 80	2778 @ 80	42
ETX39	LT265/75R16	123/120R	E	-	13	BLK	7.5	10.51	31.65	3415 @ 80	3085 @ 80	47
HST95*	LT235/80R17	120/117R	E	-	12	BLK	6.5	9.25	31.81	3085 @ 80	2835 @ 80	43
ETX19	LT245/75R17	121/118S	E	-	13	BLK	7.0	9.76	31.50	3195 @ 80	2910 @ 80	45
HST71*	LT245/70R17	119/116S	E	-	13	BLK	7.0	9.76	30.55	3000 @ 80	2755 @ 80	45
HST70*	LT265/70R17	121/118S	E	-	13	BLK	8.0	10.71	31.65	3195 @ 80	2910 @ 80	50
ETX30	LT265/70R18	124/121R	E	-	13	BLK	8.0	10.71	32.64	3525 @ 80	3195 @ 80	50
ETX71	LT275/70R18	125/122R	E	-	14	BLK	8.0	10.98	33.19	3640 @ 80	3305 @ 80	53
HST40*	LT275/65R18	123/120S	E	-	14	BLK	8.0	10.98	32.09	3415 @ 80	3085 @ 80	52
HST43*	LT275/65R20	126/123S	E	-	14	BLK	8.0	10.98	34.09	3750 @ 80	3415 @ 80	55

* Slightly Different Tread Design - Branded Wild Spirit HST (See page 48)

WILD SPIRIT SPORT HXT

HIGHWAY ALL-SEASON SUV/LT

The Wild Spirit Sport HXT takes to the road with smooth ride comfort, all-season performance and high-value in mind. For drivers seeking a combination of touring tire longevity, performance tire handling and light truck tire durability, the Wild Spirit Sport HXT answers the call.

FEATURES & BENEFITS

- Closed shoulder design for noise reduction and a comfortable ride
- Solid center rib for enhanced handling stability
- Zigzag shoulder siping to enhance wet and winter performance
- Extra-wide circumferential grooves to help resist hydroplaning

SIZES

- Available in 17" - 20" T, H and V-rated sizing

FITS

- Late model crossovers, vans, SUVs and pickup trucks



WARRANTY



50,000-mile/80,000-km. limited treadwear warranty

PERFORMANCE

 BRAKING		9
 DRY HANDLING		9
 RIDE COMFORT		9
 TREAD LIFE		9
 WET PERFORMANCE		9



WILD SPIRIT SPORT HXT HIGHWAY ALL-SEASON SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
HXT09U	235/70R17	109T	XL	500AB	11	BLK	7.0	9.45	30.00	2271 @ 50	30
HXT61U	215/65R17	98T	SL	500AA	11	BLK	6.5	9.06	28.03	1709 @ 44	26
HXT76U	225/65R17	102V	SL	500AA	11	BLK	6.5	9.33	28.50	1874 @ 44	27
HXT96U	225/60R17	99H	SL	500AA	10	BLK	6.5	9.33	27.64	1709 @ 44	26
HXT07U	235/60R17	106H	XL	500AA	11	BLK	7.0	9.84	28.11	2094 @ 50	28
HXT52U	255/70R18	112T	SL	500AA	11	BLK	7.5	10.24	32.09	2535 @ 44	34
HXT22U	265/70R18	116T	SL	500AB	11	BLK	8.0	10.71	32.64	2755 @ 44	43
HXT05U	235/65R18	106H	SL	500AA	11	BLK	7.0	9.45	30.04	2094 @ 44	33
HXT37U	255/65R18	109T	SL	500AA	11	BLK	7.5	10.24	31.06	2403 @ 44	32
HXT56U	265/65R18	114T	SL	500AB	11	BLK	8.0	10.71	31.54	2601 @ 44	40
HXT63U	275/65R18	116T	SL	500AB	11	BLK	8.0	10.98	32.09	2755 @ 44	50
HXT49U	235/60R18	107V	XL	500AA	11	BLK	7.0	9.45	29.09	2149 @ 50	29
HXT68U	245/60R18	105V	SL	500AA	11	BLK	7.0	9.76	29.57	2039 @ 44	30
HXT91U	265/60R18	110H	SL	500AA	11	BLK	8.0	10.71	30.51	2337 @ 44	32
HXT92U	225/55R18	98H	SL	500AA	11	BLK	7.0	9.53	27.76	1653 @ 44	27
HXT34U	235/55R18	99H	SL	500AA	11	BLK	7.5	9.65	28.15	1764 @ 44	29
HXT88U	255/55R18	109V	XL	500AA	11	BLK	8.0	10.43	29.02	2271 @ 50	31
HXT72U	255/60R19	109H	SL	500AA	11	BLK	7.5	10.24	31.06	2270 @ 44	36
HXT86U	235/55R19	105V	XL	500AA	11	BLK	7.5	9.65	29.17	2039 @ 50	31
HXT66U	245/55R19	103H	SL	500AA	11	BLK	7.5	9.96	29.65	1929 @ 44	33
HXT02U	255/50R19	107H	XL	500AA	11	BLK	8.0	10.43	29.09	2149 @ 50	36
HXT48U	275/55R20	113H	SL	500AA	11	BLK	8.5	11.18	31.89	2535 @ 44	43
HXT80U	245/50R20	102V	SL	500AA	11	BLK	7.5	9.96	29.69	1873 @ 44	32
HXT84U	255/50R20	109V	XL	500AA	11	BLK	8.0	10.43	30.08	2270 @ 50	34
HXT85U	265/50R20	107V	SL	500AA	11	BLK	8.5	10.91	30.47	2149 @ 44	35



TRAIL GUIDE HLT

HIGHWAY ALL-SEASON SUV/LT

The Trail Guide HLT is a highway all-season tire made with the SUV and LT driver in mind. Engineered to deliver a quiet and stable ride, the Trail Guide HLT features a specially formulated compound to provide long-lasting tread life and traction in all-season conditions.

FEATURES & BENEFITS

- Tread pattern effectively reduces noise to create a quiet driving experience
- Large tread blocks increase the contact area, improving overall handling and treadwear
- 4 extra-wide grooves channel water to give you the traction you need to drive with confidence
- Features the latest in environmentally friendly processes and materials for improved wear and tire life

SIZES

- Broad size range covering 15" - 20" Metric and LT sizes

FITS

- Pickups, Vans, CUVs and SUVs


WARRANTY



50,000-mile/80,000-km. limited treadwear warranty



PERFORMANCE



TRAIL GUIDE HLT HIGHWAY ALL-SEASON SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
TGH64	235/75R15	105T	SL	600 AA	11	OWL	6.5	9.25	28.86	2039 @ 44	-	30
TGH79	245/75R16	111T	SL	600 AA	11	OWL	7.0	9.76	30.47	2403 @ 44	-	34
TGH81	265/75R16	116T	SL	600 AA	11	OWL	7.5	10.51	31.65	2756 @ 44	-	37
TGH12	215/70R16	100H	SL	600 AA	11	BSW	6.5	8.70	27.87	1764 @ 44	-	27
TGH53	235/70R16	106T	SL	600 AA	11	OWL	7.0	9.45	28.98	2094 @ 44	-	31
TGH80	245/70R16	107T	SL	600 AA	11	OWL	7.0	9.76	29.53	2149 @ 44	-	32
TGH86	255/70R16	111T	SL	600 AA	11	OWL	7.5	10.24	30.08	2403 @ 44	-	34
TGH93	265/70R16	112T	SL	600 AA	11	OWL	8.0	10.71	30.63	2469 @ 44	-	35
TGH89	245/70R17	110T	SL	600 AA	11	OWL	7.0	9.76	30.55	2337 @ 44	-	34
TGH87	265/70R17	115T	SL	600 AA	11	OWL	8.0	10.71	31.65	2679 @ 44	-	37
TGH76	225/65R17	102H	SL	600 AA	11	BSW	6.5	8.98	28.50	1874 @ 44	-	28
TGH77	235/65R17	104T	SL	600 AA	11	OWL	7.0	9.45	29.06	1984 @ 44	-	30
TGH67	245/65R17	107T	SL	600 AA	11	OWL	7.0	9.76	29.53	2149 @ 44	-	32
TGH58	265/65R17	112S	SL	600 AA	11	BSW	8.0	10.71	30.55	2469 @ 44	-	36
TGH05	235/65R18	106H	SL	600 AA	11	BSW	7.0	9.45	30.04	2094 @ 44	-	29
TGH37	255/65R18	111S	SL	600 AA	11	BSW	7.5	10.24	31.06	2403 @ 44	-	32
TGH63	275/65R18	116T	SL	600 AA	11	OWL	8.0	10.98	32.09	2756 @ 44	-	29
TGH49	235/60R18	103H	SL	600 AA	11	BSW	7.0	9.45	29.09	1929 @ 44	-	31
TGH68	245/60R18	105H	SL	600 AA	11	BSW	7.0	9.76	29.57	2039 @ 44	-	34
TGH91	265/60R18	110H	SL	600 AA	11	BSW	8.0	10.71	30.51	2337 @ 44	-	31
TGH34	235/55R18	100V	SL	600 AA	11	BSW	7.5	9.65	28.15	1764 @ 44	-	36
TGH88	255/55R18	109V	XL	600 AA	11	BSW	8.0	10.43	29.02	2271 @ 50	-	39
NEW! TGH09	255/60R19	109H	SL	600 AA	11	BSW	7.5	10.24	31.06	2271 @ 44	-	35
NEW! TGH24	235/55R19	101H	SL	600 AA	11	BSW	7.5	9.65	29.17	1819 @ 44	-	30
NEW! TGH66	245/55R19	103S	SL	600 AA	11	BSW	7.5	9.96	29.65	1929 @ 44	-	32
NEW! TGH28	245/60R20	107H	SL	600 AA	11	BSW	7.0	9.76	31.57	2149 @ 44	-	35
TGH15	275/60R20	115T	SL	600 AA	11	BSW	8.0	10.98	32.99	2679 @ 44	-	40
NEW! TGH25	235/55R20	102H	SL	600 AA	11	BSW	7.5	9.65	30.16	1874 @ 44	-	32
NEW! TGH29	255/55R20	107H	SL	600 AA	11	BSW	8.0	10.43	31.02	2149 @ 44	-	35
TGH73	275/55R20	117T	XL	600 AA	11	BSW	8.5	11.18	31.89	2833 @ 50	-	39
NEW! TGH84	255/50R20	105H	SL	600 AA	11	BSW	8.0	10.43	30.08	2039 @ 44	-	33
NEW! TGH85	265/50R20	107H	SL	600 AA	11	BSW	8.5	10.91	30.47	2149 @ 44	-	39
TGH14	LT215/85R16	115/112R	E	-	14	BSW	6.0	8.50	30.39	2680 @ 80	2470 @ 80	38
TGH17	LT235/85R16	120/116R	E	-	14	BSW	6.5	9.25	31.73	3085 @ 80	2755 @ 80	41
TGH23	LT225/75R16	115/112R	E	-	14	BSW	6.0	8.78	29.29	2680 @ 80	2470 @ 80	36
TGH36	LT245/75R16	120/116R	E	-	14	OWL	7.0	9.76	30.47	3085 @ 80	2755 @ 80	42
TGH32	LT265/75R16	123/120S	E	-	14	OWL	7.5	10.51	31.65	3415 @ 80	3085 @ 80	46
TGH95	LT235/80R17	120/117R	E	-	14	BSW	6.5	9.25	31.81	3085 @ 80	2835 @ 80	42
TGH19	LT245/75R17	121/118S	E	-	14	OWL	7.0	9.76	31.50	3195 @ 80	2910 @ 80	43
TGH70	LT245/70R17	119/116S	E	-	14	OWL	7.0	9.76	30.55	3000 @ 80	2755 @ 80	42
TGH90	LT265/70R17	121/118S	E	-	14	OWL	8.0	10.71	31.65	3195 @ 80	2910 @ 80	45
TGH30	LT265/70R18	124/121S	E	-	14	BSW	8.0	10.71	32.64	3525 @ 80	3195 @ 80	48
TGH72	LT275/70R18	125/122S	E	-	14	OWL	8.0	10.98	33.19	3640 @ 80	3305 @ 80	51
TGH40	LT275/65R18	123/120S	E	-	14	OWL	8.0	10.98	32.09	3415 @ 80	3085 @ 80	49
TGH43	LT275/65R20	126/123S	E	-	14	BSW	8.0	10.98	34.09	3750 @ 80	3415 @ 80	53



WILD TRAIL TOURING CUV

HIGHWAY ALL-SEASON SUV/LT

Excellent value, quality and performance for Crossovers, SUVs and Light Trucks. The Wild Trail Touring CUV provides a smooth, comfortable ride, all-season traction performance and superior durability – all packaged in a stylish design that promotes even wear, enhanced steering stability and handling responsiveness.

FEATURES & BENEFITS

- All-season, on-highway performance at an economical price
- Five-rib tread design for a quiet, comfortable ride
- Wide circumferential channel design delivers excellent wet-road performance
- Progressive size lineup covers many popular SUV, CUV and Minivan fitments

SIZES

- Available in 16", 17", 18" and 20" T, H and V-rated Metric sizing

FITS

- Crossovers, vans, SUVs and full-size pickup trucks



WARRANTY



40,000-mile/64,000-km. limited treadwear warranty

PERFORMANCE



WILD TRAIL TOURING CUV HIGHWAY ALL-SEASON SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
WTX77T	225/70R16	103H	SL	560 AA	11	BLK	6.5	8.98	28.43	1930 @ 44	31
WTX53	235/70R16	106T	SL	560 AA	13	BLK	7.0	9.45	28.98	2094 @ 44	35
WTX80	245/70R16	107T	SL	560 AA	13	BLK	7.0	9.76	29.53	2149 @ 44	37
WTX86	255/70R16	111T	SL	560 AA	12	BLK	7.5	10.24	30.08	2403 @ 44	39
WTX93	265/70R16	112T	SL	560 AA	13	BLK	8.0	10.71	30.63	2469 @ 44	40
WTX89	245/70R17	110T	SL	560 AA	13	BLK	7.0	9.76	30.55	2336 @ 44	38
WTX87	265/70R17	115T	SL	560 AA	12	BLK	8.0	10.71	31.65	2679 @ 44	43
WTX76	225/65R17	102H	SL	560 AA	10	BLK	6.5	8.98	28.50	1875 @ 44	31
WTX82	235/65R17	108H	XL	560 AA	10	BLK	7.0	9.45	29.06	2204 @ 50	34
WTX67	245/65R17	107T	SL	560 AA	13	BLK	7.0	9.76	29.53	2149 @ 44	38
WTX37	255/65R18	111H	SL	560 AA	12	BLK	7.5	10.24	31.06	2403 @ 44	41
WTX73T	275/55R20	117V	XL	560 AA	11	BLK	8.5	11.69	31.26	2835 @ 50	43



WILD TRAIL COMMERCIAL LT

HIGHWAY ALL-SEASON SUV/LT

Durable, quiet-running and long-lasting highway all-season tire. Ideal for commercial pickup and van applications, the Wild Trail Commercial LT delivers a smooth ride and superior year-round traction.

FEATURES & BENEFITS

- All-season, on-highway performance at an economical price
- Five-rib tread design for outstanding ride quality and even wear
- Solid center rib for excellent steering response
- Slotted shoulder design for enhanced traction performance and more even treadwear

SIZES

- Available in 16" - 18" LT sizes

FITS

- Pickups, SUVs and vans



WARRANTY



40,000-mile/64,000-km. limited treadwear warranty
(Warranty excludes commercial applications.)

PERFORMANCE



WILD TRAIL COMMERCIAL LT HIGHWAY ALL-SEASON SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
WTC15	LT215/85R16	115/112Q	E	14	BLK	6.0	8.50	30.39	2680 @ 80	2470 @ 80	39
WTC17	LT235/85R16	120/116Q	E	14	BLK	6.5	9.25	31.73	3042 @ 80	2778 @ 80	42
WTC26	LT225/75R16	115/112Q	E	14	BLK	6.0	8.78	29.29	2680 @ 80	2470 @ 80	37
WTC38	LT245/75R16	120/116Q	E	14	BLK	7.0	9.76	30.47	3042 @ 80	2778 @ 80	42
WTC39	LT265/75R16	123/120Q	E	15	BLK	7.5	10.51	31.65	3415 @ 80	3085 @ 80	47
WTC19	LT245/75R17	121/118Q	E	15	BLK	7.0	9.76	31.50	3195 @ 80	2910 @ 80	46
WTC70	LT245/70R17	119/116Q	E	15	BLK	7.0	9.76	30.55	3000 @ 80	2755 @ 80	41
WTC92	LT265/70R17	121/118Q	E	15	BLK	8.0	10.71	31.65	3195 @ 80	2910 @ 80	46
WTC72	LT275/70R18	125/122Q	E	15	BLK	8.0	10.98	33.19	3640 @ 80	3305 @ 80	52



WILD SPIRIT HST-C

HIGHWAY ALL-SEASON

The ALL-NEW Wild Spirit HST-C is an all-season commercial highway light truck tire designed for vans and multi-purpose vehicles that transport heavy loads. With superior handling and year-round traction on dry and wet roads, the Wild Spirit HST-C is the ideal tire to compliment your needs, whether for modern delivery or recreational.

FEATURES & BENEFITS

- Large shoulder block design enhances steering and cornering
- Steel-belt construction resists damage and irregular wear
- Deep, wide grooves provide traction in all conditions
- M & S-rated for year-round performance capability

SIZES

- Available in 15" and 16" sizes

FITS

- Commercial vans and transporters



PERFORMANCE



WILD SPIRIT HST-C HIGHWAY ALL-SEASON

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
WSC57	215/55R16	97H	XL	500 AA	12	BSW	7.0	8.90	25.28	1610 @ 50	-	26
WSC25	195/70R15C	104/102R	D	-	12	BSW	6.0	7.91	25.79	1985 @ 65	1875 @ 65	27
WSC30	205/65R15C	102/100T	D	-	12	BSW	6.0	8.23	25.47	1875 @ 54	1765 @ 54	27
WSC73	185/60R15C	94/92T	C	-	12	BSW	5.5	7.44	23.74	1480 @ 54	1390 @ 54	23
WSC39	195/75R16C	107/105R	D	-	13	BSW	5.5	7.72	27.48	2150 @ 69	2040 @ 69	29
WSC77	225/75R16C	121/120R	E	-	12	BSW	6.0	8.78	29.29	3195 @ 83	3085 @ 83	35
WSC99	235/65R16C	121/119R	E	-	12	BSW	7.0	9.45	28.03	3195 @ 83	3000 @ 83	35



ELDORADO SPORT FURY AT4S

ALL-TERRAIN SUV/LT

The Eldorado Sport Fury AT4S is designed to deliver all-weather superior traction for SUVs, pickups and vans, both on and off the road. The Eldorado Sport Fury AT4S provides exceptional handling, while maintaining a quiet and comfortable ride, making it the perfect choice to tackle whatever obstacles the elements throw at your vehicle! Eldorado Sport Fury AT4S is designated with the USTMA Three Peak Mountain Snow Flake (3PMSF) symbol, indicating superior performance in snow and winter conditions.

FEATURES & BENEFITS

- Certified with USTMA 3PMSF symbol for severe winter performance
- Aggressive open shoulder tread design expels water, winter slush and mud for optimum traction in all terrain conditions
- Extra-deep tread sipes at varying angles improve comfort without sacrificing traction
- Jagged edge tread blocks improve grip on ice and in the mud providing superior traction
- Zigzag grooves and continuous center block provide outstanding grip and superior handling

SIZES

- 30 popular metric and LT sizes covering 15", 16", 17", 18" and 20" diameters

FITS

- Mid/Full-size pickups, Jeeps, SUVs and vans

WARRANTY



55,000-mile/89,000-km. limited treadwear warranty



Replacement first 50% of treadwear for workmanship



PERFORMANCE



ELDORADO SPORT FURY AT4S ALL-TERRAIN SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
SPT64	235/75R15	109T	XL	660 A B	12	RBL	6.0	9.17	29.02	2271 @ 50	-	36
SPT79	245/75R16	111T	SL	660 A B	12	RBL	6.5	9.65	30.51	2403 @ 51	-	39
SPT81	265/75R16	116T	SL	660 A B	12	RBL	7.0	10.63	31.69	2756 @ 51	-	45
SPT53	235/70R16	106T	SL	660 A B	12	RBL	6.0	9.37	28.98	2094 @ 51	-	35
SPT80	245/70R16	107T	SL	660 A B	12	RBL	6.5	9.84	29.65	2149 @ 51	-	38
TRC86*	255/70R16	111T	SL	660 A B	12	RBL	6.5	10.24	30.08	2403 @ 51	-	41
SPT93	265/70R16	112T	SL	660 A B	13	RBL	7.0	10.79	30.75	2469 @ 51	-	43
TRC45*	235/75R17	109T	SL	660 A B	12	RBL	6.0	9.06	30.87	2271 @ 51	-	39
TRC44*	235/70R17	108T	XL	660 A B	12	RBL	6.0	9.37	30.00	2205 @ 50	-	38
SPT89	245/70R17	110T	SL	660 A B	12	RBL	6.5	9.84	30.67	2337 @ 51	-	41
SPT10	255/70R17	112T	SL	660 A B	12	RBL	6.5	10.16	31.14	2469 @ 51	-	43
SPT87	265/70R17	115T	SL	660 A B	13	RBL	7.0	10.75	31.73	2679 @ 51	-	48
SPT51	245/65R17	107T	SL	660 A B	12	RBL	7.0	9.61	29.57	2149 @ 51	-	39
TRC20*	255/65R17	110T	SL	660 A B	12	RBL	7.0	10.31	30.08	2337 @ 51	-	42
SPT58	265/65R17	112T	SL	660 A B	12	RBL	7.5	10.63	30.55	2469 @ 51	-	42
SPT52	255/70R18	113T	SL	660 A B	12	RBL	6.5	10.16	32.24	2535 @ 51	-	45
SPT22	265/70R18	116T	SL	660 A B	13	RBL	7.0	10.71	32.80	2756 @ 51	-	47
SPT56	265/65R18	114T	SL	660 A B	12	RBL	7.5	10.59	31.54	2601 @ 51	-	45
SPT41	275/65R18	116T	SL	660 A B	13	RBL	7.5	10.75	32.13	2756 @ 51	-	49
SPT91	265/60R18	110T	SL	660 A B	12	RBL	7.5	10.47	30.55	2337 @ 51	-	45
SPT15	275/60R20	115T	SL	660 A B	12	RBL	7.5	10.83	33.03	2679 @ 51	-	50
SPT48	275/55R20	117T	XL	660 A B	12	RBL	7.5	10.91	31.93	2833 @ 50	-	48
SPT17	LT235/85R16	120/116R	E	-	17	RBL	6.0	9.37	31.77	3042 @ 80	2778 @ 80	47
SPT26	LT225/75R16	115/112R	E	-	16	RBL	6.0	8.66	29.29	2680 @ 80	2470 @ 80	41
SPT38	LT245/75R16	120/116R	E	-	17	RBL	6.5	9.69	30.28	3042 @ 80	2778 @ 80	47
SPT39	LT265/75R16	123/120R	E	-	17	RBL	7.0	10.47	31.65	3415 @ 80	3085 @ 80	52
SPT67	LT285/75R16	126/123R	E	-	18	RBL	7.5	11.18	32.83	3750 @ 80	3415 @ 80	61
SPT95	LT235/80R17	120/117R	E	-	17	RBL	6.0	9.02	31.81	3085 @ 80	2835 @ 80	49
SPT19	LT245/75R17	121/118R	E	-	17	RBL	6.5	9.49	31.69	3195 @ 80	2910 @ 80	48
SPT70	LT245/70R17	119/116S	E	-	17	RBL	6.5	9.69	30.71	3000 @ 80	2755 @ 80	48
SPT92	LT265/70R17	121/118S	E	-	17	RBL	7.0	10.94	31.81	3195 @ 80	2910 @ 80	54
SPT84	LT285/70R17	121/118S	E	-	18	RBL	7.5	11.81	32.83	3195 @ 80	2910 @ 80	59
TRC02*	LT315/70R17	121/118S	E	-	19	RBL	8.0	12.72	34.65	3195 @ 65	2910 @ 65	74
SPT30	LT265/70R18	124/121S	E	-	17	RBL	7.0	10.79	32.99	3525 @ 80	3195 @ 80	59
SPT72	LT275/70R18	125/122S	E	-	18	RBL	7.0	11.14	33.35	3640 @ 80	3305 @ 80	62
SPT40	LT275/65R18	123/120S	E	-	18	RBL	7.5	10.79	32.13	3415 @ 80	3085 @ 80	58
TRC57*	LT285/65R18	125/122S	E	-	18	RBL	8.0	11.30	32.56	3640 @ 80	3305 @ 80	62
TRC36*	LT325/65R18	127/124R	E	-	19	RBL	9.0	13.03	34.61	3860 @ 65	3525 @ 65	76
SPT43	LT275/65R20	126/123S	E	-	18	RBL	7.5	10.94	34.13	3750 @ 80	3415 @ 80	62
TRC74*	LT265/60R20	121/118R	E	-	17	RBL	7.5	10.55	32.52	3195 @ 80	2910 @ 80	56
TRC37*	LT285/60R20	125/122R	E	-	18	RBL	8.0	11.34	33.46	3640 @ 80	3305 @ 80	62
TRC35*	LT325/60R20	121/118S	D	-	19	RBL	9.0	12.80	35.35	3195 @ 50	2910 @ 50	77
TRC34*	LT285/55R20	122/119R	E	-	18	RBL	8.0	11.22	32.36	3305 @ 80	3000 @ 80	60
TRC54*	LT305/55R20	121/118S	E	-	18	RBL	8.5	12.28	33.23	3195 @ 65	2910 @ 65	68
SPT46	31X10.50R15LT	109R	C	-	17	RBL	7.0	10.67	30.39	2270 @ 50	-	46
TRC71*	35X12.50R20LT	121Q	E	-	19	RBL	8.5	12.48	34.61	3195 @ 65	-	74

*Branded Trailcutter AT4S, same tread pattern.

WILD TRAIL ALL TERRAIN XT

ALL-TERRAIN SUV/LT

Outstanding on- and off-road performance at a value price. The ALL-NEW Wild Trail All Terrain XT combines rugged durability, superior all-season traction and refined road manners to deliver an all-surface performance you can count on.

FEATURES & BENEFITS

- Aggressive tread design delivers additional traction regardless of weather conditions
- Combination of on-road capacity and off-road capabilities with all-season versatility
- Pinned for studs for winter use
- 3D Micro Sipes for extra traction

SIZES

- Available in 15" - 20" Metric and LT sizes

FITS

- Mid/Full-size pickups, Jeeps, and SUVs




WARRANTY



50,000-mile/80,000-km. limited treadwear warranty

PERFORMANCE



WILD TRAIL ALL TERRAIN XT ALL-TERRAIN SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)	
ATX64*	235/75R15	109T	XL	500 A B	13	BLK	6.5	9.25	28.86	2271 @ 50	2271 @ 50	32	
WTA79	245/75R16	111T	STD	500 A B	13	BLK	7.0	9.76	30.47	2403 @ 44	2403 @ 44	41	
WTA81	265/75R16	116T	STD	500 A B	13	BLK	7.5	10.51	31.65	2756 @ 44	2756 @ 44	39	
WTA53	235/70R16	109T	XL	500 A B	13	BLK	7.0	9.45	28.98	2271 @ 50	2271 @ 50	31	
ATX80*	245/70R16	111T	XL	540 A B	14	BLK	7.0	9.76	29.53	2405 @ 50	-	37	
WTA93	265/70R16	112T	STD	500 A B	13	BLK	8.0	10.71	30.63	2469 @ 44	2469 @ 44	37	
NEW!	WTA89	245/70R17	<i>New Size Coming Q1 2020</i>										
	WTA87	265/70R17	115T	STD	500 A B	13	BLK	8.0	10.71	31.65	2679 @ 44	2679 @ 44	38
	WTA54	245/65R17	111T	XL	500 A B	13	BLK	7.0	9.76	29.53	2403 @ 50	2403 @ 50	34
NEW!	WTA63	275/65R18	<i>New Size Coming Q1 2020</i>										
	WTA48	275/55R20	117T	XL	500 A B	13	BLK	8.5	11.18	31.89	2833 @ 50	2833 @ 50	41
	ATX12*	LT235/75R15	116/113S	E	-	16	BLK	6.5	9.25	28.86	2756 @ 80	2535 @ 80	34
	ATX15*	LT215/85R16	115/112S	E	-	16	BLK	6.0	8.50	30.39	2680 @ 80	2470 @ 80	41
	WTA17	LT235/85R16	120/116S	E	-	16	BLK	6.5	9.25	31.73	3042 @ 80	2778 @ 80	43
	WTA26	LT225/75R16	115/112S	E	-	16	BLK	6.0	8.78	29.29	2680 @ 80	2470 @ 80	38
	WTA38	LT245/75R16	120/116S	E	-	16	BLK	7.0	9.76	30.47	3042 @ 80	2778 @ 80	41
	WTA39	LT265/75R16	123/120S	E	-	16	BLK	7.5	10.51	31.65	3415 @ 80	3085 @ 80	47
	WTA67	LT285/75R16	126/123S	E	-	16	BLK	8.0	11.26	32.83	3748 @ 80	3417 @ 80	54
NEW!	WTA95	LT235/80R17	<i>New Size Coming Q1 2020</i>										
	WTA40	LT245/75R17	121/118S	E	-	16	BLK	7.0	9.76	31.50	3197 @ 80	2910 @ 80	45
NEW!	WTA70	LT245/70R17	<i>New Size Coming Q1 2020</i>										
	WTA92	LT265/70R17	121/118S	E	-	16	BLK	8.0	10.71	31.65	3197 @ 80	2910 @ 80	46
	WTA84	LT285/70R17	121/118S	E	-	16	BLK	8.5	11.50	32.76	3197 @ 80	2910 @ 80	54
NEW!	WTA30	LT265/70R18	<i>New Size Coming Q1 2020</i>										
NEW!	WTA72	LT275/70R18	<i>New Size Coming Q1 2020</i>										
NEW!	WTA41	LT275/65R18	<i>New Size Coming Q1 2020</i>										
NEW!	WTA57	LT285/65R18	<i>New Size Coming Q1 2020</i>										
NEW!	WTA43	LT275/65R20	<i>New Size Coming Q1 2020</i>										
NEW!	WTA74	LT265/60R20	<i>New Size Coming Q1 2020</i>										
NEW!	WTA94	LT285/55R20	<i>New Size Coming Q1 2020</i>										
	WTA46	31x10.50R15LT	109S	C	-	16	BLK	8.5	10.55	30.51	2270 @ 50	2270 @ 50	40
NEW!	WTA45	33x12.50R20LT	<i>New Size Coming Q1 2020</i>										
	WTA71	35x12.50R20LT	121S	E	-	16	BLK	10.0	12.52	34.53	3195 @ 65	3195 @ 65	67

* Branded Wild Trail All Terrain, slightly different tread pattern (See page 48)



TRAIL GUIDE ALL TERRAIN

ALL-TERRAIN SUV/LT

The Trail Guide All Terrain is one of the first in the value tier to be approved for severe snow conditions and designated with the USTMA Three Peak Mountain Snow Flake (3PMSF) symbol. Designed to deliver all-weather superior traction for SUVs, pickups and vans both on and off the road. The Trail Guide All Terrain provides exceptional handling while maintaining a comfortable ride, making it the perfect choice to tackle whatever obstacles the elements throw at your vehicle!

FEATURES & BENEFITS

- Certified with USTMA 3PMSF symbol for severe winter performance
- Aggressive open shoulder tread design expels water, winter slush and mud for optimum traction in all-terrain conditions
- Extra-deep tread sipes at varying angles improve comfort without sacrificing traction
- Jagged edge tread blocks improve grip on ice and in the mud providing superior traction
- Zigzag grooves and continuous center block provide outstanding grip and superior handling

SIZES

- 26 popular Metric and LT sizes covering 15", 16", 17", 18" and 20" diameters

FITS

- Mid/Full-size pickups, Jeeps, SUVs and vans


WARRANTY



50,000-mile/80,000-km. limited treadwear warranty




PERFORMANCE



TRAIL GUIDE ALL TERRAIN ALL-TERRAIN SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
TGT64	235/75R15	109S	XL	500 A B	13	OWL	6.5	9.25	28.86	2271 @ 44	-	31
TGT79	245/75R16	111S	STD	500 A B	13	OWL	7.0	9.76	30.47	2403 @ 44	-	34
TGT81	265/75R16	116S	STD	500 A B	13	OWL	7.5	10.51	31.65	2756 @ 44	-	37
TGT53	235/70R16	106S	STD	500 A B	13	OWL	7.0	9.45	28.98	2094 @ 44	-	31
TGT93	265/70R16	112T	STD	500 A B	13	OWL	8.0	10.71	30.63	2469 @ 50	-	36
TGT87	265/70R17	115S	STD	500 A B	13	OWL	8.0	10.71	31.65	2679 @ 44	-	37
TGT67	245/65R17	107S	STD	500 A B	13	OWL	7.0	9.76	29.53	2149 @ 50	-	32
TGT58	265/65R17	112S	STD	500 A B	13	OWL	8.0	10.71	30.55	2469 @ 44	-	36
TGT63	275/65R18	116T	STD	500 A B	13	OWL	8.0	10.98	32.09	2750 @ 50	-	39
TGT15	275/60R20	115T	STD	500 A B	13	BSW	8.0	10.98	32.99	2679 @ 44	-	41
TGT73	275/55R20	117T	XL	500 A B	13	BSW	8.5	11.18	31.89	2833 @ 44	-	40
TGT17	LT235/85R16	120/116S	E	-	16	BSW	6.5	9.25	31.73	3085 @ 80	2755 @ 80	42
TGT26	LT225/75R16	115/112S	E	-	16	BSW	6.0	8.78	29.29	2680 @ 44	2470 @ 80	37
TGT38	LT245/75R16	120/116S	E	-	16	BSW	7.0	9.76	30.47	3085 @ 80	2755 @ 80	42
TGT39	LT265/75R16	123/120S	E	-	16	OWL	7.5	10.51	31.65	3415 @ 65	3085 @ 80	46
TGT88	LT285/75R16	126/123S	E	-	16	OWL	8.0	11.26	32.83	3750 @ 80	3415 @ 80	51
TGT95	LT235/80R17	120/117R	E	-	16	OWL	6.5	9.25	31.81	3085 @ 80	2835 @ 80	43
TGT19	LT245/75R17	121/118S	E	-	16	OWL	7.0	9.76	31.50	3195 @ 80	2910 @ 80	43
TGT70	LT245/70R17	119/116S	E	-	16	OWL	7.0	9.76	30.55	3000 @ 80	2755 @ 80	42
TGT92	LT265/70R17	121/118S	E	-	16	OWL	8.0	10.71	31.65	3195 @ 80	2910 @ 80	46
TGT83	LT285/70R17	121/118S	E	-	16	OWL	8.5	11.50	32.76	3195 @ 80	2910 @ 80	52
TGT30	LT265/70R18	124/121R	E	-	16	BSW	8.0	10.71	32.64	3525 @ 80	3195 @ 80	49
TGT72	LT275/70R18	125/122R	E	-	16	OWL	8.0	10.98	33.19	3640 @ 80	3305 @ 80	52
TGT40	LT275/65R18	123/120S	E	-	16	OWL	8.0	10.98	32.09	3415 @ 65	3085 @ 80	49
TGT43	LT275/65R20	126/123S	E	-	16	BSW	8.0	10.98	34.09	3750 @ 80	3415 @ 80	54
TGT44	31X10.50R15LT	109S	C	-	16	OWL	8.5	10.55	30.51	2270 @ 44	-	39



WILD TRAIL CTX

COMMERCIAL TRACTION SUV/LT

The Wild Trail CTX is designed as a light truck commercial traction tire that provides trusted all-season performance with enhanced off-road durability. The CTX is ideal for pickups, vans, SUVs and commercial vehicle drivers looking for a heavy duty light truck tire that combines traction on the highway, as well as work jobsites.

FEATURES & BENEFITS

- Aggressive tread design with step down and beveled elements delivers superior all-surface/all-traction capability
- Cut/Chip-resistant compound provides durability for heavy usage, such as heavy loading or towing
- Full-width nylon overwrap for increased load-carrying capacity
- Silica compounding for superior wet traction
- Pinned for studs for winter use
- Advanced technology heavy denier cord sidewall resists puncture and provides enhanced strength without "overbuild"

SIZES

- Available in 16" - 20" LT sizes

FITS

- Mid/full-size pickups, SUVs and vans



PERFORMANCE



WILD TRAIL CTX COMMERCIAL TRACTION SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
WCX17	LT235/85R16	120/116Q	E	18	BSW	6.5	9.30	31.70	3042 @ 80	2778 @ 80	42
WCX26	LT225/75R16	115/112Q	E	18	BSW	6.0	8.80	29.30	2680 @ 80	2470 @ 80	39
WCX38	LT245/75R16	120/116Q	E	18	BSW	7.0	9.80	30.50	3042 @ 80	2778 @ 80	41
WCX32	LT265/75R16	123/120Q	E	18	BSW	7.5	10.50	31.70	3415 @ 80	3085 @ 80	46
WCX67	LT285/75R16	126/123Q	E	18	BSW	8.0	11.30	33.10	3750 @ 80	3415 @ 80	52
WCX95	LT235/80R17	120/117Q	E	18	BSW	6.5	9.30	31.80	3085 @ 80	2835 @ 80	42
WCX19	LT245/75R17	121/118Q	E	18	BSW	7.0	9.80	31.50	3195 @ 80	2910 @ 80	44
WCX70	LT245/70R17	119/116Q	E	18	BSW	7.0	9.80	30.60	3000 @ 80	2755 @ 80	41
WCX92	LT265/70R17	121/118Q	E	18	BSW	8.0	10.70	31.70	3195 @ 80	2910 @ 80	46
WCX84	LT285/70R17	121/118Q	E	18	BSW	8.5	11.50	32.80	3195 @ 80	2910 @ 80	52
WCX21	LT295/70R17	121/118Q	E	18	BSW	8.5	11.77	33.31	3195 @ 80	2910 @ 80	50
WCX72	LT275/70R18	125/122Q	E	18	BSW	8.0	10.98	33.19	3640 @ 80	3305 @ 80	49
WCX22	LT295/70R18	129/126Q	E	18	BSW	8.5	11.77	34.29	4080 @ 80	3750 @ 80	53
WCX40	LT275/65R18	123/120Q	E	18	BSW	8.0	11.00	32.10	3415 @ 80	3085 @ 80	49
WCX71	35X12.50R20LT	121Q	E	18	BSW	10.0	12.52	34.53	3195 @ 65	-	55



MUD CLAW EXTREME MT

TRACTION LT

Superior off-road performance in a rugged-looking, self-cleaning tire that takes on the terrain. Massive, staggered shoulder blocks and tread lugs chew up mud, rock and dirt and spit them out again thanks to wide channels that keep the tire free of debris and stones. Grips every kind of terrain, including rock and soft soils.

FEATURES & BENEFITS

- Maximum off-road performance at an economical price
- 3-ply sidewall construction for 18" - 20" provides enhanced strength and durability
- Deep, aggressive self-cleaning tread with stone ejectors
- Stylized black-letter sidewall boosts aesthetic appeal and delivers stylish, eye-catching appearance

SIZES


- Available in 15" - 22" LT and Flotation sizes

FITS

- Mid/Full-size pickups, Jeeps and SUVs



PERFORMANCE



MUD CLAW EXTREME MT TRACTION LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
MCX12	LT235/75R15	104/101	C	19	BSW	6.5	9.25	29.09	1985 @ 50	1820 @ 50	41
MCX17	LT235/85R16	120/116	E	19	BSW	6.5	9.25	31.97	3085 @ 80	2755 @ 50	50
MCX36	LT245/75R16	120/116	E	19	BSW	7.0	9.76	30.71	3042 @ 80	2778 @ 80	45
MCX39	LT265/75R16	123/120	E	19	BSW	7.5	10.51	31.89	3415 @ 80	3085 @ 80	50
MCX67	LT285/75R16	126/123	E	19	BSW	8.0	11.26	33.07	3750 @ 80	3415 @ 80	60
MCX77	LT315/75R16	121/118	D	20	BSW	8.5	12.32	34.80	3195 @ 50	2910 @ 50	60
MCX95	LT235/80R17	120/117Q	E	20	BSW	6.5	9.25	32.05	3085 @ 80	2835 @ 80	45
MCX19	LT245/75R17	121/118	E	19	BSW	7.0	9.76	31.73	3195 @ 80	2910 @ 80	48
MCX92	LT265/70R17	121/118	E	19	BSW	8.5	10.71	31.89	3195 @ 80	2910 @ 80	53
MCX84	LT285/70R17	121/118	E	19	BSW	8.5	11.50	32.99	3195 @ 80	2910 @ 80	59
MCX21	LT295/70R17	121/118	E	21	BSW	8.5	10.98	33.43	3195 @ 80	2910 @ 80	63
MCX02	LT315/70R17	121/118Q	D	20	BSW	9.5	12.72	34.65	3195 @ 50	2910 @ 50	63
MCX72	LT275/70R18	125/122	E	19	BSW	8.0	11.77	33.54	3640 @ 80	3305 @ 80	57
MCX52	LT305/70R18	126/123Q	E	20	BSW	9.0	12.24	35.08	3750 @ 65	3415 @ 65	62
MCX40	LT275/65R18	123/120Q	E	20	BSW	8.0	10.98	32.32	3415 @ 80	3085 @ 80	56
MCX54	LT305/55R20	121/118Q	E	20	BSW	9.5	12.44	33.46	3195 @ 65	2910 @ 65	59
MCX78	30X9.50R15LT	104	C	19	BSW	7.5	9.45	29.76	2205 @ 35	-	43
MCX46	31X10.50R15LT	109	C	19	BSW	8.5	10.55	30.75	2270 @ 50	-	47
MCX41	32X11.50R15LT	113Q	C	21	BSW	9.0	11.42	31.76	2535 @ 50	-	52
MCX51	33X12.50R15LT	108	C	21	BSW	10.0	12.52	32.76	1985 @ 50	-	66
MCX76	35X12.50R15LT	113Q	C	21	BSW	10.0	12.50	34.76	2535 @ 35	-	63
MCX93	33X12.50R17LT	114Q	D	21	BSW	10.0	12.50	32.76	2600 @ 50	-	61
MCX94	35X12.50R17LT	121	E	21	BSW	10.0	12.52	34.76	3195 @ 65	-	72
MCX65	37X12.50R17LT	124P	D	21	BSW	10.0	12.50	36.76	3525 @ 50	-	69
MCX87	33X12.50R18LT	118	F	21	BSW	10.0	12.52	32.76	2910 @ 65	-	63
MCX86	35X12.50R18LT	123	F	21	BSW	10.0	12.52	34.76	3415 @ 65	-	71
MCX81	33X12.50R20LT	114	F	19	BSW	10.0	12.52	32.76	2600 @ 65	-	65
MCX82	35x12.50R20LT	121	F	21	BSW	10.0	12.52	34.76	3195 @ 65	-	71
MCX88	37X12.50R20LT	126Q	F	17	BSW	10.0	12.52	36.77	3750 @ 65	-	69
MCX80	35X12.50R22LT	117Q	F	17	BSW	10.0	12.52	34.76	2835 @ 65	-	72
MCX89	37X13.50R22LT	123Q	F	17	BSW	10.0	13.58	36.77	3415 @ 65	-	72



ADDITIONAL TIRE PICTURES



GRAND SPIRIT TOURING L/X
(GLX)



GRAND SPIRIT TOURING C/X
(GCX)



CLASSIC ALL SEASON
(CPT)



GRAND PRIX TOUR RS
(GPS)



VELOZA SVR LX
(VEP)



WILD SPIRIT HST
(HST)



WILD TRAIL ALL TERRAIN
(ATX)