



ENERCO



HIGH QUALITY GAS PRODUCTS

ENERCO GROUP INC, CLEVELAND OHIO

TABLE OF CONTENTS

BY PRODUCT:

Plan-O-Grams	3-7
Propane Regulators.....	8
Propane Hoses.....	9-10
R.V. Kits.....	11
Gas Quick-Connect Items	12
Propane Accessories	13-15


GLOSSARY

Backfire	Also called Flashback. The flash back of the flame through the venturi, causing burning at the orifice.
Burner	Device forming an integral unit for the introduction of propane with air or oxygen into the combustion zone for ignition.
Cylinder	With respect to propane storage, refers to a container designed and fabricated in accordance with the specifications of the U.S. Department of Transportation for the storage of propane.
L.H. Thread	A threaded connection where the male thread is turned in a counter-clockwise direction into a female thread L.H..
N.P.T.	American Standard Pipe Threads.
Orifice	The opening in a cap or other device whereby the flow of propane gas is limited and through which the gas is discharged to the burner.
P.O.L.	A commonly employed thread L.H. connection used for propane cylinders and meeting the specifications of the American Standards Institute.
Propane	A hydrocarbon product HD ₅ ; A special grade of liquefied petroleum gas composed of a minimum 90% liquid volume of propane C ₃ H ₈ and a maximum of 5% liquid volume of Propylene C ₃ H ₆ - Ref. ANSI Z21.57, ANSI 283.6, Z83.7.
QCC-1 Fitting	The QCC-1 connector is a nut-and-nipple assembly, and is easily identifiable by the Acme Nut large, external right-hand threads on the cylinder valve. The QCC-1 connector's patented nut is easy to connect and tighten without tools.
R.H. Thread	A threaded connection where the male thread is turned in a clockwise direction into a female thread R.H..
Rate	BTU input burned by an appliance during one hour of full operation.
Regulator	A device for controlling or maintaining a uniform gas pressure.
Soft Nose	With fittings, refers to a P.O.L. with a rubber "O" Ring which acts as a secondary seal for connection to a propane cylinder valve.
Tank Union	A P.O.L. assembly with a R.H. female device – i.e. the valve on an appliance.
Thermocouple	The pair of dissimilar metallic elements so joined as to produce a current when the junctions are at different temperatures. Used for sensing the flame in a safety shutoff assembly.




- All products feature full color insert and high quality clamshell packaging
- All Plan-O-Grams include peg hooks and four color banner





#F173925- Enerco Plan-O-Gram (Top 20)

# on POG	Enerco Part #	Description	QTY
1	F176181	Propane/Natural Gas Quick Connector Kit w/ Shut Off and Full Flow Plug	2
2	F173729	1/4" Male Pipe Thread x 1/4" Inverted Female Flare	2
3	F176497	Propane Appliance ACME Nut-Green (200K BTU Rating)	2
4	F173751	Propane Adapter Tee	2
5	F173753	Propane 90° Stay Flow Adapter	2
6	F171144-60	5' Propane Hose with Excess Flow Soft Nose POL	2
7	F171158-15	15" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
8	F171158-20	20" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
9	F171138-20	Pigtail with Green Acme Nut & 1/4" Inverted Male Pipe Thread	2
10	F171149-36	3' Propane Hose with Dual 3/8" Female Flares	2
11	F171161	22" Propane Hose with 90 Regulator and ACME Nut and 3/8" Female Flare	2
12	F173766	Auto Change Over Dual Stage Propane Regulator Horizontal Dual Stage Propane Regulator	2
13	F173763	Vertical Dual Stage Propane Regulator	2
14	F173868	Horizontal Dual Stage Propane Regulator	2
15	F171144-144	12' Propane Hose with Excess Flow Soft Nose POL and 1/4" Inverted Male Flare	2
16	F173703-144	12' Propane Hose with ACME Nut and 1"-20 Male	2
17	F173711	12' Propane Hose with Swivel 1"-20 Male	2
18	F173735	Stay Flow Plus Kit	2
19	F173733	Stay-A-While Kit	2
20	F173169	Tankfoot™ Tank Stabilizer (6 Pack)	6



#F173923- Enerco Plan-O-Gram (Small)


# on POG	Enerco Part #	Description	QTY
1	F176181	Propane/Natural Gas Quick Connector Kit with Shut-Off and Full Flow Plug	2
2	F173655	Excess Flow Soft Nose POL	2
3	F173729	1/4" Male Pipe Thread x 1/4" Inverted Female Flare	2
4	F176497	Propane Appliance ACME Nut - Green (200K BTU Rating)	2
5	F173830	30 PSI High Pressure Propane Regulator	2
6	F173763	Vertical Dual Stage Propane Regulator	2
7	F173863	Horizontal Dual Stage Propane Regulator with POL	2
8	F173766	Auto Change Over Dual Stage Propane Regulator	2
9	F171138-20	20" Pigtail with Green ACME Nut and 1/4" Male Pipe Thread	2
10	F171158-20	20" Pigtail with Green ACME Nut and 1/4" Inverted Male Flare	2
11	F171144-60	5' Propane Hose with Excess Flow Soft Nose POL and 1/4" Inverted Flare	2
12	F173703-144	12' Propane Hose with ACME Nut and 1"-20 Male Throwaway	2
13	F173735	Stay Flow Plus Kit	2
14	F173733	Stay-A-While Kit	2
15	F173169	TankFoot™ Tank Stabilizer (6Pack)	2

#F173927 (Medium)

#F173928 (Large)


#F173927- Enerco Plan-O-Gram (Medium)

#F173928- Enerco Plan-O-Gram (Large)



# on POG	Enerco Part #	Description	QTY	QTY
1	F176181	Propane/Nature Gas Quick Connector Kit with Shut Off and Full Flow Plug	2	3
2	F173655	Excess Flow Soft Nose POL	2	3
3	F173729	1/4" Male Pipe Thread x 1/4" Inverted Female Flare	2	3
4	F176497	Propane Appliance Acme Nut - Green (200k BTU Rating)	2	3
5	F173830	30 PSI High Pressure Propane Regulator	2	3
6	F173767	Low Pressure Single Stage Propane Regulator	2	3
7	F171158-12	12" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2	3
8	F171158-15	15" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2	3
9	F176342	Propane Gas Gauge	2	3
10	F173751	Propane Adapter Tee	2	3
11	F173753	Propane 90° Stay Flow Adapter	2	3
12	F171144-60	5' Propane Hose with Excess Flow Soft Nose POL and 1/4" Inverted Male Flare	2	3
13	F171158-20	20" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2	3
14	F171715	Propane "Y" Adapter with POL and Two Male 1"-20 Throwaway Cylinder Threads	2	3
15	F171158-24	24" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2	3
16	F173710	5' Propane Hose with Swivel 1"-20 Male Throwaway Cylinder Thread and Swivel 1"-20 Female Throwaway Cylinder Thread	2	3
17	F171158-30	30" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2	3
18	F171158-36	36" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2	3
19	F171158-48	48" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2	3
20	F171158-60	60" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2	3
21	F173868	Horizontal Dual Stage Propane Regulator	2	3
22	F173763	Vertical Dual Stage Propane Regulator	2	3
23	F173766	Auto Change Over Dual Stage Propane Regulator	2	3
24	F173703-60	5' Propane Hose with Acme Nut and 1"-20 Male Throwaway Cylinder Thread	2	3
25	F171138-20	20" Pigtail with Green Acme Nut and 1/4" Male Pipe Thread	2	3
26	F171149-36	3' Propane Hose with Dual 3/8" Female Flares	2	3
27	F173717	5' Propane Hose with 1/4" Male Pipe Thread and 1/4" Female Pipe Thread	2	3
28	F171161	22" Propane Hose with 90° Regulator and Acme Nut and 3/8" Female Flare	2	3
29	F171144-144	12' Propane Hose with Excess Flow Soft Nose POL and 1/4" Inverted Male Flare	2	3
30	F173703-144	12' Propane Hose with Acme Nut and 1"-20 Male Throwaway Cylinder Thread	2	3
31	F173702	12' Propane Hose with Excess Flow Soft Nose POL and Swivel 1"-20 Male Throwaway Cylinder Thread	2	3
32	F173711	12' Propane Hose with Swivel 1"-20 Male Throwaway Cylinder Thread and Swivel 1"-20 Female Throwaway Cylinder Thread	2	3
33	F173733	Stay A While Kit	2	3
34	F173735	Stay Flow Plus Kit	2	3
35	F173169	TankFoot™ Tank Stabilizer (6 Pack)	6	6

****The Medium and Large have the same part numbers and description the only difference is the quantity****



#F173900- Enerco Plan-O-Gram (RV)

# on POG	Enerco Part #	Description	QTY
1	F176181	Propane/Natural Gas Quick Connector Kit w/ Shut Off and Full Flow Plug	2
2	F173655	Excess Flow Soft Nose POL	2
3	F173729	1/4" Male Pipe Thread x 1/4" Inverted Female Flare	2
4	F173830	30 PSI High Pressure Propane Regulator	2
5	F173767	Low Pressure Single Stage Propane Regulator	2
6	F171138-20	Pigtail with Green Acme Nut & 1/4" Inverted Male Pipe Thread	2
7	F171161	22" Propane Hose with 90 Regulator and ACME Nut and 3/8" Female Flare	2
8	F171144-60	5' Propane Hose with Excess Flow Soft Nose POL and 1/4" Inverted Flare	2
9	F171163-60	60" Propane Hose with 3/8" Female Flare and 3/8" Male Pipe Thread	2
10	F171149-72	Auto Change Over High Capacity Dual Stage Propane Regulator (400K BTU Max)	2
11	F173836	22" Propane Hose with 90 Regulator and ACME Nut and 3/8" Female Flare	2
12	F173766	Auto Change Over Dual Stage Propane Regulator Horizontal Dual Stage Propane Regulator	2
13	F173763	Vertical Dual Stage Propane Regulator	2
14	F173868	Horizontal Dual Stage Propane Regulator	2
15	F176342	Propane Gas Gauge	2
16	F173752	Propane Stay A While Tee	2
17	F173717	5' Propane Hose with 1/4" Male Pipe Thread and 1/4" Female Pipe Thread	2
18	F173703-60	5' Propane Hose with Acme Nut and 1"-20 Male Throwaway Cylinder Thread	2
19	F176497	Propane Appliance Acme Nut - Green (200K BTU Rating)	2
20	F171158-12	12" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
21	F171158-15	15" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
22	F171158-18	18" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
23	F171158-20	20" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
24	F171158-24	24" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
25	F171158-36	36" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
26	F171716	Double Quick Connect	2
27	F171718	Tank Quick Connect	2
30	F171144-144	12' Propane Hose with Excess Flow Soft Nose POL and 1/4" Inverted Male Flare	2
31	F173703-144	12' Propane Hose with Acme Nut and 1"-20 Male Throwaway Cylinder Thread	2
32	F171806	12' Quick Connect Propane Hose with Shut Off Valve and Male Full Flow QD	2
33	F173734	Stay A While Deluxe Kit	2
34	F173733	Stay A While Kit	2
35	F171149-144	12' Propane Hose with Dual 3/8" Female Flares	2
36	F173169	TankFoot™ Tank Stabilizer (6 Pack)	6

#F173929- Enerco Plan-O-Gram (4 x 4)



# on POG	Enerco Part #	Description	QTY
1	F176342	Propane Gas Gauge	2
2	F176181	Propane/Nature Gas Quick Connector Kit with Shut Off and Full Flow Plug	2
3	F176497	Propane Appliance Acme Nut - Green (200k BTU Rating)	2
4	F173729	1/4" Male Pipe Thread x 1/4" Inverted Female Flare	2
5	F173767	Low Pressure Single Stage Propane Regulator	2
6	F173655	Excess Flow Soft Nose POL	2
7	F173830	30 PSI High Pressure Propane Regulator	2
8 & 9	F173836	Auto Change Over High Capacity Dual Stage Propane Regulator (400K BTU Max)	4
10	F173766	Auto Change Over Dual Stage Propane Regulator	2
11	F173868	Horizontal Dual Stage Propane Regulator	2
12	F173752	Propane Stay A While Tee	2
13	F171158-15	15" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
14	F171158-18	18" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
15	F171158-20	20" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
16	F171158-24	24" Pigtail with Green Acme Nut and 1/4" Inverted Male Flare	2
17	F171138-20	20" Pigtail with Green Acme Nut and 1/4" Male Pipe Thread	2
18	F173763	Vertical Dual Stage Propane Regulator	2
19	F173733	Stay a While Kit	2
20	F171149-36	3' Propane Hose with Dual 3/8" Female Flares	2
21	F171149-72	6' Propane Hose with Dual 3/8" Female Flares	2
22	F171163-30	30" Propane Hose with 3/8" Female Flare and 3/8" Male Pipe Thread	2
23	F171163-60	60" Propane Hose with 3/8" Female Flare and 3/8" Male Pipe Thread	2
24	F171144-60	5' Propane Hose with Excess Flow Soft Nose POL and 1/4" Inverted Male Flare	2
25	F171161	22" Propane Hose with 90° Regulator and Acme Nut and 3/8" Female Flare	2
26	F171806	12' Quick Connect Propane Hose Female with Shut Off Valve and Male Full Flow QD	2
27	F173734	Stay A While Deluxe Kit	2
28	F171144-144	12' Propane Hose with Excess Flow Soft Nose POL and 1/4" Inverted Male Flare	2
29	F173169	TankFoot™ Tank Stabilizer (6 Pack)	6

Regulators



Model #	Description
F173836	Propane Auto-Changeover High Capacity Two Stage Regulator

Two stage auto changeover regulator provides easy change over from empty to full cylinder while providing adequate fuel to your RV. Complete with cover bracket and hardware (not shown). 11" W.C. 400,00 BTU max flow. 2-1/4" Inverted Female Flare Inlets x 3/8" Female Pipe Outlet.

Propane level indicator located on front of regulator. (bulk available - 73836)



Model #	Description
F173766	Propane Auto-Changeover Two Stage Regulator

Two stage auto changeover regulator provides easy change over from empty to full cylinder while providing adequate fuel to your RV. Complete with cover bracket and hardware (not shown).

11" W.C. 325,000 BTU max flow 2-1/4" Inverted Female Flare Inlets x 3/8" Female Pipe Outlet.

Propane level indicator located on front of regulator. (bulk available - 73766)



Model #	Description
F173763	Vertical Propane Two Stage Regulator
F173868	Horizontal Propane Two Stage Regulator
F173863	Horizontal Propane Two Stage Regulator w/P.O.L.

Dual stage regulator uses both a high/low pressure regulator to provide smooth and continuous flow to the appliance or RV while providing 11" W.C. Complete with covers (not shown).

225,000 BTU max flow.

1/4" Female Pipe Thread Inlet x 3/8" Female Pipe Thread Outlet.



Model #	Description
F17830	Propane 30 PSI High Pressure Regulator

Designed for high pressure RV applications. Ideal for fifth wheel split-cylinder applications. 360,000 BTU Capacity 1/4" female pipe thread inlet and outlet.

(bulk available - 73831)



Model #	Description
F173767	Propane Low Pressure Regulator

Single stage regulator for use on larger BTU appliances that require low pressure, 11" W.C. 90,000 BTU max flow. 3/8" Female Pipe Thread Outlet x 1/4" Female Pipe Thread Inlet

(bulk available - 73767)



Model #	Description
F176136	Propane Low Pressure Regulator

Single stage regulator for use on small portable appliances and grills. - 11" W.C. low pressure regulator 75,000 BTU max. flow. Restricted Flow Soft Nose P.O.L. x 3/8" Female Pipe Thread.

(bulk available - 76136)



Model #	Description
F173719	High Pressure Regulator with P.O.L.

Adjustable (0-20 PSI) regulator. Most commonly used on torches, fish cookers, smokers or other high pressure appliances. Full Flow Soft Nose P.O.L. X 1/4" Female Pipe Thread.

(bulk available - 73891)



Model #	Packaged Lengths (XX = inches)
F171158-(XX)	12,15,18,20,24,30,36,48,60

Model #	Bulk Lengths (XX = inches)
71158-(XX)	12,15,18,20,24,30,36,48,60

Propane hose assembly with Acme Nut x 1/4" Inverted Male Flare
Connects to propane tank and auto change-over dual stage regulator.



Model #	Packaged Lengths (XX = inches)
F171144-(XX)	60,144

Model #	Bulk Lengths (XX = inches)
71144-(XX)	12,15,18,20,24,30,36,48,60,72,144

Excess Flow Soft Nose P.O.L. x 1/4" Inverted Male Flare Commonly used to connect an aux. tank to a motor home.



Model #	Packaged Lengths (XX = inches)
F171138-(XX)	20

Model #	Bulk Lengths (XX = inches)
71138-(XX)	10,15,20,36

Propane hose assembly with Acme Nut x 1/4" Male Pipe Thread
Commonly used to connect a bulk cylinder on a camper to a regulator.



Model #	Packaged Lengths (XX = inches)
F171163-(XX)	30,60

Model #	Bulk Lengths (XX = inches)
71163-(XX)	24,30,36,48,60,72,96,144,180

3/8" Male Pipe Thread x 3/8" Female Flare - Most commonly used to hook a low pressure regulator to an appliance.



Model #	Packaged Lengths (XX = inches)
F171149-(XX)	36, 72

Model #	Bulk Lengths (XX = inches)
71149-(XX)	12,18,24,36,48,60,72

Propane Hose assembly with 3/8" Female Flare x 3/8" Female Flare - Connects existing gas line to appliances equipped with 3/8" male flare



Model #	Bulk Lengths (XX = inches)
71169-(XX)	12,18,30,36,48,60,72

Propane hose assembly with 3/8" female flare fitting at both ends (3/8" ID Hose)

Assembly
(UL 569/UL 21)



Model #	Bulk Lengths (XX= inches)
71473-(XX)	40,72

Propane hose assembly with 1/2" female flare x 3/8" male pipe thread (3/8" ID)

Registered Hose



Model #	Description
F171161	22" Hose & Regulator w/Acme Nut

Model #	Packaged Lengths (XX=inches)
F171161-60	60
F171161-144	144

(Regulator w/Appliance End Fitting/Acme Nut x 3/8" Female Flare) - For Type 1 (QCC-1©) gas grill systems



Model #	Description
F173717	5' Propane Appliance Extension Hose Assembly

(1/4" Male Pipe Thread x 1/4" Female Pipe Thread) (1/4" ID High Pressure Hose) - Use as an extension hose for portable propane appliances.

Registered Hose



Model #	Packaged Lengths (XX = inches)
F173701	60
F173702	144

Model #	Bulk Lengths (XX = inches)
73701	60
73702	144

Swivel 1"- 20 Male Throwaway Cylinder Thread x Excess Flow Soft Nose P.O.L w/Handwheel Connects appliances that are designed for disposable cylinders to a 5-20lb. cylinder.

Registered Hose



Model #	Packaged Lengths (XX = inches)
F173703-60	60
F173703-144	144

(Appliance End fitting/Acme Nut x 1" - 20 Male Throwaway Cylinder Thread) Used to connect portable appliances to a 20 lb. tank.

Registered Hose



Model #	Packaged Lengths (XX = inches)
F173710	60
F173711	144

(Swivel 1"-20 Male Throwaway Cylinder Thread x Swivel 1"-20 Female Throwaway Cylinder Thread) - Used with most distribution posts or "T" and "Y" connectors as well as 1lb. disposable cylinders.

Registered Hose



Model #	Description
F173714	Stay Flow

12' Propane Hose/Tee Assembly - Commonly used in RV applications to provide additional source of propane to high pressure appliances. Swivel 1" - 20 Male throwaway cylinder thread x swivel 1" - 20 female throwaway cylinder thread x tee assembly; excess flow Soft Nose P.O.L. x 1" - 20 male throwaway cylinder thread x female P.O.L. and Acme thread



Registered Hose

Model #	Description
F173735	Stay Flow Plus

12' Propane Hose Assembly: Swivel 1"-20 Male Throwaway Cylinder Thread x Swivel 1"-20 Female Throwaway Cylinder Thread; 90° Stay Flow Adapter: Excess Flow Soft Nose P.O.L. x 1"-20 Male Throwaway Cylinder Thread x Female P.O.L. w/Acme Thread - Connects camper and additional appliance to a 20lb. propane tank.



Registered Hose

Model #	Description
F173733	Stay A While

5' Propane Flexible pigtail hose assembly: Soft Nose excess flow P.O.L. x 1/4" inverted male flare; stay a while tee: excess flow Soft Nose P.O.L. x 1" - 20 male throwaway cylinder thread x female P.O.L. w/Acme thread x 1/4" inverted female flare - Connects auxiliary propane hose cylinder to motor home.



Registered Hose

Model #	Description
F173734	Stay A While Deluxe

12' Propane Hose Assembly: Swivel 1"-20 Male Throwaway Cylinder Thread x Swivel 1" - 10 Female throwaway cylinder thread; 5' hose assembly: excess flow Soft Nose P.O.L. x 1/4" inverted male flare; stay a while tee: excess flow Soft Nose P.O.L. x 1" - 20 male throwaway cylinder thread x female P.O.L. w/Acme thread x 1/4" inverted female flare



Registered Hose



Model #	Description
F171117	12'

Propane 12' R.V. Quick-connect connection x 1"20 for use with F176181



Model #	Description
F171806	12' Quick Connect Propane Hose Assembly with shut off valve and full flow male plug

Connects a low pressure propane gas grill to an onboard RV propane supply. For use with F176181 Low pressure quick connect kit.



Model #	Description
F171716	Double Quick Connect

Propane 2 1/4" Female Quick Connects x 1/4" Male Quick Connect. Hookup 2 low pressure propane appliances to an RV.



Model #	Description
F171718	Tank Quick Connect

Propane 1/4" Female Quick Connects x Appliance ACME Nut. 11"WC regulator. 90° 75,000 BTU max flow.



Model #	Description
F176181	Full Flow Male Plug & Propane/Natural Gas Connector Kit w/Shut-off valve

1/4" Male Pipe Thread x 1/4" Female Pipe Thread CSA certified; UL approved, Low pressure



Model #	Description
F176187	Full Flow Male Plug & Propane/Natural Gas 3/8" Quick Connector

3/8" Male Pipe Thread x 3/8" Female Pipe Thread CSA certified, UL approved



Model #	Description
F176190	Full Flow Male Plug & Propane/Natural Gas Connector

1/4" Female Pipe Thread x Quick Connect x 1/4" Male Pipe Thread CSA certified, UL approved, Low Pressure



Model #	Description
F176281	Propane or Natural Gas Full Flow Male Plug

1/4" Male Pipe Thread x Full Flow Male Plug - For high pressure appliances. Can be used with F176334 or can replace excess flow plug-in F176186 & F176330



Model #	Description
F173655	Excess Flow Soft Nose P.O.L. x 1/4" Male Pipe Thread

Excess flow P.O.L. tank connection approved for use with horizontal dual stage regulators

(bulk available - 73655)



Model #	Description
F173762	Full Flow Soft Nose P.O.L. w/Handwheel x 1/4" Male Pipe Thread

Full Flow P.O.L. tank connection

(bulk available - 73762)



Model #	Description
F176495	Propane Acme Nut (Black)

Appliance End Fitting/Acme Nut x 1/4" Male Pipe Thread For appliances with 80,000 BTU's or less.

(bulk available - 76495)



Model #	Description
F176497	Propane Acme Nut (Green)

Appliance End Fitting/Acme Nut x 1/4" Male Pipe Thread - 200,000 BTU Capacity

(bulk available - 76497)



Model #	Description
F176342	Propane Gas Gauge

Appliance End Fitting/Acme Nut x Acme Thread and Female P.O.L. - Meets all Type 1 safety standards with a gauge. Detects dangerous leaks in propane system.

(bulk available - 76350)



Model #	Description
F173758	Propane Bulk Cylinder Adapter with Handwheel

1"-20 Throwaway Cylinder Thread x Restricted Flow Soft Nose P.O.L. To be attached directly to a bulk tank i.e., Mr. Camper, Coleman Co. Inc.®, or Century Primus® stove.

(bulk available - 73758)



Model #	Description
F176130	1"-20 Throwaway Cylinder Thread w/Shut-off x 9/16" Left Hand Male Thread



Model #	Description
F176140	Propane Male Throwaway Cylinder Adapter

1" - 20 Male Throwaway Cylinder Thread x 1/4" Female Pipe Thread



(bulk available - 76140)

Model #	Description
F173729	1/4" Male Pipe Thread x 1/4" Inverted Female Flare



(bulk available - 73729)

Model #	Description
F173754	1"-20 Female Throwaway Cylinder Thread x 1/4" Male Pipe Thread



(bulk available - 73754)

Model #	Description
F173755	1"-20 Male Throwaway Cylinder Thread x 1/4" Male Pipe Thread



(bulk available - 73755)

Model #	Description
F173791	Female P.O.L. w/Acme Thread x 1/4" Male Pipe Thread



(bulk available - 73791)

Model #	Description
F176152	1/4" Male Pipe Thread x 9/16" Left Hand Male Thread



(bulk available - 76152)

Model #	Description
F176153	3/8" Male Pipe Thread x 9/16" Left Hand Male Thread



(bulk available - 76153)

Model #	Description
F176154	9/16" Left Hand Male Pipe Thread x 9/16" Left Hand Male Thread



(bulk available - 76154)

Model #	Description
F176262	3/8" Male Pipe Thread x 3/8" Male Flare



(bulk available - 76262)

Model #	Description
F173752	Stay A While Tee

Excess Flow Soft Nose P.O.L. x 1"-20 Male Throwaway Cylinder Thread x Female P.O.L. w/Acme Thread x 1/4" Inverted Female Flare - Connects cylinder to additional appliance.



Model #	Description
F173753	90° Stay Flow Adapter

Excess Flow Soft Nose P.O.L. x 1"-20 Male Throwaway Cylinder Thread x Female P.O.L. and Acme Thread - Connects additional appliance to 20lb. propane tank.



Model #	Description
F173751	Propane Adapter Tee

Excess Flow Soft Nose P.O.L. x 1"-20 Throwaway Cylinder Thread x Female P.O.L. w/Acme Thread

Use with hose assy. F173711 and F173702.



Model #	Description
F173760	90° Elbow

Restricted Flow Soft Nose P.O.L. x 1" - 20 Male Throwaway Cylinder Thread - Allows appliances designed for to be attached directly to refill cylinder such as a lantern.



Model #	Description
F171735	Propane "Y" Female Adapter with Handwheel

Two Female P.O.L.'s w/Acme Threads & Excess Flow Soft Nose P.O.L. Hook up 2 appliances to a bulk cylinder use with F173701-02.



Model #	Description
F171715	Propane "Y" Male Adapter with Handwheel

2 - 1"-20 Throwaway Cylinder Threads x Excess Flow Soft Nose P.O.L. Hookup 2 appliances to a refillable 20lb. cylinder use with F173710-11 hose assy..



Model #	Description
F176400	Propane Brass Caps

1" - 20 Female Pipe Thread - Provides threaded protection for most posts, tees, etc. Two caps provided.



Model #	Description
F176171	Propane "Steak Saver" Adapter

(1" - 20 Female Throwaway Cylinder Thread x Female P.O.L. & Acme Thread) Used with 1lb. bottles to grills or distribution posts to grills.



Model #	Description
F173737	2 Tank Hook Up Kit

30" Hose Assembly with Excess Flow Soft Nose P.O.L.'s on both ends x Full Flow Tee - Most commonly used to hook multiple bulk tanks to applications.



Model #	Description
F173169	TankFoot® Tank Stabilizer (6 pack only)

Fits 20lb., 30lb. and 40lb. cylinders; reduces risk of tipping cylinder while on jobsite and transporting in your R.V., pick-up, car, etc.





ENERCO

Enerco, based in Cleveland Ohio, has been at the forefront of infrared combustion technology since 1957. This market leading technology has allowed Enerco to build expertise in gas products as well as heavy duty commercial and construction heating products. Enerco delivers innovative technology with unmatched quality and service. Many of our items are UL Assembled or made with UL components
Ensuring safety and uniformity.



UL Listed Assemblies VS. UL Approved Hose

There is a distinct difference between UL Listed Hose Assemblies and UL Approved Hose. A product manufactured and marketed as featuring UL Approved Hose indicates the propane hose itself meets the hose certification only and has no relation to the fittings on each end, nor the method for assembling the system together. A product manufactured and marketed as featuring a UL Listed Assembly indicates that the entire hose system, including the hose and fittings, is certified and tested together as an assembly and meets all UL requirements for the entire system. Enerco's RV pigtails and most of the commonly used LP Hoses are certified as UL Listed Assemblies giving our customers the piece of mind that not only the hose has been certified but that entire system is certified. Enerco's UL Listed hoses are 100% tested (UL569 and UL21 up to 700 psi) and are clearly marked with the UL symbol as well as serialized for safety records.

UL569 Certification covers hoses from 0-5'

UL21 Certification covers hoses from 5.1' and up