

FJC

Air Conditioning Products
Tools, Equipment & Refrigerant

Product Catalog 2019 Edition




Table of Contents

Description	Pages
R-1234yf, OILS, SERVICE TOOLS, TECHNICAL INFO	1-4
R-1234yf Refrigerant, Oil, Injectors	1
R-1234yf Manifold Gauge Sets, Conversion Kit, Couplers & Fittings	2
R-1234yf Market Information	3
R-1234yf Kits, Taps, Dyes, Manifold Gauge Set, Vacuum Pump	4
FJC REFRIGERANT AND REFRIGERANT PRODUCTS	5-32
FJC Refrigerants R-134a, R-1234yf, Charging Kit, Cylinder Heater	5
Polar Ice® R-134a Refrigerant Plus	6
R-134a Hose, Hoses with Gauges, Taps, Refrigerants with additives	7
Kwik Seal Stop Leak for R-12 and R-134 systems	8
Refrigerant Oils	9-11
Oil and Dye Injectors	12-13
R-134a Oil Charge	14
R-134a Oil Charge Accessories and Extreme Cold Additive	15
A/C Flushes, Cleaners, Odor Control	16
A/C Flush Accessories and Assortments	17
Fluorescent Leak Detection Dyes	18
Leak Detection Accessories	19-20
Manifold Gauge Sets	21-22
Manifold Gauge Replacement Parts	23
R-134a Service Couplers	24
Conversion Products	25
Refrigerant Charging Hoses	26
R-12 Accessories	27
Pro-Charge Electronic Scale	28
Vacuum Pumps	29
Vacuum Pump/R-134a Manifold Gauge Set Assortments	30
FJC Merchandising Displays	31
Recovery Equipment Products	32
AIR-CONDITIONING TOOLS	33-37
Condenser/Evaporator Thread Chasers, Clutch Hub Puller/Installer	33
Service Kits and Shaft Tool Kits	34
Clutch Tools and Kits and Refrigerant Checkers	35
Thermometers	36
Core Tools, Sockets, Hose Cutters, Insulation Tape	37
Description	Pages
Coupler Tool Sets, Can Taps, Side Can Taps, Charging Hoses	38
Orifice Tubes	39-40
Service Port/Service Port Cap Assortments	40
Valve Cores & Assortments, Valve Core Remover and Installer	41
Air Conditioning Control Switches	42-43
Heavy Duty Service Item Assortment	44-46
Service Item Assortment	47-48
O-ring Assortment	48-50
O-rings	51-57
Rubber Gaskets, O-ring Tools and Lubricants	56-57
Sealing Washers	58-59
SERVICE ITEMS	60-63
Metal Gaskets	60
Garter Springs, Shaft Keys, Service Parts, Assortments	61
Retrofit Kits and Assortments	62
Retrofit Products	63
FJC POWER DIVISION	64-74
Battery Testers	64-65
Battery Chargers	65
Power Inverters	66
Booster Cables	67
Booster Cable Retail Displays	68
Power Division Retail Displays	69
Battery Tools and Accessories	70-71
Heavy Duty Cooling System Pressure Test and Refill Kit	72
Radiator Test Tools	73-74
REFERENCE INDEX	75-91
Compressor/Lubricant Information	75
Service Port and Cap Information	75
Vehicle PAG Oil Viscosities	76-77
Interchanges	78-85
California's Proposition 65 Warnings	86-87
Product Index	88-90
Self-sealing Refrigerant Can Information	90

2019

WHAT'S NEW AT FJC

THERE'S A LOT TO BE EXCITED ABOUT AT FJC !

The fresh new look of our catalog is just the beginning. Our immersive re-launched website has been created with YOU, our valued customer, top-of-mind.

We have integrated the ideas of the most forward-thinking people in our industry to create new products, and improve existing products, to better meet the changing needs of the automotive Air Conditioning industry. This page and the next highlight these innovations.

We understand you have many companies from which to choose your air conditioning products, tools and accessories. We appreciate that you've chosen FJC and we will always work hard to ensure your trust in us is well placed and deserved.

R-134a REFRIGERANT CHECK GAUGE

Part # 2805

First to market! Convenient, quick and inexpensive tool to check the pressure of R-134a systems.



* See page 35 for additional information

R-1234yf REFRIGERANT CHECK GAUGE

Part # 2805yf

An FJC Exclusive! Convenient, quick and inexpensive tool to check the pressure of R-1234yf systems.



* See page 35 for additional information

R-1234yf VACUUM PUMP & MANIFOLD GAUGE SET

Part # 9281yf

Convenient kit to diagnose and service a R-1234yf A/C system. 5CFM Vacuum Pump and Professional manifold gauge set.



* See page 30 for additional information

NEW PRODUCTS



Please see pages 86-87 for California Proposition 65 warnings

Part # 6075

New version of an old favorite! You spoke—and we listened! Offers more of the couplers and fittings you need.



* See page 25 for additional information

New Products

R-1234yf UV DYE KIT

Part # 4972yf

Contains everything you need to perform leak detection on later model year vehicles.



* See page 19 for additional information

MULTI-FUNCTION WORK LIGHT

Part # 4968

Latest technology provides three lighting modes: Low LED, high LED and extraordinary UV light detection. Magnetic mount. USB charging cable for easy long-term charges.



* See page 20 for additional information

R-1234yf MANIFOLD/HOSE ADAPTER ASSORTMENT

Part # 6072yf

Brand new assortment which contains common adapter fittings for hoses on R-1234yf manifold gauge sets.



* See page 25 for additional information

R-1234yf / R-134a DUAL ALUMINUM MANIFOLD GAUGE SET

Part # 6855

Brand new design packed in a convenient protective plastic case. Test, evacuate and fill R-134a and R-1234yf automotive A/C systems.



* See page 4 or 21 for additional information

HEAVY DUTY COOLING SYSTEM PRESSURE TEST AND REFILL KIT

Part # 43655

Updated design and lower price! This kit includes HD adapters, pressure test regulator, vacuum refill attachment and HD storage



* See page 72 for additional information

R-1234yf Refrigerant and Accessories

R-1234yf REFRIGERANT

THE NEXT GENERATION OF MOBILE
REFRIGERANT.

- Do not mix with R-134a
- Requires R-1234yf
lubricant
(see FJC part # 2458
or 2459)

Part #696—8 oz cans
Part # 697—10 lb cylinder



R-1234yf HAND TURN OIL INJECTOR

GREAT FOR INTRODUCING DYE, LUBRICANT, OR
LEAK STOP TO A CLOSED A/C SYSTEM.

- 2 oz refillable oil and dye injector
- Add oil and dye without adding refrigerant
- Quick connect style for R-1234yf systems



Part #2724

FJC R-1234yf OIL

LUBRICANT FOR SYSTEMS USING R-1234YF
REFRIGERANT.

- ZEROL® HD46
- ISO 46 viscosity
- For use with R-1234yf refrigerant

Part #2458—8 oz
Part # 2459—Quart



R-1234yf A/C OIL INJECTOR

USE TO ADD OIL TO A FULLY PRESSURIZED A/C
SYSTEM. REFILLABLE.

- Use injector to add 2 oz of R-1234yf oil to a
R-1234yf air conditioning system while under
pressure or during service
- Designed for use with R-1234yf manifold gauge
set



Part #2739

R-1234yf Refrigerant and Accessories

R-1234yf Manifold Gauge Conversion Kit, Couplers & Fittings



Part # 6801



Part # 6802



Part # 6820

All brass couplers and fittings
are subject to California's
Proposition 65.



Part # 6821



Part # 6822



Part # 6826



Part # 6827



Part # 6828



Part # 6829

6801 R-1234yf High side manual coupler with M12 female hose fitting
6802 R-1234yf Low side manual coupler with M12 female hose fitting
6820 R-134a/R12 Manifold Gauge Conversion kit to R-1234yf with manual couplers. Includes: Parts 6801, 6802, 6821, 6822, 6826, 6827
6821 1/4" SAE RH male x 1/2" LH ACME female
6822 1/2" RH ACME male x 1/2" LH ACME female
6826 R-1234yf Coupler to 1/4" hose adapter. SAE Male x M12 male
6827 R-1234yf Coupler to R-134a hose adapter. 1/2" ACME hose adapter. M14 female x M12 male
6828 Connects R-134a/R-12 yellow hose end to R-1234yf refrigerant tank Fitting (1) 1/4" SAE male x 1/2" ACME female LH thread Fitting (2) 1/2" ACME male x 1/2" ACME female LH thread
6829 1/2" ACME female RH thread x 1/2" ACME male LH thread

R-1234yf Aluminum Manifold Gauge Sets



Part # 6850

Packed in Protective Plastic Case

72" Charging Hoses

Manual Couplers

Clamshell Packaging

Replacement Hoses:

Part # 6876 72" Red

Part # 6877 72" Yellow

Part # 6878 72" Blue



Part # 6852

See page 21 for additional information



R-1234yf Market Information

The Future of Automotive Air Conditioning: R-1234yf

	Environmental Property Comparison	
	R-1234yf	R-134a
GWP	<1	1300
Atmospheric Lifetime	11 Days	13 Years

In the wake of increased global environmental regulation, R-1234yf has been introduced to exceed both United States EPA and European F-Gas phase-out guidelines for high global warming potential (GWP) refrigerants.


Solstice R-1234yf has become the industry standard refrigerant to replace R-134a globally. With an environmentally sustainable GWP of less than one, R-1234yf is the optimal solution for the future.

Estimated Market Size

Estimates show that nearly 50 percent of model year 2017 cars sold in the US market had R-1234yf air conditioning systems installed.

OEM Adoption of R-1234yf

Most major automakers have adopted R-1234yf in several models:



BMW	GM	Lotus	Peugeot
Chrysler	Honda	Maruti-Suzuki	Renault
Citroen	Hyundai	Maserati	Subaru
Daimler	Infinity	Mazda	Suzuki
Ferrari	Jaguar	Mercedes	Tesla
Fiat	Kia	Mitsubishi	Toyota
Fisker	Land Rover	Nissan	Volkswagen
Ford	Lexus	Pagani	Volvo

4 step service solution

Honeywell

Solstice® R-1234yf Refrigerant


- Check the AC sticker under the hood
- Determine the charge required
- Connect using the proper fittings for R-1234yf
- Charge, using the same safe practices you use for R-134a systems



R-1234yf Fittings and Service

R-1234yf has unique and different fittings from R-134a on both the refrigerant canister and car service ports. The specially designed can tap (Part #6840) allows for safe and effective discharge of R-1234yf through patented backflow prevention, reverse threading for secure attachment, and proper fittings to meet SAE specifications.

Note: Honeywell's 8oz. R-1234yf can with self-sealing valve technology is not subject to EPA 608/609 Certification or California Air Resources Board (CARB) requirements.



R-1234yf Refrigerant, Oil and Service Tools

Part #6810

Part #6814



Part #6845



Part #6840



Part #6842



Part #6846



Part #6855



BRAND NEW
Design

Part #6930



PART #

NAME

DESCRIPTION

6810,6814	R-1234yf Fluorescent Leak Detection Dyes	<ul style="list-style-type: none"> 1 oz (4 applications) or .25 oz (1 application) sizes
6840	R-1234yf Can Tap	<ul style="list-style-type: none"> Brass dispensing valve for R-1234yf hose Valve has 1/2" ACME LH threads For use with R-1234yf self-sealing valve cans
6842	3-Way Side Can Tap	<ul style="list-style-type: none"> For use with R-12/R-134a or R-1234yf cans
6845	R-1234yf Charging Hose	<ul style="list-style-type: none"> Reusable charging hose for R-1234yf self-sealing valve can tap <p>NOTE: Color of hose may be different than pictured</p>
6846	R-1234yf Service Hose and Gauge	<ul style="list-style-type: none"> Reusable charging hose and gauge for R-1234yf self-sealing valve cans
6855	R-1234yf/R-134a Dual Aluminum Manifold	<ul style="list-style-type: none"> 72" hoses. R-1234yf and R-134a couplers for R-134a or R-1234yf New design!
6930	R-1234yf/R-134a 5cfm Vacuum Pump	<ul style="list-style-type: none"> Cooling fins to keep temperature cooler during extended operation High-volume fan provides cool air to motor and pump Supplied with 2 ports: 1/2" ACME for use with R-134a and 1/2" ACME LH thread for use with R-1234yf systems Thermally protected motor with on/off rocker switch Safe to use as a replacement pump for recovery machines



FJC Refrigerants

R-134a

12 oz self-sealing cans
12 per case

30 lb Cylinder



Part # 695



Part # 690

R-1234yf

8 oz self-sealing cans
4 per case

10 lb Cylinder



Part # 696



Part # 697

R-1234yf—The Next Generation of Mobile Refrigerant

Do not mix with R-134a
Requires R-1234yf lubricant

REFRIGERANT SOLD BY

SINGLE CASE, CYLINDER, PALLETS, OR TRUCKLOAD

All our cans have self-sealing valves and require self-sealing can taps



R-1234yf Refrigerant Charging Kit

Kit Contains:

- Honeywell R-1234yf 8 oz. can
- Reusable charging hose with self-sealing valve can tap

NOTE: Color of hose may be different than pictured

Part # 703

Refrigerant-Cylinder Heater Blanket

- 110 volt AC
- Helps to accelerate charging when using a 30lb or 50lb cylinder in cooler weather
- 300 watt element

**Refrigerant tank not included*



Part # 2855



R-134a Refrigerant Products

Introducing..... FJC Polar Ice® R-134a Refrigerant Plus



Part # 582

Part # 528
19 oz. refill can

Part # 525
19 oz. can



All-in-one design
simplifies R-134a
air conditioner
system recharging.
Self-sealing



Part # 533
14 oz. can

Part # 536
14 oz. refill
can

PART # DESCRIPTION

- | | |
|-----|---|
| 501 | <ul style="list-style-type: none">Designed for larger refrigerant capacity vehicles such as SUVs and light trucksContains 20 oz. R-134a PLUS and 2 oz. Extreme Cold® additiveEasy-to-fill dispensing hose with pressure gauge |
| 525 | <ul style="list-style-type: none">Contains 17 oz. 134a PLUS and 2 oz. Extreme Cold®Easy-to-fill dispensing hose with pressure gauge |
| 528 | <ul style="list-style-type: none">Contains 17 oz. 134a PLUS and 2 oz Extreme Cold® |
| 533 | <ul style="list-style-type: none">Packaged for smaller capacity A/C systemsContains 12 oz. 134a PLUS and 2 oz. Extreme Cold®Easy-fill trigger valve with hose |
| 536 | <ul style="list-style-type: none">Contains 12oz. 134a PLUS and 2 oz Extreme Cold® |
| 582 | <ul style="list-style-type: none">36 oz of R-134a with 2 oz synthetic booster addedR-134a U-Charge hose with gauge includedInstructions Included |

PLEASE NOTE: The items on this page are not available for shipping to the State of California

R-134a Refrigerant Products

R-134a Can Tap for Self-Sealing Valve Cans

Part # 6029

- Dispensing valve for R-134a hose.
- Valve has 1/2" ACME RH thread with depressing actuator.



NOTE: This item is available for puncture-style cans. See Part #6030 on page 38.

R-134a U Charge Hose and Gauge for Self-sealing Valve Cans

Part # 6037

- Reusable charging hose for adding R-134a refrigerant and oil charge from self-sealing cans.
- Low-side gauge monitors pressure to aid in getting a correct charge.



NOTE: This item is available for puncture-style cans. See Part #6036 on page 38.

R-134a U Charge Hose for Self-sealing Valve Cans

Part # 6045

- Reusable charging hose for adding R-134a refrigerant and oil charge from self-sealing valve cans

NOTE: Color of hose may be different than pictured



NOTE: This item is available for puncture-style cans. See Part #6035 on page 38.



Part # 618



Part # 623

SELF-SEALING CANS

COMPATIBLE WITH ALL ESTER AND PAG OILS



Part # 675



Part # 685

Part # 618

R-134a Premium Refrigerant with Leak Stop and Visual Red Dye

- Contains 2 oz R-134a with Leak Stop with visual red dye and o-ring conditioners and 10 oz R-134a
- No UV leak detection light needed

Part # 675

R-134a Refrigerant for High Mileage Vehicles

- Contains 2 oz leak sealer and booster/anti-wear additive and 10 oz R-134a
- Unique formula designed for today's older vehicles
- Extends the life of older 134a systems

Part # 623

R-134a Refrigerant with UV Dye

- Contains 1/2 oz R-134a with UV leak detection dye and 12 oz R-134a
- Pinpoint leaks for quicker repair or add to system to identify future leaks if they occur

Part # 685

R-134a Refrigerant with Extreme Cold® Synthetic Booster

- Contains 2 oz R-134a with Extreme Cold® synthetic booster and 10 oz R-134a
- Lowers duct temperatures up to 15%
- Extends compressor life



Please see pages 86-87 for California Proposition 65 warnings

Kwik Seal Stop Leak

Convenient Aerosol Can
with Charging Hose

Advanced Formula

STOPS LEAKS WHERE OTHERS FAIL



- ◆ Add Kwik Seal Stop Leak to any R-134a automotive system to prevent leaks.
- ◆ Designed for the do-it-yourself markets as well as the professional technician.
- ◆ Seals most leaks by creating a permanent seal in all metal and rubber components.
- ◆ For use in R-134a systems only.
- ◆ Contains 1 oz R-134a and 2 oz Kwik Seal Stop Leak.
- ◆ Will not damage A/C recovery/recycle equipment.
- ◆ Not for use in hybrid vehicles.
- ◆ Part #9165 includes an easy-to-use hose with R-134a quick coupler—no other tools required.



Part # 9165

Part # 9164



Part #s 9160 (2 oz) # 9162 (8 Oz)

Kwik Seal STOP LEAK with Conditioners

- Seals most leaks in all metal and rubber components
- Creates a permanent seal
- For use in R-134a and R-12 systems
- Not for use in hybrid vehicles



R-134a/R-12 2oz. Hand Turn Oil and Dye Injector

- 2 oz refillable R-12/R-134a cylinder for adding oil, dye and STOP LEAK
- Add oil, dye, and STOP LEAK to system without adding refrigerant
- Includes Conversion quick coupler for servicing R-134a vehicles



SYNTHETIC PAG OIL FOR MOBILE A/C SYSTEMS

Recommended by OE and Compressor Manufacturers

Refrigerant Oil

OE Viscosity PAG Oil

46-100-150



PAG 46

Part # 2484 (8 oz)
Part # 2485 (Quart)
Part # 2486 (Gallon)
Part # 2484-55 (55 Gallon)



PAG 100

Part # 2487 (8 oz)
Part # 2488 (Quart)
Part # 2489 (Gallon)
Part # 2487-55 (55 Gallon)



PAG 150

Part # 2490 (8 oz)
Part # 2491 (Quart)
Part # 2492 (Gallon)
Part # 2490-55 (55 Gallon)

OE VISCOSITY PAG OIL 46-100-150 EXTREME COLD ADDITIVE



PAG 46 with
EXTREME COLD

Part # 2507
8 oz.



PAG 100 with
EXTREME COLD

Part # 2509
8 oz.



PAG 150 with
EXTREME COLD

Part # 2511
8 oz.

OE VISCOSITY PAG OIL 46-100-150 w/ FLUORESCENT LEAK DETECTION DYE

Saves time over existing methods of dye injection. Can be detected using any UV light.



PAG 46

Part # 2493 (8 oz)
Part # 2494 (Quart)
Part # 2501(Gallon)
Part # 2493-55 (55 Gallon)



PAG 100

Part # 2495 (8 oz)
Part # 2496 (Quart)
Part # 2502 (Gallon)
Part # 2495-55 (55 Gallon)



PAG 150

Part # 2498 (8 oz)
Part # 2499 (Quart)
Part # 2503 (Gallon)
Part # 2498-55 (55 Gallon)

ATTENTION: A partial charge of FJC PAG oil with dye will not provide enough dye for proper fluorescing. Only a full system charge during normal service will provide maximum fluorescing for the mobile A/C system. A partial charge may be added to a system which already contains fluorescent dye.

Refrigerant Oil



FJC Universal PAG Oil

Technologically advanced formula. Can be used in R-134a mobile A/C systems. Compatible with mineral, ester, paraffin, and other PAG oils. Non-corrosive.

- Part # 2468 (8 oz)
- Part # 2470 (8 oz) with Extreme Cold
- Part # 2472 (Quart)
- Part # 2475 (Gallon)
- Part # 2468-55 (55 Gallon)



FJC R-1234yf Oil

- Part # 2458 (8 oz)
- Part # 2459 (Quart)
- ZEROL® HD46
- ISO 46 viscosity

FJC Hybrid Vehicle A/C Oil

- Part # 2450 (8 oz)
- For use in A/C Systems in hybrid vehicles. Consult manufacturer's specifications for vehicle oil capacity.

ATTENTION: A partial charge of DyEstercool™ Oil will not provide enough dye for proper fluorescing. Only a full system charge during normal service will provide maximum fluorescing for the mobile A/C system.

A partial charge may be added to a system which already contains fluorescent dye.

FJC Universal PAG Oil

with fluorescent Leak Detection Dye

Compatible with R-134a. Compatible with mineral, ester, paraffin and PAG oil. Can be detected using a standard UV light. Saves time over existing methods of dye injection.



- Part # 2479 (8 oz)
- Part # 2480 (Quart)
- Part # 2481 (Gallon)
- Part # 2479-55 (55 Gallon)



Refrigerant Oil

FJC Estercool™ Oil

The most technologically advanced R-134a and R-12 oil on the market today. Can be added to any R-12 or R-134a mobile A/C system except R-1234yf systems or Hybrid systems. Used to replace PAG, mineral, ester or paraffin oils.



Part # 2408 (8 oz)

Part # 2410 (8 oz) with Extreme Cold

Part # 2432 (Quart)

Part # 2439 (Gallon)

Part # 2455 (55 Gallon)



ATTENTION: A partial charge of DyEstercool™ Oil will not provide enough dye for proper fluorescing. Only a full system charge during normal service will provide maximum fluorescing for the mobile A/C system.

A partial charge may be added to a system which already contains fluorescent dye.



FJC Vacuum Pump Oil

Part # 2202 (8 oz)

Part # 2200 (Quart)

Part # 2200-55 (55 Gallon)

Meets specifications for all rotary vane vacuum pumps



FJC DyEstercool™ Oil

Contains FJC Fluorescent Leak Detection Dye

Compatible with R-134a and R-12. Compatible with mineral, ester, paraffin and PAG oil. Can be added to any R-12 or R-134a mobile A/C system except R-1234yf systems or Hybrid systems. Can be detected using a standard UV light. Saves time over existing methods of dye injection.

Part # 2443 (8 oz)

Part # 2445 (Quart)

Part # 2447 (Gallon)

Part # 2449 (55 Gallon)



Oil & Dye Injectors

USE INJECTORS TO ADD 2 OZ OF OIL TO AN AIR CONDITIONING SYSTEM WHILE UNDER PRESSURE OR DURING SERVICE



Part # 2729



Part # 2734

- **R-12 A/C Oil Injector Part # 2729** Replacement hose is part # 2726. Replacement o-ring is part # 2736
- **R-134a A/C Oil Injector Part # 2734** Replacement hose is part # 2727. Replacement o-ring is part # 2736
- **R-1234yf A/C Oil Injector Part # 2739** Designed for use with R-1234yf manifold gauge set with M12 fittings.



Part # 2729



2 OZ REFILLABLE OIL AND DYE INJECTORS. ADD OIL AND DYE WITHOUT ADDING REFRIGERANT.



Part # 2738

R-134a Flow-Through Oil Injector Connects between charging hose and vehicle service port. Add oil into the system while under pressure or vacuum. Replacement male service end is part # 2602. Replacement o-ring is part # 2736

Part # 2732

R-134a/R-12 Injector 2 oz Hand turn Oil and Dye Injector



Part # 2724

R-1234yf Injector 2 oz Hand turn Oil and Dye Injector



Oil & Dye Injectors

R-12 DYE INJECTOR

Part #2728

Inject 1/4 ounce of fluorescent dye into an A/C system under pressure or during Service



Part # 2735 Replacement o-ring



HAND TURN DYE INJECTOR

Part # 2730

Inject 1/4 to 1/2 ounce of fluorescent dye into an R-12 or R-134a A/C system under pressure.

Part # 2737 Injector replacement o-ring
Part # 6074 Coupler o-ring repair kit

SYRINGE OIL INJECTOR

Part # 2731

6" Extension hose. 2 oz plastic syringe-style oil injector.
Inject oil into the system during service (non-pressurized, open system). Easily inject correct amount of oil into compressor, evaporator, accumulator, dryer or condenser.



Note: This injector is not designed to inject oil into a system under pressure

R-134a DYE INJECTOR

Part # 2733



Inject 1/4 ounce of fluorescent dye into an A/C system under pressure or under service

Part # 2735 Replacement o-ring



R-134a Oil Charge



Part # 9142



Part # 9143



Part # 9144



Part # 9145



Part # 9147



Part # 9148



Part # 677



Part # 4921

R-134a Oil Charge—Self-sealing Cans

PART #	DESCRIPTION	NET WT	COMPONENTS	
9142	FJC PAG 46	3 oz (85 grams)	1 oz 134a	
9143	FJC PAG 100	3 oz (85 grams)	1 oz 134a	
9144	FJC PAG 150	3 oz (85 grams)	1 oz 134a	
9145	Universal PAG	3 oz (85 grams)	1 oz 134a	
9147	FJC Estercool™ R-134a Oil Charge	3 oz (85 grams)	1 oz 134a 2 oz Estercool™ Oil	
9148	Hybrid Oil Charge	3 oz (85 grams)	1 oz 134a	
677	R-134a Refrigerant For High Mileage Vehicles	3 oz (85 grams)	1 oz 134a 2 oz Leak Sealer and Booster/Anti-wear Additive	Extends Life of Older Systems
4921	R-134a Dye Charge	3 oz (85 grams)	1 oz 134a	

R-134a Oil Charge and Additives

EXTREME COLD®

High Performance Refrigerant Additive

Lowers Duct Temperature up to 15%



Part # 9150

Install in R-134a systems only.

Self-sealing can

1 oz R-134a and 2 oz Extreme Cold®



Part # 9153

Single Application.
Install in any mobile A/D refrigerant system. 2 oz.

2 oz per application.
Install in any mobile A/C refrigerant system.



Part # 9158

R-134a Stop Leak with Red Dye

Part # 9140

R-134a refrigerant with sealers and o-ring conditioner. Seals leaks in O-rings and gaskets. Contains red leak detection dye. No UV light necessary to view the dye. Will not harm vehicle A/C system or refrigerant recovery or charging equipment. Self-sealing can contains 1 oz R-134a, 2 oz additives.



R-134a Can Tap for Self-Sealing Valve Cans

Part # 6029

Dispensing valve for R-134a hose. Valve has 1/2" ACME RH thread with depressing actuator for self-sealing cans.



NOTE: This item is available for puncture-style cans. See Part #6030 on page 38.



Compressor Quiet

Part # 9159


Single Application. Compressor oil additive designed to help silence noisy compressors while improving compressor operation and helping to lower compressor operating temperatures. 2 oz.



R-134a U-Charge Hose with Gauge

Part # 6037

Reusable charging hose for adding R-134a refrigerant and oil charge from self-sealing valve cans. Low side gauge monitors pressure to ensure correct amount of charge is reached.



NOTE: This item is available for puncture-style cans. See Part #6036 on page 38.



Please see pages 86-87 for California Proposition 65 warnings

A/C Flush

FJC A/C Flush Solvent

Developed specifically for use in air conditioning systems using refrigerants R-12, R-134a, and blends. Compatible with all refrigerant oils. Removes moisture, acid, and contaminants which can block the flow of oil and refrigerants. Use with FJC Flush Kit—Part #2710.



Part # 2032(Quart)
Part # 2128 (Gallon)

Extreme Klean A/C Flush

EVAPORATES—NO RESIDUE. Removes oil and all contaminants within the A/C system. Compatible with all mobile A/C refrigerants and oils. Use with part #2710 flush kit. For shipping, refer to SDS.



Part # 2400 (Quart)
Part # 2401 (Gallon)

Kwik Klean A/C Flush

Removes oil and contaminants which can block the flow of oil and refrigerants. Compatible with all refrigerant oils. Use FJC #2710 Flush Kit with quart or gallon. Part # 2407, 17-oz. aerosol, includes flush tube coiled in cap.



Part # 2405 (Quart)
Part # 2406 (Gallon)
Part # 2407 (17 oz. can)
Part # 2405-55 (55 gal)

Evaporator Odor Control

Part # 5909

Instantly eliminates odors caused by fungus and bacteria in the evaporator and ductwork. Helps prevent the reoccurrence of odors for up to one year. Fresh lemon scent. Easy-to-use aerosol spray.



Contains 9 ounces.

Foaming Evaporator Cleaner

Part # 5914

Cleans outside surface of evaporator. Foaming cleaning action designed to fill evaporator case to ensure complete surface cleaning. Restores a fresh, neutral scent to vehicle's interior.



Contains 18 ounces.

Foaming Condenser Cleaner

Part # 5915

Powerful foaming action penetrates deep within condenser fins for superior cleaning. Cleans outside of condenser to enhance airflow for maximum cooling. Safe for use on all plastics and metals.



Contains 18 ounces.

A/C Flush Accessories

Flush in a Bucket Assortments

Part # 1996

Part # 1996HD

Contain everything necessary to flush
a mobile A/C system.

1996 Assortment Contains:

- 1—Part # 2406—Flush
- 1—Part # 2710—Flush Kit
- 1—Part # 2770—Flush Coupler
- 1—Part # 2815—Manual
- 1—Part # 2783—Safety Goggles
- 1—5 Gallon Bucket

1996 HD Assortment Contains:

- 1—Part # 2406—Flush
- 1—Part # 2710—Flush Kit
- 1—Part # 2770—Flush Coupler
- 1—Part # 2783—Safety Goggles
- 1—5 Gallon Bucket



To remove old oil, debris and contaminants from vital a/c system components, it is necessary to flush them with a high-quality flushing agent. Items which require flushing include condensers, evaporators, and hose assemblies which do not have mufflers or filters. Please note: multi-pass condensers cannot be flushed and should be replaced.

FJC Flush Kit

Part # 2710



Reusable canister holds up to 18 oz.
Designed for use with all FJC A/C flushes. Use flush kit to remove contaminants, moisture and acid from A/C systems for all refrigerants. Kit contains canister, hose, nozzle, air cutoff valve, and instructions. Quick disconnect air fitting not included.

Flush sold separately on facing page.
Replacement hose: Part # 2716
Replacement o-ring: Part # 2717
Air cutoff valve: Part # 2718

Flush Nozzle

Part # 2712



Designed specifically for use with FJC A/C flush solvent or equivalent. Note: Old style flush nozzles will not provide adequate flow using FJC A/C flush solvent.

Replacement tip for flush nozzle:
Part # 2714

Flushing Assortment

Part # 2768



Assortment Contains:

- 1—Part # 2710—Flush Kit
- 1—Part # 2770—Flush Coupler
- 1—Part # 2783—Safety Goggles

Flush Hose w/ Coupler

Part # 2770



Used to capture flush as it leaves the component being cleaned. Connects to outlet of the components being flushed. Helps to prevent spillage keeping the vehicle and shop clean during the flushing process. **NOTE:** Will not connect to block-type fittings.

Replacement Collars: Part #s 2775, 2776, 2777, 2778, 2779

Measuring Cup

Part # 2782



Measure the exact amount of oil for the A/C system being serviced. Helps eliminate the chance of system failure due to over or under filling the A/C system. 2 cup/500 ml capacity. Made of non-breakable plastic.

Safety Goggles

Part # 2783



Safety splash goggles protect the eye area by surrounding the eyes to help prevent liquid splash, dust, and other particles from entering the eye. Adjustable elastic strap.

Fluorescent Leak Detection Dyes



AIR CONDITIONING LEAK DETECTION DYE

PART #	DESCRIPTION	RECOMMENDED USAGE	SIZE	STD. PACK
All FJC Dyes can be detected using any UV or blue light and are "POE" Ester based				
4910	Universal A/C fluorescent leak detection dye. R-12 & R-134a systems.	1/4 oz per 12 oz oil	1 oz	6
4914	Universal A/C fluorescent leak detection dye. R-12 & R-134a systems.	1/4 oz per 12 oz oil	1/4 oz	12
4916	Universal A/C fluorescent leak detection dye. R-12 & R-134a systems.	1/4 oz per 12 oz oil	4 oz	4
4917	Universal A/C fluorescent leak detection dye. R-12 & R-134a systems.	1/4 oz per 12 oz oil	8 oz	4
4918	Universal A/C fluorescent leak detection dye. R-12 & R-134a systems.	1/4 oz per 12 oz oil	16 oz	1
4921	DyeCharge™ fluorescent dye for R-134a A/C systems. R-134a pressurized—single use self-sealing can.	1 can per system	3 oz	12
4933	R-134a/R-12 visual RED DYE for all automotive A/C systems.	1/4 oz per 12 oz oil	1 oz	6
4934	R-134a/R-12 visual RED DYE for all automotive A/C systems.	1/4 oz per 12 oz oil	8 oz	4
6810	R-1234yf A/C UV fluorescent leak detection dye .	1/4 oz per 12 oz oil	1 oz	6
6814	R-1234yf R-1234yf A/C UV fluorescent leak detection dye.	1/4 oz per 12 oz oil	1/4 oz	12



FUEL MOTOR OIL TRANSMISSION POWER STEERING DYE



4923

4924

PART	DESCRIPTION	USAGE	SIZE	PACK
4923	Gasoline Engine Oil Transmission Oil Power Steering	1 oz per 5 quarts 1 oz per 8 pints 1 oz per application	1 oz	6
4924	Gasoline Hydraulic Fluid	1 oz per 5 gallons 1 oz per 1 gallon	8 oz	4



RADIATOR COOLANT DYE

4926 4927 4928 4929

PART	DESCRIPTION	USAGE	SIZE	PACK
4926	Universal radiator coolant dye (will not change the color of any coolant)	1 oz per 6 gallons	1 oz	6
4927	Extended life radiator coolant dye (Only use with orange and pink coolants. Will not change the color of coolant)	1 oz per 6 gallons	1 oz	6
4928	Radiator Coolant Dye	1 oz per 4 gallons	1 oz	6
4929	Radiator Coolant Dye	1 oz per 4 gallons	8 oz	4

CAUTION

DO NOT use any of the above dyes
in brake fluid systems.

Leak Detection Accessories

ADJUSTABLE FOCUS LED BLUE LIGHT WITH STROBE EFFECT

Part # 4966



Super bright LED with adjusting focus point. On/Off strobe effect—easier to pinpoint leaks. Wrist strap included. 3 AAA batteries included.

ELECTRONIC LEAK DETECTOR

Part # 5110



Detects all CFC, HFC, HCFC and HFO refrigerants. Automatic calibration. Mechanical pump design. 3 sensitivity levels, low battery indicator. 4 AA batteries included. Compliant with SAE J2791, SAAE J1627, and EN14624. Return and repair warranty. Made in USA.

SLIM DESIGN LED BLUE LIGHT FOR UV LEAK DETECTION

Part # 4967



Compact, high intensity LED. Wrist strap included. 3 AAA batteries included.

DELUXE ELECTRONIC LEAK DETECTOR

Part # 5120



Detects all CFC, HFC, HCFC and new HFO refrigerants. Heated sensor technology. Automatic calibration. Digital leak size alarm and indicator. 3 sensitivity levels. 4 AA batteries included. Compliant with SAE J2791, SAAE J1627, and EN14624. Return and repair warranty.

R-12/R-134a FLUORESCENT DYE KIT

Part # 4971



- Assortment Contains:
- 1—Part # 2730—R-12 & R-134a Hand-turn Dye Injector
 - 12—Part # 4914—1/4 oz Universal A/C Dye
 - 12—Part # 4915—Dye Installed Labels
 - 3—Part # 4923—1 oz Motor Oil, Fuel, Transmission Dye
 - 3—Part # 4928—1 oz Coolant Dye
 - 1—Part # 4958—UV Safety Goggles
 - 1—Part # 4966—LED Blue Light
 - 1—Carrying Case



KITS CONTAIN EVERYTHING NECESSARY TO PERFORM LEAK DETECTION ON ALL A/C SYSTEMS, ENGINE OIL SYSTEMS, FUEL SYSTEMS, TRANSMISSION AND COOLANT SYSTEMS

R-12/R-134a UV DYE KIT

Part # 4972



Kit Contains:

- 1—Part # 2730—Injector
- 1—Part # 4910—1 oz A/C Dye
- 1—Part # 4923—1 oz motor oil
- 1—Part # 4928—1 oz coolant dye
- 1—Part # 4958—UV Safety Goggles
- 1—Part # 4967—UV Light

R-1234yf UV DYE KIT

Part # 4972yf



Kit Contains:

- 1—Part # 2730—Injector
- 6—Part # 6810—1 oz A/C Dye
- 1—Part # 6826—Adapter
- 1—Part # 6802—R-1234yf Coupler
- 1—Part # 4958—UV Safety Goggles



Leak Detection Accessories



A/C Dye Injectors

Part # 2728


R-12 Dye Injector

Part # 2733

R-134a Dye Injector

Refillable. Inject 1/4 ounce of fluorescent dye into an A/C system under pressure or during service.

Part #2735—Replacement O-ring



FJC Hand Turn Dye Injector

Part # 2730

Inject 1/4 to 1/2 ounce of fluorescent dye into an R-12 or R-134a A/C system under pressure. Refillable.



Part #2737—Injector Replacement O-ring

Part # 6074 Coupler O-ring repair kit



Fluorescent "Dye Installed" Decals

Part # 4915-100

Place on vehicle when installing fluorescent A/C Dye.

100 peel-and-stick decals.



Fluorescent Leak Detection Light

Part # 4965

High intensity 12 volt UV lamp. Instant on and off. Long cord for easy access. Detects all dyes.



UV Safety Glasses Included.

Replacement Parts:

Part #4947—Bulb

Part # 4949—Lens

UV Safety Glasses

Part # 4958

Enhances dye, making leak detection easier. Blocks harmful UV rays.



R-134a DyeCharge™

Part # 4921

Fluorescent dye 134a for A/C systems. R-134a pressurized single use can. Self-sealing valve. 3 ounces (1 oz R-134a/2 oz leak detection dye).



Use Part # 6029 or 6045 to install

Multi-Function Work Light

Part # 4968

- Three Lighting Modes
- High Efficiency COB LED
- Heavy Duty Mounting Magnet
- Battery Indicator
- 350 lumen
- Impact Resistant
- Waterproof
- Prop-up stand
- USB Rechargeable



NEW FOR
2019

Rechargeable LED UV Leak Detection Light

Part # 4963

Fluoresces all UV dyes. Provides hours of use on a single charge. Detects all dyes. Charger included.



Manifold Gauge Sets with Case

R-134a/R-12 Dual Aluminum Manifold Gauge Set

Aluminum manifold with pressure gauges, high and low side service port couplers and hoses packed in a protective plastic case

Part # 6698

Part # 6134 Diaphragm Repair Kit
Part # 6139 Replacement Lenses

- R-134a tank adapter
- Manual couplers
- Protective case



R-134a Brass Manifold Gauge Set

Brass manifold with pressure gauges, high and low side service port couplers and hoses packed in a protective plastic case

- 72" charging hoses
- Manual couplers
- Protective case

Part # 6725



Heavy Duty R-134a Aluminum Manifold Gauge Set with 10ft Charging Hoses

Aluminum manifold with pressure gauges, high and low side service port couplers and hoses packed in a protective plastic case

Part # 6799

Part # 6134 Diaphragm Repair Kit

- Extra large 80mm dials
- 10 ft. red and blue hose and 8 ft yellow hose
- Manual couplers



R-1234yf Aluminum Manifold Gauge Set

Aluminum manifold with pressure gauges, high and low side service port couplers and hoses packed in a protective plastic case

Part # 6850

- 72" charging hoses
- Manual couplers
- Anti-flutter gauges
- Protective case

(This part is also available without plastic case See Part # 6852, on page 2.)



R-1234yf/R-134a Aluminum Dual Manifold Gauge Set

Aluminum manifold with pressure gauges, high and low side service port couplers and hoses packed in a protective plastic case

Part # 6855

BRAND NEW
Design

- 72" charging hoses
- Manual couplers and hose adapters
- Protective case



Manifold Gauge Sets

R-134a Aluminum Block Manifold Gauge Sets



Standard Hose Length	With Quick Couplers	With Manual Couplers
36"	# 6760	# 6765
72"	# 6761	# 6766
96"	# 6763	# 6768

- Aluminum block design with sight glass
- Available with different lengths of hoses and couplers
- Anti-flutter design gauges
- Additional access port
- Attractive clamshell packaging

R-134a Brass Manifold Gauge Sets



Standard Hose Length	With Quick Couplers	With Manual Couplers
36"	# 6714	
72"	# 6715	# 6721
96"	# 6717	

- Anti-flutter design gauges
- Available with different lengths of hoses and couplers
- Attractive clamshell packaging

Aluminum Dual Manifold Gauge Sets



Part #6697

Brass Manifold Gauge Set



Part #6692

R-12 Brass Manifold Gauge Set



Professional Quality

R-1234yf Aluminum Manifold Gauge Set



Part #6852



- For use with R-134a, R-12 and R-22
- Complete with 72" hose set
- R-134a quick couplers included
- Attractive clamshell packaging

Part # 6134 diaphragm repair kit
for FJC Aluminum Gauge Set



- For use with R-134a, R-12 and R-22
- Complete with 72" hose set
- R-134a quick couplers included
- Attractive clamshell packaging



- Anti-flutter design
- Choose hose length

Hose Set Length	Standard Hose
36"	# 6603
72"	# 6607



- Aluminum manifold with pressure gauge
- 72" charging hose
- Manual couplers and hose adapters
- Attractive clamshell packaging



Manifold Gauge Replacement Parts

2.5" R-12 Replacement Gauges



Part # 6095

R-12 High Side Gauge



Part # 6096

R-12 Low Side Gauge

2.5" Dual Gauges



Part # 6127

R-12/R-22/R-134a
High Side Gauge



Part # 6128

R-12/R-22/R-134a
Low Side Gauge

80mm R-134a Replacement Gauges



Part # 6132

R-134a High Side Gauge



Part # 6133

R-134a Low Side Gauge

2.5" R-134a Replacement Gauges



Part # 6135

R-134a High Side Gauge



Part # 6136

R-134a Low Side Gauge

Rubber Gauge Protector

Protects gauge if dropped.



Part # 6150 set for 80mm (3.15") gauges
Note: Gauges not included

R-1234yf Replacement Gauges



Part # 6831

R-1234yf High Side Gauge



Part # 6832
R-1234yf Low Side



R-134a Service Couplers

90° R-134a Manual Coupler

14mm x 1.5mm Hose Connection



90° Replacement coupler for all R-134a manifold gauge sets

Part # 6001 High Side
(Replacement o-ring is Part # 4211)
Part # 6002 Low Side
(Replacement o-ring is Part # 4187)
Part # 6011 Set of #6001 and #6002

90° R-134a Quick Coupler

14mm x 1.5mm Hose Connection



90° Replacement coupler for all R-134a manifold gauge sets

Part # 6005 High Side
(Replacement o-ring is Part # 6076)
Part # 6006 Low Side
(Replacement o-ring is Part # 6074)
Part # 6012 Set of #6005 and #6006

90° R-134a Manual Coupler

1/4" Hose Connection



90° manual coupler for converting R-12 gauge set to R-134a

Part # 6003 High Side
(Replacement o-ring is Part # 4211)
Part # 6004 Low Side
(Replacement o-ring is Part # 4187)
Part # 6026 Set of #6003 and #6004

Straight R-134a Quick Coupler

14mm x 1.5mm Hose Connection



Straight replacement coupler for all R-134a manifold gauge sets

Part # 6007 High Side
Part # 6008 Low Side

90° R-134a Manual Coupler

1/4" Hose Connection



- 90° manual coupler for converting R-12 gauge set to R-134a
- Anti-blowback
- For use with R-12 hoses

Part # 6009 High Side
(Replacement o-ring is Part # 6073)
Part # 6010 Low Side
(Replacement o-ring is Part # 6074)

Quick Coupler Conversion Kit

Part # 6025



- Converts R-12 gauges to R-134a gauges
- Contains R-134a 90° quick couplers and adapters for R-134a refrigerant tank.
- Anti-blowback

Part # 6009 High Side
(Replacement o-ring is Part # 6073)

Part # 6010 Low Side
(Replacement o-ring is Part # 6074)

Kit Contains:

- (1) Part # 6009
- (1) Part # 6010
- (1) Part # 6015



Conversion Products



Part # 6014 Part # 6015 Part # 6016 Part # 6017 Part # 6018 Part # 6019 Kit # 6021 Part # 6038



Part # 6801 Part # 6802



Kit # 6820



Part # 6826 Part # 6827 Part # 6828 Part # 6829

Part #	Type	Description
6014	R-134a Adapter	VACUUM PUMP ADAPTER. Connects 1/2" ACME R-134a hose to 1/4" service port on vacuum pump. 1/4" flare female x 1/2" ACME male.
6015	R-134a Adapter	R-134a REFRIGERANT TANK ADAPTER. Connects R12 hose to R-134a refrigerant tank. 1/2" ACME female x 1/4" male flare. <small>Replacement seal—Part # 6052</small>
6016	R-134a Adapter	R-134a TANK ADAPTER. Reclaim all refrigerant from R-134a cylinders. Attaches to tank and low side service coupler. 1/2" ACME RH female thread.
6017	R-134a Hose Connector	Connects red or blue R-134a hoses where extra length is needed. 1/2" ACME male x 14mm x 1.5mm female.
6018	R-134a Adapter	R-134a COUPLER TO R-12 HOSE ADAPTER. Connects R-12 hose to R-134a service coupler. 14mm x 1.5mm x 1/4" male flare. <small>Replacement o-ring—Part # 4008</small>
6019	R-134a Hose Connector	Connects red R-134a hoses where extra length is needed. 1/2" ACME male x 1/2" ACME male.
6021	Manual Coupler Manifold Gauge Set Conversion Kit	Converts R-12 gauges to R-134a gauges. Contains manual R-134a couplers and adapters for R-134a refrigerant tank. <small>Coupler repair kit—Part # 4211 for high side coupler Coupler repair kit—Part # 4218 for low side coupler</small>
6038	R-134a Hose Connector	Prevents refrigerant loss from yellow hose when disconnecting from R-134a tank. 1/2" ACME male x 1/2" ACME female.
6828	R-134a/R-12 Hose End to R-1234yf Cylinder Fittings	2-piece set connects R-12 & R-134a yellow manifold supply hose to R-1234yf refrigerant tank <small>Fitting 1: 1/4" SAE male x 1/2" ACME female LH thread Fitting 2: 1/2" ACME male x 1/2" ACME female LH thread</small>
6829	R-1234yf Hose End to R-134a Vacuum Pump	1/2" SAE female RH x 1/2" ACME male LH thread. Connects R-1234yf yellow hose to R-134a vacuum pump.
6820	Manifold Gauge Conversion Kit	R-134a/R12 Manifold Gauge Conversion Kit to R-1234yf with Manual Couplers
6801	R-1234yf High Side Manual Coupler	Has M12 Female Hose Fitting
6802	R-1234yf Low Side Manual Coupler	Has M12 Female Hose Fitting
6826	R-1234yf Coupler	Connects to 1/4" Hose Adapter SAE Male x M12 male
6827	R-1234yf Coupler	Connects to R-134a Hose Adapter M14 female x M12 male

R-134a Manifold/Hose Adapter Assortment

Part # 6072

Common adapter fittings for hoses on R-134a manifold gauge sets



- (1) Part # 6014 (2) Part # 6018
- (1) Part # 6015 (1) Part # 6019
- (1) Part # 6016 (1) Part # 6038
- (2) Part # 6017

R-1234yf Manifold/Hose Adapter Assortment

Part # 6072yf

Common adapter fittings for hoses on R-1234yf manifold gauge sets



- (2) Part # 6826 (2) Part # 6829
- (2) Part # 6827 (2) Part # 6821
- (2) Part # 6828 (2) Part # 6822


R-134a Manifold Coupler and Fitting Assortment

Part # 6075

- (1) #2790 (10) #4211
- (1) #6005 (10) #4187
- (1) #6006 (1) #6001
- (1) #6007 (1) #6002
- (1) #6008 (1) #6014
- (1) #6016 (1) #6015
- (1) #6029 (2) #6017
- (2) #6073 (4) #6018
- (2) #6074 (2) #6019
- (1) #2860 (5) #6041



Refrigerant Charging



Premium Nylon Barrier Hose

1/2" ACME x 14mm x 1.5mm red/blue
1/2" ACME x 1/2" ACME—yellow hose with anti-blowback

Hose Sets Red/Yellow/Blue

36" Part # 6453
72" Part # 6457
96" Part # 6459

36" Hose	72" Hose	96" Hose	120" Hose
6413	6417	6419	6421
6423	6427	6429	
6433	6437	6439	6441

R-134a CHARGING HOSE



Standard Hose

1/2" ACME x 14mm x 1.5mm red/blue
1/2" ACME x 1/2" ACME—yellow hose without anti-blowback

Hose Sets Red/Yellow/Blue

36" Part # 6553
72" Part # 6557
96" Part # 6559

36" Hose	72" Hose	96" Hose
6413	6417	6419
6423	6427	6429
6433	6437	6439



R-134a 72" RED, BLUE, AND YELLOW CHARGING HOSE SET

Part # 6449
With Quick Couplers



Part # 6450
With Manual Couplers

PREMIUM R-134a 10 ft CHARGING HOSE SET WITH QUICK COUPLERS



Part # 6447



PREMIUM R-134a 10 ft CHARGING HOSE SET WITH MANUAL COUPLERS



Part # 6448



PREMIUM R-134a 10ft CHARGING HOSES

10 foot charging hose, ideal for in-field service or replacement on recovery machines.

Part # 6421

Part # 6441

Set Red/Blue
6445



R-1234yf 72" CHARGING HOSES

12mm RH male x 1/2 ACME female



Part # 6876
Part # 6877
Part # 6878



R-12 CHARGING HOSE

Standard hose
1/4" x 1/4" fittings

Hose Sets R-Y-B

36" Part # 6353
72" Part # 6357

36" Hose	72" Hose
Part # 6313	Part # 6317
Part # 6323	Part # 6327
Part # 6333	Part # 6337
	Part # 6365



R-12 Accessories



Charging Hose Seal and Depressor Assortment

Part # 6070

- 9 part numbers
- 50 pieces
- Repair parts for most major brands of charging hoses



R-12 Adapters

Part #s 6091, 6092, 6097



Part # 6091
90° - 1/4" x 3/16"



Part # 6092
90° - 1/4" x 1/4"

Replacement seal
Part# 6050



Replacement seal
Part# 6047



Part # 6097
1/4" male x 1/4" male

Connects R-12/R-22 hoses together



Pro-Charge Electronic Scale



FEATURES:

- ABS carrying case
- 9" x 9" platform
- 175 lb capacity (80 kg)
- Accurate to +/- ½ oz or .5% of total weight, whichever is greater
- Bubble key pad
- 15 minute auto shut-off feature
- Extra large LCD display
- lbs/oz/kg
- 9V battery included

**HEAVY DUTY DIECAST
ALUMINUM
REFRIGERANT SCALE**

Part # 2850



NOTE: REMOVE SCALE FROM CASE (AS SHOWN) BEFORE USING

FJC Combines New Advanced Technology with Dependable Performance Vacuum Pumps

Two-stage Performance using Twin-Port Technology™
Lightning-fast designs remove destructive moisture and non-condensable gases

Lightweight durable construction for easy handling and long-life use
Tested ~ Proven ~ Reliable

Part # 6900

1.3 cfm



90 psi
minimum air
pressure required
Fittings: 1/4" Male x 1/2" ACME

Part # 6905

1.5 cfm



1/6 HP
Oil Capacity 6 oz
13.9 lb
Voltage: 115V, 60HZ
Motor RPMS: 1725
Fittings: 1/4" Male x 1/2" ACME

Part # 6909

3.0 cfm



1/3 HP
Oil Capacity 12 oz
17.4 lb
Voltage: 115V, 60HZ
Motor RPMS: 1725
Fittings: 1/4" Male x 1/2" ACME

Part # 6912

5.0 cfm



1/3 HP
Oil Capacity 12 oz
22.4 lb
Voltage: 115V, 60HZ
Motor RPMS: 1725
Fittings: 1/4" Male x 1/2" ACME

Part # 6916

7.0 cfm



3/4 HP
Oil Capacity 17 oz
27.7 lb
Voltage: 115V, 60HZ
Motor RPMS: 1725
Fittings: 1/4" Male x 1/2" ACME

Part # 6925

5.0 cfm
2 Stage



1/2 HP
Oil Capacity 12 oz
25.8 lb
Voltage: 115V, 60HZ
Motor RPMS: 1725
Fittings: 1/4" Male x 1/2" ACME

Replacement Parts

Part # 6951 1/4" SAE Cap with strap

Part # 6954 Oil fill cap

Part # 6959 Exhaust port

Part # 6952 1/2" ACME cap with strap

Part # 6956 Switch—red

Part # 6960 Capacitor switch cover

Part # 6953 "T" fittings with caps

Part # 6957 Switch—black

Part # 6961 Fan blade

Part #

R-1234yf/R-134a

5.0 cfm



1/3 HP
Oil Capacity 12 oz
22.4 lb
Voltage: 115V, 60HZ
Motor RPMS: 1725
Fittings: 1/2" ACME RH Male x 1/2" ACME LH Male

- Spark-proof series manufactured with spark-free components
- Large oil level sight glass with max/in level indicator
- Easily accessible oil drain valve
- Cooling fins to keep temperature cooler during extended operation
- High volume fan provides cool air to motor and pump
- Supplied with 2 ports: 1/2" ACME for use with R-134a and 1/2" ACME LH thread for use with R-1234yf systems
- Thermally protected motor with on/off rocker switch
- Safe to use as a replacement pump for recovery machines



Vacuum Pumps & R-134a Manifold Gauge Set Assortments

HEAVY DUTY R-134a MANIFOLD GAUGE SET WITH 10 FT CHARGING HOSES AND 5 CFM VACUUM PUMP

Part # 9270



Kit Contains

- (1) 6912
- (1) 6799



HEAVY DUTY R-134a MANIFOLD GAUGE SET WITH 10 FT CHARGING HOSES AND 7 CFM VACUUM PUMP

Part # 9271



Kit Contains

- (1) 6916
- (1) 6799



VACUUM PUMP AND R-134a MANIFOLD GAUGE SET ASSORTMENT

Part # 9281



Kit Contains

- (1) 6715
- (1) 6909



VACUUM PUMP, R-134a MANIFOLD GAUGE SET AND ELECTRONIC SCALE ASSORTMENT

Part # 9285



Kit Contains

- (1) 2740 (1) 6030
- (1) 2792 (1) 6715
- (1) 2850 (1) 6909



VACUUM PUMP, R-1234yf MANIFOLD GAUGE SET

Part # 9281yf



Kit Contains

- (1) 6930 R-1234yf/R-134a 5.0 cfm Vacuum Pump
- (1) 6852B R-1234yf Aluminum Manifold Gauge Set



VACUUM PUMP, R-134a MANIFOLD GAUGE SET, ELECTRONIC SCALE AND INSTALLER ASSORTMENT

Part # 9287



Kit Contains

- (1) 2734 (1) 2792 (1) 2884 (1) 6014 (2) 6018 (5) 6055
- (1) 2740 (1) 2850 (1) 2885 (1) 6015 (1) 6019 (5) 6061
- (1) 2744 (1) 2882 (10) 4008 (1) 6016 (1) 6030 (1) 6715
- (1) 2745 (1) 2883 (1) 4278 (2) 6017 (1) 6038 (1) 6909



FJC Merchandising Displays

3 FOOT ENDCAP ASSORTMENT



Part # 9203

4 FOOT GONDOLA ASSORTMENT



Part # 9204

Assortments Include:
Products, Planogram, Hooks,
Re-order Cards, and Header
Assortments do not include endcap
or gondola furniture

Kit Contains											
(3) 501	(1) 703	(1) 2800	(2) 6035	(2) 6845	(2) 6814D						
(3) 525	(3) 2407	(1) 4895	(2) 6036	(3) 9140							
(3) 528	(3) 2408	(3) 4921	(2) 6040	(3) 9142							
(3) 533	(3) 2458	(2) 5909	(1) 6517	(3) 9143							
(3) 536	(3) 2468	(2) 5914	(1) 6527	(3) 9144							
(3) 618	(2) 2740	(2) 5915	(1) 6537	(3) 9145							
(3) 623	(2) 2744	(2) 6011	(1) 6715	(3) 9147							
(3) 675	(2) 2745	(2) 6012	(1) 6820	(3) 9165							
(3) 677	(2) 2790	(2) 6025	(2) 6840	(2) 4914D							
(3) 685	(2) 2792	(2) 6030	(2) 6842	(2) 4923D							

Kit Contains											
(3) 501	(1) 703	(2) 2740	(4) 5914	(1) 6517	(4) 9140						
(3) 525	(3) 2202	(2) 2744	(4) 5915	(1) 6527	(3) 9142						
(3) 528	(3) 2407	(2) 2745	(2) 6011	(1) 6537	(3) 9143						
(3) 533	(3) 2408	(2) 2790	(2) 6012	(1) 6761	(3) 9144						
(3) 536	(3) 2450	(2) 2792	(2) 6025	(1) 6820	(4) 9145						
(3) 618	(3) 2458	(1) 2800	(2) 6030	(2) 6829	(4) 9147						
(3) 623	(3) 2468	(1) 4895	(2) 6035	(2) 6840	(4) 9165						
(3) 675	(3) 2484	(2) 4897	(2) 6036	(2) 6842	(2) 4914D						
(3) 677	(3) 2487	(3) 4921	(2) 6040	(2) 6845	(2) 4923D						
(3) 685	(3) 2490	(4) 5909	(2) 6042	(2) 6846	(2) 6714D						

REFRIGERANT PRODUCTS

3 FOOT SHELF DISPLAY ASSORTMENT



Part # 9205



REFRIGERANT PRODUCTS

4 FOOT SHELF DISPLAY ASSORTMENT



Part # 9206



Kit Contains				
(3) 501	(3) 528	(3) 536	(3) 623	(3) 685
(3) 525	(3) 533	(3) 618	(3) 675	(3) 9165

Kit Contains					
(3) 501	(3) 533	(3) 623	(3) 685	(3) 9143	(3) 9147
(3) 525	(3) 536	(3) 675	(3) 9140	(3) 9144	(3) 9165
(3) 528	(3) 618	(3) 677	(3) 9142	(3) 9145	



Recovery Equipment Products

Part # 6990

QUICK CHANGE FILTER



10" total length quick change filter

3/8" x 3/8" flare inlet and outlet

For older Robinair™ refrigerant recovery, recycle,
and recharge stations

(Robinair™ part # 34430)

Part # 6991

REPLACEMENT FILTER



9-3/4" total length replacement filter

For use with Snap-On Inc. or Sun Recovery
machines using a 302V filter

1/4" x 1/4" Flare inlet and outlet

Part # 6998

SPIN ON

STYLE FILTER

One of the Most Popular Refrigerant Recovery Machine Filters in Use Today



A/C Recycling Filter Drier—Spin-on Filter

Easy installation and proper performance
Specially blended materials for maximum acid and
moisture removal

Fits the following Robinair™ A/C Recovery Machines

17700A 34300-2K 34800

17700Z 34700 34800-2K

17700-2K 34700Z 34801-2K

34134A 34700-2K 34900

34234 34711-2K 342000

This filter is NOT intended for use with Robinair™
refrigerant recovery machines which require a reset code
after filter replacement. See chart for recovery units with
this filter.

CONDENSER AND EVAPORATOR THREAD CHASERS

SAE THREAD CHASERS

Part # 2754

- NOT for use with stainless steel material**
- Repairs internal and external threads**
- Repairs damaged threads on condensers, accumulators, evaporators and hose assemblies**
- Domestic and import vehicles**

Sizes included:

5/8" - 18	1" - 14
3/4" - 16	1-1/16" - 14
7/8" - 14	



METRIC THREAD CHASERS

Part # 2755

Sizes included:

M14 x 1.5mm	M20 x 1.5mm	M27 x 2.0mm
M16 x 1.5mm	M22 x 1.5mm	M28 x 1.5mm
M18 x 1.5mm	M24 x 1.5mm	



COMPRESSOR CLUTCH HUB PULLER INSTALLER KIT



Use with GM, Ford, Chrysler and Imports. Compressor guide included. Molded storage case.

Part # 2925



Manufacturer	Remover	Installer
Harrison GM DA-6, HR-6, V5	2936 nut and arbor 2956 arbor (do not use washer)	2952 nut and bearing 2956 arbor (do not use washer)
A-6 and earlier R4	2931 nut and arbor	2952 nut and bearing 2958 arbor
R4	2931 nut/2937 arbor	2952 nut and bearing 2956 arbor (do not use washer)
Nippondenso Ford/ Chrysler A590, C171, and FS-6	2939 nut/2936 arbor	2952 nut and arbor (use washer)
FS-6 w/special 24mm x 2.0	2939 nut and arbor	2952 nut and arbor (use washer)
New style	2931 nut and arbor	2952 nut and arbor (use washer)
Sanden	2941 puller plate and arbor	
York/Tecumseh HR980	2939 nut/2936 arbor	2952 nut and arbor (use washer)
Zexel/Mitsubishi CH series	2941 puller plate/2943 arbor	

A/C Tools

FIN COMB	GM DA6 CARBON SHAFT SEAL
Part # 2740 Straightens bent fins on A/C condensers and radiators to increase air flow 	Part # 7611 For use in changing carbon shaft seals in DA6 compressors 
HOSE CUTTER	GM METRIC CLUTCH REMOVER/INSTALLER TOOL
Part # 2840 Cuts refrigerant and other rubber hoses up to 1-1/2" OD. 	Part # 7635 For servicing GM compressors using metric threads 
HEAVY DUTY PVC AND HOSE CUTTER	UNIVERSAL COMPRESSOR CLUTCH HOLDING TOOL
Part # 2843 Cuts rubber hose and PVC up to 1-1/4" OD. Rachet design for easy use. 	Part # 2910 Holds compressor clutch hub during removal/installation 

COMPRESSOR CLUTCH PULLER KIT

Part # 7510

Safely remove and install compressor clutches on most vehicles.

Molded case included.



MASTER COMPRESSOR CLUTCH PULLER KIT

Part # 7500

Safely remove and install compressor clutches on domestic and import vehicles.

Molded case included.



Part # Replacement Part Description

7530 Universal puller body

7534 Puller arbor

7537 Universal clutch puller jaws

7732 Universal pilot

Part # Replacement Part Description

7530 Universal puller body

7534 Puller arbor

7537 Universal clutch puller jaws

7538 Clutch puller jaws

7540 GM DA6 & V5 clutch puller jaws

7542 GM R4 clutch puller jaws

7544 Sanden 505 pulley and clutch jaws

7743 Sanden pulley and clutch remover jaws

7725 GM A6 & V5 clutch puller jaws

7728 Diesel Kiki shaft protector pilot

7732 Universal pilot

7735 Nippondenso shaft protector

R-134a REFRIGERANT CHECK GAUGE

Part # 2805

Checks low side operating pressure to measure the level of refrigerant in R-134a systems.

- Indicator needle locks into place for easy viewing.
- Easy access pressure release button to reset gauge



**NEW
PRODUCT**

R-1234yf REFRIGERANT CHECK GAUGE

Part # 2805yf

Checks low side operating pressure to measure the level of refrigerant in R-1234yf systems.

- Indicator needle locks into place for easy viewing.
- Easy access pressure release button to reset gauge



**NEW
PRODUCT**

A/C Tools—Thermometers

1-3/4" Dial Thermometer

Part # 2790



Easy to read 1-3/4" face

0° to 220° F

Includes pocket holder with clip

1" Dial Thermometer

Part # 2792



1" face with magnifying lens

0° to 220° F

Includes pocket holder with clip

Digital Thermometer

Part # 2795



Fast, easy and accurate

Auto shutoff

Includes battery

Fahrenheit or Celsius

Includes pocket holder with clip

Non-Contact Laser Thermometer

Part # 2800



- Accurately measures temperatures for precision diagnostics in many areas of automotive repair and HVAC installation
- Measure -58° to 720° F
- Fahrenheit or Celsius
- Adjustable backlight
- Auto shutoff
- 12:1 optics
- Clamshell packaging
- 2 AAA batteries included



Deluxe Non-Contact Laser Thermometer

Part # 2803

- Accurately measures temperatures for precision diagnostics in many areas of automotive repair and HVAC installation
- Measure -58° to 1300° F
- Adjustable emissivity
- Fahrenheit or Celsius
- Modes: max/min/difference/average/data store/recall
- Adjustable backlight
- Auto shutoff
- 12:1 optics
- One 9V battery included
- Durable storage case included



HD Large Bore Valve Core Tool

Part #2743

Removes and installs large bore hole valve cores up to 10mm in HD applications.



Large Valve Core Tool

Part #2744

Removes and installs large bore hole valve cores in late model vehicles.



Standard Valve Core Tool

Part #2745

Removes and installs standard valve cores.



Sockets

Part #2746

LOW SIDE socket for Bridgeport style retrofit adapters. 8-sided.



Part #2748

HIGH SIDE socket for Bridgeport style retrofit adapters. 8-sided.



A/C Insulation Tape

Part #2862

Insulates & seals parts.
Protects parts from heat.
Sticks to metal or rubber.
30 ft. roll.



A/C Insulation Tape

Part #2863

Insulates & seals parts.
Protects parts from heat. Sticks
to metal or rubber.
3 ft. roll.



A/C Tools

CAN TAPS - SIDE CAN TAPS - CHARGING HOSES - HOSES WITH GAUGES

R-134a Can Tap for Self-Sealing Cans
Part # 6029

Dispensing valve for R-134a hose. Valve has 1/2" ACME RH thread with depressing actuator.



R-134a Can Tap

Part # 6030

Brass dispensing valve for R-134a cans with 1/2" ACME fittings. For use with puncture-top cans.



Replacement seal Part # 6041



R-1234yf Can Tap

Part # 6840

Brass dispensing valve for R-1234yf hose.



R-134a/R-12 Side Can Tap

Part # 6040

Squeeze handle provides easy use



Replaces FJC Part #s 6031 and 6034



3-Way Side Can Tap

Part # 6842

For use with R-12/R134a/R-1234yf cans 1/2" ACME LH thread 1/2" ACME and 1/4" Flare Male fitting with check valve.



R-134a U-Charge Hose

Part # 6035

Reusable brass dispensing valve with hose and R-134a quick coupler.



Charge A/C systems from R-134a Puncture-style cans.



NOTE: This item is available for self-sealing cans. See Part #6045 on page 7.

Replacement o-ring Part # 4008
Replacement seal Part # 6041

NOTE: Hose may be different color than pictured

R-1234yf Charging Hose

Part # 6845

Charge A/C systems from R-1234yf self-sealing cans. Reusable brass dispensing valve with hose and R-1234yf quick coupler.


NOTE: Hose may be different color than pictured



R-134a U Charge Hose and Gauge for Puncture-style Cans

Part # 6036

Reusable charging hose for adding R-134a refrigerant and oil charge from puncture-style cans. Low-side gauge monitors pressure to aid in getting a correct charge.



NOTE: This item is available for self-sealing cans. See Part #6037 on pages 7 or 15.

R-1234yf U Charge Hose and Gauge for Self-Sealing Cans

Part # 6846

Reusable charging hose and gauge for R-1234yf self-sealing valve cans



Orifice Tubes



Part # 3004 (5 pack)	Color: Grey Porous Make: GM	Part # 3005 (5 pack)	Color: Black Porous Make: GM	Part # 3006 (5 pack)	Color: Blue Make: GM	Part # 3008 (5 pack)	Color: Orange T-top Make: GM
Part # 3104	Diameter: 0.062	Part # 3105	Diameter: 0.057	Part # 3106	Diameter: 0.067	Part # 3108	Diameter: 0.057



Part # 3011 (5 pack)	Color: White Make: GM	Part # 3012 (5 pack)	Color: Black T-top Make: GM	Part # 3013 (5 pack)	Color: Yellow T-top Make: GM	Part # 3014 (5 pack)	Color: Yellow Make: Volvo
Part # 3111	Diameter: 0.072	Part # 3112	Diameter: 0.072	Part # 3113	Diameter: 0.062	Part # 3114	Diameter: 0.062



Part # 3016 (5 pack)	Color: Blue Make: Ford	Part # 3017 (5 pack)	Color: Red Make: Ford	Part # 3018 (5 pack)	Color: Green Make: Ford	Part # 3019 (5 pack)	Color: Orange Make: Ford
Part # 3116	Diameter: 0.067	Part # 3117	Diameter: 0.062	Part # 3118	Diameter: 0.052	Part # 3119	Diameter: 0.059



Part # 3020 (5 pack)	Color: Brown Make: Ford	Part # 3021 (5 pack)	Color: Black Make: Ford	Part # 3024 (5 pack)	Color: Purple T-top Make: Chrysler	Part # 3026 (5 pack)	Color: Orange T-top Make: Chrysler
Part # 3120	Diameter: 0.047	Part # 3121	Diameter: 0.072	Part # 3124	Diameter: 0.062	Part # 3126	Diameter: 0.057



Part # 3031 (5 pack)	Color: Red/Black Variable Orifice Tube	Part # 3033 (5 pack)	Color: Red/Black Variable Orifice Tube T-top	Part # 3036 (5 pack)	Color: Grey Make: Toyota	Part # 3038 (5 pack)	Color: Orange Make: Audi
Part # 3131		Part # 3133		Part # 3136	Diameter: 0.072	Part # 3138	Diameter: 0.057



ORIFICE TUBE REMOVER/INSTALLER KIT

Part # 2830

Easily removes orifice tubes without damage.
For standard and "T-top" orifice tubes.
Storage case included.

The orifice tube meters refrigerant flow through the system and filters debris which may come through. It becomes necessary to replace the orifice tube if the fine mesh screen or the internal components of the orifice tube become plugged, restricting refrigerant and lubricant flow.



Please see pages 86-87 for California Proposition 65 warnings



Orifice Tubes & Service Items

OE R-134a Replacement Service Port Cap Assortment

Part # 2686

Kit contains 7 part numbers (14 total pieces).

Kit Includes:
(2) Part # 2610
(2) Part # 2607
(2) Part # 2608
(2) Part # 2609
(2) Part # 2613
(2) Part # 2614
(2) Part # 2615



OE R-134a Replacement Service Port Assortment

Part # 2685

Kit contains 4 part numbers (8 total pieces).

Kit Includes:

(2) Part # 2607 (2) Part # 2609
(2) Part # 2608 (2) Part # 2610



Master Orifice Tube Assortment

Part # 3000

Kit contains 20 part numbers (36 total pieces).

Includes Remover/Installer tool

Kit Includes:

(1) Part # 3004 (2) Part # 3011 (2) Part # 3016 (2) Part # 3020 (2) Part # 3036
(1) Part # 3005 (2) Part # 3012 (2) Part # 3017 (2) Part # 3021 (2) Part # 3038
(2) Part # 3006 (2) Part # 3013 (2) Part # 3018 (2) Part # 3024 (10) Part # 4051
(2) Part # 3008 (2) Part # 3014 (2) Part # 3019 (2) Part # 3026 1 Remover/Installer Tool



Heavy Duty Orifice Tube Assortment

Part # 3009

Kit contains 8 part numbers (38 total pieces).

Kit Includes:

(8) Part # 3011 (4) Part # 3017
(8) Part # 3012 (4) Part # 3019
(2) Part # 3014 (2) Part # 3020
(8) Part # 3016 (2) Part # 3024



Orifice Tube Assortment

Part # 3007

Kit contains 11 popular part numbers. (22 total pieces).

Includes:

(2) Part # 3008 (2) Part # 3014 (2) Part # 3019
(2) Part # 3011 (2) Part # 3016 (2) Part # 3020
(2) Part # 3012 (2) Part # 3017 (2) Part # 3024
(2) Part # 3013 (2) Part # 3018



OE R-134a Replacement Service Ports

Part # 2607 (5 pack)
Part # 2557 (single)



Port: Low Side
Make: GM
Size: 13mm x 1.0mm

Uses Cap # 2613

Part # 2608 (5 pack)
Part # 2558 (single)



Port: Low Side
Make: Ford
Size: 10mm x 1.25mm

Uses Cap # 2614

Part # 2609 (5 pack)
Part # 2574 (single)



Port: High Side
Make: GM
Size: 15mm x 1.0mm

OEM uses Cap # 2617
Aftermarket Uses Cap # 2615

Part # 2610 (5 pack)
Part # 2576 (single)



Port: High Side
Make: Ford, GM, Chrysler
Size: 12mm x 1.5mm

Uses Cap # 2615

Service Items

R-12, R-134a, R-1234yf Valve Cores



R-12 and R-134a Service Port Caps



Master Valve Core Remover and Installer Kit

Part # 2750



Note: this case contains one slot which is kept intentionally empty

Remove and install replacement valve cores WITHOUT losing refrigerant charge. Fits standard and larger valve cores. Services R-12 & R-134a service ports.

Kit contains 18 part numbers (88 total pieces).

Kit Includes:

- (5)Part # 2611 (5)Part # 2617 (10)Part # 2672
- (5)Part # 2612 (5)Part # 2619 (3)Part # 2673
- (5)Part # 2613 (5)Part # 2621 (5)Part # 2674
- (5)Part # 2614 (5)Part # 2622 (2)Part # 2675
- (5)Part # 2615 (5)Part # 2623 (4)Part # 2676
- (5)Part # 2616 (5)Part # 2624 (4)Part # 2677



R-12, R-134a Master Cap, Valve and Core Assortment

Part # 2683

Part # 2663



Kit contains 12 part numbers (85 total pieces). **Includes:**

- (10)Part # 2614 (10)Part # 2622 (5)Part # 2676
- (10)Part # 2615 (20)Part # 2672 (5)Part # 2677
- (5)Part # 2617 (3)Part # 2673 (1)Part # 2744
- (10)Part # 2621 (5)Part # 2674 (1)Part # 2745

Part # 2680



Valve core tools for standard and large valve cores.

Kit contains 7 part numbers (37 total pieces). **Includes:**

- (20)Part # 2672 (4)Part # 2676 (1)Part # 2745
- (3)Part # 2673 (4)Part # 2677
- (4)Part # 2674 (1)Part # 2744

Part # 2682



Kit contains 6 part numbers (20 total pieces). **Includes:**

- (20)Part # 2672 (4)Part # 2676
- (3)Part # 2673 (4)Part # 2677
- (4)Part # 2674 (1)Part # 2644



Air Conditioning Control Switches

CHRYSLER

					
Part # 3271 R-134a 12mm switch port Dodge 1994-96	Part # 3276 R-134a 12mm switch port Dodge 1994-96	Part # 3277 R-134a Cycling pressure switch Dodge 1998-2003	Part # 3321 R-134a Compressor high-pressure cut-off Chrysler 1994-2009	Part # 3340 R-134a High-pressure cut-off switch Chrysler	Part # 3341 R-134a High-pressure cut-off switch Dodge/Jeep 1994-98

FORD

						
Part # 3214 R-134a 1/4" switch port Ford 1981-1993	Part # 3280 R-134a 12mm switch port Ford 1993-1995	Part # 3282 R-134a 12mm switch port Ford 2002-2005	Part # 3283 R-134a 12mm switch port Ford 2002-2005	Part # 3285 R-134a 12mm switch port Ford 2003-2005	Part # 3286 R-134a 12mm switch port Ford 2006-2007	Part # 3287 R-134a 12mm switch port Ford 1996-1997
						
Part # 3288 R-134a Cycling pressure switch Lincoln 2004-2005	Part # 3349 R-134a Pressure cut-off switch high Ford/Lincoln/Mercury 2005-2009	Part # 3358 R-134a High Pressure cut-off switch M10 x 1.25 Ford 1993-2011	Part # 3411 R-134a Binary switch Ford 1994-2003	Part # 3412 R-134a Binary switch Ford 2002-2005	Part # 3414 R-134a Binary switch Ford/Lincoln/Mercury 2000-2007	Part # 3415 R-134a Binary Switch, HPCO cooling fan switch Ford

Air Conditioning Control Switches

GENERAL MOTORS



Part # 3203

R-12

1/4" switch port

GM 1978-1993



Part # 3205

R-12

1/4" switch port

GM 1989-1993



Part # 3262

R-134a

12mm switch port

GM 1993-1995



Part # 3265

R-134a

10mm switch port

GM 1994-1997



Part # 3266

R-134a

12mm switch port

GM 1994-2000



Part # 3267

R-134a

12mm switch port

GM 1994-2005



Part # 3320

R-134a

**Compressor high
pressure cut-off
switch**

GM Denso
1999-2007



Part # 3331

R-134a

**Compressor low
pressure cut-off
switch high side**

GM
1983-2013

Heavy Duty Service Item Assortments

HEAVY DUTY TRUCK SERVICE ITEM ASSORTMENT

Part # 4450

- ◆ 16 part numbers, 74 total pieces.
- ◆ Kit contains: O-rings, sealing washers, service caps and valve cores
- ◆ O-ring wall chart included.



(1) # 2207 (6) # 2677 (5) # 4062 (5) # 4075
(5) # 2613 (1) # 2743 (5) # 4072 (5) # 4370
(5) # 2617 (5) # 4055 (5) # 4073 (5) # 4371
(6) # 2676 (5) # 4056 (5) # 4074 (5) # 4372



HEAVY DUTY TRUCK SEALING WASHER O-RING ASSORTMENT

Part # 4454

- ◆ 18 part numbers, 135 total pieces.
- ◆ Kit contains: O-rings and sealing washers
- ◆ O-ring wall chart included.

(10) # 4006 (10) # 4046 (5) # 4075
(10) # 4008 (5) # 4055 (10) # 4218
(10) # 4010 (5) # 4056 (10) # 4230
(10) # 4012 (5) # 4072 (5) # 4370
(10) # 4043 (5) # 4073 (5) # 4371
(10) # 4044 (5) # 4074 (5) # 4374



Heavy Duty Service Item Assortments

HEAVY DUTY TRUCK SEALING WASHER ASSORTMENT

Part # 4458

- ◆ 8 part numbers, 65 total pieces.
- ◆ Kit contains: Sealing washers

(10) # 4062 (10) # 4075
(10) # 4072 (5) # 4370
(10) # 4073 (5) # 4371
(10) # 4074 (5) # 4372



HEAVY DUTY TRUCK A/C O-RING ASSORTMENT

Part # 4460

- ◆ 6 part numbers, 55 total pieces.
- ◆ Kit contains: Popular A/C high temperature HNBR o-rings

(10) # 4006 (10) # 4012
(10) # 4008 (5) # 4043
(10) # 4010 (10) # 4052



HEAVY DUTY TRUCK STAT SEALS ASSORTMENT

Part # 4459



Part # 4373

6 stat seal

Kit contains: 2



Part # 4374

#8 stat seal

Kit contains: 2



Part # 4375

#10 stat seal
(evaporator)

Kit contains: 2



Part # 4376

#12 stat seal

Kit contains: 2



Part # 4377

stat seal
(evaporator)

Kit contains: 2

Heavy Duty Service Item Assortments

Part # 4465

- ◆ 119 part numbers, 543 total pieces.
- ◆ Kit contains O-rings, gaskets, sealing washers, caps and other service items.
- ◆ O-rings are high-temperature HNBR.



(2) # 2602	(15) # 4008	(2) # 4061	(5) # 4179	(2) # 4315
(2) # 2603	(15) # 4010	(2) # 4062	(5) # 4182	(2) # 4317
(4) # 2612	(15) # 4012	(2) # 4063	(5) # 4186	(2) # 4319
(4) # 2613	(2) # 4015	(2) # 4064	(5) # 4187	(2) # 4324
(4) # 2614	(2) # 4016	(2) # 4065	(5) # 4189	(2) # 4327
(4) # 2615	(2) # 4017	(2) # 4066	(5) # 4190	(2) # 4328
(2) # 2616	(2) # 4018	(2) # 4070	(5) # 4192	(2) # 4345
(4) # 2617	(5) # 4026	(2) # 4071	(5) # 4193	(2) # 4346
(10) # 2672	(5) # 4028	(2) # 4072	(5) # 4194	(5) # 4361
(4) # 2675	(5) # 4030	(2) # 4073	(5) # 4195	(5) # 4362
(4) # 2676	(10) # 4032	(2) # 4074	(5) # 4198	(5) # 4364
(4) # 2677	(5) # 4034	(7) # 4075	(5) # 4199	(5) # 4365
(4) # 3011	(5) # 4035	(5) # 4080	(5) # 4201	(5) # 4370
(4) # 3012	(5) # 4036	(5) # 4082	(5) # 4210	(5) # 4371
(2) # 3014	(5) # 4038	(5) # 4090	(5) # 4211	(5) # 4372
(4) # 3016	(5) # 4040	(5) # 4091	(5) # 4212	(5) # 4373
(2) # 3017	(5) # 4042	(4) # 4116	(10) # 4218	(5) # 4374
(2) # 3019	(10) # 4043	(4) # 4118	(5) # 4219	(5) # 4375
(2) # 3020	(5) # 4044	(4) # 4120	(5) # 4230	(5) # 4376
(1) # 3021	(5) # 4046	(4) # 4122	(5) # 4233	(5) # 4377
(1) # 3024	(5) # 4050	(5) # 4170	(5) # 4234	(4) # 4381
(5) # 4002	(5) # 4051	(5) # 4171	(10) # 4235	(4) # 4382
(5) # 4004	(10) # 4052	(5) # 4172	(5) # 4241	(1) # 1812
(10) # 4006	(2) # 4060	(5) # 4175	(5) # 4248	

Part # 4463

- ◆ 23 part numbers, 114 total pieces.
- ◆ Kit contains: popular sealing washers, o-rings, valve cores, and service caps.
- ◆ O-rings are high-temperature HNBR.
- ◆ O-ring wall chart included.



Part # 4464

- ◆ 15 part numbers, 150 total pieces.
- ◆ Kit contains: popular sealing washers, o-rings, valve cores, and service caps.
- ◆ O-rings are high-temperature HNBR.
- ◆ O-ring wall chart included.



(4) # 2612	(4) # 2616	(2) # 2676	(10) # 4010	(5) # 4091	(4) # 4377
(4) # 2613	(4) # 2626	(2) # 2677	(4) # 4072	(5) # 4218	(2) # 4381
(4) # 2614	(10) # 2672	(10) # 4006	(4) # 4073	(10) # 4235	(2) # 4382
(4) # 2615	(12) # 2675	(10) # 4008	(4) # 4074	(4) # 4376	

(10) # 2614	(10) # 2673	(10) # 4006	(10) # 4012	(10) # 4032
(10) # 2615	(10) # 2676	(10) # 4008	(10) # 4026	(10) # 4043
(10) # 2672	(10) # 2677	(10) # 4010	(10) # 4030	(10) # 4052

Pro-Series Service Item Assortment



The Ultimate
Assortment for
A/C Specialists

Part # 4400

- Kit contains: O-rings, gaskets, sealing washers, keyways, shims, fittings, caps, orifice tubes, etc.
- Coverage through current model year
- All O-rings are high temperature HNBR
- 203 part numbers (1023 total parts)
- 12 trays for easy storage
- Sturdy case
- O-ring wall chart included

(4) # 2602 (4) # 2677 (5) # 4028 (2) # 4070 (5) # 4118 (5) # 4175 (5) # 4202 (5) # 4228 (1) # 4254 (5) # 4345
(4) # 2603 (2) # 3011 (5) # 4030 (2) # 4071 (5) # 4120 (5) # 4176 (5) # 4203 (25) # 4229 (1) # 4255 (5) # 4346
(2) # 2604 (1) # 3012 (5) # 4032 (2) # 4072 (5) # 4122 (5) # 4177 (5) # 4204 (10) # 4230 (1) # 4256 (1) # 6041
(2) # 2606 (1) # 3014 (5) # 4038 (2) # 4073 (4) # 4130 (5) # 4178 (5) # 4205 (10) # 4232 (1) # 4258 (1) # 6047
(1) # 2608 (2) # 3016 (5) # 4040 (2) # 4074 (4) # 4131 (5) # 4179 (5) # 4206 (20) # 4233 (5) # 4305 (1) # 6049
(1) # 2610 (1) # 3017 (5) # 4042 (2) # 4075 (4) # 4140 (5) # 4182 (25) # 4207 (5) # 4234 (5) # 4306 (10) # 6050
(2) # 2611 (1) # 3018 (5) # 4043 (5) # 4078 (4) # 4142 (5) # 4183 (5) # 4208 (5) # 4235 (5) # 4307 (1) # 6051
(2) # 2612 (1) # 3019 (5) # 4044 (5) # 4080 (4) # 4143 (5) # 4186 (5) # 4209 (5) # 4237 (5) # 4308 (1) # 6052
(2) # 2613 (1) # 3020 (5) # 4045 (5) # 4082 (4) # 4144 (5) # 4187 (5) # 4211 (5) # 4238 (5) # 4312 (10) # 6055
(5) # 2614 (1) # 3024 (5) # 4050 (5) # 4086 (4) # 4150 (5) # 4189 (5) # 4214 (5) # 4239 (2) # 4315 (5) # 6060
(5) # 2615 (5) # 4002 (5) # 4051 (5) # 4087 (4) # 4151 (25) # 4190 (5) # 4215 (25) # 4240 (2) # 4317 (5) # 6061
(2) # 2616 (5) # 4004 (5) # 4052 (5) # 4088 (4) # 4154 (5) # 4191 (5) # 4216 (5) # 4241 (2) # 4318 (5) # 6063
(2) # 2617 (25) # 4006 (2) # 4053 (5) # 4089 (4) # 4158 (25) # 4192 (5) # 4218 (5) # 4242 (2) # 4319 (10) # 6065
(5) # 2618 (25) # 4008 (2) # 4054 (5) # 4090 (4) # 4160 (25) # 4193 (5) # 4219 (5) # 4243 (2) # 4320 (2) # 6066
(5) # 2620 (20) # 4010 (2) # 4060 (5) # 4091 (4) # 4162 (25) # 4194 (25) # 4220 (5) # 4245 (2) # 4321
(5) # 2621 (25) # 4012 (2) # 4061 (5) # 4093 (4) # 4166 (5) # 4195 (5) # 4221 (5) # 4246 (2) # 4324
(5) # 2622 (5) # 4015 (2) # 4062 (5) # 4094 (5) # 4168 (5) # 4196 (5) # 4222 (5) # 4247 (2) # 4325
(10) # 2672 (5) # 4016 (2) # 4063 (5) # 4095 (5) # 4170 (5) # 4197 (5) # 4223 (5) # 4248 (2) # 4326
(2) # 2673 (5) # 4017 (2) # 4064 (5) # 4096 (5) # 4171 (25) # 4198 (5) # 4225 (2) # 4250 (2) # 4327
(4) # 2674 (5) # 4018 (2) # 4065 (5) # 4097 (5) # 4172 (5) # 4199 (5) # 4226 (1) # 4252 (2) # 4328
(4) # 2676 (5) # 4026 (2) # 4066 (5) # 4116 (5) # 4173 (5) # 4201 (5) # 4227 (1) # 4253 (5) # 4335

Service Item Assortments

DELUXE Service Item Assortment



Part # 4415

- Kit contains: O-rings, gaskets, sealing washers, caps, and other service items
- Coverage through current model year
- All O-rings are high-temperature HNBR
- 131 part numbers (641 total pieces)
- Convenient carrying case
- O-ring wall chart included

(1) # 2608	(2) # 2672	(10) # 4026	(5) # 4050	(2) # 4071	(5) # 4093	(4) # 4143	(5) # 4182	(5) # 4198	(5) # 4213	(5) # 4240
(1) # 2610	(2) # 2673	(10) # 4028	(5) # 4051	(2) # 4072	(5) # 4094	(4) # 4150	(10) # 4183	(5) # 4199	(5) # 4215	(5) # 4241
(2) # 2613	(2) # 2674	(5) # 4030	(10) # 4052	(2) # 4073	(2) # 4116	(4) # 4151	(5) # 4186	(5) # 4201	(5) # 4216	(5) # 4243
(4) # 2614	(2) # 2675	(5) # 4032	(1) # 4053	(2) # 4074	(2) # 4118	(4) # 4154	(5) # 4187	(10) # 4202	(5) # 4218	(5) # 4246
(4) # 2615	(2) # 2676	(5) # 4034	(1) # 4054	(2) # 4075	(2) # 4120	(4) # 4158	(5) # 4189	(5) # 4203	(5) # 4219	(5) # 4247
(2) # 2616	(2) # 2677	(5) # 4035	(2) # 4060	(4) # 4078	(2) # 4122	(4) # 4166	(20) # 4190	(5) # 4204	(5) # 4220	(1) # 4250
(2) # 2617	(2) # 2678	(5) # 4036	(2) # 4061	(4) # 4080	(2) # 4128	(5) # 4170	(20) # 4192	(5) # 4205	(5) # 4226	(1) # 4253
(2) # 2621	(5) # 4002	(10) # 4038	(2) # 4062	(4) # 4082	(2) # 4129	(5) # 4171	(20) # 4193	(10) # 4206	(5) # 4228	(1) # 4254
(2) # 2622	(20) # 4006	(5) # 4040	(2) # 4063	(4) # 4086	(2) # 4132	(5) # 4172	(5) # 4194	(10) # 4208	(5) # 4230	(2) # 4365
(2) # 2623	(20) # 4008	(5) # 4042	(2) # 4064	(4) # 4087	(2) # 4133	(5) # 4173	(5) # 4195	(5) # 4209	(5) # 4232	(2) # 4384
(2) # 2624	(20) # 4010	(5) # 4043	(2) # 4065	(4) # 4088	(4) # 4140	(5) # 4176	(5) # 4196	(5) # 4210	(5) # 4233	(2) # 4385
(2) # 2626	(5) # 4012	(5) # 4045	(2) # 4070	(15) # 4090	(4) # 4142	(5) # 4178	(5) # 4197	(5) # 4211	(5) # 4237	


Deluxe O-ring Assortment

Part # 4275

34 most popular sizes. 350 total pieces. O-rings are high temperature HNBR. O-ring wall chart included.

Kit Contains:

(1) # 4002	(5) # 4043	(10) # 4197
(1) # 4006	(2) # 4051	(10) # 4203
(2) # 4008	(2) # 4052	(5) # 4206
(4) # 4010	(2) # 4080	(5) # 4208
(4) # 4012	(2) # 4170	(5) # 4215
(2) # 4026	(2) # 4186	(5) # 4218
(2) # 4028	(2) # 4187	(5) # 4230
(2) # 4030	(5) # 4190	(5) # 4238
(2) # 4032	(20) # 4191	(5) # 4240
(2) # 4038	(20) # 4193	(5) # 4241
(2) # 4040	(20) # 4194	
(2) # 4042	(5) # 4196	



O-ring Assortment

Part # 4278

18 popular sizes, 180 total pieces.

O-rings are high temperature HNBR.

Includes O-ring wall chart.



"Top Four" O-ring Assortment

Part # 4279

4 most popular sizes. 100 total pieces. O-rings are high temperature green HNBR.

Kit Contains:

(25) # 4006	(25) # 4010
(25) # 4008	(25) # 4012



O-ring Assortments

CHRYSLER

CHRYSLER O-RING AND GASKET ASSORTMENT 1989 AND EARLIER

Part # 4286

20 part numbers, 185 total pieces. O-rings are high-temperature HNBR. O-ring wall chart included. Metal gasket.

(15) # 4006 (2) # 4053 (5) # 4150 (15) # 4190
 (15) # 4008 (2) # 4054 (8) # 4151 (15) # 4203
 (15) # 4010 (5) # 4142 (8) # 4158 (15) # 4240
 (15) # 4012 (5) # 4143 (5) # 4166 (5) # 4305
 (15) # 4030 (5) # 4144 (10) # 4187 (5) # 4306



CHRYSLER O-RING AND GASKET ASSORTMENT 1990 TO 2010

Part # 4287

27 part numbers, 204 total pieces. O-rings are high-temperature HNBR. O-ring wall chart included. Metal gasket.

(10) # 4030 (2) # 4118 (4) # 4133 (10) # 4193 (5) # 4213
 (2) # 4073 (2) # 4120 (4) # 4150 (10) # 4194 (10) # 4230
 (2) # 4074 (4) # 4128 (4) # 4166 (10) # 4203 (10) # 4233
 (15) # 4006 (10) # 4080 (4) # 4129 (20) # 4190 (10) # 4210 (10) # 4240
 (15) # 4008 (2) # 4116 (4) # 4132 (10) # 4192 (5) # 4211 (10) # 4243



FORD

FORD O-RING ASSORTMENT

Part # 4288

20 part numbers, 200 total pieces. O-rings are high-temperature HNBR. O-ring wall chart included. O-rings, shims, and bushings.

(15) # 4006 (10) # 4078 (10) # 4194 (10) # 4241
 (15) # 4008 (10) # 4170 (10) # 4198 (10) # 4248
 (15) # 4010 (15) # 4190 (10) # 4209 (6) # 4308
 (10) # 4012 (10) # 4192 (10) # 4225 (2) # 4325
 (10) # 4028 (10) # 4193 (10) # 4234 (2) # 4326



FORD SPRING LOCK COUPLING ASSORTMENTS

US Customary

Part # 4290

Each set has 8 part numbers 60 total pieces. Includes 4 sizes O-rings, 4 sizes garter springs. O-rings are high-temperature HNBR.

(10) # 4006 (5) # 4116
 (10) # 4008 (5) # 4118
 (10) # 4010 (5) # 4120
 (10) # 4012 (5) # 4122



Metric

Part # 4291

(10) # 4192 (5) # 4116
 (10) # 4193 (5) # 4118
 (10) # 4194 (5) # 4120
 (10) # 4198 (5) # 4122

GENERAL MOTORS

GM O-RING ASSORTMENT

Part # 4293

18 part numbers, 180 total pieces. O-rings are high-temperature HNBR. O-ring wall chart included.

Kit Contains:

(10) # 4006 (10) # 4012 (10) # 4030 (10) # 4040 (10) # 4050 (10) # 4190
 (10) # 4008 (10) # 4026 (10) # 4032 (10) # 4042 (10) # 4186 (10) # 4196
 (10) # 4010 (10) # 4028 (10) # 4038 (10) # 4043 (10) # 4189 (10) # 4197



GM SEALING WASHER ASSORTMENT

Part # 4294

4 part numbers, 24 total pieces. 3 most popular GM sealing washers and inserts for sealing washers.



Kit Contains:

(6) # 4060 (6) # 4062
 (6) # 4061 (6) # 4063

O-ring Assortments



SLIM LINE SEALING ASSORTMENT

Part # 4295

4 part numbers, 20 total pieces.
GM sealing washers.

Kit Contains:

- (5) # 4072 (5) # 4074
- (5) # 4073 (5) # 4075



MASTER SEALING WASHER ASSORTMENT

Part # 4296

15 part numbers, 47 total pieces.
GM and Chrysler sealing washers.
O-ring wall chart included.



HONDA AND TOYOTA O-RING ASSORTMENT

Part # 4297

15 part numbers, 126 total pieces.
Most popular import O-rings and gaskets.
O-rings are high-temperature HNBR.
O-ring wall chart included.

- (10) # 4006 (10) # 4080 (10) # 4233
- (10) # 4008 (10) # 4186 (10) # 4238
- (10) # 4010 (10) # 4187 (2) # 4250
- (10) # 4012 (10) # 4190 (2) # 4252
- (10) # 4028 (10) # 4203 (2) # 4255



Part # 4298

12 popular metric o-rings, 120 total pieces.
O-rings are high-temperature
HNBR.

Kit Contains:

- (3) # 4006 (2) # 4028 (4) # 4186
- (3) # 4008 (2) # 4052 (4) # 4187
- (3) # 4010 (2) # 4080 (4) # 4190
- (3) # 4012 (2) # 4094 (4) # 4203



LARGE METRIC O-RING ASSORTMENT



Part # 4299
18 popular metric o-rings, 180 total pieces.
O-rings are high-temperature HNBR.
O-ring wall chart included.

- (10) # 4010 (10) # 4080 (10) # 4187 (10) # 4208
- (10) # 4012 (10) # 4094 (10) # 4190 (10) # 4218
- (10) # 4006 (10) # 4028 (10) # 4183 (10) # 4203 (10) # 4233
- (10) # 4008 (10) # 4052 (10) # 4186 (10) # 4206 (10) # 4238

POPULAR O-RING ASSORTMENTS

8 most popular O-rings. O-rings are high-temperature HNBR.
Attractive retail packaging.



Part # 4897
24 pieces.



Part # 4895
200 pieces.

DELUXE METRIC/IMPORT O-RING ASSORTMENT

- (15) # 4006 (10) # 4094 (10) # 4203 (10) # 4222
- (10) # 4008 (10) # 4178 (10) # 4204 (10) # 4233
- (10) # 4010 (10) # 4182 (10) # 4206 (10) # 4237
- (10) # 4012 (10) # 4183 (10) # 4208 (10) # 4238
- (10) # 4028 (10) # 4186 (10) # 4209 (10) # 4239
- (10) # 4043 (10) # 4187 (10) # 4211 (10) # 4240
- (10) # 4052 (10) # 4189 (10) # 4214 (10) # 4246
- (10) # 4080 (15) # 4190 (10) # 4215
- (10) # 4088 (10) # 4192 (10) # 4218

Part # 4300

34 popular metric o-rings, 1350 total pieces.
O-rings are high-temperature HNBR.
O-ring wall chart included.



O-rings



ALL O-RINGS ARE ACTUAL SIZE AND HIGH TEMPERATURE HNBR

Part # 4221		Part # 4206		Part # 4052		Part # 4183	
<ul style="list-style-type: none"> GM & Asian Imports 		<ul style="list-style-type: none"> Ford combination valve liquid bleed tube connection Nissan #6 hose/expansion valve/capillary tube VIR liquid bleed line 		<ul style="list-style-type: none"> GM capillary tube 		<ul style="list-style-type: none"> Metric hose and dryer Mitsubishi FX 105V rear housing Sanden TR70 oil drain bolt 	
Part # 4208		Part # 4223		Part # 4186		Part # 4080	
<ul style="list-style-type: none"> GM oil tube and filler bolt Diesel Kiki DKS16H oil drain plug Nissan #8 hose fitting/dryer 		<ul style="list-style-type: none"> Metric—GM & Asian Imports 		<ul style="list-style-type: none"> Toyota liquid line/dryer #5 hose fitting 		<ul style="list-style-type: none"> Ford combination valve STV manifold oil port use with Chrysler gasket # 4132 	
Part # 4182		Part # 4222		Part # 4051		Part # 4192	
<ul style="list-style-type: none"> Metric captive o-ring Nissan Calsonic, Honda 		<ul style="list-style-type: none"> Metric — Asian Imports 		<ul style="list-style-type: none"> Ford/GM orifice tube 		<ul style="list-style-type: none"> Thicker metric for Ford #6 spring lock couplers 	
Part # 4006		Part # 4227		Part # 4026		Part # 4226	
<ul style="list-style-type: none"> #6 hose Ford expansion valve seal Ford #6 spring lock o-ring Nissan #10 hose fitting/dryer VIR pickup tube/condenser line 		<ul style="list-style-type: none"> Metric — Imports 		<ul style="list-style-type: none"> #6 GM “captured” fitting -ring Ford combination valve evaporator manifold oil port Ford expansion valve 		<ul style="list-style-type: none"> Metric — Imports 	
Part # 4195		Part # 4229		Part # 4228		Part # 4189	
<ul style="list-style-type: none"> Metric 7.4mm— Imports 		<ul style="list-style-type: none"> Metric — Asian Imports 		<ul style="list-style-type: none"> Metric — Imports 		<ul style="list-style-type: none"> Ford 12mm switch port—metric (cycling pressure switch) 	

O-rings



ALL O-RINGS ARE ACTUAL SIZE AND HIGH TEMPERATURE HNBR

Part # 4214		Part # 4240		Part # 4190		Part # 4199	
• Metric—Asian—compressor manifold		• Diesel Kiki DK515CH pressure relief valve		• #6 ATCO compression fitting • Chrysler 6C17 pressure relief • Ford clutch cycling pressure switch valve • Ford clutch pressure switch • GM A6/R4 pressure relief valve/V5 control val • Sanden SD7B10 oil plug/service port • Toyota pressure switch		• Metric 9mm—imports	
Part # 4171		Part # 4088		Part # 4193		Part # 4196	
• #8 Metric—dual fitting o-ring		• GM & Asian Imports		• Metric o-ring for Ford #8 spring lock coupler		• #8 Metric GM captured o-ring	
Part # 4038		Part # 4234		Part # 4008		Part # 4028	
• #8 GM dual fitting o-ring (1/2")		• Ford hose fitting—1/2" #8 peanut		• #8 hose fitting • GM V5 control valve (inside center) • Ford #8 spring lock fitting • Nissan #12 hose fitting and condenser discharge line • Toyota discharge line		• #8 GM ‘captured’ fitting o-ring	
Part # 4087		Part # 4201		Part # 4238		Part # 4172	
• Metric—Imports		• Metric 10.7mm—Imports		• Diesel Kiki DKS16H oil fill plug • Hitachi A5000/MJS170 suction/discharge valve		• #10 Metric—dual o-ring	
Part # 4187		Part # 4040		Part # 4002			
• Metric captive o-ring—Nissan, Calsonic		• #10 GM “dual” fitting o-ring (5/8")		• ATCO #8 compression fitting			

O-rings

ALL O-RINGS ARE ACTUAL SIZE AND HIGH TEMPERATURE HNBR



- Use with Chrysler gasket #4128




- Matsushita S1150X3 sensor housing




- Nissan condenser liquid line VIR sightglass
- Mitsubishi FX80 discharge port




- Metric 13.1mm imports



- Metric o-ring for Ford #10 spring lock coupler



- Metric #10 GM "captured" o-ring




- Ford hose fitting (5/8") #10 peanut



- Metric—imports



- Metric 14mm Mitsubishi compressor



- Metric Chrysler



- #10 hose fitting
- Ford #10 spring lock o-ring
- Toyota suction line
- Nissan evaporator suction line



- #10 GM "captured" fitting o-ring
- Matsushita S1150X3 carbon shaft seal



- Metric Imports



- GM & Asian Imports



- Use with Chrysler gasket # 4133



- #12 Metric "dual" o-ring




- Metric "captive" o-ring Nissan, Calsonic, Honda



- Metric — Asian—compressor manifold
- Use with Chrysler gasket #4129



- Nippondenso RV10CA carbon seal



- Nissan compressor discharge flange

O-rings



ALL O-RINGS ARE ACTUAL SIZE AND HIGH TEMPERATURE HNBR

**Part #
4042**



- #12 GM "dual" fitting o-ring
- ATCO #10 compression fitting
- Nissan suction/discharge (York reciprocating compressor)

**Part #
4032**



- 12 GM "captured" fitting o-ring
- Carbon Shaft Seal for the following:
Chrysler A590/C171 Ford FS6 GM A6/R4 Nihon DVK14C Diesel Kiki DKS13G

**Part #
4204**



- Metric "captive" o-ring—Nippondenso compressor—Nissan, Calsonic, Honda

**Part #
4097**



- Metric Asian imports

**Part #
4093**



- Metric Asian imports

**Part #
4241**



- Ford hose fitting (3/4") #12 peanut

**Part #
4198**



- Metric o-ring for Ford #12 spring lock coupler

**Part #
4095**



- Metric Asian imports

**Part #
4091**



- Metric—Imports

**Part #
4243**



- Chrysler

**Part #
4090**



- Metric— Chrysler and Imports

**Part #
4220**



- Mercedes with tabs

**Part #
4202**



- Metric 16.9mm Nippondenso compressor

**Part #
4216**



- Metric — Asian—compressor manifold

**Part #
4086**



- Metric— Chrysler and Asian Imports

**Part #
4175**



- Metric 17mm

**Part #
4094**



- Metric— Chrysler and Imports

**Part #
4012**



- #12 hose fitting
- Ford #12 spring lock o-ring
- GM V5 control valve (outside center)
- VIR expansion valve (lower)
- VIR expansion valve outlet
- VIR compressor suction line connection

**Part #
4230**



- Diesel Kiki DKS16H
- Carbon shaft seal
- Hitachi service valve
- Keihin 150L/150R carbon shaft seal/suction port
- Mitsubishi FX105V sensor
- Sanden TR90 discharge port and pad mount discharge

**Part #
4176**



- Volvo and Metric



O-rings

ALL O-RINGS ARE ACTUAL SIZE AND HIGH TEMPERATURE HNBR

<p>Part # 4004</p> 	<p>Part # 4232</p>  <ul style="list-style-type: none">• Diesel Kiki DKS15BH/DKS15CH discharge port• GM V5 control valve (outside)• Nihon DVK14B carbon shaft seal• Behr Bosch carbon shaft seal• Sanden TR105 discharge port	<p>Part # 4168</p>  <ul style="list-style-type: none">• Chrysler expansion valve	<p>Part # 4246</p>  <ul style="list-style-type: none">• Metric—Imports
<p>Part # 4078</p>  <ul style="list-style-type: none">• Oval o-ring• Ford FS6 suction/discharge port	<p>Part # 4233</p>  <ul style="list-style-type: none">• Hitachi SWP123/SWP167 service valve• Nippondenso 6P148 suction/discharge port• Sanden TR90 suction port• Sanden pad mount suction	<p>Part # 4245</p>  <ul style="list-style-type: none">• Matsushita S1150X3 sensor/NL1300AA4 metal seat	<p>Part # 4170</p>  <ul style="list-style-type: none">• Chrysler A590/C171 suction/discharge port• Ford FS6 suction/discharge port• Nippondenso 6P127A/6P127B/6E171A/6P134/10P13/10P15 suction discharge port
<p>Part # 4209</p>  <ul style="list-style-type: none">• Metric 19.8mm• Diesel Kiki	<p>Part # 4082</p>  <ul style="list-style-type: none">• Chrysler EPR-ETR• Ford combination valve STV• Ford expansion valve	<p>Part # 4235</p>  <ul style="list-style-type: none">• Diesel Kiki• DKS15BH/DKS13G suction port• Ford expansion valve• Mitsubishi FX105V metal shaft seal seat	<p>Part # 4207</p>  <ul style="list-style-type: none">• Sanden shaft seal seat• Diesel Kiki
<p>Part # 4050</p>  <ul style="list-style-type: none">• Chrysler 6C17 switch port• GM superheat/pressure switch port	<p>Part # 4043</p>  <ul style="list-style-type: none">• Chrysler DC17 lip seal GM A6/DA6/HR6/Hr6HE/R4/V5 suction/discharge port• Nippondenso lip seal for 10PO8E/10PA15/10PA17/10PA20• Nissan hose manifold to York rotary compressor	<p>Part # 4179</p>  <ul style="list-style-type: none">• GM and Imports	<p>Part # 4247</p>  <ul style="list-style-type: none">• Metric—Imports

O-rings & Gaskets



ALL O-RINGS ARE ACTUAL SIZE AND HIGH TEMPERATURE HNBR

Part #4178

Sanden shaft seal seat



Part #4044

Chrysler Expansion Valve



Part #4045

GM suction/discharge port oval o-ring



Part #4046

Sanden compressor



Part #4177

GM compressor shaft seal seat



Part #4250

Toyota 10P15C Nippondenso 10PA17/
10PA20 suction/discharge manifold
gasket


Part #4252

Nippondenso 10P13C/10P15C
manifold gasket



Part #4253

Gasket—Nippondenso 10PA15, Mercedes





O-rings & Gaskets

ALL O-RINGS ARE ACTUAL SIZE AND HIGH TEMPERATURE HNBR


Part #4254

Gasket
Nippondenso
10PA17




Part #4255

Gasket—Matsushita NL1300 series, Panasonic



Part #4256

Gasket—Matsushita NL1301 series, Panasonic



Part #4258

Gasket—Matsushita , Panasonic SA series



Part # 2860

O-ring Pick

Plastic o-ring pick will not scratch metal surfaces which can cause refrigerant leaks.



Part #2206

FJC Spray O-ring Lubricant

Use **FJC O-ring lubricant** to decrease the surface friction of the o-ring, helping to prevent abrasion, pinching or cutting of the o-ring during installation. Lubrication also helps to seat the o-ring properly and aids in automated assembly processes. Convenient aerosol spray.



Sealing Washers

CHRYSLER SEALING WASHERS



FORD SEALING WASHERS




FORD MSF SEALING WASHERS



NAVISTAR SEALING WASHERS



FREIGHTLINER SEALING WASHERS



HEAVY DUTY TRUCK STAT SEALS ASSORTMENT



Sealing Washers

GM SEALING WASHERS

Part # 4060



Color Black
Thickness 3.0 mm
Outside Diameter 27.9 mm
Inside Diameter 15.5 mm

Part # 4061



Color Silver
Thickness 1.3 mm
Outside Diameter 31.5 mm
Inside Diameter 17.5 mm

Part # 4062



Color Silver
Thickness 1.2 mm
Outside Diameter 27.9 mm
Inside Diameter 15.5 mm

Part # 4063



Color Green
Thickness 5.5 mm
Outside Diameter 29.9 mm
Inside Diameter 15.5 mm

Part # 4064



Color Red
Thickness 3.8 mm
Outside Diameter 29.9 mm
Inside Diameter 15.5 mm

Part # 4065



Color Yellow
Thickness 3.0 mm
Outside Diameter 33.2 mm
Inside Diameter 15.5 mm

Part # 4066



Color Silver
Thickness 1.2 mm
Outside Diameter 23.6 mm
Inside Diameter 15.5 mm

Part # 4070



GM sealing washer insert
GM long manifold pilot
washer insert



Part # 4071

Sealing washer insert GM V5
short manifold pilot washer
insert ('88—'91)

GM BLOCK FITTING SEALING WASHERS SLIM-LINE

Part # 4072



Thickness 1.3 mm
Outside Diameter 16.1 mm
Inside Diameter 8.1 mm

Part # 4073



Thickness 1.3 mm
Outside Diameter 19.0 mm
Inside Diameter 11.1 mm

Part # 4074



Thickness 1.3 mm
Outside Diameter 23.6 mm
Inside Diameter 15.5 mm

Part # 4075



Thickness 1.3 mm
Outside Diameter 25.1 mm
Inside Diameter 17.2 mm

GM SEALING WASHER COMPRESSOR SERVICE KITS

PART DESCRIPTION

4350 Sealing washer service kit for GM 1979-1991.
Contains (2) Part #4060.

4351 Sealing washer service kit for GM 1989-1991.
Contains (2 each) Part #4060, 4071

4352 Sealing washer service kit for GM 1989-2009.
Contains (2) Part #4062



PART DESCRIPTION

4353 Sealing washer service kit for GM A6, LTR4, V5.
Contains (1 each) Part #4061, 4062.

4354 Sealing washer service kit for GM A6, R4.
Contains (1 each) Part #4063, 4064, 4065, 4070, 4071.

4355 Sealing washer service kit for GM compressors.
Contains (1 each) Part #4060, 4061, 4062, 4063, 4064, 4065, 4066, 4070, 4071

MASTER SEALING WASHER ASSORTMENT

Part # 4296



Kit Contains:

- (3) Part # 4053 (2) Part # 4063 (4) Part # 4071
- (3) Part # 4054 (2) Part # 4064 (4) Part # 4072
- (3) Part # 4060 (2) Part # 4065 (4) Part # 4073
- (3) Part # 4061 (2) Part # 4066 (4) Part # 4074
- (3) Part # 4062 (4) Part # 4070 (4) Part # 4075

- 15 Part Numbers, 47 total pieces
- GM and Chrysler sealing washers
- Manufactured to the highest quality standards
- O-ring identification wall chart included

*** Please note, Sealing Washers are not shown actual size ***

Service Items

GM METAL GASKETS

Part # 4123



Dodge truck compressor gasket

Includes o-ring # 4210 and #4211

Part # 4124



Dodge truck compressor gasket

Includes o-ring # 4211

Part # 4125



Dodge truck compressor gasket

Includes o-ring # 4210

Part # 4126



Chrysler 3/8" dryer/liquid line metal gasket

Includes o-ring # 4080

Part # 4127



Chrysler 5/8" hose fitting metal gasket

Includes o-ring # 4213

Part # 4128



Dodge truck compressor gasket

Use with o-ring # 4210

Part # 4129



Dodge truck compressor gasket

Use with o-ring # 4211

Part # 4130



Metal Gasket Chrysler RV2 suction port

Part # 4131



Metal Gasket Chrysler RV2 discharge port

Part # 4132



Chrysler 3/8" dryer/liquid line metal gasket

For use with O-ring 4080

Part # 4133



Chrysler 5/8" hose fitting metal gasket

Use with o-ring # 4213

Part # 4140



Metal Gasket Chrysler A590/C171 suction/discharge port

Part # 4142



Metal Gasket Chrysler 6C17 discharge port

Part # 4143



Metal Gasket Chrysler 6C17 suction port

Part # 4144



Metal Gasket Chrysler suction line

Part # 4150



Metal Gasket Chrysler manifold to expansion

Part # 4151



Metal Gasket Chrysler condenser manifold

Part # 4154



Metal Gasket Chrysler TXV to evaporator (gold valve)

Part # 4158



Metal Gasket Chrysler receiver/dryer (.437" or 11.1mm pilot bolt hole)

Part # 4160



Metal Gasket Chrysler suction line flange

Part # 4162



Metal Gasket Chrysler bottle block (.377" or 9.6mm pilot bolt hole)

Part # 4166



Metal Gasket Chrysler TXV to evaporator (gold to black valve)

Service Items

YORK/TECUMSEH GASKETS

Part # 4015



York/
Tecumseh
Gasket

Part # 4016



York/
Tecumseh
Lathe cut
flange seal

Part # 4017



York/
Tecumseh
Lathe cut seal

Part # 4018



York/
Tecumseh
Lathe cut
seal

SERVICE PARTS

Part # 4034



#8 Dual fitting
gasket

Part # 4305



Clutch shim .008
10PA/10PO8E/A590/
C171/DKS16H/FS6/
HR980

Part # 4306



A590/C171/
DKS16H/FS6/10PA
10PO8E CLUTCH
SHIM .024

Part # 4307



Clutch
shim .005
Keihen
150L/150R

Part # 4325



Ford .395 FX15
mounting bus-

Part # 4035



#10 Dual
fitting
gasket

Part # 4036



#12 Dual
fitting
gasket

Part # 4312



Clutch
shim .010
TR70

Part # 4345



GM Clutch hub
retaining ring

GARTER SPRINGS FOR SPRING LOCK COUPLERS

Part # 4116



#6 Ford
coupling
garter spring

Part # 4118



#8 Ford
coupling
garter
spring

Part # 4120



#10 Ford
coupling
garter
spring

Part # 4122



#12 Ford
coupling
garter
spring

Retrofit Kits/Assortments

FJC Retrofit Kits contain the necessary parts required to retrofit virtually any R12 system to R-134a. These kits will fit most cars, light and heavy duty trucks, vans, agricultural and off-road equipment which use a mobile air conditioning system.

Note: Depending upon the type of system and its condition, retrofitting may require additional parts not contained in these kits.

Kit # 2530

Ester Oil Retrofit Kit



Kit # 2538

Basic Ester Oil Retrofit Kit



Kit # 2538P

Basic PAG Oil Retrofit Kit



Kit # 2518

Master Ester Oil Retrofit Kit



KIT # 2530

KIT # 2538

KIT # 2538P

KIT # 2518

FJC A/C Flush Solvent	Part # 2032			✓
8 oz. Extercool™ Oil	Part #2408	✓	✓	✓
8 oz. Universal PAG Oil	Part # 2468			✓
R-134a Service Port Low Side	Part # 2602	✓	✓	✓
R-134a Service Port High Side	Part # 2603	✓	✓	✓
R-134a Service Port High Side	Part # 2604	✓	✓	✓
R-134a Service Port Cap Low Side	Part# 2614	✓	✓	✓
R-134a Service Port Cap High Side	Part# 2615	✓	✓	✓
Retrofit Decal	Part # 2687	✓	✓	✓
Instruction Manual "A Guide to Retrofitting"	Part # 2815	✓		✓

R-134a RETROFIT ASSORTMENT

Kit # 2662

Kit Contains:

- (6) Part # 2602 (6) Part # 2615
- (4) Part # 2603 (1) Part # 2618
- (2) Part # 2604 (1) Part # 2620
- (1) Part # 2606 (5) Part # 2672
- (6) Part # 2614 (6) Part # 2687

FJC Retrofit Assortment contains the adapters necessary to retrofit any mobile A/C system.

Adapters meet SAE J639 specifications.



Retrofit Products

R-134a SERVICE PORT ADAPTERS

R-134a service port adapters adapt R-12 service ports to R-134a service ports. Accept standard R-134a quick couplers used with R-134a manifold sets. Adapters meet SAE J639 standards. Remove R-12 valve core from service port on vehicle before installing any retrofit adapter containing a valve core.

Part # 2606

STRAIGHT high side 2 piece GM

Use cap #2615



Part # 2602

STRAIGHT low side 1/4" flare (7/16" SAE)

Use cap #2614



Part # 2603

STRAIGHT high side 3/16" flare (3/8" SAE)

Use cap #2615



Part # 2604

STRAIGHT high side 1/4" flare (7/16" SAE)

Use cap #2615



Part # 2632

90° low side 1/4" flare (7/16" SAE)

Use cap #2614



Part # 2633

90° high side 3/16" flare (3/8" SAE)

Use cap #2615



Part # 2634

90° high side 1/4" flare (7/16" SAE)

Use cap #2615



R-134a COMPRESSOR CLUTCH CYCLING PRESSURE SWITCHES

- ◆ For use on systems which have been retrofitted from R-12 to R-134a
- ◆ Replaces R-12 cycling pressure switches
- ◆ When retrofitting, these switches have a lower cycle off pressure to compensate for the difference between R-12 and R-134a
- ◆ Use these switches as instructed in the "A Guide to Retrofitting" (Part # 2815) manual



Part # 3225

GM
1978–1993



Part # 3227

GM—CK Truck
1978–1993



Part # 3238

Ford
1981–1993

R-12 AND R-134a SERVICE PORT CAPS



Part # 2614

Blue Low Side
15mm fitting
8mm threads



Part # 2615

Red High Side
17mm fitting
8mm threads



Part # 2618

1/4" Flare
(7/16" SAE)



Part # 2620


3/16" Flare
(3/8" SAE)

RETROFIT DECAL

Part # 2687


10 labels per pack

Labels alert A/C technician that the vehicle has been retrofitted to R-134a



RETROFIT MANUAL

Part # 2815



- ◆ Covers most vehicles from 1970 to present
- ◆ Includes R-134a refrigerant capacity chart for retrofitting systems
- ◆ Includes troubleshooting chart
- ◆ Includes refrigerant oil capacity chart

FJC POWER DIVISION Battery Testers

12 Volt Battery Tester

Part # 45125

- 3.9V—19.9V
- 90CCA—1400CCA
- Tests 12 volt starting/charging systems
- Battery condition shown in percentage of capacity
- Uses conductance technology
- Detects bad cells—reverse polarity protection
- Case included
- Made in USA



6/12/24/36 Volt Battery Tester

Part # 45150

- 0V—49.9V
- 100CCA—3500CCA
- Tests 6/12/24/36 volt starting/charging systems
- Tests 42 V hybrid systems
- Tests series and parallel batteries
- Displays alternator output voltage
- Alternator ripple test and starter system draw
- Case included
- Made in USA



12/24/36 Volt Battery Tester

Part # 45135

- 3.9V—49.9V
- 390CCA—1700CCA
- Tests 12/24/36 volt starting/charging systems
- Tests 42 V hybrid systems
- 4 foot cable
- Uses conductance technology
- Tests flooded lead acid and AGM batteries
- Case included
- Made in USA



Carbon Pile Battery Tester

Part # 45118

- 1000 AMP
- Load tests 6V/12V/24V batteries
- Tests alternators, regulators, and starters
- Tests batteries up to 2000 cold cranking amps
- Separate volt and AMP meters
- 56 in solid copper cables with HD clamps



Carbon Pile Battery Tester

500 AMP

Part # 45115

- 500 AMP
- Load tests 12V batteries
- Tests alternators, regulators, and starters
- Tests batteries up to 160Ah/1000 cold cranking amps
- Separate volt and AMP meters
- Solid copper cables with HD clamps



Battery Testers, Chargers, and Maintainers

FJC
POWER DIVISION

125 AMP Battery Tester

Part # 45107

- Tests 6 and 12 volt batteries
- Test car/truck batteries of current draw, voltage and alternator performance
- Quick 10-second load test



100 AMP Battery Tester

Part # 45110

- Tests 6 and 12 volt batteries
- Test car/truck batteries of current draw, voltage and alternator performance
- Quick 10-second load test



500mA Battery Charger/Maintainer

Part # 52005

- 12 volt charger that keeps batteries charged and maintained to peak performance
- Maintains the charge in an installed battery so you do not have to disconnect battery from vehicles, boats, motorcycles, snowmobiles, etc.
- Automatically switches between charging mode and float mode monitoring



1 AMP Battery Charger/Maintainer

Part # 52010

- 12 volt charger that keeps batteries charged and maintained to peak performance
- Maintains the charge in an installed battery so you do not have to disconnect battery from vehicles, boats, motorcycles, snowmobiles, etc.
- Automatically switches between charging mode and float mode monitoring



1.5 AMP Battery Charger/Maintainer

Part # 52015

- 12 volt charger that keeps batteries charged and maintained to peak performance
- Maintains the charge in an installed battery so you do not have to disconnect battery from vehicles, boats, motorcycles, snowmobiles, etc.
- Automatically switches between charging mode and float mode monitoring



FJC POWER DIVISION Power Inverters

Part # 53040



Part # 53070



Part # 53100



Part # 53150



PART #	WATTS
--------	-------

- | | |
|-------|--------------------|
| 53040 | Inverter—400 watt |
| 53070 | Inverter—700 watt |
| 53100 | Inverter—1000 watt |
| 53150 | Inverter—1500 watt |
| 53200 | Inverter—2000 watt |
| 53300 | Inverter—3000 watt |
| 53500 | Inverter—5000 watt |

Part # 53200



Part # 53300



Converts 12 volt DC power into 120 volt AC power with multiple outlets

Provides portable AC power for cars, trucks, RVs and boats

Use with portable handheld tools, TVs, electric lights, computers and more

Connection cables and full instructions are included

Low battery alarm

Overload protection

Short circuit protection

Part # 53500



*** CAUTION—Read enclosed manuals carefully before operation. Failure to install properly could result in battery failure or electrocution.



Professional Booster Cables

FJC
POWER DIVISION

Light Duty

Part # 45215



Standard Duty

Part # 45223



Standard Duty

Part # 45229



Extra Heavy Duty

Part # 45233

Part # 45234



Commercial Duty

Part # 45244 Part # 45255



Heavy Duty 600 AMP Replacement

Clamp Sets

Part # 45262



Commercial Duty 800 AMP Replacement

Part # 45268



PART #	DUTY RATING	WIRE GAUGE	CLAMP AMP RATING	LENGTH IN FEET	CLAMP	PACKAGE
45215	Light	10	250	12	Standard	Sleeve
45223	Standard	8	500	12	Standard	Box
45229	Standard	6	600	16	Standard	Box
45233	Extra Heavy	4	600	16	Parrot	Box
45234	Extra Heavy	4	600	20	Parrot	Box
45244	Commercial	2	600	20	Parrot	Box
45245	Commercial	2	600	25	Parrot	Box
45255	Commercial	1	800	25	Heavy Duty	Plastic Case
45265	Commercial	2/0	800	25	Heavy Duty	Plastic Case



FJC**POWER DIVISION**

Booster Cable Displays

**FJC Deluxe Cable Display—4ft**

Part # 53974

- ◆ 14 part numbers, 38 total pieces.
- ◆ Variety of cables, clamps, tools, and accessories all included
- ◆ Pegboard hooks and planogram included.

(** Please Note: Gondola Fixture NOT included)

(2) Part # 45215 (3) Part # 45244 (2) Part # 46139
 (3) Part # 45223 (3) Part # 45245 (2) Part # 46330
 (3) Part # 45229 (2) Part # 45255 (6) Part # 45915
 (3) Part # 45233 (2) Part # 45262 (2) Part # 46141
 (3) Part # 45234 (2) Part # 45268

FJC Booster Cable Display—3ft

Part # 53973

- ◆ 8 part numbers, 21 total pieces.
- ◆ Light Duty/Standard/Extra Heavy Duty/Commercial Cables all included
- ◆ Pegboard hooks and planogram included.

(** Please Note: Gondola Fixture NOT included)

Display Includes:

- (4) Part # 45215 (3) Part # 45234
 (2) Part # 45223 (2) Part # 45244
 (2) Part # 45229 (2) Part # 45245
 (4) Part # 45233 (2) Part # 45255



Please see pages 86-87 for California Proposition 65 warnings

Retail Displays

FJC Power Division Display—3ft

Part # 53983

- ◆ 28 part numbers, 28 total pieces.
- ◆ Variety of Battery Testers, Inverters, Tools and Accessories all included
- ◆ Pegboard hooks and planogram included.

(*** Please Note: Gondola Fixture NOT included)

Display Includes One of Each of the Following:

Part # 45107 Part # 46162 Part # 46224 Part # 46335

Part # 45110 Part # 46164 Part # 46226 Part # 52005

Part # 46136 Part # 46174 Part # 46230 Part # 52010

Part # 46139 Part # 46215 Part # 46321 Part # 52015

Part # 46141 Part # 46217 Part # 46325 Part # 53040

Part # 46155 Part # 46219 Part # 46326 Part # 53070

Part # 46156 Part # 46222 Part # 46330 Part # 53150



FJC Power Division Display—4ft

Part # 53984

- ◆ 32 part numbers, 32 total pieces.
- ◆ Variety of Battery Testers, Inverters, Tools and Accessories all included
- ◆ Pegboard hooks and planogram included.

(*** Please Note: Gondola Fixture NOT included)

Display Includes One of Each of the Following:

Part # 43648 Part # 46173 Part # 46330

Part # 45107 Part # 46174 Part # 46335

Part # 45110 Part # 46217 Part # 52005

Part # 45115 Part # 46219 Part # 52010

Part # 46136 Part # 46222 Part # 52015

Part # 46139 Part # 46224 Part # 53040

Part # 46141 Part # 46226 Part # 52070

Part # 46155 Part # 46230 Part # 53100

Part # 46156 Part # 46321 Part # 53150

Part # 46162 Part # 46325 Part # 53200

Part # 46164 Part # 46326



4-in-1 Battery Cleaner

Part # 46136



Reshapes posts and terminals.
Services most battery types.

Battery Terminal Pliers

Part # 46162



Rubber-coated handle for comfort and
tighter grip.

Battery Terminal Cleaner

Part # 46139



Cleans terminal posts and cable ends.

Battery Terminal Cleaner

Part # 46141



Cleans terminals.
Sturdy plastic housing with steel brushes.

14" Battery Strap

Part # 46174



Convenient way to carry top post
batteries.

Battery Terminal Spreader

Part # 46164



Spreads battery terminals.
Rubber handle.

**HD Adjustable Battery
Carrier**

Part # 46173



Adjusts to batteries up to 7-1/2" wide.
Rubber handle.

**5/16" Terminal Ratchet
and Extended Terminal
Rachet**

Part # 46321

Part # 46325



Rubber handle—fits 5/16" bolts.

10mm Terminal Ratchet

Part # 46326



Rubber handle—fits 10mm bolts.

Battery Tools and Accessories

FJC
POWER DIVISION

7-piece Battery Maintenance Kit

Part # 46330



Part # 46321
Part # 46325
Part # 46326




Part # 46164



Part # 46162

Battery Hold-down With J-style Bolts



- Part # 46222 5" hold-down w/ 8" J-style bolt
Part # 46224 7" hold-down w/ 10" J-style bolt
Part # 46226 7" hold-down w/ 12" J-style bolt

J-style Battery Hold-down Bolts



- Part # 46215 J-style hold-down bolt 8"
Part # 46217 J-style hold-down bolt 10"
Part # 46219 J-style hold-down bolt 12"

Universal Battery Hold-down Bracket

Part # 46230



Battery Hydrometer

Part # 46335



Indicator dial shows battery charge and specific gravity

Antifreeze/Coolant Hydrometer

Part # 43648



Indicator dial with F° and C° scale

2 Quart Battery Filler

Part # 46342



Auto shutoff valve prevents Overfilling Acid Resistant

FJC **POWER DIVISION** Radiator Test Tools

Heavy Duty Cooling System Pressure Test and Refill Kit

Part # 43655



Please see pages 85-86 for California Proposition 65 warnings

FJC Heavy Duty Cooling System Test and Refill Kit uses shop air to maintain constant pressure to the cooling system during testing and refill.

Our kit helps eliminate complications that are often experienced with unreliable rubber plugs or bladders, saving set up time and providing more accurate test results.

The quick disconnect vacuum attachment allows rapid refilling of the cooling system and eliminates airlocks.

This kit is designed for use with Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling cooling systems.



This kit includes:

- ◆ Heavy Duty vehicle adapters
- ◆ Pressure test regulator
- ◆ Vacuum refill attachment with tubing
- ◆ Heavy Duty storage case

Radiator Test Tools

FJC MASTER RADIATOR CAP PRESSURE TEST KIT

24 Piece Kit

Part # 43645



For use with Audi, BMW, Chrysler, Ford, GM, Honda, Infinity, Jeep, Lexus, Mazda, Mercedes, Mitsubishi, Nissan, SAAB, Toyota, Volkswagen, Volvo

Kit Contains:

Part #	Description	Slot #
43700	Thermometer	0
43801	Hand Pump	1
43802BK	123/124 Cap Adapter	2A
43802BL	123/124 Cap Adapter	2B
43703	2-1/4" Tester Adapter	3
43705	1-5/8" Tester Adapter	4
43704	1-3/4" Tester Adapter	5
43806	Tester Adapter	6
43807	Tester Adapter	7
43808	Tester Adapter	8
43809	Tester Adapter	9
43810	Tester Adapter	10
43811	Tester Adapter	11
43812	Tester Adapter	12
43813	Tester Adapter	13
43814	Tester Adapter	14
43815	Tester Adapter	15
43616	Tester Adapter	16
43617	Tester Adapter	17
43618	Tester Adapter	18
43619	Tester Adapter	19
43620	Tester Adapter	20
43621	Tester Adapter	21
43816	Cap Wrench	-
43624	Replacement Gasket Kit	-

RADIATOR AND RADIATOR CAP PRESSURE TEST KIT

20 Piece Kit

Part # 43660



For use with most domestic and import autos and light trucks

Kit Contains:

Part #	Description
43801	Hand Pump
43501	2-3/4" Tester Adapter
43502	2-3/4" Tester Adapter
43503	2-3/4" Tester Adapter
43504	2" Tester Adapter
43505	1-3/4" Tester Adapter
43506	Tester Adapter
43507	Tester Adapter
43508	Tester Adapter
43509	Tester Adapter
43510	Tester Adapter
43511	Tester Adapter
43512	Tester Adapter
43513	Tester Adapter
43514	Tester Adapter
43515	T-Adapter with Hose
43516	Large Cap Tester Adapter
43517	Small Cap Tester Adapter

DELUXE RADIATOR AND RADIATOR CAP PRESSURE TEST KIT with Air Lift

28 Piece Kit

Part # 43664



For use with most domestic and import autos and light trucks

Kit Contains:

Part #	Description	Slot #
43700	Thermometer	0
43801	Hand Pump	1
43802BK	123/124 Cap Adapter	2A
43802BL	123/124 Cap Adapter	2B
43703	2-1/4" Tester Adapter	3
43705	1-5/8" Tester Adapter	4
43704	1-3/4" Tester Adapter	5
43806	Tester Adapter	6
43807	Tester Adapter	7
43808	Tester Adapter	8
43809	Tester Adapter	9
43810	Tester Adapter	10
43811	Tester Adapter	11
43812	Tester Adapter	12
43813	Tester Adapter	13
43814	Tester Adapter	14
43815	Tester Adapter	15
43816	Tester Adapter	16
43617	Tester Adapter	17
43618	Tester Adapter	18
43619	Tester Adapter	19
43620	Tester Adapter	20
43821	Tester Adapter	21
43821	Tester Adapter	22
43848	Universal Coupler Adapter	23
43849	Coolant Refill Assembly	-
43816	Cap Wrench	-

FJC POWER DIVISION Radiator Test Tools

FJC RADIATOR PRESSURE TEST KIT

14 Piece Kit
Part # 43650



For use with Audi, BMW, Chrysler, Ford, GM, Honda, Infinity, Jeep, Lexus, Mazda, Mercedes, Mitsubishi, Nissan, SAAB, Toyota, Volkswagen, Volvo

Use pressure pump with adapters to test radiator and cooling systems

Blow-molded case keeps tools organized and easy to carry

Kit Contains:

Part #	Description	Slot #
43700	Thermometer	0
43801	Hand Pump	1
43702	2-3/4" Tester Adapter	2
43703	2-1/4" Tester Adapter	3
43704	1-3/4" Tester Adapter	4
43705	1-5/8" Tester Adapter	5
43706	Tester Adapter	6
43707	Tester Adapter	7
43708	Tester Adapter	8
43709	Tester Adapter	9
43710	Tester Adapter	10
43711	Tester Adapter	11
43712	Tester Adapter	12
43713	Tester Adapter	13
43715	Replacement Gasket Kit	-

LATE MODEL GM RADIATOR PRESSURE TESTER ADAPTER

Part # 43826



For use with FJC Pressure Test Kits shown on this page

RADIATOR COOLANT VACUUM REFILL KIT

Part # 43610



Use to refill coolant in minutes

Uses shop air to evacuate and leak-test automotive cooling systems

LATE MODEL FORD RADIATOR PRESSURE TESTER ADAPTER

Part # 43831



For use with FJC Pressure Test Kits shown on this page

FJC RADIATOR AND RADIATOR CAP PRESSURE TEST KIT

18 Piece Kit
Part # 43658



For use with Audi, BMW, Chrysler, Ford, GM, Honda, Infinity, Jeep, Lexus, Mazda, Mercedes, Mitsubishi, Nissan, SAAB, Toyota, Volkswagen, Volvo

Confirms radiator and cooling system leaks

Tests radiator caps for proper operation

Blow-molded case keeps tools organized and easy to carry

Kit Contains:

Part #	Description	Slot #
43700	Thermometer	0
43801	Hand Pump	1
43802BK	Tester Adapter	2A
43802BL	Tester Adapter	2B
43703	2-1/4" Tester Adapter	3
43704	1-3/4" Tester Adapter	4
43705	1-5/8" Tester Adapter	5
43806	Tester Adapter	6
43807	Tester Adapter	7
43808	Tester Adapter	8
43809	Tester Adapter	9
43810	Tester Adapter	10
43811	Tester Adapter	11
43812	Tester Adapter	12
43813	Tester Adapter	13
43814	Tester Adapter	14
43815	Tester Adapter	15
43816	Cap Wrench	-
43820	Replacement Gasket Kit	-



Compressor Lubricant Information

OE Oil Part #	FJC #	Viscosity
ND-8	2484	PAG 46
ND-11	2450	Hybrid Oil
ND-12	2458	R-1234yf Oil
PAG-R	2487	PAG 100
PAG-S	2484	PAG 46
SP-A2	2458	R-1234yf Oil
SP-10	2484	PAG 46
SP-15	2484	PAG 46
SP-20	2487	PAG 100
SP-56	2484	PAG 46
TYPE-R	2487	PAG 100
TYPE-S	2484	PAG 46
UC-488	2490	PAG 150
UCON-488	2490	PAG 150
YN-9-A	2205	Mineral Oil
YN-12	2484	PAG 46
YN-12A	2484	PAG 46
YN-12B	2484	PAG 46
YN-12C	2484	PAG 46
YN-22	2450	Hybrid Oil
YN-24	2487	PAG 100
ZXL100	2484	PAG 46
ZXL100PG	2484	PAG 46
ZXL200	2487	PAG 100
ZXL200PG	2487	PAG 100

Service Port and Cap Information

Description	Service Port or	
	Valve Core	Use with Cap
Retrofit Adapter	2606	2615
R134a Service Port	2607	2614
R134a Service Port	2608	2614
OE R134a Service Port	2609	2617
Aftermarket R134a Service Port	2609	2615
R134a Service Port	2610	2615
8mm Valve Core	2676	2626
10mm Valve Core	2677	2616

FJC part #	Contents
2557	Part # 2607 and Cap 2614
2558	Part # 2608 and Cap 2614
2574	Part # 2609 and Cap 2615
2576	Part # 2610 and Cap 2615

Vehicle PAG Oil Viscosities

Vehicle Mfg	Compressor Mfg	Compressor Type	FJC PAG System				OE Part #	Viscosity
			FJC PAG Oil Part #	Oil w/ dye Part #	Oil Capacity (oz)			
Acura	Nippondenso	10PA, 10P	2484, 2485	2493, 2494	6	Acura # 38899-PR7-A01 ND-8	46	
Alfa Romeo	Sanden	SDV	2484, 2486	2493, 2495	4	SP-10	46	
Audi	Diesel Kiki	DCW	2484, 2485	2493, 2494	6	Audi # G-052-200-A2 ND8	46	
Audi	Nippondenso	10P	2484, 2485	2493, 2494	7	Audi # G-052-200-A2 ND8	46	
Audi	Zexel	DCW	2484, 2485	2493, 2494	7	Audi # G-052-300-A2 ZXL-100	46	
BMW	Bosch/Behr	Wing	2484, 2485	2493, 2494	7		46	
BMW	Bosch/Behr	Axial	2490, 2491	2498, 2499	7		150	
BMW	Nippondenso	10PA, 10P	2484, 2485	2493, 2494	7	BMW # 82-111-468-042 ND-8	46	
BMW	Seiko Seiki	SS	2484, 2485	2493, 2494	6	SX10	46	
Chrysler	Nippondenso	10PA, 10P, 6P	2484, 2485	2493, 2494	7	Chrysler # 82300102 ND-8	46	
Chrysler	Sanden (piston)	SBD709 SD7090, SD71115	2487, 2488	2495, 2496	5	Chrysler # 82300349 SP-20	100	
Chrysler	Sanden (scroll)	TRS-105, TRS-090	2490, 2491	2498, 2499	6	Chrysler # 486129AA	150	
Chrysler	Mitsubishi	FX-105V, FX-105VS, FXA80, FX8	2484, 2485	2493, 2494	10	Chrysler # 82300592 SP-56	46	
Ford	Nippondenso	10P/10PA	2484, 2485	2493, 2494	7	ND-8	46	
Ford	Sanden	SD	2487, 2488	2495, 2496	5	SP-20	100	
Ford	Panasonic	Rotary	2484, 2485	2493, 2494	5	YN-12/12A	46	
Ford	Ford	FS10/FX15	2484, 2485	2493, 2494	7	F2AZ-19577-ACISCO Motorcraft YN-12B	46	
GM	Delphi/Harrison	A6, DA6, HR6, LTR4, V5, V7, HTC6	2490, 2491	2498, 2499	8	GM # 12345923 Delco 15-118	150	
GM	Delphi/Harrison	R4	2490, 2491	2498, 2499	5	GM # 12345923 Delco 15-119	150	
GM	Nippondenso	10PA	2484, 2485	2493, 2494	6	ND-8	46	
GM	Sanden	SD7	2487, 2488	2495, 2496	5	SP-20	100	
GM	Sanden	SD5	2487, 2488	2495, 2496	6	SP-21	100	
GEO	Sanden	10PO	2484, 2485	2493, 2494	6	ND-8	46	
Honda	Diesel Kiki	DKV	2484, 2485	2493, 2494		ZXL-100PG	46	
Honda	Hadsys	TC	2484, 2485	2493, 2494			46	
Honda	Kiehen	HS	2487, 2488	2495, 2496			100	
Honda	Matsushita	NL	2484, 2485	2493, 2494			46	
Honda	Nippondenso	10P	2484, 2485	2493, 2494	6	ND-8	46	
Honda	Nippondenso	HADSYS 7 Cyl	2484, 2485	2493, 2494	6	ND-8	46	
Honda	Sanden	SD	2487, 2488	2495, 2496	6	SP-20	100	
Honda	Sanden (scroll)	TR	2484, 2485	2493, 2494	6	Honda # 38897P13A01AH (SP-10)	46	
Hyundai	Ford	FS10	2484, 2485	2493, 2494	7	YN12/12A	46	
Hyundai	Halla	FX15, HS10	2484, 2485	2493, 2494	7	FD46S6	46	
Hyundai	Nippondenso	10PA, 10P	2484, 2485	2493, 2494	7	ND-8	46	
Hyundai	Sanden	SD709	2487, 2488	2495, 2496	7		100	
Infiniti	Calsonic	V5, V6	2484, 2485	2493, 2494	7	Type S	46	
Infiniti	Zexel		2490, 2491	2493, 2494	5	Type R	150	
Infiniti	Diesel Kiki	DKS	2484, 2485	2493, 2494	6	ZXL-100PG	46	
Isuzu	Zexel		2484, 2485	2493, 2494	5	ZXL 100	46	
Isuzu	GM	V5	2484, 2485	2493, 2494	8		46	
Isuzu	Diesel Kiki/Zexel	KC50	2484, 2485	2493, 2494	6	XL200	46	
Isuzu	Diesel Kiki/Zexel	Rotary	2484, 2485	2493, 2494	7	XL100	46	
Jaguar	Sanden	SD7H	2487, 2488	2495, 2496	6	SP-20	100	
Lamborghini	Sanden	SD7	2487, 2488	2495, 2496	5	SP-20	100	

Vehicle PAG Oil Viscosities

Vehicle Mfg	Compressor Mfg	Compressor Type	FJC PAG Oil Part #	FJC PAG Oil w/ dye Part #	System Oil Capacity (oz)	OE Part #	Viscosity
Land Rover	Sanden	TRS	2484, 2485	2493, 2494	4	SP-10	46
Land Rover	Sanden	SD7	2487, 2488	2495, 2496	5	SP-20	100
Lexus	Nippondenso	10PA, 10P	2484, 2485	2493, 2494	6	Lexus # 08885-09107 ND-8	46
Lotus	Sanden	SD	2484, 2485	2493, 2494	6	SP-20	46
Mazda	Matsushita	NL, SA	2484, 2485	2493, 2494	5		46
Mazda	Sanden	SD508, SD510, SD709	2487, 2488	2495, 2496	5	SP-20	100
Mazda	Nippondenso	10PA	2484, 2485	2493, 2494	5	ND8	46
Mazda	Nippondenso	TV	2487, 2488	2495, 2496	5		100
Mazda	Ford	FS10, FX15	2484, 2485	2493, 2494	7	YN12/12A	46
Mercedes	GM	A6, R4	2490, 2491	2498, 2499		Delco # 15-118	150
Mercedes	Nippondenso	10PA, 10P	2484, 2485	2493, 2494	7	MB # 001-989-0803 ND8	46
Mercedes	Nippondenso	6CA	2484, 2485	2493, 2494	8	MB # 001-989-0803 ND8	46
Mercedes	York	206, 209, 210	2487, 2488	2495, 2496	8	MB # 001-989-0803	100
Mitsubishi	Nippondenso	10PA	2484, 2485	2493, 2494	6	ND-8	46
Mitsubishi	Mitsubishi	FX/MSC	2484, 2485	2493, 2494	5	ND-9	46
Nissan	ATSUGI	NVR140S	2487, 2488	2495, 2496		Nissan # KLH00-PAGR1 Type R	100
Nissan	Calsonic	Rotary	2484, 2485	2493, 2494	6	Nissan # KLH00-PAGS1 Type S	46
Nissan	Ford	FS10	2484, 2485	2493, 2494	6	Nissan # KLH00-PAGQF Type F	46
Nissan	Hitachi	MUS170	2484, 2485	2493, 2494	6	Nissan # KLH00-PAGS1 Type S	46
Nissan	Zexel (Vane Rotary)	DKV-14C	2487, 2488	2495, 2496	6	Nissan # KLH00-PAGR1 Type R	100
Nissan	Zexel (Swash Plate)	DKS-16H	2484, 2485	2493, 2494	6	Nissan # KLH00-PAGS1 Type S	46
Porsche	Nippondenso	10P, 6E, 6P	2484, 2485	2493, 2494	6	Porsche # PNA573002 ND-8	46
Peugeot	Sanden	SD7	2487, 2488	2495, 2496	5	SP-20	100
Saab	Sanden		2487, 2488	2495, 2496	6	Saab # 4074787 (SP-20)	100
Saturn	Diesel Kiki/Zexel	DKV	2490, 2491	2498, 2499	6	ZXL200	150
Saturn	Diesel Kiki/Zexel	DCV	2490, 2491	2498, 2499	6	ZXL201	150
Subaru	Calsonic	V5	2490, 2491	2498, 2499	6	Delco 15-100	150
Subaru	Zexel	Rotary	2490, 2491	2498, 2499	6	Type R	150
Subaru	Calsonic	CR	2484, 2485	2493, 2494	6	Delco 15-118	46
Subaru	Diesel Kiki	15CH	2484, 2485	2493, 2494	6	ZXL-100PG	46
Toyota	Nippondenso	10PA, 10P	2484, 2485	2493, 2494	6	ND-8	46
Toyota	Nippondenso	TV	2487, 2488	2495, 2496	6	ND-9	100
Toyota	Nippondenso	SC08	2484, 2485	2493, 2494	6	ND-8	46
Volvo	Diesel Kiki	DKS-13	2484, 2485	2493, 2494	6	Volvo # 1161425 ZXL-100PG	46
Volvo	Sanden	SD510	2487, 2488	2495, 2496	6	SP-20	100
Volvo	Sanden	SD7	2487, 2488	2495, 2496	6	SP-20	100
Volvo	Sieko Seiki	SS	2484, 2485	2493, 2494	6	S10X	46
Volkswagen	Sanden	SD508, SD510, SD709	2487, 2488	2495, 2496	5	VW # G-052-154-A2 (SP-20)	100
Volkswagen	Sanden	SD7V	2484, 2485	2493, 2494	4	SP-10	46

This chart is intended to be used as a quick reference for PAG oil usage specifications only. Verify with the vehicle manufacturer for exact lubricant viscosity and oil capacities. This information can usually be found in the engine compartment or on a tag on the compressor.

Interchanges

Acura	FJC	BMW	FJC	Chrysler	FJC	DELCO	FJC	DELCO	FJC
38646-SA5-003	4223	64-50-8-374-959	4028	5161761AA	4126	15-30570	4190	15-31906	4070
38839-PR7-A01	4250	64-50-8-375-741	4218	5174115AA	4125	15-30571	4223	15-31963	3006
38899-PR7-A01	2484	64-52-1-466-033	2672	DELCO	FJC	15-30572	4190	15-32504	2672
80223-ST7-A11	4221	64-53-8-375-742	4237	10-5026	2484	15-30581	2617	15-32505	2674
80865-S84-003	2615	82-111-468-042	2484	10-5040	2484	15-30791	3014	15-32506	2673
80865-SL0-003	2624	Chrysler	FJC	15-100	2468	15-30917	4074	15-32516	4028
80865-SS0-A11	2615	2219383	4006	15-1119	2672	15-30973	3014	15-32567	2610
80866-SL0-003	2623	3773546	4130	15-1122	3203	15-30974	4170	15-32568	4006
80866-ST0-003	2623	3846272	4131	15-116	2205	15-30992	4190	15-32570	2615
80866-ST7-A11	2614	3846834	4150	15-117	2205	15-30999	4050	15-32592	2632
80871-S50-000	4203	3846835	4151	15-118	2490	15-3101	4006	15-32621	2626
80871-SL0-900	4010	3846836	4154	15-120	4910	15-31053	3004	15-32621	2626
80871-SN7-000	4213	3847081	4140	15-20470	4053	15-31054	4072	15-32622	2616
80871-SN7-003	4213	3847083	4158	15-20471	4054	15-31055	4073	15-32645	2614
80871-ST7-000	4213	3849730	4143	15-2122	3322	15-31056	4075	15-32755	4144
80872-SL0-900	4008	4638189	4144	15-2151	3203	15-31084	3008	15-32756	4053
80872-SN7-003	4187	4677045	4166	15-2235	3375	15-31101	4075	15-32757	4054
80872-ST7-000	4203	4720747	4162	15-2336	3319	15-31134	3008	15-32790	2609
80873-S50-000	4222	4728705	4189	15-234	4328	15-31186	2612	15-32791	2607
80873-SL0-900	4186	4740401	4194	15-235	4345	15-3153	4206	15-3317	6065
80873-SN7-003	4080	4741705	4193	15-2352	3203	15-31692	2621	15-3319	2622
80873-ST7-000	4080	4741716	4187	15-2390	3312	15-31693	2622	15-3320	2621
80874-SL0-900	4186	4746864	4191	15-2503	3379	15-31696	4290	15-33204	2612
80874-SW5-003	4221	4761998	3271	15-2647	3205	15-31703	4297	15-3321	2672
8-52478-919-0	4186	4773013	3024	15-2827	3266	15-31722	4144	15-33288	2622
91301-SM4-A00	4223	4796564	4211	15-2830	3328	15-31802	4078	15-33289	2615
91315-SE0-000	4008	4796565	4187	15-2832	3227	15-31806	4116	15-33325	4193
9-97161-778-0	4203	4798675	4006	15-2840	3264	15-31807	4118	15-33326	4192
Audi	FJC	4882136	4032	15-286	4015	15-31808	4120	15-33410	3012
302-272-679	3011	4882137	4196	15-2874	3265	15-31809	4122	15-3446	4140
443-271-191A	3036	4882139	4006	15-2960	3262	15-31812	4192	15-3447	4166
4B0-820-177	3011	5210223	4160	15-2962	3266	15-31813	4193	15-3448	4158
8-97093-509-0	3435	5264373	4142	15-30169	4045	15-31814	4194	15-3449	4130
8A0-820-177AA	3011	36002432	3024	15-30170	4030	15-31815	4198	15-3450	4150
G052-200-A2	2484	55036182	3024	15-30247	4012	15-31873	4203	15-3451	4151
G-052-200-A2	2484	82300102	2484	15-30314	4035	15-31879	4143	15-3452	4160
G052-300-A3	2484	82300349	2487	15-30418	2606	15-31880	4130	15-3453	4131
G-052-300-A3	2484	82300592	2484	15-30419	2603	15-31881	4160	15-3491	4030
BMW	FJC	04897612AB	3277	15-30420	2602	15-31884	4142	15-3592	4006
64-50-1-365-078	4190	4886129AA	2484	15-30421	2633	15-31889	4252	15-3610	4026
64-50-1-468-463	4006	5066497AA	4125	15-30422	2632	15-31901	4061	15-3613	4206
64-50-1-468-464	4008	5072141AA	4127	15-30462	2639	15-31902	4064	15-3614	4008
64-50-1-468-465	4010	5072939AA	4127	15-30477	2616	15-31903	4063	15-3615	4012
64-50-1-468-466	4012	5139486AA	4127	15-30487	4010	15-31904	4065	15-3886	4045
64-50-8-369-241	4230	5139487AA	4125	15-30490	2614	15-31905	4071	15-3978	4171

Interchanges

DELCO	FJC	DELCO	FJC	Ford	FJC	Ford	FJC	4 Seasons	FJC
15-3982	4040	15-5458	2609	1W1Z-19E889-GB	4194	F52Z-19D990AB	3018	20921	3286
15-3983	4173	15-5459	2617	1W1Z-19E889-HB	4192	F5CZ-19D594-AA	3411	20922	3274
15-3984	4028	15-5513	2614	1W1Z-19E889-JB	4193	F5DZ-19D990AB	3019	20924	3411
15-3985	4032	15-5514	3245	1W1Z-19E889-KB	4198	F5RZ-19E561A	3280	20927	3420
15-46	4319	15-5527	2676	1W1Z-19E889-LB	4199	F5RZ-19E561A	3280	20928	3421
15-50135	3431	15-5528	2677	390697-S	4078	F5UZ-19D990AB	3017	20929	3423
15-50149	2672	15-5612	3013	39097-S	4078	F5VY-19E561A	3284	20946	3435
15-50154	2674	15-5634	3262	391302-S100	4006	F5XZ-19D990AB	3016	20948	3424
15-50172	2677	15-5643	3266	391303-S100	4008	F6RZ-19E561AA	3287	20957	3285
15-50176	2676	15-5653	3014	391305-S100	4198	F6RZ-19E561AA	3287	20958	3282
15-50286	2745	15-5705	3266	391306-S100	4010	F7RZ-19D701BA	2676	20959	3288
15-50543	2674	15-5720	3267	391307-S100	4012	F7RZ-19D702AA	2616	20962	3429
15-50749	3426	15-5753	3016	391397-S100	4193	F7RZ-19D702BA	2626	20963	3431
15-50753	3433	15-5754	3036	3W1Z-19E561AA	3285	F8RZ-19D701AA	2677	20971	3277
15-51010	3286	15-5755	3017	4L3Z-19D701-A	2677	N801189-S	4170	20974	3430
15-51013	3411	15-5756	3019	4L3Z-19D701-A	2677	N805340-S	4043	20989	3412
15-51015	3420	15-5757	3020	4W1Z-19E5610-AA	3288	N805340-S	4043	21102	4253
15-51016	3421	15-5758	3024	6L3Z-19D594-A	3349	N806959-S	4043	21103	4254
15-51017	3423	15-5759	3014	87002-S94	4052	N807115-S	4051	21104	4220
15-51022	3435	15-5759	3014	87002-S94	4052	N807115-S	4051	23678	4171
15-51024	3424	15-5849	3415	87014-S91	4010	W701424-S100	4190	23680	4172
15-51030	3285	15-5851	3340	E0VY-19D990A	3016	W701686-S300	4199	23682	4173
15-51031	3282	15-5854	3287	E1EH-19D990AA	3016	W701992-S300	4193	24066	4053
15-51032	3288	15-5855	3284	E1FZ-19D990A	3016	W701992-S300	4193	24067	4054
15-51034	3429	15-5857	3280	E1VY19D702A	2622	W701993-S300	4193	24068	4385
15-51041	3277	15-5859	3271	E1ZZ-19E576A	4116	W701993-S300	4192	24069	4384
15-51044	3430	15-5863	3214	E1ZZ-19E576B	4118	W702560-S300	4198	24082	4090
15-51058	3412	15-6743	4034	E35Y-19E561A	3214	W702645-S300	4234	24083	4175
15-51127	3426	15-75106	6030	E35Y-19E576A	4120	W702647-200	4248	24085	4246
15-51163	3321	15-75113	2880	E69Z-19D701A	2672	W702647-200	4248	24087	4176
15-51164	3414	15-75114	2712	E69Z-19D701A	2672	W702647-S300	4248	24101	4015
15-51167	3283	15-75121	2734	E69Z-19E576A	4122	W702649-S300	4241	24104	4052
15-51168	3349	15-75135	2714	F2AZ-19577-ACISCO	2484	W704589-S300	4043	24109	4197
15-5151	3011	15-75137	2740	F39Z-19D990A	3020	W707992-S	4193	24114	4080
15-5234	2621	15-75138	6715	F3AZ-19D702A	2615	XC4Z-19D990AA	3021	24117	4018
15-5260	3016	15-75149	6009	F3AZ-19D702A	2615	XS4Z-19D594-AA	3412	24121	4051
15-5296	3016	15-75150	6010	F3AZ-19D702A	2615	YC1Z-19E561BA	3283	24124	4162
15-5375	2673	15-91243	2687	F3AZ-19D702-A	2615	YC2Z-19E561AA	3282	24125	4197
15-5378	3012	15-91244	2733	F3AZ-19D702B	2614	4 Seasons	FJC	24127	4253
15-5438	2610	Ford		F3AZ-19D702-B	2614	20050	3321	24131	4196
15-5453	2609	FJC		F3AZ-19E561A	3280	20052	3414	24134	4143
15-5454	2607	1F1Z-19E889-AB		F3AZ-19E561A	3280	20057	3349	24136	4131
15-5455	2617	1W1Z-19E889-BB		F4XY-19D701A	2674	20058	3320	24137	4130
15-5456	2607	1W1Z-19E889-CC		F4XY-19D702A	2611 & 2612	20912	3267	24138	4150
15-5457	2614	1W1Z-19E889-DC		1W1Z-19E889-EB	4190	20916	3358	24139	4151

Interchanges

4 Seasons	FJC								
24140	4160	24350	4035	24559	4218	24662	4189	36496	3262
24141	4030	24352	4036	24564	4179	24666	4192	36497	3271
24142	4032	24353	4060	24578	4038	24668	4193	36572	3426
24148	4235	24354	4061	24580	4040	24670	4194	36655	3265
24149	4166	24355	4062	24582	4042	24672	4198	36658	3264
24150	4237	24356	4064	24600	4290	24674	4191	36659	3266
24151	4140	24357	4063	24602	4232	24675	4195	36664	3205
24152	4158	24358	4065	24604	4052	24676	4199	36674	3225
24153	4154	24359	4071	24605	4206	24677	4201	36675	3227
24154	4130	24360	4070	24606	4006	24678	4038	36676	3238
24156	4250	24401	4072	24607	4186	24679	4202	37301	3433
24157	4142	24402	4073	24608	4008	24681	4203	38621	3016
24158	4144	24403	4074	24609	4051	24682	4204	38623	3011
24159	4218	24404	4075	24610	4010	24683	4205	38635	3017
24167	4228	24405	4206	24611	4182	24684	4086	38638	3012
24171	4324	24500	4293	24612	4012	24685	4207	38639	3019
24172	4328	24501	4294	24613	4233	24686	4209	38640	3020
24174	4315	24502	4232	24615	4043	24702	4295	38641	3024
24175	4345	24504	4052	24616	4183	24706	4006	38642	3014
24176	4319	24505	4278	24617	4186	24707	4186	38643	3018
24190	4318	24506	4006	24618	4196	24708	4190	38643	3118
24191	4317	24508	4008	24619	4045	24712	4012	38645	3004
24216	4116	24510	4010	24620	4288	24718	4008	38645	3104
24218	4118	24512	4012	24621	4078	24719	4010	38646	3008
24220	4120	24513	4170	24622	4230	26254	2538	38887	3013
24222	4122	24515	4043	24623	4050	26255	2538	38902	3131
24252	4002	24516	4177	24626	4026	35751	3203	38903	3133
24254	4042	24519	4045	24628	4028	35756	3322	39071	3021
24256	4004	24520	4016	24629	4080	35820	3499	39072	3014
24302	4232	24522	4082	24632	4044	35960	3214	59000	2205
24319	4045	24523	4050	24633	4168	35967	3375	59002	2487
24321	4078	24524	4230	24635	4178	35970	3319	59003	2490
24322	4230	24526	4026	24641	4030	35972	3379	59007	2484
24324	4233	24528	4028	24642	4032	35973	3331	59008	9145
24333	4124	24532	4044	24646	4208	35974	3328	59009	2408
24334	4350	24533	4168	24648	4235	35993	3428	59010	2862
24336	4351	24535	4178	24649	4238	36485	3283	59015	2408
24338	4352	24541	4030	24650	4190	36485	3287	59019	2206
24340	4353	24542	4032	24651	4170	36486	3284	59020	9145
24342	4354	24546	4208	24652	4002	36487	3276	59023	5909
24343	4125	24550	4190	24653	4187	36487	3276	59024	2710
24344	4124	24552	4002	24654	4042	36489	3415	59026	9147
24345	4126	24554	4042	24656	4004	36491	3340	59027	2714
24346	4127	24555	4286	24659	4218	36493	3341	59028	2712
24348	4034	24556	4004	24661	4238	36494	3280	59030	2406

Interchanges

4 Seasons FJC	4 Seasons FJC	4 Seasons FJC	4 Seasons FJC	GM FJC
59035	2405	59215	6910	3094216
59037	2733	59216	6014	4012
59038	2728	59218	6603	3094219
59047	4910	59219	6714	4190
59048	4910	59220	6761	3096068
59054	4923	59228	5110	3096248
59055	4923	59236	6323	3096249
59056	4928	59254	6016	4171
59057	4958	59256	4196	3096249
59060	2716	59302	2745	4040
59065	4914	59303	2742	3096250
59066	4914	59305	2744	4173
59067	4928	59306	2744	3096605
59068	4923	59307	6005	3205
59089	2443	59308	6006	3140600
59091	2200	59335	2675	4008
59099	2432	59337	6001	3157425
59100	6065	59338	6002	4206
59105	6039	59345	2673	5887997
59106	6050	59346	2672	4045
59107	6031	59347	2674	30910609
59108	6055	59355	2676	2673
59109	6066	59356	2677	5911737
59111	6034	59419	2910	2621
59112	6060	59490	5110	5914817
59113	6030	59518	7635	2672
59116	6034	59524	2830	6551178
59119	2619	59528	2850	3322
59120	6041	59535	5110	6551454
59124	6061	59543	2830	2621
59126	6031	59568	2795	6551640
59136	6313	59569	2792	4006
59145	2740	59574	2734	6555088
59148	2815	59576	2729	4206
59167	7696	59583	7537	6555533
59168	6087	59590	2790	4206
59169	6089	59607	6047	6557018
59173	6088	59615	6091	2672
59195	4965	59617	6092	6558587
59198	6715	59620	2621	4045
59199	6761	59621	2622	6559423
59201	6603	59623	6093	4071
59205	6900	59626	2621	6559423
59208	2783	59634	2941	4071
59212	6905	59650	2880	6590589
		59651	2882	4328
		59652	2883	6590591
		59653	2884	4345
		59654	2885	6599461
		59664	7540	4006
		59692	6096	6599465
		59693	6095	4206
		59694	6136	8526398
		59695	6135	4006
		59750	2840	9288674
		59796	6419	4192
		59896	6429	9288675
		59932	2613	4193
		59933	2617	10007057
		59937	2626	3203
		59938	2616	10027604
		59945	2608	2673
		59946	2610	10245619
		59957	2639	2616
		59965	2637	10245620
		59967	6144	2616
		59970	2687	10411717
		59972	2609	3004
		59973	2607	10413367
		59975	2606	2205
		59976	2602	12301108
		59977	2604	12301594
		59978	2603	4008
		59980	2665	12301595
		59981	2632	4012
		59982	2618	12301945
		59983	2620	4006
		59985	2634	12301946
		59986	2633	4010
		59987	2614	12306957
		59988	2615	2622
		59990	2617	12306958
		59995	2751	2621
		59996	6439	12306964
		59997	2746	6065
		59998	2748	12307041
		69077	4965	2672
		69078	4965	12307177
		69085	4914	4206
		69086	4910	4206

Interchanges

GM	FJC	GM	FJC	GM	FJC	Honda	FJC	Honda	FJC
12322488	4140	25613357	2607	52477004	3013	80223-ST7-A11	4221	8-97161-778-0	4203
12322489	4166	25613359	2609	52477087	4072	80865-S5D-A11	2615	8-97223-125-0	4086
12322490	4158	25613359	2614	52486385	3008	80865-S84-003	2615	91301-SM4-A00	4223
12322491	4130	25613362	2617	52491859	2612	80865-SCC-003	2624	91301-SM4-A11	4186
12322492	4150	25620187	2617	88901445	2484	80865-SDA-A11	2624	91308-PB8-610	4216
12322493	4151	25625020	2676	88917666	3340	80865-SDN-A01	2615	91315-SE0-000	4008
12322494	4160	25625022	2614	88918373	2621	80865-SEP-A11	2612	91315-SE0-A11	4008
12322495	4131	25671803	3012	88918374	2622	80865-SL0-003	2624	91638-SF1-A11	2622
12323173	3016	25671803	3014	88918462	4053	80865-SN7-003	2624	91639-SF1-013	2621
12323913	2205	25740419	4203	88918463	4054	80865-SS0-A11	2615	91639-SF1-A11	2621
12345923	2490	52450547	4223	88919510	3016	80865-ST0-003	2624	9-97161-778-0	4203
12346292	2468	52450548	4190	88919511	3011	80865-SVA-A01	2624	DN.S10X	2484
12356151	2490	52454645	4028	88919512	3017	80865-SW5-003	2624	DNS10X	2484
15035084	3267	52454646	4032	88919513	3019	80866-SDA-A11	2613	DN-S10X	2484
15097129	3013	52454678	4171	88919514	3020	80866-SDN-A01	2613	ND-OIL 8	2484
15784601	3004	52455752	4062	88919515	3024	80866-SJC-A00	2623	SE10Y	2450
15966454	3265	52455752	4062	88919516	3014	80866-SJK-003	2623	SE-10Y	2450
15981985	3245	52455756	4061	89022191	2484	80866-SL0-003	2623	SP10	2484
15982611	2639	52456067	4171	89032840	2672	80866-SN7-003	2623	SP-10	2484
19144712	3433	52456068	4040	89032842	2673	80866-ST0-003	2623		
19188158	3274	52456069	4173	89034235	4028	80866-ST7-A11	2614		
19188160	3411	52457853	3205	89051338	2607	80866-SW5-003	2623		
19188164	3421	52457910	4060	91172095	4170	80871-S50-000	4203		
19188165	3423	52458183	4190	92140264	2615	80871-SAA-003	4213		
19188170	3435	52458184	2610	92140266	2672	80871-SL0-900	4010		
19188172	3424	52458249	3262	92145721	2674	80871-SN7-000	4187		
19188181	3288	52458698	4030	94113332	4006	80871-SN7-003	4213		
19188183	3429	52458768	2615	UC488	2490	80871-ST7-000	4187		
19188190	3277	52460714	4034	UCON-488	2490	80872-SLO-900	4008		
19188193	3340	52460715	4035			80872-SN7-003	4187		
19188207	3412	52460716	4036			80872-ST7-000	4203		
19189509	3340	52460742	4012			80872-ST7-000	4203		
19189562	3426	52460878	3262			80873-S50-000	4222		
19189736	3433	52460909	3014			80873-SAA-003	4080		
19194736	3321	52464975	3266			80873-SLO-900	4186		
19194737	3414	52465555	3227			80873-SN7-003	4080		
19194741	3349	52466358	3266			80873-ST7-000	4080		
21999682	2612	52467324	2606			80874-SLO-900	4186		
21999682	2612	52467941	2603			80874-SW5-003	4221		
22588591	2617	52467943	2602			8-52478-919-0	4186		
22638852	2614	52469054	2633			8-94481-717-0	4008		
22670747	2676	52469055	2632			8-97093-509-0	3435		
22670748	2626	52473660	3014			8-97113-883-0	2613		
22670753	2677	52474373	4073			8-97113-884-0	2612		
25604948	3264	52474375	4075			8-97161-776-0	4006		

Motorcraft FJC

ND8	2484
SP20	2487
YF-1134	4120
YF-1319	4122
YF-1475	4078
YF-1593	4043
YF-1752	4198
YF-1753	4006
YF-1754	4008
YF-1755	4010
YF-1787	4006
YF-1788	4008
YF-1803	2615
YF-1962	4043
YF-2038	2611 & 2612
YF-2089	2613
YF-2090	2674
YF-2122	2614
YF-2198	2672
YF-2237	4051
YF-2369	4192
YF-2370	4193
YF-2371	4194
YF-2441	2626

Interchanges

Motorcraft	FJC
YF-2442	2616
YF-2448	2676
YF-2539	2677
YF-2954	4234
YF-2955	4248
YF-2956	4241
YF-2957	4190
YF2958	4194
YF-2958	4194
YF-2959	4192
YF-2960	4193
YF-2961	4198
YF-2961	4198
YF-2962	4199
YF-2963	4043
YF-3079	2677
YF-3290	2677
YF-689	4010
YF-690	4052
YF-879	2672
YF-970	2622
YF-990	4116
YF-991	4118
YG-250	3016
YG-319	3018
YG-320	3020
YG-321	3017
YG-322	3016
YG-323	3019
YG-343	3019
YG-345	3016
YG-346	3017
YG-347	3018
YG-380	3021
YH-1462	3287
YH-1672	3286
YH-1705	3349
YH-512	3214
YH-513	3214
YH-552	3280
YH-601	3280
YN-12	2484
YN-12A	2484
YN-12-B	2484
YN-12-C	2484

Motorcraft	FJC
YN-12-C2	2484
YN-12-D	2484
YN-22	2450
YN-23	2406
YN-24	2487
YN-9-A	2205
Murray	FJC
200302	2840
200322	2880
200323	7635
200330	2885
200333	2882
200334	2883
200335	2884
200350	2742
200351	2745
200375	2729
200384	2941
200439	7696
200496	2910
200515	4923
200516	4928
200520	4958
200521	4923
200525	4910
200527	2728
200530	4910
207004	4052
207005	4028
207005	4208
207006	4006
207007	4032
207008	4008
207009	4190
207010	4010
207012	4012
207014	4002
207021	4080
207021	4235
207025	4026
207026	4030
207028	4078
207030	4045
207031	4038
207032	4040

Murray	FJC
207033	4042
207037	4218
207044	4082
207066	3322
207097	3328
207113	4254
207114	4220
207115	4232
207116	4170
207117	4230
207157	4130
207160	4253
207164	4015
207165	4018
207166	4053
207167	4054
207168	4043
207170	4384
207175	4131
207176	4150
207177	4162
207178	4140
207179	4151
207180	4154
207183	4160
207184	4050
207189	4143
207190	4144
207191	4142
207192	4166
207193	4250
207195	4116
207196	4118
207197	4120
207198	4122
207205	4034
207206	4035
207207	4036
207275	4352
207276	4350
207299	4293
207301	3012
207311	3011
207314	3024
207315	3014

Murray	FJC
207316	3016
207317	3017
207318	3020
207319	3019
207320	3018
207404	3280
207405	3262
207433	3426
207434	3203
207435	3214
207651	3245
207658	3276
207671	3287
207671	3287
208022	4044
209451	2800
209455	2790
209464	2795
209485	4026
209493	6047
209500	2205
209500	2205
209508	2200
209508	2200
209533	6031
209548	6091
209551	6095
209552	6096
209557	6900
209561	6603
209564	2792
209570	2740
209572	6092
209573	2622
209573	2622
209578	2672
209578	2672
209584	6039
209586	2673
209586	2673
209593	6065
209595	6050
209813	4321
209825	4328
209888	4319

Murray	FJC
209889	4315
209891	4317
209919	2710
209919	2710
209928	2714
209928	2714
209929	2712
209929	2712
209943	2850
209966	2621
209966	2621
209979	2855
209984	6087
209985	6089
217071	3021
217072	3014
239100	3021
239103	3036
239105	3026
239109	3038
400352	2744
400375	2734
400376	2744
400531	6017
400532	2733
400540	4914
400541	4914
400684	6912
404726	4030
407003	4208
407004	4052
407005	4028
407006	4006
407007	4032
407008	4008
407009	4190
407010	4010
407012	4012
407013	4004
407014	4002
407017	4230
407018	4170
407019	4189
407020	4290
407021	4080

Interchanges

Murray	FJC								
407021	4235	407116	4170	407329	4125	409568	2626	781200	6014
407022	4044	407117	4230	407330	4124	409569	2616	781201	6018
407025	4026	407118	4008	407331	4126	409570	2614	781301	7611
407026	4030	407119	4010	407332	4127	409571	2615	781302	7612
407027	4186	407122	4044	407333	4123	409574	2610	781303	7621
407028	4078	407124	4002	407401	4072	409576	2617	781304	7600
407030	4045	407125	4026	407402	4073	409580	6002	781307	2925
407031	4038	407130	4045	407403	4074	409581	6001	781308	7634
407032	4040	407131	4038	407404	4075	409600	2443	781309	2830
407033	4042	407132	4040	407405	4206	409882	2487	781310	2910
407034	4186	407133	4042	409500	2408	409883	2490	781400	6715
407037	4218	407134	4186	409501	2490	409888	2484	781409	6607
407039	4238	407137	4218	409502	2487	409889	2400	781410	6715
407044	4082	407168	4043	409503	2484	409901	2603	781412	6697
407049	4238	407170	4016	409506	9147	409902	2604	781417	6533
407051	4228	407183	4205	409510	2432	409903	2602	781418	6523
407053	4196	407184	4050	409512	9145	409904	2606	781419	6513
407055	4006	407192	4190	409513	9145	409905	2618	781420	6537
407057	4197	407193	4193	409514	9145	409906	2620	781421	6527
407075	4195	407194	4050	409517	2128	409907	2633	781422	6527
407076	4199	407195	4194	409517	2128	409908	2634	781423	6539
407077	4201	407196	4198	409517	2406	409909	2632	781424	6529
407078	4038	407197	4196	409517	2406	409914	2674	781425	6519
407079	4202	407198	4197	409518	2400	409915	2662	781430	6557
407081	4203	407199	4192	409521	2610	409916	2687	781433	6005
407082	4204	407201	4183	409522	2608	409917	2746	781434	6006
407084	4086	407204	4052	409523	5909	409918	2748	781440	6080
407085	4246	407212	4012	409525	6439	409921	2770	781444	6061
407086	4209	407214	4168	409527	6429	409939	2613	781460	6144
407087	4176	407215	4232	409529	6419	409943	2617	781501	6607
407101	4051	407268	4043	409533	6034	409951	6014	781533	6009
407102	4170	407273	4062	409534	6030	409982	2538	781534	6010
407103	4208	407275	4061	409538	6433	409983	2538	781550	6697
407104	4206	407276	4060	409539	6413	419530	2623	781551	6697
407105	4028	407277	4064	409540	6423	781000	2792	781560	6357
407106	4006	407278	4063	409548	6905	781001	2790	781630	2738
407107	4032	407279	4065	409549	6909	781009	6040	781701	2729
407108	4008	407280	4070	409553	6135	781013	6035	781900	6905
407109	4190	407281	4071	409554	6136	781020	2710	783000	2795
407110	4010	407296	4298	409556	6761	781022	2712	783012	6030
407111	4042	407297	4288	409559	2677	781097	2744	783106	2882
407112	4012	407298	4286	409560	2676	781097	2745	783107	2883
407113	4004	407306	3004	409563	6715	781106	2880	783108	2884
407114	4168	407307	3013	409565	6006	781107	2875	783109	2885
407115	4232	407311	4182	409566	6005	781110	2740	783199	6015

Interchanges

Murray	FJC	Murray	FJC	Murray	FJC	Toyota	FJC	Volvo	FJC
783201	2745	783505	6313	783803	2855	88645-60020	3424	1161407	2484
783204	2941	783510	6337	783901	6909	90099-14044	4186	1161425	2487
783210	2745	783511	6327	783905	6900	90099-14045	4219	1161426	2487
783211	2742	783512	6317	783910	2200	90099-14046	4008	1161442	2408
783213	7635	783513	6337	784700	4923	90099-14119	4080	1161407 0	2484
783403	6333	783514	6327	784702	4928	90099-14120	4248	1161407-0	2484
783404	6523	783515	6317	784703	4929	90099-14121	4237	1161425 2	2487
783405	6513	783520	6327	784710	4965	ND Oil-11	2450	1161426 0	2487
783415	6761	783521	6327	784719	4910	ND11	2450	1161426-0	2487
783416	6766	783522	6317	784719	4910	ND-11	2450	1324829-9	3014
783417	6761	783523	6337	784720	4917				
783420	6766	783524	6327	801651	2484				
783421	6527	783525	6317	801652	2487				
783422	6527	783526	6357	801653	2490				
783423	6517	783550	6050	7002457	2880				
783433	6001	783551	6065	7652764	9147				
783434	6002	783600	6038	7652977	9143				
783500	6333	783618	6016	7652983	9142				
783501	6323	783701	2734	7652984	9144				
783502	6313	783702	2732	NTE781306	2925				
783502	6337	783710	4958	SER2416	7635				
783503	6333	783710	4958	SKY133	2468				
783504	6313	783715	4946						

California's Proposition 65



Understanding Proposition 65

In 1986, California voters approved an initiative to address their growing concerns about exposure to certain chemicals. That initiative became the Safe Drinking Water and Toxic Enforcement Act of 1986, better known as Proposition 65.

Proposition 65 requires the State of California to annually publish a list of chemicals known to cause cancer or birth defects or other reproductive harm. Since its inception, this list has grown to include over 800 chemicals.

Proposition 65 requires businesses to notify Californians about the presence of any of these chemicals in the products they purchase. By providing this information, Californians are able to make better informed decisions about the products they buy.

The Office of Environmental Health Hazard Assessment (OEHHA), which is part of the California Environmental Protection Agency, administers the Proposition 65 program.

All FJC products which are made of brass are subject to Proposition 65 labelling since brass contains small, but detectable, amounts of lead, an element included on the Prop 65 chemical list. These items are governed by California Proposition Warning 1 on this page. Although these products contain a Proposition 65-listed chemical, this does not mean that their use will cause cancer, birth defects, or other reproductive harm, nor does it mean that these products are unsafe to use. All FJC products meet or exceed the requirements of product performance and safety industry standards as well as the Federal Safe Drinking Water Act (1974).

California Proposition 65 Warning 1

⚠️ WARNING: This product can expose you to chemicals, including lead and lead compounds, which are known to the State of California to cause cancer and birth defects or other reproductive harm.

California Proposition 65 Warning 2

⚠️ WARNING: This product can expose you to chemicals, including Bitumen (Asphalt), and wood dust which are known to the State of California to cause cancer.

California Proposition 65 Warning 3

⚠️ WARNING: This product can expose you to chemicals, including DEHP, which are known to the State of California to cause cancer and birth defects or other reproductive harm.

California Warning Notice 4

Not for sale or use in California.

The products on the facing page are subject to the Proposition 65 regulations under California law.

Find the appropriate Part # on the chart to determine which Prop 65 Warning applies.



California's Proposition 65

Product Index

Part #	Page
501	6
525	6
528	6
533	6
536	6
582	6
618	7
623	7
675	7
677	14
685	7
690	5
695	5
696	1, 5
697	1, 5
703	5
1996	17
1996HD	17
2032	16
2128	16
2130	16, 32
2200	11
2202	11
2200-55	11
2205	11
2206	57
2400	16
2401	16
2405	16
2405-55	16
2406	16
2407	15
2408	11
2410	11
2432	11
2439	11
2443	11
2445	11
2447	11
2449	11
2450	10
2455	11
2458	1, 10
2459	1, 10
2468	10
2468-55	10
2470	10
2472	10
2475	10
2479	10
2479-55	10
2480	10
2481	10
2484	9
2484-55	9
2485	9
2486	9
2487	9
2487-55	9
2488	9
2489	9
2490	9
2490-55	9
2491	9
2492	9
2493	9
2493-55	9
2494	9
2495	9
2495-55	9
2496	9
2498	9
2498-55	9
2499	9
2501	9
2502	9
2503	9
2507	9
2509	9
2511	9
2518	62
2530	62
2538	62
2538P	62
2557	40
2558	40
2574	40
2576	40
2602	63
2602-25	63
2602-100	63
2603	63
2603-25	63
2603-100	63
2604	63
2604-25	63
2604-100	63
2606	63
2606-25	63
2607	40
2608	40
2609	40
2610	40
2611	41
2612	41
2613	41
2614	41, 63
2614-100	41, 63
2615	41, 63
2615-100	41, 63
2616	41
2617	41
2617-100	41
2618	63
2619	41
2620	63
2621	41
2622	41
2623	41
2624	41
2626	41
2632	63
2633	63
2634	63
2662	62
2663	41
2672	41
2673	41
2674	41
2675	41
2676	41
2677	41
2678	41
2680	41
2682	41
2683	41
2685	40
2686	40
2687	63
2687-100	63
2710	17
2712	17
2714	17
2716	17
2717	17
2718	17
2724	1, 12
2726	12
2727	12
2728	13, 20
2729	12
2730	13, 20
2732	8, 12
2733	20
2734	12, 30
2735	13, 20
2736	12
2737	13
2738	12
2739	1, 12
2740	30, 34
2743	37
2744	30, 37
2745	30, 37
2746	37
2748	37
2750	41
2754	33
2755	33
2768	17
2770	17
2775	17
2776	17
2777	17
2778	17
2779	17
2782	17
2783	17
2790	36
2792	30, 36
2795	36
2800	36
2803	36
2805	35
2805yf	35
2815	63
2830	39
2840	34
2843	34
2844	37
2850	28, 30
2855	5
2860	57
2862	37
2863	37
2910	35
2925	33
2931	33
2936	33
2937	33
2939	33
2941	33
2943	33
2952	33
2956	33
2958	33
3000	40
3004	39
3005	39
3006	39
3006-100	39
3007	39
3008	40
3008-100	39
3009	40
3011	39
3011-100	39
3012	39
3012-100	39
3013	39
3013-100	39
3014	39
3014-100	39
3017	100
3018	39
3018-100	39
3019	39
3019-100	39
3020	39
3020-100	39
3021	39
3021-100	39
3024	39
3024-100	39
3026	39
3026-100	39
3031	39
3031-100	39
3033	39
3033-100	39
3036	39
3038	39
3038-100	39
3104	39
3105	39
3106	39
3108	39
3111	39
3112	39
3113	39
3114	39
3116	39
3117	39
3118	39
3119	39
3120	39
3121	39
3124	39
3126	39
3131	39
3133	39
3136	39
3138	39
3139	39
3225	63
3227	63
3238	63
3262	43
3265	43
3266	43
3267	43
3271	42
3276	42
3277	42
3280	42
3282	42
3283	42
3285	42
3286	42
3287	42
3288	42
3320	43
3321	42
3328	43
3331	43
3340	42
3341	42
3349	42
3358	42
3411	42
3412	42
3414	42
3415	42
4002	52
4004	55
4006	51
4006-100	51
4008	52
4008-100	52
4010	53
4010-100	53
4012	54
4012-100	54
4015	61
4016	61
4017	61
4018	61
4026	51
4026-100	51
4028	52
4028-100	52
4030	53
4030-100	53
4032	54
4032-100	54
4034	61
4035	61
4036	61
4038	52
4038-100	52
4040	52
4040-100	52
4042	54
4042-100	54
4043	55
4043-100	55
4044	56
4045	56
4046	56
4050	55
4051	51
4052	51

Product Index

Part #	Page
4183	51
4186	51
4187	52
4189	51
4190	52
4191	53
4192	51
4192-100	51
4193	52
4193-100	52
4194	53
4194-100	53
4195	51
4196	52
4197	53
4198	54
4198-100	54
4199	52
4201	52
4202	54
4203	53
4204	54
4205	53
4206	51
4207	55
4208	51
4209	55
4210	53
4211	53
4213	53
4214	52
4215	53
4216	54
4218	53
4219	53
4220	54
4221	51
4222	51
4223	51
4226	51
4227	51
4228	51
4229	51
4230	54
4232	55
4233	55
4234	52
4235	55
4237	53
4238	52
4239	53
4240	52
4241	54
4242	53
4243	54
4245	55
4246	55
4247	55
4248	53
4250	56
4252	56
4253	56
4254	57
4255	57
4256	57
4258	57
4275	48
4278	30, 48
4279	48
4286	49
4287	49
4288	49
4290	49
4291	49
4293	49
4294	49
4295	50
4296	50, 59
4297	50
4298	50
4299	50
4300	50
4305	61
4306	61
4307	61
4312	61
4325	61
4345	61
4347	58
4348	58
4349	58
4350	59
4351	59
4352	59
4353	59
4354	59
4355	59
4361	58
4362	58
4364	58
4365	58
4370	58
4371	58
4372	58
4373	45, 58
4374	45, 58
4375	45, 58
4376	45, 58
4377	45, 58
4381	58
4382	58
4383	58
4384	58
4385	58
4388	58
4389	58
4400	47
4415	48
4450	44
4454	44
4458	45
4459	58
4460	45
4463	46
4464	46
4465	46
4895	50
4897	4850
4910	18
4914	18
4914D	18
4915-100	20
4916	18
4917	18
4918	18
4921	18, 20
4923	18
4923D	18
4924	18
4926	18
4926D	18
4927	18
4927D	18
4928	18
4928D	18
4929	18
4933	18
4933D	18
4934	18
4946	20
4947	20
4949	20
4958	20
4960	20
4963	20
4965	20
4966	19
4967	19
4971	19
4972	19
4972yf	19
4982	19
5110	19
5120	19
5909	16
5914	16
5915	16
6001	24
6002	24
6003	24
6004	24
6005	24
6006	24
6007	24
6008	24
6009	24
6010	24
6011	24
6012	24
6013	24
6014	25, 30
6015	25, 30
6016	25, 30
6017	25, 30
6018	25, 30
6019	25, 30
6021	25
6025	24
6026	24
6029	7, 15, 38
6030	30, 38
6035	38
6036	38
6037	7, 15
6038	25, 30
6039	38
6040	38
6041	38
6045	7
6047	27
6048	27
6050	27
6055	27
6059	26
6063	22
6067	22
6069	22
6074	13, 20
6075	25
6091	27
6092	27
6095	23
6096	23
6097	27
6127	23
6128	23
6132	23
6133	23
6134	21, 22
6135	23
6136	23
6139	21
6150	23
6313	26
6317	26
6323	26
6327	26
6333	26
6337	26
6353	26
6357	26
6365	26
6413	26
6417	26
6419	26
6421	26
6423	26
6427	26
6429	26
6433	26
6437	26
6439	26
6441	26
6445	26
6447	26
6448	26
6449	26
6450	26
6453	26
6457	26
6459	26
6513	26
6517	26
6519	26
6523	26
6527	26
6529	26
6533	26
6537	26
6539	26
6553	26
6557	26
6559	26
6603	22
6607	22
6609	22
6692	22
6697	22
6697B	22
6698	21
6701	22
6714	22
6714B	22
6715	22, 30
6715B	22
6717	22
6717B	22
6721	22
6725	21
6750	21
6752	22
6760	22
6760B	22
6761	22
6761B	22
6763	21
6763B	21
6765	22
6765B	22
6766	22
6766B	22
6768	22
6768B	22
6799	21, 30
6801	2, 25
6802	2, 25
6810	4, 18
6814	4, 18
6816	41
6817	41
6820	2, 25
6826	2, 25
6827	2, 25
6828	2, 25
6829	2, 25
6831	23
6832	23
6840	4, 38
6842	4, 38
6845	4, 38
6846	4, 38
6850	2, 21
6852	2, 22
6855	4, 21
6876	2, 26
6877	2, 26
6878	2, 26
6900	29
6905	29
6909	29, 30
6912	29, 30
6916	29, 30
6925	29
6930	4, 29
6951	29
6952	29
6953	29
6956	29
6957	29
6959	29
6960	29
6961	29
6990	32
6991	32
6998	32
7500	35

Product Index

Part #	Page	Part #	Page	Part #	Page	Part #	Page	Part #	Page	Part #	Page
43710	74	43811	74	45115	64	45262	67	46222	71	52010	65
43711	74	43812	74	45118	64	45265	67	46224	71	52015	65
43712	74	43813	74	45125	64	45268	67	46226	71	53040	66
43713	74	43814	74	45135	64	46136	70	46230	71	53070	66
43715	74	43815	74	45150	64	46139	70	46321	70	53100	66
43801	73	43816	74	45215	67	46141	70	46325	70	53150	66
43802BK	74	43820	74	45223	67	46162	70	46326	70	53200	66
43802BL	74	43821	73	45229	67	46164	70	46330	71	53300	66
43806	74	43826	74	45233	67	46173	70	46335	71	53500	66
43807	74	43841	73	45234	67	46174	70	46342	71	53973	68
43808	74	43848	73	45244	67	46215	71	46648	71	53974	68
43809	74	45107	65	45245	67	46217	71	52005	65	53983	69
43810	74	45110	65	45255	67	46219	71	53984	69		

EPA-Mandated Self-Sealing Refrigerant Cans and Dispensing Equipment

As mandated by Section 608 of the EPA Clean Air Act, all FJC R-134a refrigerant products produced after 2017 are equipped with self-sealing valves which remain closed when the recharge hose is removed. Most refrigerant products produced prior to 2018 were equipped with a puncture-style valve. Below is a picture highlighting the major differences between the “puncture” and “self-sealing” style cans.



In the traditional “puncture” style can (left), a thin metallic membrane in the center of the threads is permanently pierced by the dispensing tap, opening refrigerant flow from the can. The self-sealing can on the right replaces the foil with an internal Schrader-like valve which regulates flow dependent on the pressure applied by the dispensing tap. A unique benefit of the “self-sealing” can is that the dispensing tap can be completely removed from the can without venting the remaining refrigerant. When the tap is removed, pressure is released from the internal valve allowing the mechanism to completely seal the top of the can. As a result, each can is preserved for multiple uses, benefiting both technicians and the environment.

Moving forward FJC will only be shipping self-sealing cans which, due to the design change, necessitate the use of new dispensing equipment. Please refer to the following chart to determine the appropriate FJC part numbers to use with the new cans.

	For Use with old Puncture-Style Cans	For Use with new Self-Sealing Cans
R-134a U-Charge Hose	Part # 6035	Part # 6045
R-134a Hose and Gauge	Part # 6036	Part # 6037
R-134a Can Tap	Part # 6030	Part # 6029