

MARATHON RSA

A LONG-LASTING ALL-POSITION TIRE FOR LONGER REGIONAL ROUTES

The Goodyear® Marathon RSA offers strength and long tread life to help drivers cover long regional routes with confidence. It's another great Goodyear Marathon tire for fleets that want performance and value from a brand they can trust.





MARATHON RSA

A LONG-LASTING ALL-POSITION TIRE FOR LONGER REGIONAL ROUTES

The Marathon RSA is available in the following sizes and load ranges:

Tire Size	Load Range	Single Load		Single Inflation		Dual Load		Dual Inflation		Weight		Rim Overall Width Width		Overall Diameter		Static Radius		RPM	RPK	Tread Depth		Dual cing	Speed	
		lbs	kg	psi	kpa	lbs	kg	psi	kpa	lbs	kg	in	in	mm	in	mm	in	mm			32nds	in	mm	Rating
TUBELESS TIRES ON 15° DROP CENTER RIMS																								
10R22.5	G	5,675	2,575	115	790	5,355	2,430	115	790	112	51	7.50	10.1	257	40.4	1,026	18.9	480	514	319	21	11.4	290	75
11R22.5	Н	6,610	3,000	120	830	6,005	2,725	120	830	126	57	8.25	10.8	274	41.8	1,062	19.5	495	497	309	22	12.5	318	75
12R22.5	Н	7,390	3,350	120	830	6,780	3,075	120	830	140	64	9.00	11.6	294	42.9	1,090	20.1	511	484	301	22	13.5	343	75
255/70R22.5	Н	5,510	2,500	120	830	5,070	2,300	120	830	97	44	7.50	10.0	254	36.7	932	17.2	437	566	352	18	11.3	287	81
295/75R22.5	G	6,175	2,800	110	760	5,675	2,575	110	760	122	55	8.25	11.3	287	40.6	1,031	19.0	483	512	318	22	12.9	328	75
11R24.5	Н	7,160	3,250	120	830	6,610	3,000	120	830	135	61	8.25	11.0	279	43.6	1,107	20.3	516	476	296	22	12.5	318	75
285/75R24.5	G	6,175	2,800	110	760	5,675	2,575	110	760	124	56	8.25	11.2	284	41.8	1,062	19.7	500	497	309	22	12.5	318	75

- HIGH-SCRUB COMPOUND AND A ROBUST SIDEWALL to enhance performance in tough service applications
- TREDLOCK® TECHNOLOGY with interlocking microgrooves stabilizes the tread for high mileage
- MULTI-COMPOUND LAYERED TREAD CONSTRUCTION for extended tread life
- THREE-BELT CONSTRUCTION with penetration protectors helps resist cuts and punctures for enhanced toughness and long casing life

Recommended Applications





















