







5, 6, & 8 LUG APPLICATIONS

18X9 20X9 20X10 22X12 24X14



5, 6, & 8 LUG APPLICATIONS

AVAILABLE SIZES: 17X9 20X9 20X10 22X12



17X9 18X9 20X9 20X10 20X12



20X9 20X10



20X9 20X10



18X9 20X9 20X10 22X12



18X9 20X9 20X10




17X9 18X9 20X9 20X10 22X12



18X9 20X9 20X10







17X9 18X9 20X9 20X10



- 5, 6, 8 8 LUS APPLICATIONS
- VERICLE SPECIFIC BOLT PATTERN AND CENTER BORE
- CUSTOM BACKSPACING & OFFSET
- TPMS COMPATIBLE
- OPTIONAL DIRECTIONAL INSERTS IN EITKER A CKROME, BLACK, CARBON FIBER, OR COLOR MATCHED FINISK
- 2PIECE CENTER CAP BESISN
 TO ACCESS MANUAL LOCKING KUB

920	17X9	18X9	20X9	20X10	20X12	25X15	P.C.D	C.B	RATIN
		OFF	SET RANGE AV	BOLT PATTERN / C.B AVAILABLE SPECIFICATION					
61	+18 TO -20	+18 TO -20	+18 TO -20	+10 TO -25	1.0	+0 TO -44	BLANK (6 LUG) BLANK (8 LUG) 5X114.3 / 5X127 5X127 / 5X139.7 5X135 5X150 6X135 6X135 / 6X139.7 6X139.7 8X165.1 8X170 8X180	78.1 TO 125.5	
62		4	+18 TO -20	+10 TO -25		2			
63	-	+18 TO -20	+18 TO -20	+10 TO -25		+0 TO -44			
64	+18 TO -20	+18 TO -20	+18 TO -20	+10 TO -25	+0 TO -44	+0 TO -44			
85	3 30	+18 TO -20	+18 TO -20	+10 TO -25					3640 lbs
66	16.30	13 3	+18 TO -20	+10 TO -25					
67	+18 TO -20	+18 TO -20	+18 TO -20	+10 TO -25	On-	100			
8	1000	+18 TO -20	+18 TO -20	+10 TO -25	1	YA			
69	1208	+18 TO -20	+18 TO -20	+10 TO -25	6	+0 TO -44			
E 10	+18 TO -20	+18 TO -20	+18 TO -20	+10 TO -25	+0 TO -44				





CUSTOM FNSK

2-P LCL FORSLL

CUSTOM FN SK

FORSEL

26X16 24X16 24X14 22X14 26X14 24X12 22X12



CUSTOM F N SK

2-P LCL FORSEL



CUSTOM FINSK

FORSEL

26X16 24X16 24X14 22X14 26X14 24X12 22X12





CUSTOM FNSK

20" 22" 24" 26" 28"

CUSTOM FNSK

FORSEL

26X16 24X16 24X14 22X14 26X14 24X12 22X12





CUSTOM FNSK

2-Pici Forsil

20" 22" 24" 26" 28"

CUSTOM FNSK

FORSEL

26X16 24X16 24X14 22X14 26X14 24X12 22X12













