# HEDMAN HEDDERS







#### THREE MPFI SPACER DESIGNS AVAILABLE TO MEET YOUR PERFORMANCE NEEDS!



The Torque-Curve™ design increases air intake volume and velocity, and conditions air at the throttle blade for the most performance gains from any EFI spacer. You will immediately notice better throttle response and torque.



The WIDE-OPEN™ plenum design of these spacers improves mid- to high-end torque. This spacer model is the ideal spacer for tow vehicles, or when frequent, wide open throttle use is required.

Cut

View



These are Trans-Dapt's original spacer design. SMOOTH-BORE™ spacers increase intake volume and velocity to provide mild performance gains across the entire RPM range.




- NO WHISTLE!
- Increased Torque
- Better Fuel Efficiency
- **Quicker Throttle Response**
- **Outperforms the Competition**
- Easy To Install. Usually Less Than 30 Minutes
- Exclusively On Hamburger's & Trans-Dapt EFI Spacers
- All Spacers Include Gaskets & Mounting Hardware

#### DYNO PROVEN PERFORMANCE GAINS

Your vehicle's EFI sustem constantly adjusts the air/fuel ratio to the engine to suite environmental and driving conditions at any given moment. If your engine needs more air, and your throttle body can't meet that need, your overall performance diminishes. Torque-Curve's proprietary plenum design technology allows more air to be drawn into the engine by reducing induction turbulence, leading to improved performance from your engine and all its performance add-ons.

The diagrams to the right show how Torque-Curve's unique port design affects airflow through your engine's throttle body, speeding up flow, allowing a higher volume of air to reach your intake manifold. Since our spacers work by smoothing out airflow, and not by making it more turbulent, they work without creating the whistle typically associated with throttle body spacers.

Chassis dyno testing of the Torque-Curve Design, on a 1998 BB Chevy Motor showed an 18+ ft. lbs. torque increase over stock, and 20+ ft. lbs. more than the leading competitor's spacer. That's at the rear wheels! See the charts above for test results with an '04 GM truck.




### PREMIUM CONSTRUCTION Billet Aluminum Multi-Port Fuel Injection Hamburger Performance Products **CNC Machined**


- **Billet Aluminum** Construction
- Limited Lifetime Warranty
- Made In The U.S.A.!

## STANDARD-DUTY CONSTRUCTION



- **50-State Legal Designs** E.O. #D-578-1
- **Cast Aluminum** Construction
- 1 Year Warranty
- Affordably Priced
- Made In The U.S.A.!





TORQUE-CURVE™ Spacer technology is available Exclusively on Trans-Dapt and Hamburger's Performance EFI spacers!


## MULTI-PORT FUEL INJECTION (MPFI) SPACERS

#### 96-00 CHEVY/GM TRUCKS/SUVS 5.7L VORTEC



#### 96-06 CHEVY/GM TRUCKS 4.3L VORTEC V6

**SMOOTH-BORE Design** 



#### 96-00 CHEVY/GM TRUCKS/SUVS 7.4L VORTEC



96-00 BB Chevy/GMC Trucks, 2500, 3500 Trucks & SUVs, Suburban & Motorhomes Vortec 7.4L

TOTRANS	
SPACER REPLACEMENT	
NUMBER	GASKET
2567	2079

#### 99-06 CHEVY/GM TRUCKS/SUVS 4.8, 5.3 & 6.0L



99-06 Chevy/GMC (2007 Classic) 1500, 2500, 3500 trucks, SUVs, Suburban, Tahoe, Yukon, Yukon XL, Escalade, H2 & motorhomes with 4.8, 5.3, 6.0 & 8.1L. Gasoline, Hybrid and Methanol engines.

## Hamburger's

	SPACER Number	REPLACEMENT GASKET
TORQUE-CURVE Design	<del>*</del> 32 <u>62*</u>	2079
CAST ALUMINUM MODELS	D	RANS DAPT
TORQUE-CURVE Design	<b>^2566</b>	2079
SMOOTH-BORE Design	<b>^2766</b>	2079

Some Truck & SUV applications may require fan spacer #2599. See Page 62

#### 02-10 GM GMT360 PLATFORM 4.2L INLINE 6



Fits a variety of 2002-10 GMT360 platform vehicles with an Inline 6 engine, including Trailblazer, Envoy, Colorado, Canyon, Bravada and Ranier.

Hamt	ourger's
SPACER Number	REPLACEMENT GASKET
3264*	2079

**TORQUE-CURVE Design** 

REPLACEMENT GASKET

2079

2079

#### 07-10 CHEVY/GM TRUCKS/SUVS 4.8, 5.3, 6.0L



2007-10 Chevy/GMC Trucks, Suburban, Tahoe, Yukon with 4.8, 5.3 or 6.0L (New body style) Gasoline and Methanol engines

Hamb	ourger's
SPACER Number	REPLACEMENT GASKET
3267*	2101

#### 92-02 DODGE RAM 2500-3500 8.0L V10



**WIDE-OPEN Design** 

**SMOOTH-BORE Design** 

92-02 Dodge Ram 1500, 2500 & 3500 3.9, 5.2, & 5.9L

SPACER Number	REPLACEMENT Gasket
2671	2080
2771	2080

#### 99-02 DODGE RAM 1500-3500 3.9, 5.2 & 5.9L



99-02 Dodge Ram 1500-3500 3.9, 5.2 & 5.9L

•	DOTRANS	
2615	SPACER Number	REPLACEMENT GASKET
TORQUE-CURVE Design	2515	2080
WIDE-OPEN Design	2615	2080
SMOOTH-BORE Design	2715	2080



## **MULTI-PORT FUEL INJECTION SPACERS**

#### 87-95 FORD BRONCO, F-150 5.0L, 5.8L V8



**TORQUE-CURVE Design** 

**SMOOTH-BORE Design** 

87-95 Ford Bronco & F-150 5.0L & 5.8L V8

SPACER Number	REPLACEMENT GASKET
2518	2093
2718	2093

#### 04-10 FORD TRUCKS/SUVS 5.4L V8



04-10 Ford Expedition, F-250, F-350; Super Duty with 5.4L V8; 04-10 F-150 with 5.4L V8; 06-08 Lincoln Mark LT 5.4L V8

Parformance Products		
SPACER Number	REPLACEMENT 0-RING	
3265*	MSC143	

#### 97-04 FORD TRUCKS & SUVS 4.6L, 5.4L (2V) V8



97-04 Ford F-150 (old body) & Expedition 4.6L, 5.4L (2V), 98-99 Lincoln Navigator 5.4L V8, 04-07 F-150 4.6L, 96-00 Crown Victoria/Marquis

TO!	RANS PAPT
SPACER Number	REPLACEMENT GASKET
2517	2092

#### 91-06 JEEP YJ & XJ 2.5L AND 4.0L



**TORQUE-CURVE Design** 

SMOOTH-BORE Design

91-06 Jeep YJ/XJ/Cherokee 4.0L, 91-99 Jeep YJ/XJ Wrangler 2.5L 4 cylinder

DTRANS	
SPACER Number	REPLACEMENT GASKET
2572	2097
2772	2097

#### 99-04 FORD F-150 - F-250 5.4L

**TORQUE-CURVE Design** 

TORQUE-CURVE Design



99-04 Ford F-250 & F-350 trucks with 5.4L V8

DAPT	
SPACER Number	REPLACEMENT GASKET
2570	2092

#### 04-09 NISSAN TITAN / ARMADA 5.6L V8



**TORQUE-CURVE Design** 

Fits 2004-09 Nissan Titan trucks and Armada SUVs.

Performance Products					
SPACER Number	REPLACEMENT 0-RING				
3270*	MSC145				

#### 99-04 FORD F-250-F-550, MOTORHOMES 6.8L, V10



99-04 Ford F-250, F-350, F-450, F-550 & Motorhomes 6.8L V10

	TOTRANS			
	SPACER NUMBER	REPLACEMENT GASKET		
WIDE-OPEN Design	2669	2095		
MOOTH-BORE Design	2769	2095		

\*Not legal for sale or use on pollution controlled motor vehicles

"Part numbers in PURPLE will be discontinued when inventory is depleted.



## ....

#### CARBURETOR TO TBI CONVERSION ADAPTER PLATES

- Improved Cold Starts
- Less Elevation Sensitivity
- 3 Different TBI Positions Available
- For GM & Holley TBI Systems
- Gaskets & Hardware Included
- 1/4" Tall for Ample Hood Clearance

NOTE: 87-95 GM 5.0-5.7L=1-3/4". 87-95 GM 7.4L, Holley=2". If using a 91-95 7.4L TBI you must use Trans-Dapt spacer part #2536 or 2736.



#### **GM TBI TO QUADRAJET 4BBL**








For mounting a stock 1986-95 Chevy or GMC truck, or Holley TBI system to any Q-Jet, Thermoquad or Spread Bore.

DESCRIPTION	PART #
SB Chevy TBI REAR Mount to QuadraJet 4V	2206*
SB Chevy TBI CENTER Mount to QuadraJet 4V	2211*
SB Chevy TBI FRONT Mount to QuadraJet 4V	2208*
BB Chevy TBI REAR Mount to QuadraJet 4V	2207*
BB Chevy TBI FRONT Mount to QuadraJet 4V	2209*


#### **GM TBI TO HOLLEY 2BBL**



For mounting a stock 1986-1995 Chevy or GMC truck, or Holley TBI system to any Holley 2V 350-500-650 CFM manifold. Only 1/4" thick to maximize hood clearance.

DESCRIPTION	PART #
SB Chevy TBI FRONT Mount to Holley 2V	2204*

#### **GM TBI TO SQUARE BORE 4BBL**







For mounting a stock 1986-1995 Chevy or GMC truck, or Holley TBI system to any Square Bore 3V or 4V manifold.

DESCRIPTION	PART #
SB Chevy TBI REAR Mount to Holley 4V	2200*
SB Chevy TBI CENTER Mount to Holley/AFB 4V	2210*
SB Chevy TBI FRONT Mount to Holley 4V	2202*
BB Chevy TBI REAR Mount to Holley 4V	2201*
BB Chevy TBI FRONT Mount to Holley 4V	2203*

#### THROTTLE BODY INJECTION SPACERS



The slotted port design of our Swirl-Torque™ TBI Spacers creates a vortex that provides a better air/fuel mixture for greatly improved low-to mid-range torque.



The open plenum design of WIDE OPEN™ TBI Spacers promotes improved mid- to highend torque. Ideal for towing applications, or frequent wide-open throttle use.



Smooth Bore TBI Spacers increase plenum volume and air velocity for respectable horsepower and torque gains throughout the RPM range.

## THROTTLE BODY INJECTION SPACERS (TBI SPACERS)

APPLICATIONS	SWIRL Torque	WIDE OPEN	SMOOTH Bore
86-91 4.3L V6, 5.0L, 5.7L V8 Chevy/GMC Trucks, S-10 & SUVs (SINGLE WING NUT Air Cleaner)	2533	2633	2733
92-95 4.3L V6, 5.0L, 5.7L V8Chevy/GMC Trucks, S-10 & SUVs (DOUBLE WING NUT Air Cleaner)	2534	2634	2734
87-90 7.4L Chevy/GMC Trucks/SUVs & Motorhomes	2535	2635	2735
91-95 7.4L Chevy/GMC Trucks/SUVs & Motorhomes	2536	2636	2736
TBI Adapter/Spacer- 87-90 7.4L or any 2" TBI to 5.0/5.7L; 1 3/4" Manifold			2737*

See Page 62 for Replacement TBI gaskets.

## TBI FUEL LINE EXTENSIONS & TBI RISER PLATES

#2457 raises the TBI housing to allow 15% more air flow by the injectors, delivering a 2 to 3 horsepower gain. Fits all Chevy & GMC trucks with a 4.3L V6 or 5.0-5.7L V8s. 2458 fuel line extensions attach to existing fittings to lengthen the fuel lines and are required for all Trans-Dapt TBI spacer installations.



recommended for a SAFER installation of ALL TBI spa	
DESCRIPTION	PART
Riser Plate, Fits '86-95 4.3L V6, 5.0L.	0457

DESCRIPTION	PART #
1/4" TBI Riser Plate. Fits '86-95 4.3L V6, 5.0L, 5.7L V8 Chevy/GMC Trucks, S-10 & SUVs	2457*
Fuel line Extensions for TBI Spacers	2458

\*Not legal for sale or use on pollution controlled motor vehicles



	CARBURETOR BASE								
	O FIND THE	CORRECT	SMALL ONE BBL.	LARGE ONE BBL.	HOLLEY 5200/5210 Weber Dgev/Dgav Dfav/Dfev	3-BOLT TWO BBL. (STROMBERG)	SMALL TWO BBL.	LARGE TWO BBL. (ROCHESTER)	
	ADAPTER M. CARBURE THE MAN	ATCH THE Tor to	2-5/8"	Q 2-15/16" -O	3-11/16"		3-1/4" 0	O 3-3/4" O 2"	
	QUADRAJET THERMOQUAD AND SPREAD BORE	5-5/8"						2087	
	HOLLEY THREE BARREL	5-5/8"					UNIVERSAL 2065	UNIVERSAL 2065	
	HOLLEY Four Barrel	5-5/8"					UNIVERSAL 2065	UNIVERSAL 2065	
SE	AFB FOUR BBL. (INCLUDING LARGE ROCHESTER)	5-5/8"					UNIVERSAL 2065	UNIVERSAL 2065	
OLD BASE	SMALL ROCHESTER	3-7/8"					UNIVERSAL 2065	2065	
INTAKE MANIFOLD	HOLLEY TWO BARREL 350-500-850 CFM	3-1/2"					2086		
IKE	LARGE TWO BARREL (ROCHESTER)	3-3/4"							
INT	SMALL TWO BARREL	3-1/4" 0							
	LARGE ONE BARREL	0 2-15/16"-0				2025 / 2125	2025 / 2125	2025 / 2125	
	SMALU ONE BARREU	© 2-5/8" O				2025 / 2125	2025 / 2125		
	DATSUN 1600-1800 TOYOTA, LUY COURIER	3-1/8"			2107				
	DATSUM B-110, B-210 Honda Civic	2-7/16" - 1-3/8"			2133				
	TOYOTA 20R SERIES	2-3/4" 2-3/16"			2120				
	TOYOTA 22R SERIES	3-13/16" P 2-1/8" 1-15/16"			2181				

CARBURETOR BASE								
HOLLEY TWO BBL. 350-500-650 CFM	SMALL ROCHESTER	AFB FOUR BBL. & LARGE ROCHESTER	HOLLEY FOUR BBL.	HOLLEY THREE BBL.	QUADRAJET THERMOQUAD SPREAD BORE	GM 4.3L V6 & SBC TBI 1.75" UNIT	GM 7.4L BBC TBI 2" UNIT	
5-1/8"	3-7/8"	5-5/8" A-1/4"	5-5/8"	5-5/8"	5-5/8" 4-1/4"	2-5/8"	0-2-5/8" 4-1/4"	
2087		Universal 2066/2266 3220-Billet	2034 Universal 2066/2266 3224-Billet 3220-Billet	Universal 2066/2266 3220-Billet	2009 / 2109	Front Mount 2208 Center Mount 2211 Rear Mount 2206	Front Mount 2209 Rear Mount 2207	
UNIVERSAL 2065		2090	Spacers see page 55-61	Spacers see page 55-61	2066 / 2266	Front Mount 2202 Rear Mount 2200	Front Mount 2203 Rear Mount 2201	
UNIVERSAL 2065 3223-Billet	2064	2048 Spacer 2081 Spacer Universal 2090	Spacers see page 55-61	Spacers see page 55-61	Universal 2066/2266 3220-Billet	Front Mount 2202 Center Mount 2210 Rear Mount 2200	Front Mount 2203 Rear Mount 2201	
UNIVERSAL 2065 3223-Billet	2064	Universal 2064 Spacers see page 55-61	2048 Spacer 2081 Spacer Universal 2090	2090	Universal 2066/2266 3220-Billet			
2065		2062 3222-Billet	2062 3222-Billet					
Spacers see page 55-61	2065	UNIVERSAL 2065	UNIVERSAL 2065	UNIVERSAL 2065	2087	2204		
2039	2065	UNIVERSAL 2065	UNIVERSAL 2065	UNIVERSAL 2065	2087			
2040	2065	UNIVERSAL 2065	UNIVERSAL 2065	UNIVERSAL 2065	2087			
2041								
2044								
2184								

## CARBURETOR SPACERS & ADAPTERS ARE ONE OF THE QUICKEST & EASIEST WAYS TO FINE TUNE, OR FIND

One Of The Industry's Broadest Carburetor Spacer Lines

MORE POWER FROM YOUR CARBURETOR OR EFI!

- Available For The Industry's Leading Carburetor Models.
- Multiple Plenum Designs.

FOR MULTIPLE PRODUCT PHOTOS VISIT:

4 Spacer Material Options.

- Over 50 Years Of Carburetor Spacer & Adapter Experience.
- Ideal for use on Classic-style Carburetors
   & New-Age, 4 BBL Electronic Fuel Injection Systems

Carburetor spacers offer many benefits. From improving the quality of the air/fuel mixture entering your intake manifold, to keeping your carburetor cooler to prevent percolation, carburetor spacers are one of the single most beneficial aftermarket components you can get for your money and they're simple to install. Carburetor spacers aren't just beneficial on old school carburetors. While perhaps not as dramatically, new-age fuel injection systems, like those from FiTech, Edelbrock and

FAST benefit from the increased plenum volume a carb spacer provides. Trans-Dapt's phenolic plastic and canvas spacers also provide a thermal barrier between the EFI unit and hot intake to keep the unit cooler for better performance. If your plans are to install a 4 BBL EFI unit onto a Q-Jet manifold, well, you're going to need a carburetor adapter to marry the two.

Trans-Dapt Performance Products started offering cast aluminum carburetor spacers and adapters to auto enthusiasts back in the 1960s. Today, with the addition of new materials, applications and plenum design, Trans-Dapt, along with its Hamburger's Performance Products premium brand of CNC, billet models, the line has grown to become one of the premier carburetor spacer and adapter lines in the world.

Review the info below to learn more about the various spacer model and material options available from Hamburger's and Trans-Dapt Performance Products.

#### STANDARD DESIGN SMOOTH-BORE PORT



Standard ported design spacers add plenum length to speed up the air/fuel mixture into the intake manifold.



The conical design of our Torque-Flow" plenum design creates a venturi effect to draw more air and fuel into the engine. This design is available on Hamburger's CNC billet aluminum spacers

#### **CNC BILLET & CAST ALUMINUM**



Hamburger's Performance Billet machined spacers take durability and precision to the next level and are suitable for any service from weekend cruising, to wide-open throttle on the track.



Trans-Dapt Performance's Cast aluminum spacers are durable, affordable, and have been a mainstay of the Trans-Dapt line for over 5 decades.

#### SWIRL-TORQUE™ SLOTTED PORT



The computer generated design of our Swirl-Torque<sup>tm</sup> plenum design provides superior atomization and improves overall air/fuel mixture quality for significant gains in torque

*Hamburger's* 

Performance Products



The open plenum design of these spacers significantly increases plenum volume, and are ideal for wide open throttle applications, like drag racing.

#### CANVAS & PLASTIC PHENOLIC



Heat is the enemy of power and Trans-Dapt's Phenolic material spacers virtually eliminate vapor lock and percolation trouble. Their excellent insulating property prevents heat transfer from the manifold to the carburetor housing, keeping it and your fuel, cooler. A MUST in warmer climates!

CARBURETOR SPACER & ADAPTER MATERIAL OPTIONS



## 2 BBL HOLLEY CARBURETOR SPACERS

For use on Holley 350-500-650 CFM 2 barrel carburetors. Precision aluminum construction. Spacers #3131 and 3132 are for designed and include engraved bore size to comply with Pro Mod 4 series specifications.

ALL SPACERS INCLUDE GASKETS & HARDWARE.	SPACER Style	PLENUM Design	MATERIAL	PCV / VACUUM HOOK-UP	SPACER PART #	REPLACEMENT GASKET #	BRAND
	1/2" Tall						
	PORTED	SMOOTH-BORE	CAST ALUMINUM	NO	2136*	2132	TOTRANS
2134•	OPEN	SMOOTH-BORE	CAST ALUMINUM	NO	2134*	2132	DTRANS
	1" Tall						
	PORTED	SMOOTH-BORE	BILLET ALUMINUM	NO	2540*	2132	Hamburger's
	PORTED	PRO-MOD 4 Spec	BILLET ALUMINUM	NO	3131*	2132	Hamburger's
3131•	PORTED	SWIRL-TORQUE	CAST ALUMINUM	NO	2527*	2132	DTRANS
	PORTED	SMOOTH-BORE	CAST ALUMINUM	NO	2137*	2132	DTRANS
	OPEN	SMOOTH-BORE	CAST ALUMINUM	NO	2135*	2132	TOTRANS
	2" Tall						
2541	PORTED	SMOOTH-BORE	BILLET ALUMINUM	NO	2541*	2132	Hamburger's
	PORTED	PRO-MOD 4 Spec	BILLET ALUMINUM	NO	3132*	2132	Hamburger's

## 4 BBL HOLLEY & AFB CARBURETOR SPACERS

These spacers are designed for use with square-bore 4 barrel carburetor spacers. Available in 3/8" to 2" spacer heights, and manufactured in a variety of materials to meet your performance goals. Most models have mounting points that allow them to be used with both Holley and AFB carburetors. Plastic phenolic spacers fit Holley carburetor models only. For maximum effectiveness on dual plane intake manifolds, use spacers #3217, 3218, 3219 or 3221, which are designed specifically for dual plane (a.k.a. 180°) intake manifolds. Not for use on carburetors with AVS.



SPACER STYLE	PLENUM Design	MATERIAL	PCV / VACUUM HOOK-UP	SPACER PART #	REPLACEMENT GASKET #	BRAND
3/8" TALL						
PORTED	SMOOTH-BORE	CAST ALUMINUM	NO	2280*	2033	TOTRANS
PORTED	SMOOTH-BORE	CANVAS PHENOLIC	NO	2446*	2033	TOTRANS
OPEN	SMOOTH-BORE	CAST ALUMINUM	YES	2094*	2069	TOTRANS
OPEN	SMOOTH-BORE	CAST ALUMINUM	NO	2063*	2069	DAPT
OPEN	SMOOTH-BORE	CANVAS PHENOLIC	NO	2444*	2069	TOTRANS
1/2" TALL		w .			v:	
PORTED	SWIRL-TORQUE	PLASTIC PHENOLIC	NO	2528*	2033	DTRANS
PORTED	SMOOTH-BORE	PLASTIC PHENOLIC	NO	2370*	2033	DAPT
OPEN	SMOOTH-BORE	PLASTIC PHENOLIC	NO	2180*	2069	TOTRANS
1" TALL		771			n.	
PORTED	TORQUE-FLOW	BILLET ALUMINUM	NO	3211*	2033 & 2069	Hamburger's
PORTED	SMOOTH-BORE	BILLET ALUMINUM	NO	2542*	2033	Hamburger's
PORTED	SWIRL-TORQUE	PLASTIC PHENOLIC	YES	2529*	2033	TOTRANS
PORTED	SWIRL-TORQUE	PLASTIC PHENOLIC	NO	2531*	2033	DAPT
PORTED	SWIRL-TORQUE	CAST ALUMINUM	YES	2431*	2033	DAPT
PORTED	SWIRL-TORQUE	CANVAS PHENOLIC	YES	2550*	2033	DAPT
PORTED	SWIRL-TORQUE	CANVAS PHENOLIC	NO	2551*	2033	TOTRANS



## CARBURETOR SPACERS

ALL SPACERS INCLUDE GASKETS & HARDWARE.

## 4 BBL HOLLEY & AFB CARBURETOR SPACERS (CONTINUED)











R	BURETOR	SPACER:	S (CONTINUED)				
	SPACER STYLE	PLENUM Design	MATERIAL	PCV / VACUUM HOOK-UP	SPACER Part #	REPLACEMENT GASKET #	BRAND
	1" TALL (d	continued)					
	PORTED	SMOOTH-BORE	CAST ALUMINUM	YES	2187*	2033	TOTRANS
	PORTED	SMOOTH-BORE	CANVAS PHENOLIC	NO	2447*	2033	TOTRANS
	PORTED	SMOOTH-BORE	CANVAS PHENOLIC	YES	2547*	2033	TRANS
	PORTED	SMOOTH-BORE	PLASTIC PHENOLIC	YES	2584*	2033	TOTRANS
	PORTED	SMOOTH-BORE	PLASTIC PHENOLIC	NO	2383*	2033	TOTRANS
	DUAL-PLANE	TORQUE-FLOW	BILLET ALUMINUM	NO	3219*	2033	Hamburger's
	DUAL-PLANE	SMOOTH-BORE	BILLET ALUMINUM	NO	3217*	2033	Hamburger's
	OPEN	SMOOTH-BORE	BILLET ALUMINUM	NO	3201*	2069	Hamburger's
	OPEN	SMOOTH-BORE	CAST ALUMINUM	YES	2103*	2069	TOTRANS
	OPEN	SMOOTH-BORE	CAST ALUMINUM	NO	2084*	2069	TRANS
	OPEN	SMOOTH-BORE	PLASTIC PHENOLIC	YES	2582*	2069	TRANS
	OPEN	SMOOTH-BORE	PLASTIC PHENOLIC	NO	2382*	2069	TRANS
	1-1/2" TA	LL					
	PORTED	TORQUE-FLOW	BILLET ALUMINUM	NO	3208*	2033 + 2069	Hamburger's
	PORTED	SMOOTH-BORE	BILLET ALUMINUM	NO	3207*	2033	Hamburger's
	OPEN	SMOOTH-BORE	BILLET ALUMINUM	NO	3200*	2069	Hamburger's
	DUAL-PLANE	TORQUE-FLOW	BILLET ALUMINUM	NO	3210*	2033 + 2069	Hamburger's
	DUAL-PLANE	SMOOTH-BORE	BILLET ALUMINUM	NO	3209*	2033	Hamburger's
	2" TALL						<i>,</i>
	PORTED	TORQUE-FLOW	BILLET ALUMINUM	NO	3212*	2033 & 2069	Hamburger's
	PORTED	SMOOTH-BORE	BILLET ALUMINUM	NO	2543*	2033	Hamburger's
	PORTED	SWIRL-TORQUE	CAST ALUMINUM	YES	2548*	2033	TRANS
	PORTED	SWIRL-TORQUE	CAST ALUMINUM	NO	2432*	2033	TRANS
	PORTED	SMOOTH-BORE	CAST ALUMINUM	YES	2049*	2033	TRANS
	PORTED	SMOOTH-BORE	CAST ALUMINUM	NO	2048*	2033	TRANS
	PORTED	SWIRL-TORQUE	PLASTIC PHENOLIC	YES	2530*	2033	TRANS
	PORTED	SWIRL-TORQUE	PLASTIC PHENOLIC	NO	2532*	2033	TRANS
	PORTED	SMOOTH-BORE	PLASTIC PHENOLIC	YES	2562*	2033	TRANS
	PORTED	SMOOTH-BORE	PLASTIC PHENOLIC	NO	2462*	2033	TRANS
•	DUAL-PLANE	TORQUE-FLOW	BILLET ALUMINUM	NO	3221*	2033	Hamburger's
	DUAL-PLANE	SMOOTH-BORE	BILLET ALUMINUM	NO	3218*	2033	Hamburger's
	OPEN	SMOOTH-BORE	BILLET ALUMINUM	NO	3202*	2069	Hamburger's
	OPEN	SMOOTH-BORE	CAST ALUMINUM	YES	2082*	2069	TRANS
	OPEN	SMOOTH-BORE	CAST ALUMINUM	NO	2081*	2069	TRANS
	OPEN	SMOOTH-BORE	PLASTIC PHENOLIC	YES	2561*	2069	TRANS
	OPEN	SMOOTH-BORE	PLASTIC PHENOLIC	NO	2461*	2069	DTRANS
	75,000,000,000,000		Marin-boronopaaning no no uterra sõn	per augeunous, esalesco ano			·



## 4 BBL HOLLEY & AFB 8° LEVELLING BLOCK CARBURETOR SPACERS

Keeps float-bowls level during acceleration. Leveling block spacers tilt the carburetor forward 8° to provide the optimum angle during quick acceleration and front-end lift. Excellent for marine and drag racing use.

ALL SPACERS INCLUDE GASKETS & HARDWARE.	SPACER STYLE	PLENUM Design	MATERIAL	PCV / VACUUM HOOK-UP	SPACER PART #	REPLACEMENT GASKET #	BRAND
9	1-5/16"	TALL					
1 1/4°	PORTED	SMOOTH-BORE	CAST ALUMINUM	NO	2028*	2033	TO TRANS
2008•	OPEN	SMOOTH-BORE	CAST ALUMINUM	NO	2008*	2069	TRANS

## 4 BBL AVS (ADJUSTABLE VALVE SECONDARY) CARBURETOR SPACERS

Edelbrock 650cfm carburetors with AVS (Adjustable valve secondary) technology may look like a standard 4 barrel carburetor, but the primary bores are slightly smaller than secondary bores. Using a standard 4 bbl holley type carburetor spacer will result in butterfly interference and possibly cause a stuck throttle. Hamburger's 4 barrel spacers for AVS models have staggered port sizes that match the carburetor to avoid interference.

ALL SPACERS INCLUDE GASKETS & HARDWARE.	SPACER STYLE	PLENUM Design	MATERIAL	PCV / VACUUM HOOK-UP	SPACER PART #	REPLACEMENT GASKET #	BRAND
	1" Tall						
( Controlled to the controlled	PORTED	TORQUE-FLOW	BILLET ALUMINUM	NO	3225*	2033 ± 2069	Hamburger's
	2" Tall						*
3225•	PORTED	TORQUE-FLOW	BILLET ALUMINUM	NO	3226*	2033 & 2069	Hamburger's

### QUADRAJET CARBURETOR SPACERS

Quadrajet (a.k.a. Q-Jet) carburetors were introduced by GM back in the mid-60s and were factory equipment until the 1990s. The significant difference between the primary and secondary venturi diameters meant they were more fuel efficient and offered excellent throttle response at partial throttle, making them an ideal street performance carburetor. The spacers in this section are design for use with Q-Jet carburetors and are available in open and ported models.

ALL SPACERS INCLUDE GASKETS & HARDWARE.	SPACER STYLE	PLENUM Design	MATERIAL	PCV / VACUUM HOOK-UP	SPACER PART #	REPLACEMENT GASKET #	BRAND
•	1" Tall						
	PORTED	TORQUE-FLOW	BILLET ALUMINUM	NO	3213*	2070 & 2078	Hamburger's
	PORTED	SMOOTH-BORE	BILLET ALUMINUM	NO	2544*	2070	Hamburger's
	OPEN	SMOOTH-BORE	CAST ALUMINUM	YES	2009*	2078	TRAN
2109•	OPEN	SMOOTH-BORE	CAST ALUMINUM	NO	2109*	2078	TRAN
	2" Tall						
3213•	PORTED	SMOOTH-BORE	BILLET ALUMINUM	NO	2552*	2070	Hamburger

## DOMINATOR CARBURETOR SPACERS

Holley 4500 DOMINATOR carburetors offer monstrous flow for high displacement performance and race engines. The larger bore size means regular square bore, 4 barrel spacers are not compatible. The spacers in this section have a 2" bore that matches the Dominator venturis

ALL SPACERS INCLUDE GASKETS & HARDWARE.	SPACER STYLE	PLENUM Design	MATERIAL	PCV / VACUUM HOOK-UP	SPACER PART #	REPLACEMENT GASKET #	BRAND
	1" Tall						
	PORTED	TORQUE-FLOW	BILLET ALUMINUM	NO	3204*	2283	Hamburger's
3204•	PORTED	SMOOTH-BORE	BILLET ALUMINUM	NO	3205*	2283	Hamburger's
	OPEN	SMOOTH-BORE	BILLET ALUMINUM	NO	3203*	2283	Hamburger's
	OPEN	SMOOTH-BORE	CAST ALUMINUM	NO	2468*	2283	DTRANS
	2" Tall		28	× ×		*	
2000	PORTED	TORQUE-FLOW	BILLET ALUMINUM	NO NO	3215*	2283	Hamburger's
2468•	PORTED	Smooth-Bore	BILLET ALUMINUM	NO	3206*	2283	Hamburger's
(amount)	OPEN	SMOOTH-BORE	BILLET ALUMINUM	NO	3214*	2283	Hamburger's
3214*	OPEN	SMOOTH-BORE	CAST ALUMINUM	NO	2469*	2283	TOTRANS

\*Not legal for sale or use on pollution controlled motor vehicles.



## 2 BBL HOLLEY CARBURETOR ADAPTERS

### ALLEPACERS INCLIDED ASSECTS & RANDOWNERS  ### ALLEPACE   RELIEN   MITTRALL   RECENT   RECENT   RECENT   RELIENT   RECENT   RE	2 BBL HOLLEY CARBURETO	OR AD	<b>APTERS</b>							
Rechester 26 2 BBL, Tri-Power 2 BBL, 94, 97 or 48 Stromberg carburetors to any single venturi manifold.  DPEN SMOOTH-BORE CAST ALUMINUM 1-5/3* NO 2825* MSC812/MSC812 TO 15/ANS*  HOLLEY 2 BBL CARB TO ROCHESTER 2 BBL MANIFOLD  Holley 336-508-50 cfm 2 BBL to Large Rochester 2 BBL manifold. (See pageS 52-53 for mounting hole dimensions)  DPEN SMOOTH-BORE CAST ALUMINUM 1/2* NO 2039* 2132 TO 15/ANS*  HOLLEY 2 BBL CARB TO SMALL 2 BBL MANIFOLD  Holley 336-508-50 cfm 2 BBL to Small 2 BBL manifold. (See pageS 52-53 for mounting hole dimensions)  DPEN SMOOTH-BORE CAST ALUMINUM 1/2* NO 2040* 2132 TO 15/ANS*  HOLLEY 1 BBL CARB TO SMALL 2 BBL MANIFOLD  Holley 336-508-50 cfm 2 BBL to any Rochester 4-bolt 2 BBL manifold. (See pageS 52-53 for mounting hole dimensions)  DPEN SMOOTH-BORE CAST ALUMINUM 1/2* NO 2086* 2132 TO 15/ANS*  HOLLEY 2 BBL CARB TO HOLLEY 4 BBL MANIFOLD  Adapts any Holley 350-508-59 cfm 2 BBL to any 4 BBL manifold.  PORTED SMOOTH-BORE ALUMINUM 13/16* NO 2085* 2132/2089 (Manifold)  HOLLEY 2 BBL CARB TO QUADRAUET MANIFOLD  Adapts any Holley or Rochester 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  HOLLEY 2 BBL CARB TO CHEVY LG MANIFOLD  Holley 336-508-508 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16* cmainters.  DPEN SMOOTH-BORE CAST ALUMINUM 1-1/4* NO 2041* 2132 TO 15/ANS*  HOLLEY 2 BBL CARB TO CHEVY LG MANIFOLD  Holley 336-508-508 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16* cmainters.	ALL SPACERS INCLUDE GASKETS & HARDWARE.		The state of the s	MATERIAL	HEIGHT				BRAND	
### HOLLEY 2 BBL CARB TO ROCHESTER 2BBL MANIFOLD    Holley 359-508-508 cfm 2 BBL to Large Rochester 2 BBL manifold. (See page \$52-53 for mounting hole dimensions.)    OPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2039* 2132   TO BANST		2 BB	L CARBURET	OR TO 1BBL N	1ANIFO	LD				
HOLLEY 2 BBL CARB TO ROCHESTER 2BBL MANIFOLD  Holley 350-500-650 cfm 2 BBL to large Rochester 2 BBL manifold. (See pageS 52-53 for mounting hole Dimensions)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2039* 2132 TOTALIST CAST ALUMINUM 1/2" NO 2040* 2132 TOTALIST CAST ALUMINUM 1/2" NO 2086* 2132 TOTALIST CAST ALUMINUM 1/2" NO 3223* 2667/2669 TOTALIST CAST ALUMINUM 15/16* NO 2065* 2132/2669 TOTALIST CAST ALUMINUM 15/16* NO 2065* 2132/2669 TOTALIST CAST ALUMINUM 15/16* NO 2087* 2132/2669 TOTALIST CAST ALUMINUM 1-1/8* NO 2087* 2132/2669 TOTALI		27.55/C-70 55.55		, Tri-Power 2 BBL	, 94, 97	or 48 Stromb	erg carburet	tors to any sin	gle venturi	
HOLLEY 2 BBL CARB TO SMALL 2 BBL MANIFOLD  HOLLEY 2 BBL CARB TO SMALL 2 BBL MANIFOLD  HOLLEY 2 BBL CARB TO SMALL 2 BBL MANIFOLD  HOLLEY 2 BBL CARB TO SMALL 2 BBL MANIFOLD  HOLLEY Large 2 BBL CARB TO SMALL 2 BBL MANIFOLD  HOLLEY Large 2 BBL CARB TO SMALL 2 BBL MANIFOLD  HOLLEY Large 2 BBL CARB TO SMALL 2 BBL MANIFOLD  HOLLEY 2 BBL CARB TO SMALL 2 BBL MANIFOLD  HOLLEY 2 BBL CARB TO SMALL 2 BBL MANIFOLD  Adapts any Holley 350-500-650 cfm 2 BBL to any Rochester 4-bolt 2 BBL manifold. (See pageS 52-53 for mounting hole dimensions)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2086* 2/322  HOLLEY 2 BBL CARB TO HOLLEY 4 BBL MANIFOLD  Adapts any Holley 350-500-650 cfm 2 BBL to any 4 BBL manifold.  PORTED SMOOTH-BORE CAST ALUMINUM 15/16" NO 2065* 2/32/2069  HOLLEY 2 BBL CARB TO QUADRAJET MANIFOLD  Adapts any Holley or Rochester 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8" NO 2087* 2/32/2089  HOLLEY 2 BBL CARB TO CHEVY 16 MANIFOLD  Holley 330-500-650 cfm 2 BBL to Chevy straight & manifold or single venturi manifolds with 2-15/16" centers.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2/322 TO TEAMS*  HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD  Holley 300-500-650 cfm 2 BBL to Chevy straight & manifold or single venturi manifolds with 2-15/16" centers.		OPEN	SMOOTH-BORE	CAST ALUMINUM	1-5/8"	NO	2025*	MSC012/MSC013	TOTRANS	
Dimensions)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2039* 2/32 TOTALS  HOLLEY 2 BBL CARB TO SMALL 2 BBL MANIFOLD  Holley 350-500-550 cfm 2 BBL to Small 2 BBL manifold. (See page\$ 52-53 for mounting hole Dimensions)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2040* 2/32 TOTALS  HOLLEY Large 2 BBL CARB TO SMALL 2 BBL MANIFOLD  Holley 350-500-650 cfm 2 BBL to any Rochester 4-bolt 2 BBL manifold. (See page\$ 52-53 for mounting hole Dimensions)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2086* 2/122 TOTALS  HOLLEY 2 BBL CARB TO HOLLEY 4 BBL MANIFOLD  Adapts any Holley 350-500-650 cfm 2 BBL to any 4 BBL manifold.  PORTED SMOOTH-BORE ALUMINUM 15/16" NO 2065* 2/132/2089 TOTALS  HOLLEY 2 BBL CARB TO QUADRAJET MANIFOLD  Adapts any Holley or Rochester 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8" NO 2087* 2/132/2089 TOTALS  HOLLEY 2 BBL CARB TO CHEVY LEG MANIFOLD  Holley 350-500-650 cfm 2 BBL to Chevy straight & manifold or single venturi manifolds with 2-15/16" Centers.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2/132 TOTALS  HOLLEY 2 BBL CARB TO CHEVY LEG MANIFOLD  Holley 350-500-650 cfm 2 BBL to Chevy straight & manifold or single venturi manifolds with 2-15/16" Centers.		HOLL	EY 2 BBL CA	RB TO ROCHE	STER 2	BBL MANI	FOLD			
HOLLEY 2 BBL CARB TO SMALL 2 BBL manifold. (See pages 52-53 for mounting hole Dimensions)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2048* 2132 TOTAL PRANSFOLD  Holley 350-500-550 cfm 2 BBL to any Rochester 4-bolt 2 BBL manifold. (See pages 52-53 for mounting hole Dimensions)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2086* 2132 TOTAL PRANSFOLD  Adapts any Holley 350-500-650 cfm 2 BBL to any 4 BBL manifold.  PORTED SMOOTH-BORE CAST ALUMINUM 1/2" NO 3223* 2657/2689 Hamburgers Aluminum 15/16* NO 2065* 2132/2669 TOTAL PRANSFOLD  Adapts any Holley 350-500-650 cfm 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8* NO 2087* 2132/2669 TOTAL PRANSFOLD  HOLLEY 2 BBL CARB TO CHEVY L6 MANIFOLD  Nolley 350-500-650 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16* Centers.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4* NO 2041* 2132 TOTAL PRANSFOLD  HOLLEY 2 BBL CARB TO CHEVY L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-15/16* Centers.		0.0000.0000.0000		m 2 BBL to Large F	Rocheste	r 2 BBL manifo	old. (See page	S 52-53 for mo	unting hole	
Holley 350-500-650 cfm 2 BBL to Small 2 BBL manifold. (See pageS 52-53 for mounting hole Dimensions)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2* NO 2040* 2132 TOTRANS  HOLLEY Large 2 BBL CARB TO SMALL 2 BBL MANIFOLD  Holley 350-500-650 cfm 2 BBL to any Rochester 4-bolt 2 BBL manifold. (See pageS 52-53 for mounting hole Dimensions)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2* NO 2086* 2132 TOTRANS  HOLLEY 2 BBL CARB TO HOLLEY 4 BBL MANIFOLD  Adapts any Holley 350-500-650 cfm 2 BBL to any 4 BBL manifold.  PORTED SMOOTH-BORE CAST ALUMINUM 15/16* NO 2065* 2132/2069 TOTRANS  HOLLEY 2 BBL CARB TO QUADRAJET MANIFOLD  Adapts any Holley or Rochester 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8* NO 2087* 2132/2069 TOTRANS  HOLLEY 2 BBL CARB TO CHEVY L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16* centers.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4* NO 2041* 2132  HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-15/16* centers.		OPEN	SMOOTH-BORE	CAST ALUMINUM	1/2"	NO	2039*	2132	TOTRANS	
DIMERSIONS)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2040* 2132 TO TRANS  HOLLEY Large 2 BBL CARB TO SMALL 2 BBL MANIFOLD  Holey 350-500-650 cfm 2 BBL to any Rochester 4-bolt 2 BBL manifold. (See page S 32-53 for mounting hole Dimensions)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2086* 2132 TO TRANS  PORTED SMOOTH-BORE ALUMINUM 1" NO 3223* 2067/2089 HATTOURGES  DPEN SMOOTH-BORE CAST ALUMINUM 1" NO 3223* 2067/2089 HATTOURGES  HOLLEY 2 BBL CARB TO QUADRAJET MANIFOLD  Adapts any Holley or Rochester 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8" NO 2087* 2132/2078 TO TRANS  HOLLEY 2 BBL CARB TO CHEVY L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16" centers.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2132 TO TRANS  HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-15/16" centers.		HOLL	EY 2 BBL CA	RB TO SMALL	2 BBL	MANIFOLD	li.			
HOLLEY Large 2 BBL CARB TO SMALL 2 BBL MANIFOLD Holley 350-500-650 cfm 2 BBL to any Rochester 4-boit 2 BBL manifold. (See pageS 52-53 for mounting hole Dimensions)  OPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2086* 2132 TO TRANS HOLLEY 2 BBL CARB TO HOLLEY 4 BBL MANIFOLD Adapts any Holley 350-500-650 cfm 2 BBL to any 4 BBL manifold.  PORTED SMOOTH-BORE BILLET 1" NO 3223* 2061/2069 Hamburgers OPEN SMOOTH-BORE CAST ALUMINUM 15/16" NO 2065* 2132/2069 TO TRANS HOLLEY 2 BBL CARB TO QUADRAJET MANIFOLD Adapts any Holley or Rochester 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8" NO 2087* 2132/2078 TO TRANS HOLLEY 2 BBL CARB TO CHEVY L6 MANIFOLD Holley 350-500-650 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16"  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2132 TO TRANS OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2132 TO TRANS HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-15/16" HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-15/16"				cfm 2 BBL to Sm	all 2 BB	L manifold. (	See pageS !	52-53 for mou	nting hole	
Holley 350-500-650 cfm 2 BBL to any Rochester 4-bolt 2 BBL manifold. (See page'S 52-53 for mounting hole Dimensions)  DPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2086* 2132 TOTAL ALUMINUM 1/2" NO 2086* 2132 TOTAL ALUMINUM Adapts any Holley 350-500-650 cfm 2 BBL to any 4 BBL manifold.  PORTED SMOOTH-BORE BILLET ALUMINUM 15/16" NO 2065* 2132/2669 Hamburger'S ALUMINUM 15/16" NO 2065* 2132/2669 Hamburger'S ALUMINUM 15/16" NO 2065* 2132/2669 TOTAL ALUMINUM 15/16" NO 2087* 2132/2669 TOTAL ALUMINUM 15/16" NO 2087* 2132/2669 TOTAL ALUMINUM 1-1/8" NO 2087* 2132/2669 TOTAL ALUMINUM 1-1/8" NO 2087* 2132/2669 TOTAL ALUMINUM 1-1/8" NO 2087* 2132/2678 TOTAL ALUMINUM 1-1/8" NO 2087* 2132/2678 TOTAL ALUMINUM 1-1/8" NO 2087* 2132/2678 TOTAL ALUMINUM 1-1/4" NO 2041* 2132 TOTAL ALUMINUM 1-1/4" NO 20	8888 TTTT	OPEN	SMOOTH-BORE	CAST ALUMINUM	1/2"	NO	2040*	2132	TOTRANS	
Holley 350-500-650 cfm 2 BBL to any Rochester 4-bolt 2 BBL manifold. (See page'S 52-53 for mounting hole Dimensions)  DPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2086* 2132 TOTAL ALUMINUM 1/2" NO 2086* 2132 TOTAL ALUMINUM Adapts any Holley 350-500-650 cfm 2 BBL to any 4 BBL manifold.  PORTED SMOOTH-BORE BILLET ALUMINUM 15/16" NO 2065* 2132/2669 Hamburger'S ALUMINUM 15/16" NO 2065* 2132/2669 Hamburger'S ALUMINUM 15/16" NO 2065* 2132/2669 TOTAL ALUMINUM 15/16" NO 2087* 2132/2669 TOTAL ALUMINUM 15/16" NO 2087* 2132/2669 TOTAL ALUMINUM 1-1/8" NO 2087* 2132/2669 TOTAL ALUMINUM 1-1/8" NO 2087* 2132/2669 TOTAL ALUMINUM 1-1/8" NO 2087* 2132/2678 TOTAL ALUMINUM 1-1/8" NO 2087* 2132/2678 TOTAL ALUMINUM 1-1/8" NO 2087* 2132/2678 TOTAL ALUMINUM 1-1/4" NO 2041* 2132 TOTAL ALUMINUM 1-1/4" NO 20		HOLI	EY Large 2 E	BBL CARB TO S	SMALL	2 BBL MAI	IIFOLD			
DPEN SMOOTH-BORE CAST ALUMINUM 1/2" NO 2086* 2132  ### AUDITION OF THE PROPERTY OF THE PROPERT		Holley	y 350-500-650 cf					page\$ 52-53 fo	or mounting	
Adapts any Holley 350-500-650 cfm 2 BBL to any 4 BBL manifold.  PORTED SMOOTH-BORE ALUMINUM 1" NO 3223* 2067/2069 Hamburger'S  OPEN SMOOTH-BORE CAST ALUMINUM 15/16" NO 2065* 2132/2069 TOTRANS  HOLLEY 2 BBL CARB TO QUADRAJET MANIFOLD  Adapts any Holley or Rochester 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8" NO 2087* 2132/2078 TOTRANS  HOLLEY 2 BBL CARB TO CHEVY L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16" centers.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2132 TOTRANS  HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-5/8"	SSTITTSS	OPEN	SMOOTH-BORE	CAST ALUMINUM	1/2"	NO	2086*	2132	TOTRANS	
PORTED SMOOTH-BORE ALUMINUM 1" NO 3223* 2067/2069 Hamburger's  OPEN SMOOTH-BORE CAST ALUMINUM 15/16" NO 2065* 2132/2069 TOTRANS  HOLLEY 2 BBL CARB TO QUADRAJET MANIFOLD  Adapts any Holley or Rochester 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8" NO 2087* 2132/2078 TOTRANS  HOLLEY 2 BBL CARB TO CHEVY L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16" centers.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2132 TOTRANS  HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-5/8"	3223•	HOLL	.EY 2 BBL CA	RB TO HOLLEY	Y 4 BBI	MANIFOL	D			
OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8" NO 2065* 2132/2069  **TOTRANS**  **DEAP**  **DEAP***  **DEAP**  **DE		Adapt	s any Holley 350-	-500-650 cfm 2 BB	L to any	4 BBL manifold	i.			
HOLLEY 2 BBL CARB TO QUADRAJET MANIFOLD  Adapts any Holley or Rochester 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8" NO 2087* 2132/2078 TOTRANS  HOLLEY 2 BBL CARB TO CHEVY L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16" Centers.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2132 TOTRANS  HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-5/8"	2065-	PORTED	SMOOTH-BORE		1"	NO	3223*	2067/2069		
Adapts any Holley or Rochester 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8" NO 2087* 2132/2078 TOTRANS  HOLLEY 2 BBL CARB TO CHEVY L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16" centers.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2132 TOTRANS  HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-5/8"	***************************************	OPEN	SMOOTH-BORE	CAST ALUMINUM	15/16"	NO	2065*	2132/2069	TOTRANS	
Adapts any Holley or Rochester 2 BBL carburetor (except Varajet & Dualjet) onto Quadrajet manifold base.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8" NO 2087* 2132/2078 TOTRANS  HOLLEY 2 BBL CARB TO CHEVY L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16" centers.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2132 TOTRANS  HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-5/8"		HOLI	EY 2 BBL CA	RB TO QUADR	AJET M	ANIFOLD				
OPEN SMOOTH-BORE CAST ALUMINUM 1-1/8" NO 2087* 2132/2078  HOLLEY 2 BBL CARB TO CHEVY L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16"  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2132  HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-5/8"		Adapt	s any Holley or F				ijet & Dualjet	) onto Quadraj	et manifold	
Holley 350-500-650 cfm 2 BBL to Chevy straight 6 manifold or single venturi manifolds with 2-15/16" centers.  OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2132  HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-5/8"		OPEN	SMOOTH-BORE	CAST ALUMINUM	1-1/8"	NO	2087*	2132/2078	TOTRANS	
OPEN SMOOTH-BORE CAST ALUMINUM 1-1/4" NO 2041* 2132  HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD  Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-5/8"		HOLL	EY 2 BBL CA	RB TO CHEVY	L6 MA	NIFOLD				
Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-5/8"		Holle	350-500-650 ct		" U ' ' U ' ' U ' U '		single ventu	ri manifolds wi	th 2-15/16"	
Holley 350-500-650 cfm 2 BBL to Ford straight 6 manifold or single venturi manifolds with 2-5/8"		OPEN	SMOOTH-BORE	CAST ALUMINUM	1-1/4"	NO	2041*	2132	TOTRANS	
		HOLLEY 2 BBL CARB TO FORD L6 MANIFOLD								
		0.0000000000000000000000000000000000000		fm 2 BBL to Ford	straight	6 manifold o	r single vent	uri manifolds	with 2-5/8"	
OPEN SMOOTH-BORE CAST ALUMINUM 1-3/4" NO 2044* 2132 TOTRANS				CAST ALUMINUM	1-3/4"	NO	2044*	2132	TRANS	
		2			11		R			



## 2 BBL HOLLEY CARBURETOR ADAPTERS (CONTINUED)

SPACER STYLE PCV / VACUUM HOOK-UP PLENUM Design SPACER PART # REPLACEMENT ALL SPACERS INCLUDE GASKETS & HARDWARE. GASKET # MATERIAL BRAND



#### HOLLEY 2 BBL CARB TO TOYOTA 22R MANIFOLD

Mounts Holley 350-500-650 cfm 2 BBL carburetor to Toyota 22R manifold base. Open center design.

2184\* 2132/2188 SMOOTH-BORE CAST ALUMINUM 1-3/4" YES OPEN

## 4 BBL HOLLEY CARBURETOR ADAPTERS

 ALL SPACE	RS INCLUDE GASKET	S & HARDWARE.	SPACER STYLE	PLENUM Design	MATERIAL	HEIGHT	PCV / VACUUM HOOK-UP	SPACER PART #	REPLACEMENT GASKET #	BRAND
	A	~				-00 -0				



#### HOLLEY/AFB 4 BBL CARBURETOR TO SMALL 4 BBL MANIFOLD

Large and medium base 1-11/16" port Holley or AFB 4 BBL carbs to smaller base 1-7/16" port 4 BBL manifolds.

PORTED SMOOTH-BORE CAST ALUMINUM NO

2064\*

2033/2071

2033

DAPT



#### HOLLEY/AFB 4 BBL CARBURETOR UNIVERSAL TO SMALL 4 BBL MANIFOLD


Large and medium base 1-11/16" port Holley or AFB 4 BBL carburetors to smaller 4 BBL base manifolds with the same port size.

PORTED SMOOTH-BORE CAST ALUMINUM

NO

2090\*

DAPT



#### HOLLEY/AFB 4 BBL CARBURETOR TO DOMINATOR MANIFOLD

Holley & AFB square bore carb. to Holley 4500 Dominator manifold. The open center design provides a smooth transition.

OPEN

SMOOTH-BORE CAST ALUMINUM 2-1/8"

NO

2381\*

2069/2283

TRANS



#### HOLLEY/AFB 4 BBL CARBURETOR TO QUADRAJET MANIFOLD

For installing a square bore 4 BBL Holley carburetor to a Quadrajet manifold base. Can also be used to mount a Quadrajet Carburetor to a Holley intake base. Open and ported models available in billet aluminum or cast aluminum



PORTED	SMOOTH-BORE	BILLET ALUMINUM	1"	NO	3224*	2033/2070	Hamburger's
OPEN	SMOOTH-BORE	BILLET ALUMINUM	1"	NO	3220*	2069/2078	Hamburger's
PORTED	SMOOTH-BORE	CAST ALUMINUM	1"	YES	2034*	2033/2070	TOTRANS
OPEN	SMOOTH-BORE	CAST ALUMINUM	3/4"	NO	2066*	2069/2078	TOTRANS
OPEN	SMOOTH-BORE	CAST ALUMINUM	3/4"	YES	2266*	2069/2078	TOTRANS

\*Not legal for sale or use on pollution controlled motor vehicles.

## 4 BBL HOLLEY CARBURETOR ADAPTERS (CONTINUED)

L SPACERS INCLUDE GASKETS & HARDWARE.	SPACER STYLE	PLENUM Design	MATERIAL	HEIGHT	PCV / VACUUM HOOK-UP	SPACER PART #	REPLACEMENT GASKET #	BRAND
	HOLL	.EY/AFB 4 BB	L CARBURETO	OR TO	ROCHESTER	R MANIFO	LD	
.00.	creat		square bore 4 BBL on ng transition betw lable.					
	PORTED	SMOOTH-BORE	CAST ALUMINUM	1/2"	NO	2062*	2033/2071	TOTRANS



PORTED SMOOTH-BORE CAST ALUMINUM 2062\* NO 2033/2071

### HOLLEY 4 BBL CARBURETOR TO FORD 460 MANIFOLD

Holley 4 BBL. carb to 460 Ford Autolite manifold. Can use stock Ford EGR casting if desired. Drilled and tapped for PCV.

YES

2199\*

2033/2279

### DOMINATOR 4500 CARBURFTOR ADAPTERS

DUIVINIATUR 4300 CARDUN	LIUK	AVAPIL	r)					
ALL SPACERS INCLUDE GASKETS & HARDWARE.	SPACER STYLE	PLENUM Design	MATERIAL	HEIGHT	PCV / VACUUM HOOK-UP	SPACER PART #	REPLACEMENT GASKET #	BRAND
	For m	ounting a Holley	BURETOR TO H 4500 Dominator ca oth transition bety	rburetor	to a standard	Holley & AFB		pen center
	OPEN	SMOOTH-BORE	CAST ALUMINUM	2-1/8"	NO	2281*	2283/2069	TOTRANS
	Formo	unting a Holley 4	BURETOR TO 500 Dominator car th transition betwee	buretor t	o a Quadrajet o	r Thermoqua	d manifold. The	open center
	OPEN	SMOOTH-BORE	CAST ALUMINUM	2-1/8"	NO	2240*	2033/2279	TOTRANS


PORTED SMOOTH-BORE CAST ALUMINUM 15/16"

## **OUADRAJET CARBURETOR ADAPTERS**

ALL SPACERS INCLUDE GASKETS & HARDWARE.	SPACER STYLE	PLENUM Design	MATERIAL	HEIGHT	PCV / VACUUM HOOK-UP	SPACER Part #	REPLACEMENT GASKET #	BRAND
	QUAL	DRAJET CARB	URETOR TO H	IOLLEY	//AFB 4 BBL	. MANIFOL	.D	
			draJet carbureto out vacuum port.	r on to	a Holley/AFB	4 BBL squa	re-bore mani	fold base.
	OPEN	SMOOTH-BORE	CAST ALUMINUM	3/4"	NO	2066*	2078/2069	TOTRAN
2066-	OPEN	SMOOTH-BORE	CAST ALUMINUM	3/4"	YES	2266*	2078/2069	TOTRAN

<sup>\*</sup>Not legal for sale or use on pollution controlled motor vehicles.

## WEBER DVG CARBURETOR ADAPTERS



OPEN SMOOTH-BORE CAST ALUMINUM 1-3/4" YES 2181\* 2144/2188

<sup>\*</sup>Not legal for sale or use on pollution controlled motor vehicles.



## CARB/EFI GASKETS, INSTALLATION-KITS-&-FAN-SPACER-

#### CARBURETOR BASE GASKETS



Trans-Dapt Performance Products carburetor gaskets are precision cut from durable, 1/32" thick cellulose-nitrile material, for lasting service. Suitable for use with any brand carburetor spacer or adapter.

DESCRIPTION	PART #
Holley & AFB 4 bbl (ported)	2033
Holley 2 bbl (350-500-650) (open center)	2067
Holley & AFB 4 bbl (open center)	2069
Rochester Quadrajet (ported)	2070
Carter AFB 4 bbl (ported)	2071
Carter Thermoquad (ported)	2072
Quadrajet Open Carb Gasket (open plenum)	2078
Rochester 2GC 2 bbl (ported)	2089
Holley 2 bbl (open center) (slotted holes)	2132
Datsun, Honda as used in #2133	2142
Datsun, Toyota (open center) as used in #2107	2143
Weber DGV as used in #2107 & #2120	2144
Toyota 20R as used in #2120	2145
Toyota 22R as used in #2181 & # 2184	2188
Ford 460 Autolite as used in #2199	2279
Holley 4500 Dominator (perforated to open)	2283

#### TBI SPACER GASKETS



Manufactured in the US using a high-temp, metal core material.

DESCRIPTION	PART #
SB Chevy/GMC 86-95 TBI Gasket (open plenum)	2074
SB Chevy/GMC 86-95 TBI Gasket (ported)	2075
BB Chevy/GMC 87-90 TBI Gasket (open plenum)	2076
BB Chevy/GMC 87-90 TBI Gasket (ported)	2077
BB Chevy/GMC 91-05 TBI Gasket (ported)	2088

#### MPFI SPACER GASKETS








Manufactured in the US using a durable Cellulose-Nitrile material.

DESCRIPTION	PART #
Chevy/GM Truck & Motorhome all Vortec V8 & V6 MPFI Gasket	2079
Dodge Ram, Durango/Dakota 3.9-5.7L MPFI Gasket	2080
Ford F-150/250/350 4.6-5.4L MPFI Gasket	2092
Ford F-150/250/350 & Motorhome 7.5L MPFI Gasket	2093
Ford F-150/250/350 & Motorhome 6.8L MPFI Gasket	2095
Dodge Ram V10 MPFI Gasket	2096
Jeep 4.0L MPFI Gasket	2097
Replacement O-ring For #3267 '07-10 Chevy Truck Spacer	2101

#### CARBURETOR STUD KITS



All kits come with 4 studs, 4 nuts, 4 washers.

OVERALL LENGTH	COURSE Thread	FINE Thread	KIT QUANTITY	PART #
1-3/8"	5/16"-18	5/16"-24	4	2046
2"	5/16"-18	5/16"-24	4	2047
3"	5/16"-18	5/16"-24	4	2106
3-5/16"	5/16"-18	5/16"-24	4	2108

#### CARBURETOR ADAPTER INSTALLATION KIT



This carb adapter installation kit is for use with All "Universal" carb adapters on pages 70-71. Also works with many other brands of carb adapters. Each kit includes 4- 1/20 x 2" studs, 4- 1/4"-20 nuts, 4 washers, 4- 14-20 x 14" slotted screws and 4 shoulder nuts.

DESCRIPTION	PART #
Carburetor Adapter Installation Kit	2295*

#### **GM TRUCK & SUV FAN SPACER**

This fan spacer may be necessary when installing an MPFI spacer on a GM truck or SUV. It provides additional fan clearance between the fan and the air intake elbow.



DESCRIPTION	THICKNESS	PART #
GM Fan Spacer	3/8"	2599


## CHROME, SATIN BLACK & ALUMINUM COMPLETE AIR CLEANER SETS & TOPS

Trans-Dapt's line of air cleaner sets, bases and tops is one of the most complete in the industry. Now, we've expanded the line to include even MORE Satin-Black Finished models, offering you new design options for your project. All air cleaner sets in this section include a replaceable filter element, stud and wing nut. For Aluminum Air Cleaner Sets and tops, turn to page 69!

#### 3 MATERIALS AND FINISHES TO CHOOSE FROM







SATIN-BLACK/STEEL

**CAST ALUMINUM** 

#### "PERFORMANCE" STYLE AIR CLEANER SETS





DIAMETER	TOTAL HEIGHT	FILTER HEIGHT	NECK	BASE	CHROME Finish	BLACK Finish	REPL. Filter
14"	3-7/8"	3"	5-1/8"	Flat	2146*	8659*	2110
14"	1-5/8"	2-1/8"	5-1/8"	Recess	2147*	8660*	2111
14"	3"	2-1/8"	5-1/8"	Flat	2148*	8661*	2111

#### "RACE CAR" STYLE AIR CLEANER SETS





DIAMETER	TOTAL HEIGHT	FILTER HEIGHT	NECK	BASE	CHROME FINISH	BLACK Finish	REPL. FILTER
14"	4-3/4"	5"	5-1/8"	Recess	2285*	8665*	2287
14'	2-3/4"	3"	5-1/8"	Recess	2284*	8664*	2110

#### **MUSTANG AIR CLEANER SET**



DIAMETER	TOTAL HEIGHT	FILTER HEIGHT	NECK	BASE	CHROME FINISH	BLACK Finish	REPL Filter
14"	3-1/4"	2"	5-1/8"	Flat	2299*		2111

## AIR CLEANER BASE QUICK REFERENCE GUIDE

Air cleaner assemblies can increase or decrease airflow, fuel mixture & horsepower by adjusting the height of the air flow through your carburetor. When choosing an air cleaner set or base, pay attention to hood clearance when determining the appropriate height of your air cleaner assembly. This chart shows the different types of air cleaner bases we offer.



**FLAT** 





OFFSET RAISED



RECESSED

#### "MUSCLE CAR" STYLE AIR CLEANER SETS









DIAMETER	TOTAL HEIGHT	FILTER HEIGHT	NECK	BASE	CHROME Finish	BLACK Finish	REPL. Filter
14"	4-3/4"	5"	5-1/8"	Recess	2286*	8663*	2287
14"	2-3/4"	3"	5-1/8"	Recess	2195*	8640*	2110
14"	2.75"	3"	5-1/8"	Offset	2296*	8662*	2110
14"	3-7/8"	3"	7-1/4"	Dominator	2300*	8656*	2110
14"	3-3/8"	2-1/8"	5-1/8"	Flat	2315*	8657*	2111
10"	3-1/2"	2-1/8"	5-1/8"	Raised	2282*	8641*	2113
6-3/8"	2-7/8"	2-1/2"	5-1/8"	Raised	2292*	8658*	2116

#### "DEEP DISH" STYLE AIR CLEANER SETS



DIAMETER	TOTAL HEIGHT	FILTER HEIGHT	NECK	BASE	CHROME Finish	BLACK Finish	REPL. Filter
4"	3-1/4"	2"	2-5/8"	Raised	2170*	8666*	2118

<sup>\*</sup> Not legal for sale or use on pollution controlled motor vehicles.

#### LOUVERED STYLE



4-5/8" diameter. Chrome plated. Fits both 2-1/16" & 2-5/8" dia. carburetor necks. Great for 3 Deuces. 3-1/8" Total Height.\*

DESCRIPTION	CHROME	BLACK	REPL.
	FINISH	Finish	Filter
Louvered Air Cleaner	2339*	8667*	2118

#### 3 DEUCE STYLE



4-5/8" diameter. Chrome plated. Fits both 2-1/16° & 2-5/8° dia. carburetor necks. Great for 3 Deuces. 3-1/2" Total Height.\*

DESCRIPTION	CHROME	BLACK	REPL.
	FINISH	Finish	Filter
3 Deuce Air Cleaner	2399*	8668*	2118

#### HIGH-FLOW STYLE



Chromed steel construction. 1250 CFM free flow open screen design. Washable element. Knockout for PCV.

8" X 12" X 2-1/2" tall. Fits 5-1/8" necks.

DESCRIPTION	CHROME	BLACK	REPL.
	FINISH	Finish	FILTER
High-Flow Air Cleaner	2196*		

#### TRI-FLOW AIR CLEANER



14° triangular chromed steel top, recessed base and 3" paper element. Fits 5-1/8" carburetor necks. 2-3/4" total height.\*

DESCRIPTION	CHROME	BLACK	REPL.	
	FINISH	Finish	Filter	
Tri-Flow Air Cleaner	2294*	8669*	2393	

#### CORVETTE STYLE LOUVERED AIR CLEANER



14° 55-57 Corvette style louvered chrome air cleaner, recessed base and 3" paper element. Fits 5-1/8" carburetor necks. 3-1/2" total height.\*

DESCRIPTION	CHROME	BLACK	REPL	
	FINISH	Finish	FILTER	
Louvered Air Cleaner	2293*	8670*	2110	

#### STAINLESS STEEL AIR CLEANER



14° air cleaner has a polished stainless steel top and a 3" paper element. The chrome recessed bottom fits 5-1/8" dia. carburetor necks. 2-3/4" total height.\*

DESCRIPTION	STAINLESS	BLACK	REPL.	
	STEEL	Finish	Filter	
Stainless Air Cleaner	2463*		2110	

#### OFFSET AIR **CLEANER BASE**



14" diameter chrome FLAT air cleaner base has the 5-1/8" neck hole offset 1-1/2" to fit GM applications with the large HEI distributors or T.B.I. injection.

DESCRIPTION	CHROME	BLACK	REPL
	FINISH	Finish	Filter
Flat Offset A/C Base	2430	2428	

#### DOMINATOR AIR CLEANER BASE



Chrome-plated air cleaner base for use with Holley Dominator carburetors. May be used with any 14° round air cleaner.

DESCRIPTION	CHROME	BLACK	REPL.
	FINISH	Finish	FILTER
Dominator A/C Base	2429		

#### HIGH-FLOW AIR CLEANER TOP



Increase your air intake flow up to 500 cfm with our 14" diameter chrome FLAT air cleaner top. Perfect for cowl induction hoods. For use with all 14" Filters.

DESCRIPTION	CHROME	BLACK	REPL.
	FINISH	Finish	Filter
High-Flow Top	2231*		

#### CHROME-PLATED O.E.M. REPRODUCTION STYLE AIR CLEANER TOPS









Sealing ring included.

DESCRIPTION	DIAMETER	CHROME FINISH	BLACK Finish
'88-92 Chevy/GMC Full-Size Pickups SB V8 & 83-88 Hurst Olds, 442, Cutlass, Monte Carlo SS with V8	15-3/8"	2366	7456
'93-95 Chevy/GMC Full-Size Pickups SB V8 (Dual Wing Nut)	15-3/8"	2377	7457
'94-04 Chevy S-10, GMC S-15 Pickups 4.3L V6 (Dual Wing Nut)	12-3/4"	2384	

<sup>\*</sup> Not legal for sale or use on pollution controlled motor vehicles.

<sup>\*</sup> Total Height refers to the minimum clearance required above carburetor flange.



These polished aluminum air cleaner sets are 14° in diameter, and are available in 3 different top designs. Each air cleaner set includes a high-flow paper filter element a recessed, chromed steel bottom and bolt.

SIZE	DESIGN	TOTAL* HEIGHT	FILTER HEIGHT	NECK	BASE	ALUMINUM FINISH	BLACK FINISH	REPL FILTER
14"	PINSTRIPED	2-3/4"	3"	5-1/8"	RECESSED	6700*	7470*	2110
14"	PLAIN	2-3/4"	3"	5-1/8"	RECESSED	6701*	7471*	2110
14"	FLAMED	2-3/4"	3"	5-1/8"	RECESSED	6702*		2110

## OVAL ALUMINUM



High-polished aluminum air cleaners include high-flow paper air filter element and hold down bolt.

SIZE	DESIGN	TOTAL* HEIGHT	FILTER HEIGHT	NECK	BASE	ALUMINUM FINISH	BLACK FINISH	REPL FILTER
8-3/8" X 12"	PINSTRIPED	3-1/8"	2"	5-1/8"	RAISED	6020*	7460*	2391*
8-3/8" X 15"	PINSTRIPED	3-1/8"	2"	5-1/8"	RAISED	6021*	7461*	2392*
8-3/8" X 12"	PLAIN	3-1/8"	2"	5-1/8"	RAISED	6022*		2391*
8-3/8" X 15"	PLAIN	3-1/8"	2"	5-1/8"	RAISED	6023*	7463*	2392*
8-3/8" X 12"	FLAMED	3-1/8"	2"	5-1/8"	RAISED	6024*		2391*

<sup>\*</sup> Total Height refers to the minimum clearance required above carburetor flange.



High-polished aluminum air cleaners include high-flow paper air filter element and hold down bolt.

SIZE	DESIGN	TOTAL* HEIGHT	FILTER HEIGHT	NECK	BASE	ALUMINUM FINISH	BLACK FINISH	REPL FILTER
OVAL AIR	CLEANERS							
8-3/8" X 12"	1/2 FINNED	2-3/4"	2"	5-1/8"	RAISED	6026*	7466*	2391
8-3/8" X 12"	FULL FINNED	2-3/4"	2"	5-1/8"	RAISED	6047*	7467*	2391
8-3/8" X 15"	FULL FINNED	2-3/4"	2"	5-1/8"	RAISED	6048*	7468*	2392
ROUND AIR	CLEANERS							
14"	1/2 FINNED	2-3/4"	3"	5-1/8"	RECESSED	6706*		2110

## ALUMINUM AIR CLEANER TOP & REPLACEMENT BOLT



14" diameter high-polish and ball-mill Pinstriped aluminum air cleaner top. The perfect upgrade to replace your beat up or chrome-plated top.

Description	ALUMINUM Finish	BLACK Finish
14" Aluminum Air Cleaner Top	2490	7459
5" Replacement flat head bolt for aluminum air cleaners	2460	





## AIR CLEANER FILTER ELEMENTS, RISERS & ACCESSORIES

#### **PCV TUBE FITTING**



For hooking up the PCV system to your engine's air cleaner. Part #2192 accommodates different size tubes. 2192 Includes gasket and hardware (#2162 does not include gasket and hardware).

DESCRIPTION	PART #	
PCV Tube Fitting-PLASTIC	2192	
PCV Tube Fitting-ALUMINUM	2162	

#### **AIR CLEANER STUDS & NUTS**



These air cleaner studs & wing nuts can be used on any chrome air cleaner.

LENGTH	THREAD SIZE	PART #
STRAIGHT STUDS	;	
3"	1/4"-20	2174
4"	1/4"-20	2178
5"	1/4"-20	2172
6"	1/4"-20	2175
9"	1/4"-20	2167
OFFSET STUDS		
6"	1/4"-20	2158
7"	1/4"-20	2159

#### AIR CLEANER ADAPTERS



The smooth, aerodynamic design improves airflow. Adapts large neck 4 bbl. air cleaners to 2 bbl. carbs. Heat-resistant plastic.

DESCRIPTION	PART #
5-1/8" neck to 2-5/8" neck	2176*
5-1/8" neck to 3-1/16" neck	2177*

## AIR CLEANER HOLD DOWN FASTENERS



Top off your chrome air cleaner with one of Trans-Dapt's custom air cleaner nut.

DESCRIPTION	THREAD SIZE	PART #
Round Knurled-CHROME	1/4"-20	2160
Spinner a.k.a."Knock-off"-CHROME	1/4"-20	2161
Small Tri-Bar-CHROME	1/4"-20	2179
Wingnut with Flange-Steel/Zinc	1/4"-20	2182
Small Tri-Wing-CHROME	1/4"-20	2185
Large Tri-Wing-CHROME	1/4"-20	2186

#### AIR CLEANER RISERS

Air cleaner risers increase air velocity into your carburetor to help add power. Eliminates air leakage around the carb that causes dicturair and lose



dirty air and loss of power. Heat-resistant plastic.

HEIGHT	NECK SIZE	PART #
1/2"	5-1/8"	2378*
1"	5-1/8"	2379*
11/2"	5-1/8"	2326*
2"	5-1/8"	2380*

## AIR CLEANER RISERS BILLET ALUMINUM



Trans-Dapt's new billet aluminum air cleaner risers increase air velocity into your carburetor to help add power. Manufactured from high-grade aluminum and fitted with a captured 0-ring seal for an absolute air-tight seal. Works with most air cleaner styles, except recessed base models.

HEIGHT	NECK SIZE	PART #
1/2"	5-1/8"	2010*
1"	5-1/8"	2011*

#### HIGH-FLOW PAPER AIR FILTER ELEMENTS



SHAPE	LENGTH	WIDTH	HEIGHT	FOR USE WITH THESE AIR CLEANERS	PART #
ROUND	14"	-	5"	2285-2286-8663-8665	2287
ROUND	14"	1-	3"	2146-2195-2284-2293-6700-6701-6702- 8659-8664-8670	2110
ROUND	14"	12	2-1/8"	2147-2148-2299-2315-8657-8660-8661	2111
ROUND	10"	1-	2-1/8"	2282-2289	2113
ROUND	6-3/8"	-	2-1/2"	2166-2292-8658	2116
ROUND	4"	-	2"	2169-2170-2171-2339-8666-8667-8668	2118
OVAL	20-3/4"	9-3/4"	1-3/4"	-	2324
OVAL	11-3/8"	7-7/8"	2"	6020-6022-6024-6047-6048	2391
OVAL	14-5/8"	7-7/8"	2"	6021-6023-6025	2392
TRIANGLE	14"	14"	3"	2294-8669	2393

<sup>\*</sup> Not legal for sale or use on pollution controlled motor vehicles.

### **FUEL SYSTEM ACCESSORIES**

#### SILICONE VACUUM HOSE

Colorful silicone hose is the perfect way to dress up your engine compartment while replacing dried out, or cracked vacuum hose. Ideal for use on domestic and import vehicles.

I.D. INCH EQUIVALENT

1/8"

1/4"

3/8"

5/16"

Legal for use on 1995 or earlier model year vehicles only.

> HOSE DIAMETER

> > 3mm

6mm

8mm

10mm



HOTTON UND, OIL ON WATEN:		
RED Hose	YELLOW HOSE*	BLUE Hose
5775*	5776*	5777*
5778*	5779*	5780*
5781*	5782*	5783*

5786\*

5785\*

#### COMPLETE ENGINE KITS

6999*	6998*	6997*	3mm-10 ft, 6mm-5 ft,

5784\*

HOSE Length

10 ft.

10 ft.

10 ft.

10 ft.

\*Part numbers in PURPLE will be discontinued when inventory is depleted.

#### VACUUM LINE CAP KIT



THIS KIT CONTAINS:			
DIAMETER	CAP COLOR	QUANTITY	
1/8"	YELLOW	2	
3/16"	BLUE	6	
1/4"	RED	6	
5/16"	WHITE	2	
3/8"	BLACK	4	

DESCRIPTION	PART #
Vacuum Line Cap Kit	9009*

#### BILLET ALUMINUM FUEL LOG



This billet aluminum fuel log is for use with Holley's Dual fuel bowl carburetors. Includes 1/8" NPT port for return line or fuel pressure gauge. Clear anodized finish for longlasting good looks.

DESCRIPTION	PART #
Billet aluminum fuel log for Holley dual fuel bowls (9-5/16" Centers)	2191

#### CHROME-PLATED STEEL FUEL LINES

No bending required. Special flares on carburetor end for improved sealing. 3/8" dia. for excellent flow. 1/8" NPT threads (w/ plug) for fuel pressure gauge (gauge not included).



DESCRIPTION	PART #
Holley Quad (9-5/16" Centers) Dual Meter	2193
Holley Quad (9-5/16" Centers)	2197
Holley 3310 (8-21/32" Centers)	2198
Holley 3310-2 (8-21/32" Centers)	2194

#### CHROME FUEL FILTERS

RE-USEABLE





3/8" diameter straight through inlet and outlet. Replaceable, free-flowing bronze element. Replacement filter element available.

DESCRIPTION	PART #
Filter with clamps	9407
Replacement Bronze Element	9408

#### CHROME FUEL FILTERS DISPOSABLE



Disposable, chrome in-line filter with paper element. Dress up your engine compartment, while protecting it from harmful contaminants.

DESCRIPTION	PART #
3/8" Inlet & Outlet Filter	9177
5/16" Inlet & Outlet Filter	9212

#### **GLASS & CHROME FUEL FILTERS**





Visually inspect the condition of your vehicle's fuel and fuel filter element. Replacement filter kit available.

DESCRIPTION	PART #
3/8" Inlet & Outlet Filter	9245
5/16" Inlet & Outlet Filter	9247
Replacement Filter Kit	9248

#### **FUEL PUMP BLOCK-OFF PLATES** FINNED STYLE





Finned style, die cast fuel pump block-off plates cover the stock fuel pump openings. Gasket included.

DESCRIPTION	PART #
283-400 Small Block Chevy	2057
396-454 Big Block Chevy, V6s & others with 1-3/4" centers	2058

#### **FUEL PUMP BLOCK-OFF PLATES**



These fuel pump block-off plates look great! They are available ball-milled polished aluminum, ballmilled, or chrome steel

DESCRIPTION	ALUMINUM FINISH	CHROME Finish
283-400 Small Block Chevy	6064	2054
396-454 Big Block Chevy, V6s & others with 1-3/4" centers	6065	2055

\*Not legal for sale or use on pollution controlled motor vehicles

#### **FUEL PUMP MOUNTING PLATE**



Ideal for mounting stock OEM fuel pumps. Precision cut, chrome plated steel. Comes complete with gasket.

DESCRIPTION	PART #
283-400 Small Block Chevy	2310



71

## **FUEL SYSTEM ACCESSORIES**

#### FUEL SYSTEM Y-BLOCK BILLET ALUMINUM

K Hamburger's



- 3/8" NPT Female Inlet
- -AN Male Thread Outlets
- 1/8" NPT Gauge Port
- Fittings Included



DESCRIPTION	OUTLET Port size	PART #
Billet Fuel System Y-Block	-4 AN	3345
Billet Fuel System Y-Block	-10 AN	3349

#### **FUEL PRESSURE GAUGE**



Pressure range 0-15 PSI. 1-1/2" diameter, liquid filled black dial. Equipped with 1/8" NPT threaded male fitting.

DESCRIPTION	PART #
0-15 PSI Fuel pressure gauge (Black Dial)	2388

## FUEL PRESSURE REGULATOR CHROME



Regulates fuel pressure from 1-6PSI. Comes with fittings for 5/16" & 3/8" fuel lines.

Connector tubes & clamps included. Chrome plated.

#### NOT For use with fuel-injection systems!

DESCRIPTION	PART #
1-6 lb. Chrome Fuel Regulator	2329

#### **BRASS FUEL FITTINGS**









DESCRIPTION	QUANTITY	PART #
STRAIGHT Fitting; 3/8" NPT to 3/8" I.D. Hose - Barbed	Each	2269
STRAIGHT Fitting; 3/8" NPT to 3/8" I.D. Hose - Barbed	Pair	2270
STRAIGHT Fitting; 3/8" NPT to 1/2" I.D. Hose - Barbed	Pair	2272
90° Fitting; 3/8" NPT to 3/8" I.D. Hose - Barbed	Each	2271
90° Fitting; 3/8" NPT to 1/2" I.D. Hose - Barbed	Each	2273

## PLASTIC "CARBURETOR HAT" CARBURETOR COVER



Keep dirt & contaminants out of your carburetor during storage or down time. Fits carburetors with 5-1/8" necks.

DESCRIPTION	PART #
Plastic 5-1/8' Carburetor Hat	2012

## ALUMINUM "CARBURETOR HAT" CARBURETOR COVER



This spun aluminum carb hat keeps dirt and other contaminants out of your carburetor. For use with 5-1/8" neck carburetors.

DESCRIPTION	PART #
Spun Aluminum 5-1/8' Carburetor Hat	2007

#### STANDARD 6 FT. CHOKE CABLE KIT

Solid steel core and zinc-plated shroud with chromed plastic knob. Requires a 3/8" diameter mounting hole.



#### PREMIUM 6 FT. CHOKE CABLE KIT W/ BILLET KNOB

This premium choke cable has a stainless steel sheath and aluminum knob. Requires a 3/8" mounting hole.



DESCRIPTION	PART #
6 ft. Choke cable kit with billet aluminum knob	4120

## STANDARD UNIVERSAL FIT THROTTLE CABLES

These standard design, universal fit throttle cables have a thick rubber sheath to protect the inner cabling from corrosion and binding.



DESCRIPTION	PART #
24" Universal fit throttle cable	4123
36" Universal fit throttle cable	4124

## PREMIUM UNIVERSAL FIT THROTTLE CABLES

Trans-Dapt's premium throttle cables have a stainless steel sheath and is suitable for any level of hot rod project. Fits carbureted vehicles and 1986-93 Ford EFI Motors.



DESCRIPTION	PART #
24" Carburetor throttle cable - Stainless Steel & Aluminum	8988
36" Carburetor throttle cable - Stainless Steel & Aluminum	4122
24" TUNED PORT throttle cable- Stainless Steel & Aluminum	4119

#### REPLACEMENT THROTTLE CABLES

Replacement throttle cables for Trans-Dapt's discontinued #4103 & #4107 cable throttle kits.



	12
DESCRIPTION	PART #
84" Replacement Cable	4130^

^Part numbers in PURPLE will be discontinued when inventory is depleted.

## FIREWALL NOUNT GAS PEDAL ASSEMBLIES

Trans-Dapt's firewall mount gas pedals are premium quality, and ideal for virtually any hot rod or street rod project. They are universal in design and installation is a breeze. Most models utilize non-slip rubber pad inserts to ensure safe operation, even when the pedal surface is wet.



SHAPE	MATERIALS	PAD DIMENSIONS	PART #
OVAL	All Chromed Steel	-	9507
OVAL	All Polished Aluminum; Rubber Inserts	2-3/8" x 1-9/16"	9505
ROUND	All Polished Aluminum; Rubber Inserts	3-1/4"	9506
PARALLELOGRAM	Polished Aluminum/Steel Arm; Rubber Inserts	4-1/4" x 2"	8956
RECTANGLE	Polished Aluminum/Steel Arm; Rubber Inserts	4" x 1-1/2"	8958
RECTANGLE	All Polished Aluminum; Rubber Inserts	4" x 1-3/4"	9501

#### UNIVERSAL SWING PEDALS



Heavy-duty steel construction for long service. Grooved, rubber pedal pads are included, and provide a safe, non-slip surface.

DESCRIPTION	PART #
Single Swing Pedal for single master cylinder. May be used for brake or clutch. For E.I.S. or Wagner master cylinders	4148
Dual Swing Pedal Assembly is designed for various Bendix master cylinders.	4149

#### FLOOR BOARD MOUNT GAS PEDAL ASSEMBLIES



This classic style street rod gas pedal mounts to the floorboard. And comes complete with everything you'll need, minus the throttle cable.

The vertical, ribbed rubber inserts provide a non-skid surface to ensure your foot stays in place when you mash the go pedal. Quality Trans-dapt throttle cables are available separately. Please refer to page 64 for available throttle cable options.

Matching Headlight Dimmer Switch also available separately.



SHAPE	MATERIALS	PAD Dimensions	PART #
RECTANGLE	POLISHED aluminum pedal with Stain- less steel mounting bracketry	6-1/2" x 2"	9509
RECTANGLE	POLISHED & CHROMED aluminum pedal with Stainless steel mounting bracketry	6-1/2" x 2"	9510
Matching RE	CTANGLE Headlight Dimmer Switch	1-1/2" x 1-3/4"	9508

#### RETRO STYLE BAREFOOT

GAS PEDAL COVER



This barefoot style pedal is reminiscent of the 1970's customizing trend. The pedal easily installs over the factory gas pedal (up to 2" wide) using two steel braces and 4 machine screws, and no modification to the factory pedal is required. The chrome steel pedal has a Black finish with vertical chromed ribs to provide grip.

Matching Headlight Dimmer Switch also available separately.

SHAPE	MATERIALS	PAD DIMENSIONS	PART #
BAREFOOT	Chrome steel with black powdercoat inlay	9" x 4-1/4"	9560
Matching Ba	refoot Headlight Dimmer Switch	4-3/4" x 2"	9561

#### HEADLIGHT DIMMER SWITCH





These dimmer switch pads easily install over your stock floor mounted headlight dimmer switch. Simply push it on and tighten the two set screws to securely attach it. Works with switches up to 7/8" in diameter.

SHAPE	MATERIALS	PAD Dimensions	PART #
BAREFOOT	Chrome steel with black powdercoat inlay	4-3/4" x 2"	9561
RECTANGLE	Polished aluminum with rubber inserts	1-1/2" x 1-3/4"	9508

\*Not legal for sale or use on pollution controlled motor vehicles



#### TRANSMISSION KICKDOWN CABLE KITS



Trans-Dapt Flexible Transmission Kickdown Cables have a tough braided stainless steel housing and come complete with the linkage required to effortlessly install it on your carbureted GM, Ford or Chrysler vehicle. 24° Braided stainless throttle cable assemblu.

DESCRIPTION	PART #
CHRYSLER 727	8964
CHRYSLER 904	8965
FORD C-4	8970
FORD C-6	8981
GM 4L60	8966
GM 700R4	8985
GM 700R4 (Tuned Port)	8967
GM TURBO TH-350	8989
GM TURBO TH-350 (56")	8969
GM TURBO TH-350 (Tuned Port)	8968

#### TRANSMISSION KICK DOWN BRACKET



Chrome plated bracket is for use with Trans-Dapt #9756 throttle cable bracket set on applications with a GM Turbo 350 automatic transmission.

DESCRIPTION	PART #
Turbo 350 Transmission Kickdown Bracket	9757

#### THROTTLE CABLE BRACKET SET



racing projects.

For SB Chevys with throttle cable type linkage. Installs without removing carburetor. Fully adjustable. #9757 bracket is required for use with TH-350 or 400 transmissions. Bolts to intake manifold.

DESCRIPTION	PART #
SB Chevy Throttle Bracket Set	9756

BILLET ALUMINUM THROTTLE BRACKETS

Trans-Dapt's new billet throttle brackets are more than just highly functional, they look

great too. The Anodized finish, along with the

stainless steel hardware and dual return springs will look great for years. Ideal for street rod &

#### THROTTLE RETURN SPRING KITS



This chrome kit allow for easier carb swaps. Works with GM cable brackets and fit most Holley and Carter AFB carburetors. Includes cable and transmission kick down cable bracket. Bolts to intake manifold.

DESCRIPTION	PART #
BB Chevy Throttle Return Spring Kit	2386
SB Chevy Throttle Return Spring Kit (Tall)	2387

#### THROTTLE RETURN SPRING BRACKETS



Chrome-plated carburetor spring brackets provide an extremely convenient location to hook up your carburetor return spring. Designed for SB Chevy & SB Ford motors.

DESCRIPTION	PART #
Throttle Return Spring Bracket; SB Chevy & Others	2291
Throttle Return Spring Bracket; SB Ford & Others	2297

#### CARBURETOR LINKAGE PLATE



Prevent accelerator cable binding and linkage hassles with this chromed steel carburetor linkage plate for Holley carburetors. Includes bracket for GM cable. #2334 bracket for Morse cable available separately.

DESCRIPTION	PART #
Holley & AFB Carb Linkage Plate	2333
Morse Cable Bracket For Carb Linkage Plate	2334

#### CARBURETOR MOUNT THROTTLE RETURN KIT



Mounts directly to the carburetor. Fits Holley 2300 & 2305 series two-barrel, or 4150 & 4160 four-barrel carbs on virtually any engine! Chrome plated. Includes both heavy & light spring sets.

DESCRIPTION	PART #
Holley Carburetor Mount Throttle Return Kit	2083

#### DUAL CARB LINKAGE KIT



Use this kit for connecting dual inline carburetors. Compatible with Holley, Demon, Edelbrock, Carter and Barry Grant carburetors.

DESCRIPTION	PART #
Dual Carburetor Linkage With Hardware	2336

#### CARBURETOR LINKAGE BRACKETS



For use with manual transmissions. Compatible with GM throttle cable. Makes carburetor swaps quick and easy.

DESCRIPTION	PART #
Carb Linkage Bracket; MANUAL Trans.	9619



Compatible with GM cable brackets, and fits most Holley and Carter AFB carburetors. Cable bracket and transmission kickdown cable bracket included.

DESCRIPTION	PART #
Carb Linkage Bracket; AUTOMATIC Trans.	9620

- **Cnc Machined Billet Aluminum**
- **Fully Adjustable**
- Works With GM Snap, Ford And Morse Cables
- Stainless Springs & Hardware

SHAPE	CLEAR Anodized	RED Anodized	BLACK Anodized	BLUE Anodized
Holley 4150 Carburetors	2342	2349	2344	2348
Holley Dominator 4500		2341		

## PREMIUM CONSTRUCTION

Oil Filtration Components & Oil Filter Relocation Kits



- Ultra High-Flow Design
- -12an Inlet/Outlet Ports (O-Ring Design)
- True-Dual<sup>™</sup> Filter Bases Offer True Double Filtering Of Engine Oil
- Ideal For Race, Marine & Diesel Use
- **Built-In Instrumentation Port** (On Select Models)
- 100% CNC Machined 6061-T6 Aluminum
- Lifetime Warranty On All Hamburger's Billet Oil **Filtration Products**







Billet Kits Include -12 AN Fittings



Select bases include Instrumentation Port

HAMBURGER'S PERFORMANCE PRODUCTS Oil Filtration Components and Oil Filter Relocation Kits are the pinnacle of quality and performance. CNC machined in our California manufacturing facility using durable, lightweight, aircraft-quality aluminum, Hamburger's components are durable and provide high enough oil flow for virtually any automotive application— from daily driver to top fuel dragster.

Now, the same high quality filtration components you've trusted for nearly a decade are available as complete relocation kits. Check out the charts on the following pages for a selection of single filter, dual filter and multi-position oil filter relocation kits. Each kit includes a remote filter base, application specific filter bypass adapter, aluminum fittings and braided oil lines.

## STANDARD-DUTY CONSTRUCTION

Cast Aluminum\* Oil Filtration Components & Oil Filter Relocation Kits



- Many Old School Engine, Bolt-On Style Bypass Adapters Available
- Cast Aluminum Construction
- Hand-Finished Port Threads
- Complete Oil Filter Relocation Kits & **Individual Components Available**
- All New Horizontal Port And 90° Bypass Adapter Filter Relocation Kits Available



TRANS-DAPT PERFORMANCE PRODUCTS has been manufacturing engine oil filter products since the mid-60's, and began offering complete remote oil filter

relocation kits in 1984. While designs

have changed and production equipment may have been updated over the past 40 years, Trans-Dapt's dedication to manufacturing quality oil filtration components has not. From simple daily drivers to classic muscle cars, Trans-Dapt's oil filtration components and remote filter kits are an ideal, cost effective choice for upgrading or repairing your engine's oiling system. Cast aluminum oil filtration components are


not suitable for use on diesel, race or marine applications. For these applications use our Hamburger's billet oil filtration components.



CAST relocation kits include 30" high-temp/pressure Oil Lines



CAST relocation kits include solid brass barbed fittings








## REMOTE OIL FILTER RELOCATION KIT SYSTEM STYLE REFERENCE PHOTOS

Use these photos to assist in the choosing of an oil filter relocation kit system for your project. Match the reference letter in the product charts on these pages to the reference letters in this reference guide to identify the components included with that oil filter relocation kit type.



SINGLE OIL FILTER RELOCATION KITS														
198				IGINE INFORMA		-		NT BASE INFO				0	œ	
		ENGINE	OIL FILTER	R FLANGE & NIF	PLE SIZE	INLET	OUTLET PO	ORT SIZE 6 S	TYLE				FILTER	
BYPASS STYLE	PHOTO Reference (See Above)	I.D.	O.D.	ENGINE OIL FILTER NIPPLE SIZE	MOUNTING Style	PORT ORIENTATION	PORT SIZE	FILTER SIZE (Or Equivalent)	AUXILIARY Port	MATERIAL	SYSTEM Part#	REPLACEMENT Bypass o-ring	REPLACEMENT Base NIPPLE	BRAND
DODGE [/	STATE OF THE PARTY OF	THE RESERVE TO SERVE THE PARTY OF THE PARTY	Carried Street, Street, St.		THE RESERVE AND PERSONS NAMED IN	. [2002 0	71 5 7	L 4 11						
CHRYSLER S	1000	0.13.196006960	10 YO 40 YOUR	A TANKS AND TOWN	221.00		10000000000	200000000			0050			(Hamburgania)
Standard	С	2-1/2"	2-3/4"	3/4"-16	Spin-On	Horizontal	-12 AN	PH8A	1/8" NPT	Billet	3353	1042	1034	Hamburger's
Standard	G	2-1/2"	2-3/4"	3/4"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1513	1042	1034	TOTRANS
Standard	D	2-1/2"	2-3/4"	3/4"-16	Spin-On	Vertical	-12 AN	PH8A	None	Billet	3363	1042	1034	Hamburger's
Standard	1	2-1/2"	2-3/4"	3/4"-16	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1113	1042	1034	TOTRANS
90°	Н	2-1/2"	2-3/4"	3/4"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1813	1042	1034	TOTRANS
90°	J	2-1/2"	2-3/4"	3/4"-16	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1613	1042	1034	TOTRANS
DODGE HEMI	ENGINE	S [200	8-19]	5.7L, 6.1L	-6.4L V	8								
Standard	C	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Horizontal	-12 AN	HP4	1/8" NPT	Billet	3357	1042	1066	Hamburger's
Standard	G	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1527	1042	1034	TOTRANS
Standard	D	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Vertical	-12 AN	HP4	None	Billet	3367	1042	1066	Hamburger's
DODGE CUMN	NINS DII	ESEL 5.	9L											
Standard	C	2-1/4"	3-11/16"	1"-16	Spin-On	Horizontal	-12 AN	HP6	1/8" NPT	Billet	3358	1037	3334	Hamburger's
Standard	D	2-1/4"	3-11/16"	1"-16	Spin-On	Vertical	-12 AN	HP6	None	Billet	3368	1037	3334	Hamburger's

<sup>\*</sup>Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!

		BY	PASS & E	OIL F	TION	RELOCATION KITS (CO REMOTE FILTER MOUNT BASE INFORMATION INLET/OUTLET PORT SIZE & STYLE				ONTINU	IED)	FILTER		
BYPASS STYLE	PHOTO Reference (See Above)	LD.	0.D.	ENGINE OIL FILTER NIPPLE SIZE	MOUNTING Style	PORT ORIENTATION	PORT SIZE	FILTER SIZE (Or Equivalent)	AUXILIARY Port	MATERIAL	SYSTEM Part#	REPLACEMENT By pass 0-ring	REPLACEMENT FII Base Nipple	BRAND
FORD														

FORD														
FORD INLINE	6, V6	AND V	8 ENGI	NES		4								
Standard	С	2-1/2"	2-3/4"	3/4"-16	Spin-On	Horizontal	-12 AN	PH8A	1/8" NPT	Billet	3353	1042	1034	Hamburger's
Standard	G	2-1/2"	2-3/4"	3/4"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1513	1042	1034	TOTRANS
Standard	D	2-1/2"	2-3/4"	3/4"-16	Spin-On	Vertical	-12 AN	PH8A	None	Billet	3363	1042	1034	Hamburger's
Standard	ı	2-1/2"	2-3/4"	3/4"-16	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1113	1042	1034	TOTRANS
90°	Н	2-1/2"	2-3/4"	3/4"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1813	1042	1034	DTRANS
90°	J	2-1/2"	2-3/4"	3/4"-16	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1613	1042	1034	TOTRANS
FORD 4.6L, 5	5.OL [C	OYOTE]	5.4L	MODULAR	V8 & 6	.8L V10, !	5.8L							
Standard	С	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Horizontal	-12 AN	HP4	1/8" NPT	Billet	3357	1042	1066	Hamburger's
Standard	G	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1527	1042	1034	TOTRANS
Standard	D	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Vertical	-12 AN	HP4	None	Billet	3367	1042	1066	Hamburger's
Standard	1	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1127	1042	1034	TRANS
90°	Н	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1827	1042	1034	TRANS
90°	J	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1627	1042	1034	TRANS
FORD 7.3L D	IESEL [1	I-1/2"- <sup>-</sup>	16 THR	EAD]										
Standard	C	3-1/2"	4-11/16"	1-1/2"-16	Spin-On	Horizontal	-12 AN	PH3786	None	Billet	3316	1039	3382	Hamburger's
Standard	C	3-1/2"	4-11/16"	1-1/2"-16	Spin-On	Vertical	-12 AN	PH3786	None	Billet	3317	1039	3382	Hamburger's
FORD DIESEL	[1-1/2"	'-12 TH	READ]											
Standard	C	particular and the second	Annual Control	And the State of State of	Spin-On	Horizontal	-12 AN	HP6	1/8" NPT	Billet	3359	1039	3334	Hamburger's
Standard	D	3-1/2"	4-11/16"	1-1/2"-12	Spin-On	Vertical	-12 AN	HP6	None	Billet	3369	1039	3334	Hamburger's

## **GENERAL MOTORS**

GENERAL MO	TORS V	6, 4 C	YLINDE	R & IMPO	RTS									
Standard	C	2-1/2"	2-3/4"	18mm x 1.5	Spin-On	Horizontal	-12 AN	HP4	1/8" NPT	Billet	3356	1042	1066	Hamburger's
Standard	G	2-1/2"	2-3/4"	18mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1550	1042	1034	TOTRANS
Standard	D	2-1/2"	2-3/4"	18mm x 1.5	Spin-On	Vertical	-12 AN	HP4	None	Billet	3366	1042	1066	Hamburger's
Standard		2-1/2"	2-3/4"	18mm x 1.5	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1150	1042	1034	TOTRANS
90°	Н	2-1/2"	2-3/4"	18mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1850	1042	1034	TOTRANS
90°	J	2-1/2"	2-3/4"	18mm x 1.5	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1650	1042	1034	TOTRANS

<sup>\*</sup>Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!



SINGLE OIL FILTER RELOCATION KITS (CONTINUED)														
		1000		NGINE INFORMAT R Flange & Nif		300000000000000000000000000000000000000		NT BASE INFO IRT SIZE & S					FILTER	
BYPASS STYLE	PHOTO REFERENCE (SEE ABOVE)	I.D.	O.D.	ENGINE OIL FILTER NIPPLE SIZE	MOUNTING Style	PORT ORIENTATION	PORT SIZE	FILTER SIZE (Or Equivalent)	AUXILIARY	MATERIAL	SYSTEM Part#	REPLACEMENT BYPASS O-RING	REPLACEMENT FII Base Nipple	BRAND
GENERAL	MOT	ORS	[CON	TINUED]										
BUICK, OLDS	, PONTI	AC, CA	DILLA	C V8, 199	9-06 GN	1 LS [4.8	, 5.3, 6	5.0L]		Tr (II)				4
Standard	C	2-1/2"	2-3/4"	13/16"-16	Spin-On	Horizontal	-12 AN	HP4	1/8" NPT	Billet	3355	1042	1066	Hamburger's
Standard	G	2-1/2"	2-3/4"	13/16"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1520	1042	1034	TOTRANS
Standard	D	2-1/2"	2-3/4"	13/16"-16	Spin-On	Vertical	-12 AN	HP4	None	Billet	3365	1042	1066	Hamburger's
Standard		2-1/2"	2-3/4"	13/16"-16	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1120	1042	1034	TOTRANS
90°	Н	2-1/2"	2-3/4"	13/16"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1820	1042	1034	TOTRANS
90°	J	2-1/2"	2-3/4"	13/16"-16	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1620	1042	1034	TOTRANS
LS Swap Pan Integration	G	NO BYPAS fittings	S! Oil line on Aftern	s attach direc narket LS swap	tly to -10AN o oil pans	Horizontal	1/2" NPT	PH8A	None	Cast	1014	No Bypass	1034	TOTRANS
LS Swap Pan Integration	1			s attach direc market LS swa		Vertical	1/2" NPT	PH8A	None	Cast	1012	No Bypass	1034	TOTRANS
LS Swap Pan Integration	C			lines attach dir termarket LS sv		Horizontal	-12 AN	PH8A	1/8" NPT	Billet	3370	No Bypass	1034	Hamburger's
GM LS 2007	-15 [4.	8L, 5.3	L, 6.0l	.]	2						Ŷ			
Standard	C	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Horizontal	-12 AN	HP4	1/8" NPT	Billet	3357	1042	1066	Hamburger's
Standard	G	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1527	1042	1034	TOTRANS
Standard	D	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Vertical	-12 AN	HP4	None	Billet	3367	1042	1066	Hamburger's
Standard	1	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1127	1042	1034	TOTRANS
90°	Н	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1827	1042	1034	TOTRANS
90°	J	2-1/2"	2-3/4"	22mm x 1.5	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1627	1042	1034	TOTRANS
LS Swap Pan Integration	G			lines attach dir termarket LS sv		Horizontal	1/2" NPT	PH8A	None	Cast	1014	No Bypass	1034	TOTRANS
LS Swap Pan Integration	1			lines attach dir termarket LS s		Vertical	1/2" NPT	PH8A	None	Cast	1012	No Bypass	1034	TOTRANS
LS Swap Pan Integration	C			lines attach dir termarket LS sv		Horizontal	-12 AN	PH8A	1/8" NPT	Billet	3370	No Bypass	1034	Hamburger's
CHEVY SMA	LL-BLO	CK & BI	G-BLO	CK V8	140									
Standard	C	3-3/16"	3-7/16"	13/16"-16	Spin-On	Horizontal	-12 AN	HP4	1/8" NPT	Billet	3354	1043	1066	Hamburger's
Standard	G	3-3/16"	3-7/16"	13/16"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1522	1043	1034	TOTRANS
Standard	D	3-3/16"	3-7/16"	13/16"-16	Spin-On	Vertical	-12 AN	HP4	None	Billet	3364	1043	1066	Hamburger's
Standard	1	3-3/16"	3-7/16"	13/16"-16	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1122	1043	1034	
<b>IMPORTS</b>	ANI	SO	ME .	JEEPS										
Standard	G	2-1/2"	2-3/4"	20mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1558	1042	1034	TOTRANS
Standard	1	2-1/2"	2-3/4"	20mm x 1.5	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1158	1042	1034	TOTRANS
90°	Н	2-1/2"	2-3/4"	20mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast	1858	1042	1034	TOTRANS
90°	J	2-1/2"	2-3/4"	20mm x 1.5	Spin-On	Vertical	1/2" NPT	PH8A	None	Cast	1658	1042	1034	TOTRANS

<sup>\*</sup>Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!

MULTI-POSITION OIL FLTER RELOCATION KITS													
	9	BYPASS & E Engine oil filte	NGINE INFORMAT R Flange & Nip			CONTRACTOR AND ADDRESS.	NT BASE INFOR IRT SIZE & ST					FILTER	
BYPASS STYLE	PHOTO REFERENCE (SEE ABOVE)	I.D. 0.D.	ENGINE OIL FILTER NIPPLE SIZE	MOUNTING Style	PORT ORIENTATION	PORT SIZE	FILTER SIZE (Or Equivalent)		MATERIAL	SYSTEM Part#	REPLACEMENT BYPASS O-RING	REPLACEMENT FII Base Nipple	BRAND
DODGE [/	AND	OTHER N	10PAR	5]									- A
CHRYSLER S	LANT 6	AND V8; DO	DGE HEMI	ENGINES	S [2003-0	07] 5.7	L, 6.1L		-		: :	1	
Standard	В	2-1/2" 2-3/4"	3/4"-16	Spin-On	Horizontal	-12 AN	PH8A	None	Billet	3373	1042	1034	Hamburger's
DODGE HEMI	ENGINE	S [2008-19]	5.7L, 6.1L	-6.4L V	/8								
Standard	В	2-1/2" 2-3/4"				-12 AN	HP4	None	Billet	3377	1042	1066	Hamburger's
DODGE CUMN	NINS DI	ESEL 5.9L											
Standard	В	2-1/4" 3-11/16	" 1"-16	Spin-On	Horizontal	-12 AN	HP6	None	Billet	3378	1037	3334	Hamburger's
FORD													
FORD 4.6L, 5	OI TO	OVOTET 5 AL	V0 4 0I	V10									
Standard	B	2-1/2" 2-3/4"	N 5 45 6 45 45 45 45 45 45 45 45 45 45 45 45 45	S100131 10111	Horizontal	-12 AN	HP4	None	Billet	3377	1042	1066	Hamburger's
			NAME OF THE PROPERTY OF THE PR	•				12415	2021204				C. Performance Products
FORD INLINE Standard	6, V6 B	2-1/2" 2-3/4"		Snin-On	Horizontal	-12 AN	PH8A	None	Billet	3373	1042	1066	[Hamburger's]
		- X		opin-on	Horizontai	12 AN	THON	None	Billet	0070	1012		Performance Problems
FORD 7.3L D				C-i- O-	Harinantal	10 AN	DU2700	Nama	Dillet	2210	1020	2202	[Hamburger's]
Standard	В	3-1/2" 4-11/16	1-1/2 -16	Spin-un	HOFIZORIAI	-12 AN	PH3786	None	Billet	3319	1039	3382	Per Turnesse e Products
FORD DIESEL	A STATE OF THE PARTY OF THE PAR	between accounts	Non-Market Control			Acceptant.		8	2,000			981	
Standard	В	3-1/2" 4-11/16	" 1-1/2"-12	Spin-On	Horizontal	-12 AN	HP6	None	Billet	3379	1039	3334	Hamburger's
GENERAL	MOT	ORS											
BUICK, OLDS	, PONTI	AC, CADILLA	C V8										
Standard	В	2-1/2" 2-3/4"	13/16"-16	Spin-On	Horizontal	-12 AN	HP4	None	Billet	3375	1042	1066	Hamburger's
CHEVY SMA	LL-BLO	CK & BIG-BLO	CK V8	t .	±q /	X8 - 1	e s						
Standard	В	3-3/16" 3-7/16	" 13/16"-16	Spin-On	Horizontal	-12 AN	HP4	None	Billet	3374	1043	1066	Hamburger's
GM V6, 4 C	YLINDEF	R & IMPORTS											
Standard	В	2-1/2" 2-3/4"	18mm x 1.5	Spin-On	Horizontal	-12 AN	HP4	None	Billet	3376	1042	1066	Hamburger's
GM LS 1999-	-06 Г4.	8L. 5.3L. 6.0	)L1		Hit .								
Standard	В	2-1/2" 2-3/4"		Spin-On	Horizontal	-12 AN	HP4	None	Billet	3375	1042	1066	Hamburger's
LS Swap Pan Integration	В	NO BYPASS! Oil -10AN fittings on Af	lines attach dir ftermarket LS sv		Horizontal	-12 AN	PH8A	-8 AN	Billet	3372	No Bypass	1034	Hamburger's
GM LS 2007	-15 [4.	8L, 5.3L, 6.0	L]										
Standard	В	2-1/2" 2-3/4"		Spin-On	Horizontal	-12 AN	HP4	None	Billet	3377	1042	1066	Hamburger's
LS Swap Pan Integration	В	NO BYPASS! Oil -10AN fittings on Af	lines attach dir ftermarket LS sv		Horizontal	-12 AN	PH8A	-8 AN	Billet	3372	No Bypass	1034	Hamburger's

<sup>\*</sup>Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!



°°	DUAL	OIL FI	LTER	RELOC	ATIO	N KI	TS	10				
	BYPASS 6 I Engine oil filte	ENGINE INFORMA Er flange & Nii	100 mm	- desired desired		T BASE INFOR RT Size & St					LTER	
7E										MENT D-RING	MENT FI	
WE SELECT STATE STATE STATE STATE	LD. 0.D.	ENGINE OIL Filter Nipple Size	MOUNTING STYLE	PORT ORIENTATION	PORT SIZE	FILTER SIZE (Or Equivalent)	AUXILIARY PORT	MATERIAL	SYSTEM PART#	REPLACEMENT Bypass o-ring	REPLACEMENT FILTER Base Nipple	BRAND
DODGE [AND	OTHER I	/OPAR	S]				3,3007		- 540-540-64		10.765	77-300000V
CHRYSLER SLANT 6									0000			(Hamburger C)
	2-1/2" 2-3/4"			Horizontal		PH8A	-8 AN	Billet Aluminum		1042	1034	Hamburger's
Standard	2-1/2" 2-3/4"	3/4"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast Aluminum	1213	1042	1034	DAPT
90° F	2-1/2" 2-3/4"	3/4"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast Aluminum	1713	1042	1034	DTRANS
DODGE HEMI ENGINES	S [2008-19]	5.7L, 6.1	L-6.4L \	/8	J							
Standard	2-1/2" 2-3/4"	22mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast Aluminum	1227	1042	1034	DTRANS
90° [F	2-1/2" 2-3/4"	22mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast Aluminum	1727	1042	1034	DTRANS
Standard A	2-1/2" 2-3/4"	22mm x 1.5	Spin-On	Horizontal	-12 AN	HP4	-8 AN	Billet Aluminum	3387	1042	1066	Hamburger's
DODGE CUMMINS DIE	SEL 5.9L											
Standard A	2-1/4" 3-11/16	1"-16	Spin-On	Horizontal	-12 AN	HP6	-8 AN	Billet Aluminum	3388	1037	3334	Hamburger's
FORD												
FORD INLINE 6, V6	AND V8 ENG	INES										
	2-1/2" 2-3/4"		Spin-On	Horizontal	-12 AN	PH8A	-8 AN	Billet Aluminum	3383	1042	1034	Hamburger's
Standard	2-1/2" 2-3/4"	3/4"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast Aluminum	1213	1042	1034	TOTRANS
90° F	2-1/2" 2-3/4"	3/4"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast Aluminum	1713	1042	1034	TOTRANS
4.6L, 5.0L [COYOTE]	1 5 41 MOD	III AR 68	I V10		**	- 8		Se N				
31-03	2-1/2" 2-3/4"			Horizontal	1/2" NPT	PH8A	None	Cast Aluminum	1227	1042	1034	TOTRANS
90° F	2-1/2" 2-3/4"	22mm x 1.5	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast Aluminum	1727	1042	1034	TOTRANS
	2-1/2" 2-3/4"					HP4	-8 AN	Billet Aluminum	3387	1042	1066	(Hamburger's)
				S NO VENEZUA DE CO	100000000		200350			1000000	1000000	Performance Products
FORD 7.3L DIESEL [1	3-1/2" 4-11/16	es manes liveres	Snin-On	Horizontal	-12 AN	PH3786	-8 AN	Billet Aluminum	3318	1039	3382	Hamburger's
			opiii oii	Horizontar	12.111	1110700	07.11		0010			Performance Products
FORD DIESEL [1-1/2" Standard	3-1/2" 4-11/16	A STREET, WAS I	Snin_Nn	Horizontal	_12 AN	HP6	-8 AN	Billet Aluminum	3389	1039	3334	(Hamburger's)
		1-1/2 -12	Spiii-Oii	Horizontal	-12 AN	111 0	-0 AN	Diliet Aluminum	3303	1000	0007	Performent in Prosterio
GENERAL MOT												
GENERAL MOTORS V				Harinantal	1 /01 NDT	DUGA	None	Cout Novelines	1250	1042	1024	TATRANS
_	2-1/2" 2-3/4"					PH8A	None	Cast Aluminum	1250	1042	1034	TOTRANS TOTRANS
	2-1/2" 2-3/4"					PH8A	None	Cast Aluminum		1042	1034	TOTRANS
Standard A	2-1/2" 2-3/4"	18mm x 1.5	Spin-On	Horizontal	-12 AN	HP4	-8 AN	Billet Aluminum	3386	1042	1066	Hamburger's
CHEVY / GMC SB &	BB V8				· · · · · ·		1000					
Standard	3-3/16" 3-7/16"	13/16"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast Aluminum	1222	1043	1034	TOTRANS
Standard A	3-3/16" 3-7/16"	13/16"-16	Spin-On	Horizontal	-12 AN	HP4	-8 AN	Billet Aluminum	3384	1043	1066	Hamburger's
GM LS 1999-06 [4.8	BL, 5.3L, 6.0	DL]										
Standard	2-1/2" 2-3/4"	13/16"-16	Spin-On	Horizontal	1/2" NPT	PH8A	None	Cast Aluminum	1220	1042	1034	DTRANS

#### DUAL OIL FILTER RELOCATION KITS (CONTINUED) FILTER ENGINE OIL FILTER FLANGE 6 NIPPLE SIZE INLET/OUTLET PORT SIZE & STYLE REPLACEMENT BYPASS O-RING ACEMENT NIPPLE ENGINE OIL **FILTER SIZE** REPL MOUNTING FILTER NIPPLE PORT **AUXILIARY** SYSTEM (Or BYPASS STYLE 0.D. SIZE STYLE ORIENTATION | PORT SIZE | PORT MATERIAL PART# BRAND GM LS 1999-06 [4.8L, 5.3L, 6.0L] DAPT Cast Aluminum 1720 90° 2-1/2" 2-3/4" 13/16"-16 Spin-On Horizontal 1/2" NPT 1042 1034 PH8A None Hamburger's 2-1/2" 2-3/4" 13/16"-16 Spin-On Horizontal -12 AN HP4 Billet Aluminum 3385 Standard -8 AN 1042 1066 LS Swap Pan NO BYPASS! Oil lines attach directly to DAPT PH8A 1016 Horizontal 1/2" NPT Cast Aluminum No Bypass None 1034 Integration -10AN fittings on Aftermarket LS swap oil pans LS Swap Pan NO BYPASS! Oil lines attach directly to Hamburger's PH8A Horizontal -12 AN Billet Aluminum 3371 No Bypass 1034 -8 AN -10AN fittings on Aftermarket LS swap oil pans Integration GM LS 2007-15 [4.8L, 5.3L, 6.0L] TRANS Horizontal 1/2" NPT 2-1/2" 2-3/4" 22mm x 1.5 Spin-On 1227 Standard PH8A None Cast Aluminum 1042 1034 DAPT 2-1/2" 2-3/4" 22mm x 1.5 Spin-On Horizontal 1/2" NPT 1727 90° 1042 1034 PH8A Cast Aluminum None 2-1/2" 2-3/4" 22mm x 1.5 Spin-On Hamburger's Horizontal -12 AN HP4 Billet Aluminum 3387 Standard -8 AN 1042 1066 LS Swap Pan NO BYPASS! Oil lines attach directly to DAPT Cast Aluminum 1016 PH8A No Bypass 1034 Horizontal 1/2" NPT None -10AN fittings on Aftermarket LS swap oil pans Integration LS Swap Pan NO BYPASS! Oil lines attach directly to PH8A Hamburger's Billet Aluminum 3371 Horizontal -12 AN -8 AN No Bypass 1034 -10AN fittings on Aftermarket LS swap oil pans Integration **IMPORTS** [WITH 20MM X 1.5 OIL FILTER NIPPLE]; JEEP DAPT 2-1/2" 2-3/4" 20mm x 1.5 Spin-On Horizontal 1/2" NPT 1258 1042 1034 Standard PH8A None Cast Aluminum 90° 2-1/2" 2-3/4" 20mm x 1.5 Spin-On Horizontal 1/2" NPT PH8A Cast Aluminum 1758 1042 1034 None


## REMOTE MOUNT OIL FILTER BASES

Use these remote oil filter mounting brackets to relocate your oil filter for easier access, or to increase the oil capacity of your vehicle's lubrication system. Match the reference letter in the product charts below to these photos for product identification.

# STANDARD-DUTY CONSTRUCTION Cast Aluminum\* REMOTE FILTER BASES









# PREMIUM CONSTRUCTION Billet Aluminum REMOTE FILTER BASES









DESIGN	REFERENCE Photo	MATERIAL	PORT ORIENTATION	INLET/OUTLET PORT SIZE			FILTER SIZE (OR EQUIVALENT)	PART #	REPLACEMENT NIPPLE	BRAND
MULTI-P	OSITIO	ON REMOT	E OIL FI	ILTER BA	ASES					
Multi-Position	N	Billet Aluminum	Horizontal	-12AN	None	1-1/2"-12	HP6	3350	3334	Hamburger's
Multi-Position	N	Billet Aluminum	Horizontal	-12AN	None	13/16"-16	HP4	3302	1066	Hamburger's

\*Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!



## REMOTE MOUNT OIL FILTER BASES (CONTINUED)

DESIGN	REFERENCE Photo		PORT ORIENTATION	INLET/OUTLET Port size			FILTER SIZE (OR EQUIVALENT)	PART #	REPLACEMENT NIPPLE	BRAND
MULTI-PO	OSITIO	ON REMOT	E OIL FI	LTER BA	ASES	[CONTINUE	D]			
Multi-Position	N	Billet Aluminum	Horizontal	-12AN	None	3/4"-16	PH8A	3344	1034	Hamburger's
Multi-Position	N	Billet Aluminum	Horizontal	-12AN	None	1-1/2"-16	PH3786	3315	3382	Hamburger's
Multi-Position	N	Billet Aluminum	Horizontal	-12AN	None	1"-16	M1-403	3307	3380	Hamburger's
SINGLE R	EMOT	E OIL FILT	ER BAS	ES - V	ERTIC	AL POI	RTS			
Vertical	P	Billet Aluminum	Vertical	-12AN	None	1-1/2"-12	HP6	3304	3334	Hamburger's
Vertical	P	Billet Aluminum	Vertical	-12AN	None	13/16"-16	HP4	3347	1066	Hamburger's
Vertical	P	Billet Aluminum	Vertical	-12AN	None	3/4"-16	PH8A	3343	1034	Hamburger's
Vertical	P	Billet Aluminum	Vertical	-12AN	None	1-1/2"-16	PH3786	3309	3082	Hamburger's
Vertical	P	Billet Aluminum	Vertical	-12AN	None	1"-16	M1-403	3306	3080	Hamburger's
Vertical	К	Cast Aluminum	Vertical	1/2 NPT	None	3/4"-16	PH8A	1028	1030	TOTRANS
Vertical	К	Cast Aluminum	Vertical	1/8 NPT	None	3/4"-16	PH8A	1075	1030	TOTRANS
SINGLE R	EMOT	E OIL FILT	ER BAS	ES - H	ORIZO	NTAL I	PORTS			
Horizontal	0	Billet Aluminum	Horizontal Left Facing	-12AN	1/8 NPT	1-1/2"-12	HP6	3301	3334	Hamburger's
Horizontal	0	Billet Aluminum	LEFT-TO-RIGHT OIL FLOW	-12AN	1/8 NPT	1-1/2"-12	HP6	3402	3334	Hamburger's
Horizontal	0	Billet Aluminum	RIGHT-TO-LEFT OIL FLOW	-12AN	1/8 NPT	1-1/2"-12	HP6	3407	3334	Hamburger's
Horizontal	0	Billet Aluminum	Horizontal	-12AN	None	13/16"-16	HP4	3303	1066	Hamburger's
Horizontal	0	Billet Aluminum	Horizontal	-12AN	1/8 NPT	3/4"-16	PH8A	3300	1034	Hamburger's
Horizontal	0	Billet Aluminum	Horizontal	-12AN	None	1-1/2"-16	PH3786	3308	3082	Hamburger's
Horizontal	0	Billet Aluminum	LEFT-TO-RIGHT OIL FLOW	-12AN	None	1-1/2"-16	PH3786	3403	3082	Hamburger's
Horizontal	0	Billet Aluminum	RIGHT-TO-LEFT OIL FLOW	-12AN	None	1-1/2"-16	PH3786	3408	3082	Hamburger's
Horizontal	0	Billet Aluminum	Horizontal	-12AN	1/8 NPT	1"-16	M1-403	3305	3080	Hamburger's
Horizontal	L	Cast Aluminum	Horizontal	1/2 NPT	None	3/4"-16	PH8A	1045	1034	TOTRANS
DUAL RE	MOTE	OIL FILTE	R BASES	S						
True-Dual	R	Billet Aluminum	Horizontal	-12AN	-8AN	1-1/2"-12	HP6	3311	3334	Hamburger's
True-Dual	R	Billet Aluminum	Horizontal	-12AN	-8AN	13/16"-16	HP4	3313	1066	Hamburger's
True-Dual	R	Billet Aluminum	Horizontal	-12AN	-8AN	3/4"-16	PH8A	3310	1034	Hamburger's
True-Dual	R	Billet Aluminum	Horizontal	-12AN	-8AN	1-1/2"-16	PH3786	3314	3382	Hamburger's
True-Dual	R	Billet Aluminum	Horizontal	-12AN	-8AN	1"-16	M1-403	3312	3380	Hamburger's
Double Capacity	М	Cast Aluminum	Horizontal	1/2 NPT	None	3/4"-16	PH8A	1030	1034	TOTRANS

<sup>\*</sup>Cast Aluminum filtration components are <u>not for use on Race, Marine or Diesel Applications!</u>

SPIN-ON FILTER
Trans-Dapt and Hamburger's spin-on style filter bypass adapters install as easily as an oil filter and allow you to run oil lines to a remote filter base or dry sump oiling system. Match the reference letter in the product charts below to these photos for product identification.

# STANDARD-DUTY CONSTRUCTION









VIANDAND DIF	AUU AUAF ILIK	OO DEGME	- DII AGO ADAI II	-"	1	V1.	INDAND DIFAGO	APARTEN	
BYPASS STYLE	REFERENCE PHOTO	MATERIAL	INLET/OUTLET PORT SIZE	NIPPLE SIZE	I.D.	0.D.	PART #	REPLACEMENT 0-RING	BRAND
DDGE [AND	OTHER	<b>MOPARS</b>							
IRYSLER SLANT	6 AND V8;	DODGE HEMI EN	GINES [2003	3-07] 5.7L,	6.1L, VA	RIOUS MOPA	R ENGINES		
Standard	U	Billet Aluminum	-12AN	3/4"-16	2-1/2"	2-3/4"	3320	1042	Hamburger
Standard	S	Cast Aluminum	1/2 NPT	3/4"-16	2-1/2"	2-3/4"	1013	1042	DTRAN
90°	T	Cast Aluminum	1/2 NPT	3/4"-16	2-1/2"	2-3/4"	1413	1042	TOTRAN
DGE HEMI ENGIN	ES [2008-1	19] 5.7L, 6.1L-6	.4L V8	ı S		203			
Standard	U	Billet Aluminum	-12AN	22mm-1.5	2-1/2"	2-3/4"	3323	1042	Hamburger
Standard	S	Cast Aluminum	1/2 NPT	22mm-1.5	2-1/2"	2-3/4"	1027	1042	TOTRAN
90°	T	Cast Aluminum	1/2 NPT	22mm-1.5	2-1/2"	2-3/4"	1427	1042	DTRAN
DOGE CUMMINS D	IESEL								
Standard	U	Billet Aluminum	-12AN	1"-16	2-1/4"	3-11/16"	3351	1037	Hamburger
ORD	- T								
RD INLINE 6, V6	AND V8 E	NGINES	w :			42	10		
Standard	U	Billet Aluminum	-12AN	3/4"-16	2-1/2"	2-3/4"	3320	1042	Hamburger
Standard	S	Cast Aluminum	1/2 NPT	3/4"-16	2-1/2"	2-3/4"	1013	1042	DTRAN
90°	T	Cast Aluminum	1/2 NPT	3/4"-16	2-1/2"	2-3/4"	1413	1042	TOTRAN
6L, 5.0L [COYOT	E], 5.4L M	ODULAR, 6.8L V	10	- 10		allo			-
Standard	U	Billet Aluminum	-12AN	22mm-1.5	2-1/2"	2-3/4"	3323	1042	Hamburger
Standard	S	Cast Aluminum	1/2 NPT	22mm-1.5	2-1/2"	2-3/4"	1027	1042	TOTRAN
90°	T	Cast Aluminum	1/2 NPT	22mm-1.5	2-1/2"	2-3/4"	1427	1042	DAPI
RD 7.3L DIESEL	[1-1/2"-16	THREAD]				40			
Standard	U	Billet Aluminum	-12AN	1-1/2"-16	3-1/2"	4-11/16"	3360	1039	Hamburger
RD DIESEL [1-1/2	2"-12 THRE	AD]							
Standard	U	Billet Aluminum	-12AN	1-1/2"-12	3-1/2"	4-11/16"	3352	1039	Hamburger
NERAL MO	TORS								
IICK, CADILLAC,	OLDSMOBIL	E, PONTIAC							
Standard	U	Billet Aluminum	-12AN	13/16"-16	2-1/2"	2-3/4"	3324	1042	Hamburger
Standard	S	Cast Aluminum	1/2 NPT	13/16"-16	2-1/2"	2-3/4"	1020	1042	DTRAN
90°	T	Cast Aluminum	1/2 NPT	13/16"-16	2-1/2"	2-3/4"	1420	1042	D TRAN
IEVROLET / GMC	4 CYLINDE	R & V6							
Standard	U	Billet Aluminum	-12AN	18mm-1.5	2-1/2"	2-3/4"	3322	1042	Hamburger
Standard	S	Cast Aluminum	1/2 NPT	18mm-1.5	2-1/2"	2-3/4"	1050	1042	DAPT
90°	T	Cast Aluminum	1/2 NPT	18mm-1.5	2-1/2"	2-3/4"	1450	1042	TO TRAN
								7 June 10 10 10 10	

<sup>\*</sup>Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!

## SPIN-ON FILTER BYPASS ADAPTERS (CONTINUED)

BYPASS STYLE	REFERENCE Photo	MATERIAL	INLET/OUTLET PORT SIZE	NIPPLE SIZE	I.D.	0.D.	PART #	REPLACEMENT 0-RING	BRAND
ENERAL MO	OTORS								
HEVY / GMC SB	8 & BB V8								
Standard	U	Billet Aluminum	-12AN	13/16"-16	3-3/16"	3-7/16"	3321	1043	Hamburger's
Standard	S	Cast Aluminum	1/2 NPT	13/16"-16	3-3/16"	3-7/16"	1022	1043	TOTRANS
M LS 1999-06 [	4.8L, 5.3L,	6.0L]							
Standard	U	Billet Aluminum	-12AN	13/16"-16	2-1/2"	2-3/4"	3324	1042	Hamburger's
Standard	S	Cast Aluminum	1/2 NPT	13/16"-16	2.500	2.750	1020	1042	DTRANS
90°	T	Cast Aluminum	1/2 NPT	13/16"-16	2.500	2.750	1420	1042	TRANS
M LS 2007-15 [	4.8L, 5.3L,	6.0L]							
Standard	U	Billet Aluminum	-12AN	22mm-1.5	2.500	2.750	3327	1042	Hamburger's
Standard	S	Cast Aluminum	1/2 NPT	22mm-1.5	2.500	2.750	1027	1042	TOTRANS
90°	T	Cast Aluminum	1/2 NPT	22mm-1.5	2.500	2.750	1427	1042	DTRANS
MPORTS [WITH	20MM X 1.	5 NIPPLE OIL FILT	ER]						
Standard	S	Cast Aluminum	1/2 NPT	20mm-1.5	2.500	2.750	1058	1042	TOTRANS
90°	T	Cast Aluminum	1/2 NPT	20mm-1.5	2.500	2.750	1458	1042	DTRANS
EEP									
Standard	S	Cast Aluminum	1/2 NPT	20mm-1.5	2.500	2.750	1058	1042	DAPT
90°	T	Cast Aluminum	1/2 NPT	20mm-1.5	2.500	2.750	1458	1042	DTRANS

## **BOLT-ON FILTER BYPASS ADAPTERS**

Bolt-on filter bypass adapters allow you to run oil lines to a remote filter base or dry sump oiling system. Match the reference letter in the product charts below to these photos for product identification.

# Cast Aluminum\*





1011

1/2 NPT





					-		
APPLICATIONS	REFERENCE Photo	BYPASS DESIGN	MATERIAL	INLET/OUTLET PORT SIZE	PART#	REPLACEMENT O-RING/GASKET	BRAND
CHEVROLET							
SB CHEVY & BB CHEVY V8; 1956-67							
1956-67 SB & BB V8 (1/4" & 5/16" Bolts )	Y	Standard	BILLET ALUMINUM	-12AN	3325	1035/1036	Hamburger's
1956-67 SB & BB V8 (1/4" & 5/16" Bolts ) [No Bypass valve]	Y	Standard	BILLET ALUMINUM	N/A	3326	1035/1036	Hamburger's
1956-67 SB & BB V8 (1/4" & 5/16" Bolts )	X	90°	BILLET ALUMINUM	-12AN	3328	1035/1036	Hamburger's
BB CHEVY (GEN V) V8S							
BB Chevy V8 (Gen V) (for blocks with deeper recess)	X	90°	BILLET ALUMINUM	-12AN	3329	1035/1036	Hamburger's
ORD						110	
FORD FE ENGINES; 1958-76 [332, 352, 390	, 406, 4	28 ENGINES]					18-18
1958-76 Ford 332, 352, 390, 406, & 428	W	Standard	CAST ALUMINUM	1/2 NPT	1015	N/A	TRANS

<sup>\*</sup>Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!

**CAST ALUMINUM** 

Standard

1959-64 Pontiacs (All)

**PONTIAC** 

## DOMESTIC VEHICLES

## OIL FILTER RELOCATION KIT APPLICATION GUIDE

Use the charts on these pages to find the correct oil filtration relocation kit for your vehicle. The chart includes both Hamburger's Performance CNC machined, billet aluminum, and Trans-Dapt Performance Products' cast aluminum single & double remote oil filter relocation kits. To choose a kit, find your vehicle application, then select the part number in the column for the relocation kit that best fits your requirements. Please note, we now offer systems with vertical or horizontal inlet/outlet ports, as well as kits with a 90° bypass adapter for limited clearance.

FILTERING PRODUCTS	as kits with a 90° bypass adapter for limited clearance. For complete relocation kit details, turn to page									page 68-	-71
COMES WIDT EVENYTHIS FRATIENDS FOR HI DUICK & THEY INSTRUCTED A MARKES BILL FIRTHER CHIPAGES RESERVE	BILI	LET AL	UMIN	UM			CAST A	ALUM	INUM*		
KEEPS ENGINE DEPRETTY INDRERSES DIT CAPITETY INDRERSES DIT CAPITETY	A	В	C	D		E	F	G	H	1	J
CHYPILE HOLES SILVES CHICAGO SILVES	TRUE-DUAL" DOUBLE FILTER HORIZONTAL PORTS	MULTI-POSITION HORIZONTAL PORTS	SINGLE FILTER HORIZONTAL PORTS	SINGLE FILTER VERTICAL PORTS	OIL FILTER Sandwich adapter	DOUBLE FILTER Horizontal Ports	DOUBLE FILTER 90° BYPASS HORIZONTAL PORTS	SINGLE FILTER HORIZONTAL PORTS	SINGLE FILTER 90° BYPASS HORIZONTAL PORTS	SINGLE FILTER VERTICAL PORTS	SINGLE FILTER 90° BYPASS VERTICAL PORTS
1959-79 AMC V8 Cars only (See JEEP listings on next page)	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1991-96 BUICK V8 LT1 Roadmaster & Wagon	3384	3374	3354	3364	1322	1222		1522		1122	
1959-78 BUICK V8 including 215 Aluminum V8 61-63	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1976-09 BUICK V6, except some 1976 231 V6	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1968-76 BUICK V6	3384	3374	3354	3364	1322	1222	1700	1522	1000	1122	1000
1996-98 BUICK 4 Cyl. 2.4L	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1980-96 BUICK 4 Cyl. except oil filter in pan & 2.4L	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1994-96 CADILLAC V8 5.7L	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1990-93 CADILLAC V8 5.0 & 5.7L	3384	3374	3354	3364	1322	1222	1707	1522	1007	1122	1007
2007-15 CADILLAC Trucks & SUVs 4.8, 5.3 & 6.0L	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1960-09 CADILLAC V8 & 4.5, 4.9 & 4.6L Northstar	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1999-00 CADILLAC Trucks & SUVs 5.7L	3386	3376	3356	3366	1350	1250	1750	1550	1850 1820	1150	1650 1620
2001-06 CADILLAC Trucks & SUVs 5.3 & 6.0L	3385	3375	3355	3365	1320	1220	1720 1720	1520	Somme	1120	M300000000
1997-98 CADILLAC V6	3385 3386	3375 3376	3355 3356	3365 3366	1320 1350	1220 1250	1750	1520 1550	1820 1850	1120 1150	1620 1650
1980-88 CADILLAC V6 1982-86 CADILLAC 4 Cyl.	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1968-00 CHEVROLET V8 except 88-02 SB V8 4WD Pickup, 90-02 Corvette, 94-96 Caprice/Impala SS & 98-02 Camaro		3374	3354	3364	1322	1222	1730	1522	1030	1122	1030
2007-15 CHEVROLET Trucks & SUVs 4.8, 5.3 & 6.0L	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1968-09 CHEVROLET BB V8 Incl. 8.1L & Motorhomes	3384	3374	3354	3364	1322	1222		1522		1122	
1998-02 CHEVROLET Camaro Z28 & SS V8 LS1	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1997-04 CHEVROLET Corvette & Z06 V8 LS1 & LS6	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1994-96 CHEVROLET V8 Impala SS & Caprice LT1	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1988-00 CHEVROLET SB V8 Pickup 5.7L	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1990-96 CHEVROLET V8 Corvette 5.7L Engine Code* (J)					1358	1258	1758	1558	1858	1158	1658
1990-91 CHEVROLET V8 Corvette 5.7L Engine Code* (8)	3384	3374	3354	3364	1322	1222		1522		1122	
1992-96 CHEVROLET V8 Corvette 5.7L Engine Code* (P)	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1976-05 CHEVROLET L4 & V6, Camaro, S-10 & Astro Van 2.2, 2.8, 3.1, 3.4, 3.8 & 4.3L (Cars & Trucks)	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
2001-09 CHEVROLET Colorado, Trail Blazer, 3.5 & 4.2L	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1962-89 CHEVROLET L6	3384	3374	3354	3364	1322	1222		1522		1122	
1996-02 CHEVROLET 4 Cyl. 2.4L Cavalier & Z24	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1980-02 CHEVROLET 4 Cyl. 2.2 & 2.5L S-10 except those with oil filter in 1.6L Nova, 1.8L Diesel, 1.5L Spectrum & all GEOs	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1982-85 CHEVROLET 4 Cyl. 1.9L S-10	-				1358	1258	1758	1558	1858	1158	1658
1985-88 CHEVROLET 4 Cyl. Spectrum 1.5L	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1985-88 CHEVROLET 4 Cyl. Nova 1.6L	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
2008-16 CHRYSLER 300	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1959-07 CHRYSLER/DODGE/PLYMOUTH V8 SB/BB/Hemi, V6, Slant 6, 8.0L-V10 Dodge Trucks ALL	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
2008-15 DODGE Challenger 5.7, 6.1, 6.2, 6.4L V8 (also 09-10 3.5L V6)	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
2008-15 DODGE Charger 5.7, 6.1, 6.2, 6.4L V8 (also 06-10 3.5L V6)	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
2000-07 DODGE Dakota 4.7L V8	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
2004-07 DODGE Durango 5.7L V8; 2000-09 4.7L V8	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
2005-08 DODGE Magnum 2.7, 3.5L V6, 5.7 & 6.1L V8	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613

<sup>\*</sup>Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!

\*8th character of VIN number of car.



### DOMESTIC VEHICLES (CONTINUED)

### OIL FILTER RELOCATION KIT APPLICATION GUIDE

DOIVIESTIC VEHICLES (CONTINUED)	UIL	FILII	K K	LLUC	AIIU	N KI	I AP	PLIC	AIIU	N G	JIDE
TRANS (SA)	BIL	LET A	LUMIN	UM			CAST	ALUM	INUM*	0	
DAPT	Α	В	C	D		E	F	G	Н		J
Control and the Control of the Contr	RIS	PORTS	R TS	S.E.	뜶	TSE TS	TS TS	R IS	LTER PORTS	e:s	# ×
For complete relocation kit	F 문입		SINGLE FILTER Horizontal Ports	FILTE Ports	ADAPTER	FILTER	FILTER	SINGLE FILTER Horizontal Ports		FILTER Ports	FILTER PORTS
details, turn to page 76-81	DUA		<b>₩</b>		a z		BLE PASS Intal		PASS ONTAL		AL P
RELUCATION	TRUE-DU Pouble Horizont	MULTI-POS Horizontal	RIZO	SINGLE	FILTER	DOUBLE Horizontal	BY F	RIZO		SINGLE Vertical	RES
APPLICATION	문질문	至呈	동	S	SAN	三章	三岛皇	등을	S S S S S S S S S S S S S S S S S S S	N N	S S S S S S S S S S S S S S S S S S S
2008-15 DODGE RAM 1500-3500 5.7L V8; 2002-13 4.7L V8	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
DODGE Cummins Diesel 5.9L	3388	3378	3368	3358							
1992-09 FORD V8 4.6, 5.4, 6.8L V10 (Cars, Mustang, Trucks & Motorhomes) & some 94-98 5.8L Trucks	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1957-98 FORD Cars & Trucks ALL with PH8A Filter	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1957-98 FORD V8 except, 4.6L, some 94-98 5.8L Trucks	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1957-04 FORD V6 & L6 except Pinto-Bobcat 2.8L V6 & 93-96 2.5 & 3.8L V6	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1996-00 FORD V6 3.0L (24V) DOHC	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1975-79 FORD V6 Pinto-Bobcat 2.8L					1358	1258	1758	1558	1858	1158	1658
2000-04 FORD 4 Cyl. Focus 2.0L ALL, except Courier	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1972-83 FORD 4 Cyl. Courier 1.8 & 2.0L					1358	1258	1758	1558	1858	1158	1658
FORD Diesel Trucks (with 1-1/2" filter nipple diameter)	3389	3379	3369	3359							
1968-98 GMC V8 SB & BB Incl. 8.1L Vortec	3384	3374	3354	3364	1322	1222		1522		1122	
1999-06 GMC V8 Trucks & SUVs 4.8, 5.3 & 6.0L	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
2007-15 GMC V8 Trucks & SUVs 4.8, 5.3 & 6.0L	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1988-00 GMC SB V8 5.7L	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1979-09 GMC 1500, S-15, & Safari V6 2.8 & 4.3L	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1901-09 GMC Canyon, Envoy & XL, 3.5L I5, 4.2L I6	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1968-89 GMC L6	3384	3374	3354	3364	1322	1222		1522		1122	
1983-96 GMC 4 Cyl. 2.0 & 2.5L S-15 except with filter pan	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1982-85 GMC 4 Cyl. S-15 Pickup 1.9L	2225	0075	2255	2205	1358	1258	1758	1558	1858	1158	1658
2003-09 HUMMER H2 6.0L V8	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
2008-10 Jeep Commander 4.7 & 5.7L V8	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1999-07 Jeep Grand Cherokee 4.7L V8	3383 3387	3373 3377	3353 3357	3363 3367	1313 1327	1213 1227	1713 1727	1513 1527	1813 1827	1113	1613 1627
2008-19 Jeep Grand Cherokee 5.7, 6.1 & 6.4L V8 1991-07 JEEP V8, L6 & 4 Cyl. ALL with PH16 Filter	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1987-93 JEEP V6, L6 & 4 Cyl. Light Trucks	3303	3373	3333	3303	1358	1258	1758	1558	1858	1158	1658
1960-86 JEEP V8 L6 & 4 Light Trucks, except 230 L6	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1960-69 JEEP 230 L6	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1980-86 JEEP 4 Cyl.	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1977-79 JEEP 4 Cyl.	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1991-92 OLDSMOBILE V8 LT1 5.0 & 5.7L Custom Cruiser	3384	3374	3354	3364	1322	1222		1522		1122	
1959-88 OLDSMOBILE V8 & 215 Aluminum V8 61-63 (not 79-81 265-301)		3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1979-81 OLDSMOBILE V8 265-301 only	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1976-00 OLDSMOBILE V6 3.8L	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
2001-04 OLDSMOBILE Bravada, 4.2L L6	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1966-76 OLDSMOBILE L6	3384	3374	3354	3364	1322	1222		1522		1122	
1996-00 OLDSMOBILE 4 Cyl. 2.4L	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1980-96 OLDSMOBILE 4 Cyl., except those w/ oil filter in pan & 2.4L	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1960-89 PONTIAC V8 except 265-301 V8 & Chevy type V8s	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1979-81 PONTIAC V8 265-301 only	3386	3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
1998-02 PONTIAC Firebird, WS6 & Trans Am LS1 V8	3385	3375	3355	3365	1320	1220	1720	1520	1820	1120	1620
1978-97 PONTIAC V8 models with Chevy type V8s	3384	3374	3354	3364	1322	1222		1522		1122	
1976-07 PONTIAC V6 3800 & Firebird, except Fiero		3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
	3386				2/2/5						
1964-76 PONTIAC L6	3384	3374	3354	3364	1322	1222		1522		1122	
1979-96 PONTIAC 4 Cyl., except those with oil filter in pan & 2.4L	3384 3386	3374 3376	3356	3366	1350	1250	1750	1550	1850	1150	1650
	3384	3374			TO THE STATE OF TH	11272 22 22	1750 1720 1713		1850 1820 1813		1650 1620 1613

<sup>\*</sup>Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!

\*8th character of VIN number of car.

### **IMPORT VEHICLES**

### OIL FILTER RELOCATION KIT APPLICATION GUIDE

Use the charts on these pages to find the correct oil filtration relocation kit for your vehicle. The chart includes both Hamburger's Performance CNC machined, billet aluminum, and Trans-Dapt Performance Products' cast aluminum single & double remote oil filter relocation kits. To choose a kit, find your vehicle application, then select the part number in the column for the relocation kit that best fits your requirements. Please note, we now offer systems with vertical or horizontal inlet/outlet ports, as well as kits with a 90° bupass adapter for limited clearance.

PRESIDENCE PRODUCTION				dapter for				1101120110	at mitet/ou	ittet poi	is, as well
C COMES WITH TVERY INSTRUCTOR OF THE PROPERTY IN COME OF THE PROPERTY INSTRUCTOR OF THE PROPERTY IN COME OF THE PROPERTY IN CO	BIL	LET A	LUMIN	UM	. 5		CAST	ALUM	NUM*		
C REEPS LINGUIST CHEST CHEST	A	В	C	D		E	F	G	Н		J
For complete relocation kit details, turn to page 76-81	TRUE-DUAL" DOUBLE FILTER HORIZONTAL PORTS	MULTI-POSITION HORIZONTAL PORTS	SINGLE FILTER HORIZONTAL PORTS	SINGLE FILTER VERTICAL PORTS	OIL FILTER Sandwich adapter	DOUBLE FILTER HORIZONTAL PORTS	DOUBLE FILTER 90° BYPASS Horizontal Ports	SINGLE FILTER HORIZONTAL PORTS	SINGLE FILTER 90° BYPASS HORIZONTAL PORTS	SINGLE FILTER VERTICAL PORTS	SINGLE FILTER 90° BYPASS VERTICAL PORTS
1990-05 ACURA Integra, Vigor, CL, CL Sport, RL & TL 4 Cyl. & V6 1.8, 2.5, 3.0, 3.2 & 3.5L DOHC F/Inj.					1358	1258	1758	1558	1858	1158	1658
1988-04 ACURA NSX & Legend V6 3.0, 3.2L	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1994-03 ACURA Integra 4 Cyl. 1.7 & 1.8L DOHC F/Inj. V Tec					1358	1258	1758	1558	1858	1158	1658
1998-99 ACURA Integra 4 Cyl. 1.8L DOHC F/Inj. V Tec 2					1358	1258	1758	1558	1858	1158	1658
1986-89 ACURA Integra 4 Cyl. 1.6L F/Inj.					1358	1258	1758	1558	1858	1158	1658
1996-03 AUDI A4 4 Cyl. 1.8L Turbo	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1995-04 DODGE Neon & PT Cruiser 4 Cyl. 1.8L	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1995-03 DODGE Neon 4 Cyl. 2.0L F/Inj. DOHC	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1995-04 DODGE Neon 4 Cyl. 2.0, 2.4L F/Inj. SOHC	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613
1998-04 HONDA Accord 4 Cyl. 2.3L F/Inj. V Tec & V Tec 2					1358	1258	1758	1558	1858	1158	1658
1998-04 HONDA Accord V6 3.0L F/Inj. V Tec					1358	1258	1758	1558	1858	1158	1658
1990-97 HONDA Accord 4 Cyl. 2.2L F/Inj.					1358	1258	1758	1558	1858	1158	1658
1990-97 HONDA Accord 4 Cyl. 2.2L F/Inj. V Tec					1358	1258	1758	1558	1858	1158	1658
1995-97 HONDA Accord V6 2.7L F/Inj.					1358	1258	1758	1558	1858	1158	1658
1986-89 HONDA Accord 4 Cyl. 2.0L F/Inj., 2 bbl & 3 bbl.					1358	1258	1758	1558	1858	1158	1658
1984-85 HONDA Accord 4 Cyl. 1.8L F/Inj. & 3 bbl.					1358	1258	1758	1558	1858	1158	1658
1976-83 HONDA Accord 4 Cyl. 1.8L 3 bbl.	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1999-02 HONDA Civic 4 Cyl. 1.6L F/Inj. DOHC V Tec					1358	1258	1758	1558	1858	1158	1658
1996-02 HONDA Civic 4 Cyl. 1.6L F/Inj. All					1358	1258	1758	1558	1858	1158	1658
2003-04 HONDA Civic 4 Cyl. 1.4L Hybrid, 1.6, 1.7 & 2.0L F/Inj.					1358	1258	1758	1558	1858	1158	1658
1988-95 HONDA Civic 4 Cyl. 1.5L F/Inj.					1358	1258	1758	1558	1858	1158	1658
1988-91 HONDA Civic 4 Cyl. 1.6L F/Inj.					1358	1258	1758	1558	1858	1158	1658
1985-87 HONDA Civic 4 Cyl. 1.5L F/Inj.	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1985-87 HONDA Civic 4 Cyl. 1.5L 3 bbl.	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1984-87 HONDA Civic 4 Cyl. 1.3L 3 bbl.	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1988-91 HONDA CRX 4 Cyl. 1.5L F/Inj.					1358	1258	1758	1558	1858	1158	1658
1988-91 HONDA CRX 4 Cyl. 1.6L F/Inj.					1358	1258	1758	1558	1858	1158	1658
1985-87 HONDA CRX 4 Cyl. 1.5L F/Inj.	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1984-87 HONDA CRX 4 Cyl. 1.5L 3 bbl.	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
1984-87 HONDA CRX 4 Cyl. 1.3L 3 bbl.	3387	3377	3357	3367	1327	1227	1727	1527	1827	1127	1627
2003-04 HONDA Element 4 Cyl. 2.4L F/Inj. DOHC V Tec					1358	1258	1758	1558	1858	1158	1658
1993-01 HONDA Prelude 4 Cyl. 2.2L F/Inj. DOHC V Tec					1358	1258	1758	1558	1858	1158	1658
1992-96 HONDA Prelude 4 Cyl. 2.2L F/Inj. SOHC					1358	1258	1758	1558	1858	1158	1658
1992-96 HONDA Prelude 4 Cyl. 2.3L F/Inj					1358	1258	1758	1558	1858	1158	1658
1985-91 HONDA Prelude 4 Cyl. 2.1L F/Inj.					1358	1258	1758	1558	1858	1158	1658
1988-89 HONDA Prelude 4 Cyl. 2.0L 2 bbl.					1358	1258	1758	1558	1858	1158	1658
1983-87 HONDA Prelude 4 Cyl. 1.8L 2 bbl. & 3 bbl.					1358	1258	1758	1558	1858	1158	1658
2000-03 HONDA S2000 4 Cyl. 2.0L DOHC					1358	1258	1758	1558	1858	1158	1658
1994-04 MAZDA Miata 4 Cyl. 1.8L F/Inj. DOHC & 1.8L Turbo					1358	1258	1758	1558	1858	1158	1658
1990-93 MAZDA Miata 4 Cyl. 1.6L F/Inj.					1358	1258	1758	1558	1858	1158	1658
*Cast Aluminum filtration con				D	AA	D:	al Annlie				

<sup>\*</sup>Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!

### IMPORT VEHICLES (CONTINUED)

### OIL FILTER RELOCATION KIT APPLICATION GUIDE

Use the charts on these pages to find the correct oil filtration relocation kit for your vehicle. The chart includes both Hamburger's Performance CNC machined, billet aluminum, and Trans-Dapt Performance Products' cast aluminum single & double remote oil filter relocation kits. To choose a kit, find your vehicle application, then select the part number in the column for the relocation kit that best fits your

TRANS DAPT	includes both Hamburger's Performance CNC machined, billet aluminum, and Trans-Dapt Performance Products' cast aluminum single & double remote oil filter relocation kits. To choose a kit, find you vehicle application, then select the part number in the column for the relocation kit that best fits you requirements. Please note, we now offer systems with vertical or horizontal inlet/outlet ports, as well as kits with a 90° bypass adapter for limited clearance.								rformance find your t fits your			
CEMES WITH EVERYTHING METERS.  COMMEN OF THIS PROPERTY OF THE	BIL	LET A	LUMIN	UM	CAST ALUMINU					NUM*		
S MANUS ON FACE CHORSES	A	В	C	D		E	F	G	Н	1	J	
RELOCATION  APPLICATION  APPLICATION	TRUE-DUAL" Double Filter Horizontal Ports	MULTI-POSITION HORIZONTAL PORTS	SINGLE FILTER Horizontal Ports	SINGLE FILTER VERTICAL PORTS	OIL FILTER Sandwich adapter	DOUBLE FILTER Horizontal Ports	DOUBLE FILTER 90° BYPASS HORIZONTAL PORTS	SINGLE FILTER HORIZONTAL PORTS	SINGLE FILTER 90° BYPASS HORIZONTAL PORTS	SINGLE FILTER VERTICAL PORTS	SINGLE FILTER 90° BYPASS VERTICAL PORTS	
1993-97 MAZDA MX6 4 Cyl. 2.0L F/Inj.	-	-	-	3-21	1358	1258	1758	1558	1858	1158	1658	
1993-97 MAZDA MX6 V6 2.5L F/Inj.					1358	1258	1758	1558	1858	1158	1658	
1988-92 MAZDA MX6 4 Cyl. 2.2L F/Inj.					1358	1258	1758	1558	1858	1158	1658	
1988-92 MAZDA MX6 4 Cyl. 2.2L F/Inj. Turbo					1358	1258	1758	1558	1858	1158	1658	
1986-95 MAZDA RX7 Rotary 1.3L F/Inj. Turbo					1358	1258	1758	1558	1858	1158	1658	
1983-92 MAZDA RX7 Rotary 1.3L F/Inj.					1358	1258	1758	1558	1858	1158	1658	
1994-04 MAZDA Trucks All 4 Cyl. & V6, except MPV & Navajo	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1986-93 MAZDA Trucks All 4 Cyl. & V6, except Navajo					1358	1258	1758	1558	1858	1158	1658	
2000-04 MITSUBISHI Eclipse V6 2.4 & 3.0L F/Inj. SOHC					1358	1258	1758	1558	1858	1158	1658	
1995-99 MITSUBISHI Eclipse 4 Cyl. 2.0L F/Inj. DOHC	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1990-99 MITSUBISHI Eclipse 4 Cyl. 2.0L F/Inj. Turbo					1358	1258	1758	1558	1858	1158	1658	
1996-00 MITSUBISHI Eclipse 4 Cyl. 2.0L F/Inj. SOHC					1358	1258	1758	1558	1858	1158	1658	
1990-94 MITSUBISHI Eclipse 4 Cyl. 2.0L F/Inj. DOHC					1358	1258	1758	1558	1858	1158	1658	
1990-94 MITSUBISHI Eclipse 4 Cyl. 1.8L F/Inj.					1358	1258	1758	1558	1858	1158	1658	
1995-99 NISSAN 200SX & Sentra 4 Cyl. 1.6L F/Inj.	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1995-99 NISSAN 200SX & Sentra 4 Cyl. 2.0L F/Inj.					1358	1258	1758	1558	1858	1158	1658	
1998-02 NISSAN 240SX 4 Cyl. 2.4L F/Inj. DOHC	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1995-98 NISSAN 240SX 4 Cyl. 2.4L F/Inj.	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1971-96 NISSAN 240Z, 260Z, 280Z, 300ZX 6 Cyl. ALL	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1998-04 NISSAN Trucks 4 Cyl. 2.4L F/inj.					1358	1258	1758	1558	1858	1158	1658	
1996-04 NISSAN Trucks & Xterra V6 3.3L F/inj.					1358	1258	1758	1558	1858	1158	1658	
1972-97 NISSAN Trucks All 4 Cyl.	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1972-97 NISSAN Trucks All L6 & V6, except 1996 3.3L V6	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1983-98 TOYOTA Camry 4 Cyl. 2.0 & 2.2L F/Inj.	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1988-04 TOYOTA Camry V6 2.8L & 3.0L F/Inj.	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1994-04 TOYOTA Celica GT & ST 4 Cyl. 1.8L F/Inj. 7A FE	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1990-98 TOYOTA Celica 4 Cyl. 2.2L F/Inj. 5S FE	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1988-93 TOYOTA Celica 4 Cyl. 2.0L F/Inj. 3S GTE Turbo	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1990-93 TOYOTA Celica 4 Cyl. 1.6L F/Inj. 4A FE	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1991-95 TOYOTA MR2 4 Cyl. 2.0L F/Inj. 3S GTE Turbo	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1991-95 TOYOTA MR2 4 Cyl. 2.2L F/Inj.	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1986-97 TOYOTA Supra 6 Cyl. 3.0L F/Inj. 2JZ GE	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1986-97 TOYOTA Supra 6 Cyl. 3.OL 2JZ GTE Turbo	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1983-04 TOYOTA Trucks 4 Cyl., V6 & V8	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
2000-04 VW Beetle 1.8L Turbo, except Diesels	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1998-04 VW Beetle 2.0L, except Diesels	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1990-04 VW Golf, Jetta, GTI Cabriolet 4 Cyl. 2.0L F/Inj.	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1985-04 VW Golf, Jetta, GTI Cabriolet 4 Cyl. 1.8L F/Inj.	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1974-84 VW All water-cooled 4 Cyl., except Diesels	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1998-04 VW Passat 4 Cyl. 1.8L F/Inj. Turbo	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	
1989-97 VW Passat 4 Cyl. 1.8L F/Inj.	3383	3373	3353	3363	1313	1213	1713	1513	1813	1113	1613	

<sup>\*</sup>Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!

### OIL FILTRATION COMPONENTS

#### OIL COOLER SANDWICH ADAPTERS\*

Trans-Dapt's oil cooler sandwich adapters allow for the installation of an engine oil cooler, without the need to relocate the oil filter. 3/8" NPT ports (excludes 1322 which has 1/2" NPT ports.) Adapter #1322 measure 2-1/4" tall. All other adapters are 1" tall.





	NIPPLE	ENGINE'S (		
APPLICATION	SIZE	L.D.	0.D.	PART #
Chrysler & Ford V8's, V6 & L6 & most Imports	3/4"-16	2-1/2"	2-3/4"	1313
Chevy LS1/Vortec 4.8, 5.3, 6.0L, Buick, Olds, Pontiac & Cadillac V8's	13/16"-16	2-1/2"	2-3/4"	1320
SB/BB Chevy V8's (180° Spring)	13/16"-16	3-3/16"	3-7/16"	1322
Ford 4.6, 5.4L Modular V8 & 6.8L V10 cars, trucks, motorhomes & some 94-98 5.8L trucks	22mm x 1.5	2-1/2"	2-3/4"	1327
Chevy LT1, GM V6 & 4 Cyl., some Imports	18mm x 1.5	2-1/2"	2-3/4"	1350
Imports, Honda & Mazda, 91 and older	20mm x 1.5	2-1/2"	2-3/4"	1358

### OIL FILTRATION REPLACEMENT PARTS & ACCESSORIES





DESCRIPTION	FLAT Mount Part #	90° Mount Part #
Mounting Plate for # 3300, 3302, 3304, 3343, 3344 & 3347	3396	3397
Mounting Plate for # 3301, 3303, 3310, 3311, 3313 & 3350	3398	3399

#### ENGINE OIL FILTERS COVERS CHROME

Available for both short and tall size oil filters. Slips over oil filter and securely fastened with a set screw.





APPLICATION	CASE	4-9/32"	5-3/16"
	DIAMETER	TALL COVER	TALL COVER
Chrome engine oil filter COVER	3-11/16"	1070	1067

#### COMPACT ENGINE OIL FILTERS

Compact design of this filter provides additional clearance for engine components. Ideal for use with Trans-Dapt or Hamburger PH8A model filter bases. 11 PSI bypass relief valve.



APPLICATION	NIPPLE Thread Size	CASE Design	FILTER LENGTH	PART #
Compact Filter; 3-5/8" Diameter	3/4"-16	COMPACT	3-1/8"	<sup>1156</sup> 1156

#### REPLACEMENT OIL FILTER NIPPLES

These parts are direct replacements for Trans-Dapt & Hamburger's Performance oil filtration products found on pages 71-79.



DESCRIPTION	PART #
3/4"-16 x 1-1/4" Oil Filter Nipple	1034
1"-16 x 1-3/4" Oil Filter Nipple	3380
13/16"-16 x 1" Oil Filter Nipple	1066
1-1/2"-12 x 2" Oil Filter Nipple	3334
1-1/2"-16 x 2" Oil Filter Nipple	3382

#### SPIN-ON OIL FILTER CONVERSION ADAPTERS





Converts canister style oil filters on older Chevy V8 (except Chevy II) to later model, easier to maintain spin-on style oil filter.

1059 and 1359 require the use of a factory bypass valve (not included)

APPLICATION	FILTER STYLE	NIPPLE Size	BOLT SIZE	PART #
'56-67 SB Chevy	PH8A	3/4"-16	1/4"	1024
'68-UP SB/BB Chevy	PH8A	3/4"-16	5/16"	1324
'56-67 SB Chevy (Requires OEM bypass valve)	PH-30	13/16"-16	1/4"	1059
'68-UP SB/BB Chevy (Requires OEM bypass valve)	PH-30	13/16"-16	5/16"	1359

#### REPLACEMENT OIL HOSE KITS



These replacement kits include the same quality hoses and fittings Trans-Dapt and Hamburger's Performance include in their complete remote oil filter relocation systems. Use them to replace old, lost or damaged hoses, or use them to complete a custom kit of your own design.

Replacement Hose Kits For BILLET Oil Filtration DESCRIPTION	30°	48" KIT	60°	72° KIT
Premium 1/2" Hose Kits with -10AN fittings for Hamburger's BILLET filtration components & kits; Includes Hoses, fittings, reinforcement ferrules	1001	1002	1003	1004
Premium 3/4" Hose Kit with -12AN fittings for Hamburger's BILLET filtration components & kits; Includes Hoses, fittings, reinforcement ferrules	1005	1006	1007	1008



Replacement Kits For CAST Oil Filtration DESCRIPTION	24" KIT	36" KIT	48° KIT	60°	72" KIT
Standard-duty 1/2" hose kits for Trans-Dapt's CAST filtration components and kits; Includes pair of Neoprene hoses, (4)push-on brass fittings	1032	1047	1048	1071	1072

#### REPLACEMENT O-RINGS & GASKETS






These parts are direct replacements for the Trans-Dapt Performance's oil filtration products found on pages 72-82.

DESCRIPTION	PART #
Replacement Base Gasket for #1017, 1018, 1024, 1324, 3325, 3326, 3328, 3329	1035
Replacement O-Ring for #1017, 1018, 1024, 1324, 3325, 3328, 3329	1036
Replacement O-Ring for #3351, 3358, 3368, 3378, 3388	1037
Replacement O-Ring for #3352, 3359, 3369, 3379, 3389	1039
O-Ring for 1013, 1020, 1027, 1050, 1058, 1113, 1120, 1127, 1150, 1158, 1213, 1220, 1227, 1250, 1258, 1320, 1327, 1350, 1358, 1413, 1420, 1427, 1450, 1458, 1513, 1520, 1527, 1550, 1558, 1613, 1620, 1627, 1650, 1658, 1713, 1720, 1727, 1750, 1758, 1813, 1820, 1827, 1850, 1858, 3320, 3322, 3323, 3324, 3327, 3353, 3355, 3356, 3357, 3363, 3365, 3366, 3367, 3373, 3375, 3376, 3377, 3383, 3385, 3386, 3387, 9716, 9736	1042
O-Ring for 1022, 1122, 1222, 1522, 3321, 3354, 3364, 3374, 3384	1043
0-Ring for 1059 & 1359	1044

\*Cast Aluminum filtration components are not for use on Race, Marine or Diesel Applications!



### GENERAL APPLICATION CHART FOR TRANS-DAPT DIFFERENTIAL COVERS

The chart on these pages contains some of the most popular passenger car and truck applications currently on the road. It should be used as a general guide to choosing the correct differential cover for your project. We suggest you always research your application and confirm that the bolt pattern shape of the new cover matches the factory style before beginning your installation.

Principle Assessed	^Part numbers in PURPLE will be discontinued when current inventory is a					
CUSTOM Material:	terial: CHROME/STEEL			ALUMINUM		
CUSTUM DIFFERENTIAL DIFFERENTIAL COVER WWW.MEDMANPERFORMANGEGROURGON	To the second					
DESCRIPTION:	CHROME COVER	CHROME COVER KIT	SANDBLASTED WITH POLISHED HIGHLIGHTS	FULLY Polished	BLACK FINISH WITH Polished Fins	SLAM-GUARD' Heavy Duty
APPLICATION Includes:	COVER ONLY	COVER, BOLTS & GASKET	COVER ONLY	COVER, BOLTS & GASKET	COVER, BOLTS & GASKET	COVER 6 BOLTS
CHEVROLET & GM CARS						
Chevy & GM Intermediates 64-72 & Camaro 67-72 K-G-C-B Axles 10-Bolt	4786	8780	4738	4833	9937	
Chevy & GM Intermediates 64-72, Camaro, Chevelle/El Camino 64-72 Nova 65-67 with 12-Bolt 8-7/8" R.G.	4787	8781		4835	9944	
Chevy & GM Intermediates 64-72 & Camaro 73-77 except w/ 8-1/2" R.G.	9190	9042				
Chevy & GM Intermediates 64-72 & Camaro 73-77 with 8-1/2" Ring Gear	4135	9037		4833	9937	
Chevy & GM Intermediates 78-86, Impala SS 94-96 & Camaro/Firebird 82-Up with 7.5" & 7.6" Ring Gear	9072	8786				
Camaro Z28 & IROC, Firebird T/A 82-92, Buick Grand National 84-87 w/ 8-1/2" R.G.	4135	9037		483 3	9937	
Camaro/Firebird 93-02 V6	9072	8786				
Camaro/Firebird 93-02 V8 (Except H.D.)	4135	9037		4833	9937	
CHEVROLET & GMC TRUCKS/SUVS & VANS						
Chevy/GMC Truck 67-77 1/2- & 3/4-Ton; 4WD Dana 44 FRONT	4815	8782	4133	4822	9932	4000
Chevy/GMC Truck 78-88 1/2- & 3/4-Ton & Suburban; 77-91 4WD 10-Bolt FRONT	9069	8784	4784	4825	9938	
Chevy/GMC Truck 62-82 1/2-Ton only; 2WD & 4WD 12-Bolt REAR	9070	8785	4134	4826	9934	
Chevy/GMC Truck 83-87 1/2-Ton only; 2WD & 4WD REAR	4786	8780	4738	4833	9937	
Chevy/GMC Truck 88-06 1/2-Ton only; 2WD & 4WD REAR. '99-02 models use metric bolts	4135	9037		4833	9937	
Chevy/GMC Trucks/SUVs 73-00 3/4- & 1-Ton & 01-02 6.0L 2500 HD 14-Bolt REAR	9071	9047		4829	9939	
Chevy/GMC Truck 81-87 3/4 & 1-Ton; 2WD & 4WD 14-Bolt (9-1/2" R.G.) REAR	9292	9043				
Chevy/GMC S-10/S-15, Envoy, Olds Bravada 82-04, Astro & Safari Vans 85-98 2 & 4WD REAR	9072	8786				
Chevy/GMC 3500 95-Up Trucks with Dana 80 10-Bolt 13" Ring Gear REAR	4808	9040		4831	9941	
Chevy/GMC 81-99 Trucks with 14-Bolt 9.5" Ring Gear REAR	9292	9043				
DODGE TRUCKS/SUVS & VANS						
4-93 W100, 150-200 & 74-06 Ram, Vans, Durango & Dakota with 9-1/4" R.G.	4817	9041				
P/U 72-06 4WD with Dana 44 Front	4815	8782	4014	4822	9932	4000
P/U 72-03 with Dana 60 <sup>+</sup> REAR	4816	8783	4183	4824	9935	
3500 P/U Up to - 06 Dana 80 10-Bolt Rear	4808	9040		4831	9941	
Dakota & Durango 99-03 4WD; Dana 25-27-30 10-Bolt Front	9238	9036		4827	9931	4002
P/U 72-99 Dana 60 <sup>+</sup> 10-Bolt Front	4816	8783	4183	4824	9935	
4			1 1 2 2	11. 1	1200 D	

<sup>\*</sup>Some Dana 60 with full-floating axles have the fill hole positioned higher on the factory cover than on our #4816 or #8783. Compare holes <u>BEFORE</u> installing the new Trans-Dapt cover. If the Trans-Dapt fill hole is lower than the factory cover, DO NOT USE! Fluid level may fall below factory specifications. This could cause differential damage!

GENERAL APPLICATION CHART FOR TRANS-DAPT DIFFERENTIAL COVERS

(CONTINUED)



	A Dant womb are in DUDDI E will be discontinued when assess time when it					
	^Part numbers in <b>PURPLE</b> will be discontinued when current inventory is d					
Materia Materia	I: CHRO	ME/STEEL		ALUMINUN		NODULAR IRON^
	E C			THE STATE OF THE S		
DESCRIPTIO	N: CHROME COVER	CHROME COVER KIT	SANDBLASTED WITH POLISHED HIGHLIGHTS	FULLY Polished	BLACK FINISH WITH Polished Fins	SLAM-GUARD** HEAVY DUTY
APPLICATION Include	COVED	COVER, BOLTS & GASKET	COVER ONLY	COVER, BOLTS & GASKET	COVER, BOLTS & GASKET	COVER & BOLTS
FORD CARS, TRUCKS/SUVS & VANS	Onli	OHOREI	UIL!	VAUNTI	OHONE	0 00210
Mustang & Capri 79-03 V8 & Fairmont 78-82 7.5" R.G.	9293	9044				
Mustang & Capri 86-03® V8 8.8" R.G.	9465	9045				
Bronco 66-70 Dana 30 FRONT	9238	9036		4827	9931	4002
Truck 66-79 F-100, F-150, F-250, F-350 & Bronco 4WD Dana 44 FROM		8782	4014	4822	9932	4000
Truck 66-85 F-100, F-150, F-250, F-350 & Bronco 2WD/4WD Dana 60 REAR; 72-97 Ford F-350 Front		8783	4183	4824	9935	
Truck 83-03 F-150 & Bronco 2WD & 4WD 8.8" Ring Gear REAR	9465	9045				
Truck F-150 & F-250 2WD & 4WD 9.75" Ring Gear REAR	4807	9038				
Truck F-350, F-450 & F-550 2WD & 4WD Dana 80 REAR	4808	9040		4831	9941	
Truck 86-06 F-150, F-250, F-350, Expedition, Excursion 2WD & 4WD w/ Heavy-Duty Sterling 12-Bolt REAR	9466	9046		4830	9940	
Truck F-250, F-350, 99-up Super Duty & Excursion 4WD FRONT	4816	8783	4183	4824	9935	
Ranger Pickup 82-03, Bronco II 82-92, Aerostar 84-98 7.5" R.G. REAL	R 9293	9044				
Explorer & Mountaineer 91-03 2WD & 4WD 8.8" Ring Gear REAR	9465	9045				
E-150 Full-Size Van 83-98 REAR	9465	9045				
E-250 & E-350 Full-Size Van 86-06 w/ Heavy-Duty Sterling 12-Bolt RE	AR 9466	9046		4830	9940	
JEEP & INTERNATIONAL SCOUT						
Jeep CJ Series 41-03 Dana 30 FRONT	9238	9036		4827	9931	4002
Jeep XJ Midsize & YJ Wrangler 86-96 Dana 30 (Thick) FRONT	9710	9035				
Jeep J Series Trucks, Wagoneer & Cherokee 74-86 Dana 44 FRONT	4815	8782	4014	4822	9932	4000
Jeep CJ, J, IH Scout 41-80 Dana 44 REAR	4815	8782	4014	4822	9932	4000
Jeep CJ-5, CJ 76-85, Cherokee, Wagoneer 81-84 w/ 12-Bolt Spicer 20 Corp. REAR	9119	9034	4778	4828	9945	
Jeep XJ Midsize & YJ Wrangler Series; 86-90 Dana 35 REAR	9711	9033		4832	9942	4003
Jeep J Series Trucks 74-80 Dana 44 REAR	4815	8782	4014	4822	9932	4000
Jeep J Series Trucks 81-84 Corp. REAR	9119	9034	4778	4828	9945	
IH Scout 60-74 Dana 25-27-30 FRONT & 60-67 Dana 30 REAR	9238	9036		4827	9931	4002
IH Scout 75-80 Dana 44 FRONT & 67-80 Dana 44 REAR	4815	8782	4014	4822	9932	4000
IMPORT TRUCKS						
Isuzu 98-03 10-Bolt REAR	9072	8786				
Mazda 4000 94-03 10-Bolt REAR	9465	9045				
Mazda 2300, 3000 94-03 10-Bolt REAR	9293	9044				

Does not fit '99-03 Cobra

<sup>\*4820</sup> does not include gasket & bolts

All covers include standard drain/fill plug (where applicable.) For added protection against metal contaminants, Trans-Dapt offers Magnetic drainplugs. Please refer to page 127 for these magnetic fill/drain plugs.

#### ALUMINUM DIFFERENTIAL COVERS



4014 Dana 44 10-Bolt



4827/9931 Dana 30 10-Bolt



4135/9037 88-Up GM ½-Ton 10-Bolt



4817/9041 Dodge Ram 9.25\* 12-Bolt



9292/9043 GM Truck 9.5" 14-Bolt



4833/9937 GM Intermediates 88-Up GM ½-Ton 10-Bolt



4828/9945 Jeep Corporate M20 12-Bolt



4786/8780 GM Intermediate 10-Bolt



9069/8784 GM Truck 10-Bolt



9238/9036 Dana 30 10-Bolt



4822/9932 Dana 44 10-Bolt



4829/9939 GM 2500/3500 Truck 14-Bolt



4787/8781 GM Intermediate 12-Bolt



9070/8785 GM Intermediate 12-Bolt



9293/9044 Ford 7.5" 10-Bolt



9933 Dana 44 10-Bolt



4830/9940 Ford Truck Sterling 12-Bolt



4807/9038 Ford Truck 9.75\* 12-Bolt



9071/9047 GM 2500/3500 Truck 14-Bolt



9465/9045 Ford 8.8" 10-Bolt



4824/9935\* Dana 60 10-Bolt



4831/9941 GM/Ford/Dodge Dana 80 10-Bolt



4808/9040 GM/Ford/Dodge Dana 80 10-Bolt



9072/8786 Camaro, S-10 10-Bolt



9466/9046 Ford Truck Sterling 12-Bolt



4825/9938 GM ½- & ¾-Ton Truck 10-Bolt



4832/9942 Ford Truck 12-Bolt



4815/8782 Dana 44 10-Bolt



9119/9034 Jeep Corporate M20 12-Bolt



9710/9035 Dana 30 Thick 10-Bolt



4826/9934 GM ½-Ton Truck 12-Bolt



4835/9944 GM Intermediate 12-Bolt



4816/8783<sup>+</sup> Dana 60 10-Bolt



9190/9042 GM Intermediate 10-Bolt



9711/9033 Dana 35 10-Bolt

<sup>\*</sup>Some Dana 60 with full floating axles have the fill hole positioned higher on the factory cover than on our #4816 or #8783. Compare holes <u>BEFORE</u> installing the new Trans-Dapt cover. If the Trans-Dapt fill hole is lower than the factory cover, <u>DO NOT USE!</u> Fluid level may fall below factory specifications. This could cause differential damage!

#### DIFFERENTIAL COVER GASKETS

Trans-Dapt Performance Differential Cover Gaskets are designed for use with all Trans-Dapt differential covers, or Original Equipment covers. Manufactured using cellulose-nitrile gasket material to prevent leakage.

DESCRIPTION	FOR USE WITH DIFF COVER #S	PART #
Chevy 10-Bolt 8.5" Ring Gear	4135-4833-9037	9048
Chevy 10-Bolt Intermediate	4738-4786-4821-8780	4883
Chevy 12-Bolt Intermediate	4787-8781	4352
Chevy Camaro, S-10 82-Up	8786-9072	9059
Chevy/GM Intermediate	9042-9190	9052
Chevy Truck 10-Bolt	4784-4825-8784-9069	4888
Chevy Truck 12-Bolt	4134-4826-8785-9070	4884
Chevy Truck 14-Bolt	4829-9047-9071	9058
Chevy Truck 14-Bolt 9.5" Ring Gear	9043-9292	9053
Dana 35	4832-9033-9711	9057
Dana 44	4014-4133-4815-4822-4823-8782	4886
Dana 60	4183-4816-4824-8783	4882
Dana 80 Dodge & GM Trucks	4808-4831-9040	9050
Dodge Trucks 9.25" Ring Gear	4817-9041	9051
Ford Car 8.8" Ring Gear	9045-9465	9055
Ford Truck 7.5" Ring Gear	9044-9293	9054
Ford Truck 9.75" Ring Gear	4807	9049
Ford Truck 12-Bolt Sterling	4830-9046-9466	9056
Jeep Dana 30	4013-4827-9035-9036-9238-9710	4885
Jeep CJ5, CJ7 Corporate	4778-4828-9034-9119	4887



#### DIFFERENTIAL COVER BOLTS

Chrome hex head bolts really finish off the installation of a custom differential cover.



BOLTS FOR CHROME/STEEL DIFFERENTIAL COVERS						
APPLICATION	BOLT SIZE	QUANTITY	PART #			
GM 10-BOLT & DANA 44	5/16-18 X 3/4"	10 pc	9227			
GM 12-BOLT	5/16-18 X 3/4"	12 pc	9278			
GM 14-BOLT STANDARD	5/16-18 X 3/4"	14 pc	9232			
GM 14-BOLT METRIC	8mm 1.25 X 20mm	14 pc	9246			
DANA 60	3/8-16 X 3/4"	12 pc	9279			
DANA 60	3/8-16 X 3/4"	14 pc	9239			

BOLTS FOR ALUMINUM DIFFERENTIAL COVERS						
APPLICATION	BOLT SIZE	QUANTITY	PART #			
GM 10-BOLT & DANA 44	5/16-18 X 1"	10 pc	9249			
GM 12-BOLT	5/16-18 X 1"	12 pc	9251			
GM 14-BOLT STANDARD	5/16-18 X 1"	14 pc	9252			
GM 14-BOLT METRIC	8mm 1.25 X 30mm	14 pc	9283			
DANA 60	3/8-16 X 1"	12 pc	9264			
DANA 60	3/8-16 X 1"	14 pc	9282			

#### REPLACEMENT DRAIN/FILL PLUGS



Magnetic drain plugs extend differential life by keeping dangerous metal shavings away from expensive internal components. Perfect for transmission breakin period.

DESCRIPTION	PART #
3/8"-14 NPT (Transmission & Rear Ends)	9063
1/2"-14 NPT (Transmission & Rear Ends)	9064

### AUTOMATIC TRANSMISSION FILTER SYSTEM UNIVERSAL FIT

- Extends Transmission Life
- Removes Twice As Many Contaminants As Stock Filter Screens
- Universal Design Fits Virtually Any Automatic Transmission
- Increases Transmission Fluid Capacity Cooler Transmission Running Temperatures
- Easily Installs Between Your Transmission & Cooling Unit



-Solid Brass Fittings
-Includes Oil Filter

INLET/OUTLET FILTER
TERIAL SIZE DART #

DESCRIPTION	MATERIAL	INLET/OUTLET Size	FILTER SIZE	PART #
3/8" Transmission fluid filtering system	CAST ALUMINUM	1/2" NPT	PH8A	1155
1/2" Transmission fluid filtering system	CAST ALUMINUM	1/2" NPT	PH8A	1255

<sup>\*</sup>Hose fittings for Transmission cooler end of hoses not included. Fittings for cooling unit end must be purchased separately.



#### TRANSMISSION CROSSMEMBERS



Position your engine and transmission where you need them. Eliminates the need to fabricate a rear crossmember. Supports most standard and automatic transmissions in open channel frames w/ widths of 26" to 36" between the frame rails. 1-5/8" diameter .114" wall thickness tubing. Can be used w/ either

> #9442 or 4237 GM trans mount or #4736 Ford

> > trans mount.

		COMPL	COMPLETEKITS		
DESCRIPTION	DROP Distance	RUBBER	POLY	WITHOUT PADS	
CROSSMEMBERS FOR POWERG	LIDE, TH-350 &	K TH-400			
PowerGlide, TH-350, TH-400	NO DROP	4558	4548	4538	
PowerGlide, TH-350, TH-400	3" DROP	4559	4549	4539	
PowerGlide, TH3-50, TH-400	6" DROP	9444	9474	9424	

Kits listed with Pads include either a 4237 Polyurethane or 9442 Rubber Mount Pad.

#### CROSSMEMBERS FOR 700R4, 4L60E & T-56

700R4, 4L60E, T-56	NO DROP	6538	6548	6558
700R4, 4L60E, T-56	3" DROP	6559	6549	6539
700R4, 4L60E, T-56	6" DROP	6544	6534	6524

Kits listed with Pads include either a 4237 Polyurethane or 9442 Rubber Mount Pad.

#### CROSSMEMBERS FOR FORD C-4 & C-6

Ford C-4 & C-6	NO DROP	6521	6522	4538
Ford C-4 & C-6	3" DROP	6523	6525	4539
Ford C-4 & C-6	6" DROP	6526	6527	9424

Kits listed with Pads include either a 4236 Polyurethane or 4716 Rubber Mount Pad.

#### **GM LS ENGINE SWAP** TRANSMISSION MOUNTS

Trans-Dapt's new LS Engine swap crossmembers have a vehicle specific design to ensure the optimum pinion angle, and a trouble-free installation of your automatic or manual transmission in your Classic GM vehicle LS swap project. All kits come complete with steel crossmember, rubber transmission mount and



For complete LS engine SWAP-IN-A-BOX kits, turn to page 86-87

DESCRIPTION	PART #
1967-69 F-BODY (CAMARO & FIREBIRD); LS SWAP	
AUTOMATIC Transmission (not for use with 4L80E/4L85E)	6418
MANUAL Transmission	6518
1970-81 F-BODY (CAMARO & FIREBIRD); LS SWAP	
AUTOMATIC Transmission (not for use with 4L80E/4L85E)	6419
MANUAL Transmission	6519
1968-74 CHEVY X-BODY (NOVA/CHEVY II); LS SWAP	
AUTOMATIC Transmission (not for use with 4L80E/4L85E)	6418
MANUAL Transmission	6518
1978-81 A-BODY & '82-88 G-BODY (MONTE CARLO, EL CAMINO, CUTLASS); LS	SWAP
AUTOMATIC & MANUAL Transmission (Includes *6423 for non 200R4 chassis)	6422
Crossmember Adapter Bracket (For non-Factory 200R4 Chassis. Included with 6422)	6423
1967-72 CHEVY/GMC C10 / C20 TRUCKS	
AUTOMATIC Transmission	6420
1973-87 CHEVY/GMC C10 / C20 TRUCKS	
AUTOMATIC Transmission	6421
All kits listed above include a 9442 Rubber transmission mount pad.	

### 1953-64 FORD PICKUP



- 2-1/2" Drop
- 32" Wide Bolt Holes (on center)
- Available As A Kit with Rubber Pads, Polyurethane Pads or Crossmember Only
- Kits Include Mounting Hardware

These Ford truck transmission crossmembers are easy to use, and provide a durable, sturdy mounting point for your TH-350 or C-4/C-6 transmission. The crossmember mounts on the frame channel, or under frame. Amercan-made, solid steel construction. Replacement transmission mount: Trans-Dapt #9442, #4236 or 4237.

	COMPLETE KITS			
DESCRIPTION	RUBBER	POLY URETHANE	WITHOUT PADS	
GM TH-350 Transmission into 53-64 Ford Pickup	9649	9639	9659	
C-4 & C-6 Transmission into 53-64 Ford Pickup	4156	4146	4136	

\*Solid transmission mounts must be used in conjunction with solid motor mounts to prevent breakage of engine block and trans. case, caused by torsional stresses.

### TRANSMISSION-MOUNTS, PADS, ADAPTERS, DRIVESHAFT LOOPS



These application specific crossmembers are for installing a TH350, TH400, 700R4 or 4L60E automatic transmission into a SB Chevy or LS swapped S-10, S-15, Blazer or Jimmy applications. Kits are available with rubber transmission pad or polyurethane pad. TH400 models are available as a crossmember only. The TH400 crossmembers are required when using Trans-Dapt #4689, #9906 or #9926 S-10/V8 engine mount kits.

			COMPL		
DESCRIPTION	ENGINE	TRANSMISSION	RUBBER	POLY Urethane	WITHOUT PADS
1982-93 Chevy S-10 Only	SB Chevy (Gen 1)	TH400	9744	9734	9714
1984-94 Chevy S-10 BLAZER Only	SB Chevy (Gen 1)	TH400	9745	9735	9715
1982-94 S10/S15 Only	SB Chevy (Gen 1)	TH350/700R4	9718	9738	
1982-94 S10/S15 Only	GM LS Series	4L60E	9719	9739	
TH350, TH400, 700R4, 4L60	DE REPLACEMENT	MOUNT PAD	9442	4237	

For S-10 / V8 engine swap motor mounts, turn to page 89.

### TRANSMISSION MOUNT PADS



DESCRIPTION	POLY URETHANE	RUBBER	SOLID
58-88 Chevy Powerglide, TH-350, TH-400,700 R4 & all Borg-Warner, Muncie, Saginaw, Chrysler 4 spd. & Doug Nash 5 spd. trans. (Does Not fit 1982-92 Camaro/Firebird).	4237	9442	4185
C-4, C-6 & FMX in 68-74 Mustang 302, 68-71 Torino/Ranchero 289/302/351W/390/428, 66- 68 Torino 427, 66-69 Fairlane 390. 1¾" Tall	4236	4716	

#### DRIVESHAFT LOOPS



DESCRIPTION	LOOP WIDTH	PART #
Universal driveshaft loop	4-1/4"	4140



DESCRIPTION	PART #
78-93 Mustang driveshaft loop	9813

### CHEVY/GM AUTOMATIC







DESCRIPTION	PART #
Adapts 62-Up Chevy V8 to 66-Up Buick, Olds, Pontiac & Cadillac ST300 TH-350-400 & 700R4 Trans.	0060
Adapts 66-Up Buick, Olds, Pontiac, Cadillac V8 to 62-Up Chevy TH-350-400 & 700R4 Trans.	0061
PILOT BUSHING aligns converter with crank on Chevy/GM when using 5/16" engine plate.	0055
Bellhousing alignment Dowel Pins (2) for #0060 and #0061 (5/8" x 2")	0062

#### **CLUTCH ALIGNMENT TOOL**



Align clutch plates and pilot bearings accurately. Shaft and bushings provide proper fit for eight pilot bearing sizes. Two turned sizes (1° & 1-1/8°) fit 90% of clutch plates, and cone end handles fit the rest.

	DESCRIPTION	PART #
Clutch Alignment Tool		8777



### ENGINE "SWAP-IN-A-BOX"TM COMPLETE ENGINE SWAP KITS



 Kits For LS & SB Chevy Engines Into, 1st & 2nd Gen F-Bodies, Gm A-Body, C10 & S-10 Trucks, Jeep CJ & Ford Ranger

Each Kit's Products Are Engineered To Work Together

Swap In A Box Kits Take The "Guess Work" Out Of Component Selection For Your SB Chevy Or LS **Engine Swap Project** 

Trans-Dapt's Engine Swap-In-A-Box™ Kits are created using only quality products manufactured by the member companies of the Hedman Performance Group. Each Engine Swap-In-A-Box™ Kit contains application specific headers, motor mounts and engine Swap Oil Pan. Some kits also include transmission crossmembers.

The HP Group is proud to introduce new engine swap kits that take much of the guess work out of performing an engine swap into 1964-72 Chevelle, Malibu, El Camino, 1967-81 Camaros/Firebirds, \$10, C10, Ranger and Jeep CJ vehicles.

To find the correct kit for your project, refer to the application chart on the next page, paying close attention to the vehicle, cylinder head type and transmission columns to ensure you select a kit that is designed for you engine, transmission and model combination. Each

application is available with coated or uncoated headers. Gen 1 SB into S-10 kits are also available with Heavy-Duty Elite model headers.

All Kits Include Headers, Oil Pan, Engine Mounts Mounting Hardware. Many LS Kits Also Include Transmission Crossmember.

Manufacturing LS Swap Products Since 2002!










46215\* 46217\* 46218\*



GM A-BODY 1978-81; MONT			EL CAM	INO, G	rand Prix	, REGAL	, AND O	THERS		
GM LS 4.8L, 5.3L, 6.0L	Factory Heads	1-3/4"	Mid- Length	3"	Ball/ Socket	Υ	Y	48061*	48062*	48063*
GM F-BODY; CAMARO, FIRE			SION CROSS	MEMBER	1					

KIT WITH 304 STAINLESS STEEL HEADERS

Factory Heads Ball/ Socket Mid-Length 1-3/4" 1967-1969 GM LS 4.8L, 5.3L, 6.0L 42011\*\* 42012\*\* 42013\*\* Υ KIT WITH 304 STAINLESS STEEL HEADERS 42211 \*\* 42212 \*\* 42213 \*\* Ball/ Socket Factory Mid-1-3/4" N 42014\* 42015\* 42016\* 1967-1969 GM LS 4.8L, 5.3L, 6.0L Length Heads KIT WITH 304 STAINLESS STEEL HEADERS 42214\* 42215\* 42216\*

Not for use with 4L80E or 4L85E Transmissions

	GENERAL MOTORS (GM) BODY STYLE / MODEL REFERENCE CHART													
		A-BODY		F-BODY	G-E	ODY	X-BODY							
MAKE	1964-1967	1968-1972	1978-1981	1967-Current	1982-1987	1988	1968-1974							
BUICK	Skylark, GS, Special	Skylark, GS, Special	Regal, Century	· ·	Regal	340	Apollo							
CHEVROLET	Chevelle, Malibu, El Camino	Chevelle, Malibu, El Camino	Chevelle, Malibu, El Camino, Monte Carlo	Camaro	El Camino, Malibu, Monte Carlo	Monte Carlo	Nova							
GMC	-	Sprint	Caballero		Caballero	•								
OLDSMOBILE	Cutlass, 442, Vista Cruiser	Cutlass, 442, Vista Cruiser	Cutlass		Cutlass	*	Omega							
PONTIAC	GTO, LeMans, Tempest	GTO, LeMans, Tempest	LeMans, Grand Prix, Grand Am	Firebird / Trans-Am	Bonneville, LeMans, Grand Prix	•	Ventura							
BEAUMONT (CANADA)	Beaumont	0.0	2.	-	-		Acadian							

<sup>\*</sup> Not legal for sale or use on pollution controlled motor vehicles.

	SWAP-IN-A-BOX E ENGINE SWAP									TANDARD-DU HEDDER MODE	TY LS	HEAVY-DU	ITE" Ty models
YEARS	ENGINE BEING INSTALLED	CYLINDER HEAD Design	TUBE DIAMETER	TUBE STYLE	COLLECTOR SIZE	COLLECTOR STYLE	AUTOMATIC Transmission	MANUAL Transmission	UNCOATED	HTC SILVER CERAMIC	BLACK MAXX Black Ceramic	MATTE	BLACK E
	DY; CAMARO, FIF			(CONTINUED) SSION CROS	S MEMBER								
	GM LS 4.8L, 5.3L, 6.0L	Engtory	1-3/4"	Mid- Length	3"	Ball/ Socket	Υ	N	42021**	42022**	42023**	= 1	
			KIT WIT	to the state of the same	TAINLES	S STEEL	HEADER	s 🗪	42221**	42222**	42223**		
970-1974	GM LS 4.8L, 5.3L, 6.0L	Factory Heads	1-3/4"	Mid- Length	3"	Ball/ Socket	N	Υ	42024*	42025*	42026*		
			KIT WIT		TAINLES	S STEEL	HEADER	s 🗪	42224*	42225*	42226*		
75-1981	GM LS 4.8L, 5.3L, 6.0L	Factory Heads	1-3/4"	Mid- Length	3"	Ball/ Socket	Y	N	42031**	42032*	42033**		
			KIT WIT		TAINLES	100000000000000000000000000000000000000	HEADER	s 🗪	42231**	42232**	42233**		
75-1981	GM LS 4.8L, 5.3L, 6.0L	Factory	1-3/4"	Mid- Length	3"	Ball/ Socket	N	Υ	42034*	42035*	42036*		
			KIT WIT		TAINLES		HEADER	s 🗪	42234*	42235*	42236*		
M G-BO	DDY 1982-87; CL	JTLASS, MON	ITE CAR	LO (THR	U '88), I	A		HOME BY SHARE SHARE			TA TEMPER OF	THERS	
	DES HEADERS, OIL PAN, GM LS 4.8L, 5.3L, 6.0L	Eastery	1-3/4"	Mid-	S MEMBER	Ball/	٧	٧	48061*	48062*	48063*		
	ODY 1968-74; CH	neaus		Length C VENTIL	_	Socket			40001	40002	40000		T
KIT INCLU	IDES HEADERS, OIL PAN,	ENGINE MOUNTS	TRANSMI			Ball/	100						
68-1974	GM LS 4.8L, 5.3L, 6.0L	Heads	1-3/4"	Length	3"	Socket	Υ	N			42013**		
	1	Footory			TAINLES		LHEADER	S			42213**		
68-1974	GM LS 4.8L, 5.3L, 6.0L	neaus	1-3/4"	Mid- Length	3"	Ball/ Socket	N	Y	42014*	42015*	42016*		
RUCI	KS & SUVS	Hedman Hedders	s & Trans-I	Dapt Perfor	mance Prod	lucts have		acturing	42214*	42215*	42216*	Ed.	
E		swap hea the par	ders and e ty- in fac	engine mou et, many co movement.	nts for dec ensider us l	ades, so u host to the	pickups and	u to		R	A A	- b	1
			<u>.</u> 見川	Sul b	burbans, t uilding hea actory set-	he HP Gro ders and m -ups for y	up has been counts to cover ears as well the C10 crow	n rer l.	0	1	D'S	RS	
				is Eng	elp you ou listed in gine Swap-	it, and all this section In-A-Box N	were here to our hard wo on of our co (its. Kits with available.	ork veted <u>"«</u>	JUL - 11	initi O			4224
	/GMC C10 & C20 I				S MEMBER								
67-1972	GM LS 4.8L, 5.3L, 6.0L	Factory Heads	1-3/4"	Mid- Length	3"	Ball/ Socket	Υ	N	42041*	42042*	42043*		
		$\rightarrow$	KIT WIT	TH 304 S	TAINLES	S STEEL	HEADER	s 🗪	42241*	42242*	42243*		
73-1987	GM LS 4.8L, 5.3L, 6.0L	Factory Heads	1-3/4"	Mid- Length	3"	Ball/ Socket	Υ	N	42051*	42052*	42053*		
			KIT WIT	-10000	TAINLES		HEADER	s 🗪	<u>42251</u> *	<u>42252</u> *	42253*		
	15, Blazer/Jimm	Y, SONOMA;	2WD 0	THE PROPERTY.	Mark the Mark Mark	Control of the Contro							
KIT INCLU 82-2004	DES HEADERS, OIL PAN, 1955-78 SB Chevy	Factory	1-1/2"	Mid-	2-1/2"	Ball/ Socket	Υ	y	99061*	99064*	99081*	99067*	9906
82-2004		Heads Factory	1-3/4"	Length Mid-	3"	3-Bolt	Y	Y	99069*	99079*		00001	5500
		Heads		Length Mid-	2-1/2"	Gasket Ball/	v	Y	99063*				
82-2004	1955-78 SB Chevy	D-Port Heads	1-1/2	Length	2-1/2	Socket		3,848	22002	99066*	99083*		

<sup>\*</sup> Not legal for sale or use on pollution controlled motor vehicles.

Not for use with 4L80E or 4L85E Transmissions

The state of the s	NGINE SWAP-IN-A-BOX" OMPLETE ENGINE SWAP KITS							STANDARD-DUTY Hedder Models			ELITE" Heavy-duty models		
YEARS	ENGINE BEING INSTALLED	CYLINDER HEAD Design	TUBE DIAMETER	TUBE STYLE	COLLECTOR SIZE	COLLECTOR STYLE	AUTOMATIC Transmission	MANUAL Transmission	UNCOATED	HTC SILVER CERAMIC	BLACK MAXX Black Ceramic	MATTE	BLACK ELITI
S-10/S-1	5, BLAZER/JIMMY DES HEADERS, OIL PAN,	, SONOMA;	2WD (	ONLY- MI	D-LENG	TH HEAD	ERS (CONTIN	IUED)					
1982-2004	1955-78 SB Chevy	Angle Plug (factory GM Only)	1-1/2"	Mid- Length	2-1/2"	Ball/ Socket	Υ	Υ	99062*	99065*	99085*	-	-
1982-2004	1986-00 SB Chevy	Factory Heads	1-1/2"	Mid- Length	2-1/2"	Ball/ Socket	Y	Y	99071*	99074*	99082*	99077*	99078*
1982-2004	1986-00 SB Chevy	Factory Heads	1-3/4"	Mid- Length	3"	3-Bolt Gasket	Υ	Y	99070*	99080*	99090*		
1982-2004	1986-00 SB Chevy	D-Port Heads	1-1/2"	Mid- Length	2-1/2"	Ball/ Socket	Υ	Y	99073*	99076*	99084*		
1982-2004	1986-00 SB Chevy	Angle Plug (factory GM Only)	1-1/2"	Mid- Length	2-1/2"	Ball/ Socket	Υ	Y	99072*	99075*	99086*		
1982-2004	GM LS 4.8L, 5.3L, 6.0L	Factory Heads	1-1/2"	Mid- Length	2-1/2"	Ball/ Socket	Y	Y	42161*	42162*	42933*		
S-10/S-1	5; 2WD ONLY- L DES HEADERS, OIL PAN,	ONG TUBE H	EADERS TRANSMI	(THE TRANSM	ISSION CROSSI	MEMBER IN TH	ıs Kıt İs Not (	OMPATIBLE WIT	H BLAZER/JII	MMY MODELS)			
1982-2004	1955-78 SB Chevy	Factory Heads	1-1/2"	Long Tube	3"	Ball/ Socket	TH350 700R4	N	99091*	99092*	99093*	75.	8
1982-2004	1986-00 SB Chevy	Factory Heads	1-1/2"	Long Tube	3"	Ball/ Socket	TH350 700R4	N	99094*	99095*	99096*		
1982-2004	GM LS 4.8L, 5.3L, 6.0L	Factory Heads	1-1/2"	Long Tube	3"	Ball/ Socket	4L60E/70E	N	42163*	42164*	42165*		
S-10/S-1	5, BLAZER/JIMMY DES HEADERS, OIL PAN,	, SONOMA;	4WD (	ONLY									
1982-2004	1955-78 SB Chevy	Factory Heads	1-1/2"	Mid- Length	2-1/2"	Ball/ Socket	Y	Υ	44061*	44062*	99087*	-	
1982-2004	1986-00 SB Chevy	Factory Heads	1-1/2"	Mid- Length	2-1/2"	Ball/ Socket	Υ	Υ	44063*	44064*	99088*		
FORD RA			OII FILTE		N VIT 1					77			
1982-1997	SB Ford 260-302W	Factory	1-1/2"	Mid- Length	2-1/2"	Ball/ Socket	Υ	Υ	97361*	97362*	97363*	-	-
JEEP CJ		Heads		Longai		Joonet							
<u>i kit inglu</u> 1972-1986	DES HEADERS, OIL PAN, 1955-78 SB Chevy	Factory	1-1/2"	Mid-	2-1/2"	Ball/	Υ	Y	41001*	41002*	41003*	41004*	41005*
.572 1000	1986-00 SB Chevy	Heads Factory	1-1/2"	Length Mid-	2-1/2"	Socket Ball/	Y	Y	41006*			41009*	41010*

### CHEVY LS ENGINE INTO SB CHEVY FACTORY CHASSIS

For installing a Chevy LS1/LS6/Vortec 4.8, 5.3, 6.0L V8 engine into a vehicle that is set up for a Chevy SB V8. Now available in multiple engine positions and mount pad material combinations.





- Securely mounts your LS engine into Classic SB Chevy Chassis Vehicles
- SIX ENGINE POSITIONS Available
- Include Mounts, Pads and Hardware
- Rubber & Polyurethane Kit Options. Plates also Available Without Pads



		COMPLE	TE KITS?	
DESCRIPTION	ENGINE POSITION	RUBBER	POLY Urethane	WITHOUT PADS
LS1 Engine into SB Chevy Chassis	STOCK LOCATION	4592	4582	4572
LS1 Engine into SB Chevy Chassis	1" FORWARD	4596	4583	
LS1 Engine into SB Chevy Chassis	1-3/4" FORWARD	4597	4584	
LS1 Engine into SB Chevy Chassis	1" BACK	4595	4585	4575
LS1 Engine into SB Chevy Chassis	1-1/4" BACK	4599	4587	
LS1 Engine into SB Chevy Chassis	1-3/4" BACK	4598	4586	
REPLACEMENT MOTOR MOUNT PADS		9525	4238	

Thot for use on vehicle chassis designed to use Clamshell Style (1974-newer) Motor Mount Pads. For these vehicles, order Trans-Dapt kit without pads. 🗍

#### CHEVY LS ENGINE INTO 55-57 CHEVY CARS (TRI-5)



These new Trans-Dapt swap mounts are designed specifically for installing an LS engine into 1955-1957 Chevy 150, 210, Bel Air or Nomad cars. Available with standard rubber or high performance polyurethane pads. No welding required.

Replacement pads: Trans-Dapt #9525 or 4238	COMPLETE KITS		
DESCRIPTION	RUBBER	POLY URETHANE	
LS Engine into 1955-1957 Chevy passenger cars Engine Swap Motor Mount Kit	4199	4200	

#### CHEVY LS ENGINE INTO 68-72 CHEVELLE, EL CAMINO



These quality kits simplify swapping an LS engine into 1968-72 GM A-Body cars, like Chevelles, El Caminos, GTOs, Cutlass and more, that came from the factory with a SB Chevy. Available for LS/TH350 or LS/4L60 combinations. No

welding required.

Replacement pads: Trans-Dapt #4602			COMPLETE KITS	
DESCRIPTION	TRANSMISSION	ENGINE POSITION	RUBBER	
LS Engine into '68-72 Skylark, GS, Chevelle, El Camino, GTO, LeMans, 442,	TH350 / 700R4	Stock	4601	
F-85, Cutlass, Vista Cruiser	4L60 / 4L70	Forward	4600	

#### CHEVY LS ENGINE INTO GM F-BODY & X-BODY CARS

Trans-Dapt Performance recognized the future of the classic car market early and introduced its first LS engine swap motor mounts to the industry way back in 2002.

The kits on this page represent over 10 years of LS component design and manufacturing experience, and many kits, like these F-Body swap mounts, are designed to fit a specific group of vehicles, making them simple to use, and ensuring a safe, reliable, long lasting installation of your an LS engine into classic American muscle cars and trucks. Complete Engine Engine Swap-





	COMPLETE KITS
DESCRIPTION	RUBBER
1967-69 Camaro/Firebird, 1968-74 Nova, Chevy II; Engine Swap Motor Mount Kit	4201
1970-74 Camaro/Firebird; Engine Swap Motor Mount Kit	4202
1975-81 Camaro/Firebird; Engine Swap Motor Mount Kit	4203
Replacement Pads For Swap Mount Kit #s 4201, 4202 And 4203	4209

#### CHEVY LS ENGINE INTO 78-88 A-BODY/G-BODY CARS



This easy-to-use kit is designed specifically for installing an LS engine into 1978-87 Caballero, Cutlass, El Camino, Grand Prix, and Regal, or 1978-88 Monte Carlo vehicle models. No welding required.

Replacement pa	ds: Trans-Dapt #4209	<b>COMPLETE KIT</b>
DESCRIPTION	TRANSMISSION	RUBBER
LS Engine into 1978-81 GM A-Body & 1982-88 G-Body Cars Engine Swap Motor Mount Kit	4L60/65/7/800E, TH400, T56	4206

#### CHEVY LS ENGINE INTO 94-04 MUSTANG

The reliability, power potential and relatively affordable price of LS engines has catapulted it to the engine of choice in our hobby and not just for GM vehicles. These mounts allow you to confidently bolt an LS engine in 1994-04 4.6L



Replacement pads: Trans-Dapt #4208	COMPLETE KIT	
DESCRIPTION	RUBBER	WITHOUT PADS
LS Engine into 1994-04 Mustang Engine Swap Motor Mount Kit	4518	4517

#### CHEVY LS ENGINE INTO CHEVY/GMC C10 TRUCKS



Trans-Dapt offers two engine swap mount kits designed specifically for installing an LS engine into 1967 to 1987 Chevy /GMC 1/2-Ton 2WD Pick-ups and SUVs. No welding required. Complete Engine Engine Swap-In-A-Box Kits also available. See Page 91.

Replacement pads: Trans-Dapt #4719	COMPLETE KITS
DESCRIPTION	POLYURETHANE
'67-72 Chevy/GMC C10/C15 Trucks & SUVs; Engine Swap Mount Kit	4204
'73-87 Chevy/GMC C10/C15 Trucks & SUVs; Engine Swap Mount Kit	4205

#### **GM LS ENGINE** INTO ANY 2WD S-10/BLAZER

Chevy LS1/LS6 4.8, 5.3, 6.0L V8 into S-10/Blazer. Mounts bolt directly to the stock 2.8L V6 mounts for a very simple install. For 82-04 2.2L trucks use only #4516.



Replacement mounts: Trans-Dapt #4217 or 4229	COMPLE	TEKITS	
DESCRIPTION	RUBBER	ALL STEEL	WITHOUT PADS
LS1/Vortec into 2WD S-10	4516	4530	4536

#### **GM LS ENGINE MOUNT SHIMS**

Trans-dapt offers a broad range of LS swap components, including a variety of application specific mount kits, as well as, general application kits that position the engine forward or backwards to meet your special LS swap project's needs.

These 3/16" thick steel shims, or spacers, allow builders to fine tune the level and height of the LS engine to acheive the desired position and drivetrain angle.

			-
		1	
0	4207	9	LS Engin

DESCRIPTION	PART NO.
ngine Mount Shims; 3/16" Tall (Pr.)	4207

#### LT (GEN 5) INTO LS CHASSIS ENGINE MOUNT ADAPTER PLATES



Trans-Dapt's LT engine adapter plates are an easyto-use product that quickly adapts GM's new-age, Gen V LT motor to fit into your earlier generation, factory LS-equipped chassis car or truck. Just bolt this adapter to the LT blocks factory mount location, install a set of factory LS pads, then attach the engine to the chassis.

DESCRIPTION	PART NO.	
LT into Factory LS Chassis Adapter Plate Kit	4531	

### CHEVY LT1 (GEN 5) ENGINE INTO SB CHEVY (GEN 1) FACTORY CHASSIS



			COMPLETE KITS*	
DESCRIPTION	ENGINE POSITION	RUBBER	POLY Urethane	WITHOUT PADS
LT1 (Gen 5) into SB Chevy Chassis	1-1/8" REARWARD	4526	4527	4525
LT1 (Gen 5) into SB Chevy Chassis	5/8" REARWARD	4523	4524	4522
LT1 (Gen 5) into SB Chevy Chassis	5/8" FORWARD	4520	4521	4519
REPLACEMENT MOTOR MOUNT PA	ADS	9525	4238	

<sup>\*</sup>Not for use on vehicle chassis designed to use Clamshell Style (1974- newer) Motor Mount Pads. For these vehicles, order Trans-Dapt kit without pads.

# Chevy's (Gen V) LT1 is a beast of an an engine. Its power potential, coupled with the automotive industry's most advanced engine technology has quickly made it a popular engine choice among vehicle builders and performance enthusiasts.

Trans-Dapt's line of LT1 swap engine mounts are designed to make bolting a Gen 5 LT1 into classic GM cars that came from the factory with a SB Chevy engine. Simply bolt the engine block adapter plates to the engine, bolt the rubber or polyurethane

pad to the adapter plate, then bolt the entire package to the factory SB Chevy frame perches. Three engine positions available.

SB CI	HEVY	<b>V8</b>	
INTO	ANY	4WD	S-10/BLAZER



SB Chevy 283-350 V8 into 4WD S-10/Blazer. Mounts bolt directly to the stock 2.8L V6 mounts for a very simple bolt-in. For 82-04 2.2L trucks use only #4406.

#### Replacement pads: Trans-Dapt #4217 or 4229

	COMPLE		
DESCRIPTION	RUBBER	ALL STEEL	WITHOUT PADS
SB Chevy into 4WD S-10	4406	4529	4426

### SB CHEVY V8 INTO ANY 2WD S-10/BLAZER



SB Chevy 283-350 V8 into S-10/Blazer. Mounts bolt directly to 2.8L V6 mounts for a very simple install. Use Hedman Shorty Hedders #69520. For 82-04 2.2L trucks use only #9906.

#### Replacement pads: Trans-Dapt #4217

	COMPLETE KITS			
DESCRIPTION	RUBBER	ALL STEEL	WITHOUT PADS	
SB Chevy into 2WD S-10	9906	4528	9926	

# SB CHEVY V8 INTO 2WD S-10 WITH TH-350

Frame Mount plates and hardware. For use with Hedman Long-Tube Headers #69490. For complete kit with rubber pads and adapter plates, use #4690. For a high performance all steel set-up, use with Trans-Dapt #4227.

#### Replacement pads: Trans-Dapt #4235

	COMPLETE KITS			
DESCRIPTION	RUBBER	POLY URETHANE	WITHOUT PADS	
S-10 V8 Long Tube Hedder Frame Mounts	4690		4689	

#### SB CHEVY V8 INTO 2WD 4.3L S-10 TH-350





For installing a Chevy SB V8 into Chevy S-10/Blazer 2WD using stock 4.3L V6 mounting pads. For use with Hedman Shorty Hedders part #69520.

#### Replacement pads: Trans-Dapt #4218

	COMPLETE KITS		
DESCRIPTION	RUBBER	POLY URETHANE	WITHOUT PADS
SB Chevy into 2WD S-10 4.3L	4671		4691

#### 4.3L CHEVY V6 INTO ANY 2WD 2.2/2.8L S-10



4.3L Chevy V6 into S-10/Blazer. Mounts bolt directly to the stock 2.8L V6 mounts. Use stock T4/T5 or TH-350 Trans. For 2.2 or 4.3L trucks use only #4606.

#### Replacement pads: Trans-Dapt #4217

	COMPLETE KITS			
DESCRIPTION	RUBBER	POLY URETHANE	WITHOUT PADS	
4.3L V6 into 2WD S-10 2.2/2.8L	4606	5-81	4626	

#### SB CHEVY V8 INTO 2WD 84-04 ASTRO VAN



For installing a Chevy SB V8 into an '84-04 Astro Van/Safari Van 2WD only. Uses stock 2.8L V6 mounting pads. Hedman swap header # 68600,68606 or 68608 recommended.

#### Replacement pads: Trans-Dapt #4217

-	COMPLETE KITS			
DESCRIPTION	RUBBER	POLY Urethane	WITHOUT PADS	
4.3L V6 into 2WD S-10 2.2/2.8L	4676		4696	



#### CHEVY SB/BB V8 OR 4.3L V6 INTO 49-54 CHEVY CARS



Chevy V8 into 49-54 Chevy passenger cars. No welding required. Kit includes frame, engine brackets and biscuit style mount pads.

Replacement pads: Trans-Dapt #9314.	COMPLETE KIT	
DESCRIPTION	RUBBER	
Chevy V8 '58-99, 4.3L V6 into '49-54 Chevy	4196	

### CHEVY SB/BB V8 OR 4.3L V6



Includes motor mount brackets and stock type rubber/steel mount pads for maximum strength. New model provides firewall clearance for HEI system. No welding required.

Replacement pads: Trans-Dapt #9525 or 4238

COMPLETE KITS			
RUBBER	POLY Urethane	WITHOUT PADS	
4195	4155	4175	
4177	4178	4176	
	RUBBER 4195		

#### CHEVY SB/BB V8 OR 4.3L V6 INTO 55-59 CHEVY PICK-UP





Kit includes left and right adapter wings, two frame plates, and rubber/steel mount pads. No welding is required.

Replacement pads: Trans-Dapt #9314	COMPLETE KIT	
DESCRIPTION	RUBBER	
Chevy V8 '58-99, 4.3L V6 into '55-59 P/U	4771	

#### CHEVY SB & BB V8 INTO 64-72 GM A-BODY CARS



Mounts 58-99 Chevy V8 engine into a 64-72 Buick Special, Skylark, Grandsport; Olds F-85, Cutlass, 442, Pontiac Tempest, LeMans and GTO with automatic or standard transmission. No welding required. Additional GM parts are necessary to complete this installation.

#### Replacement pads: Trans-Dapt #9525 or 4238

	COMPLETE KITS		
DESCRIPTION	RUBBER	POLY URETHANE	WITHOUT PADS
Chevy V8 into 64-72 A-Body	9556	9566	9596

### CHEVY SB V8 INTO CHEVY VEGA/PONTIAC ASTRE Not Monza Chassis.



Mount a Small-Block Chevy V8 engine into a Chevy Vega or Pontiac Astre. Complete front and rear mount kit includes motor mount brackets, bushings, plates and rear crossmember for use with TH-350 automatic transmission only. Hedman swap header # 68340 or 68346 recommended.

Replacement pads: Trans-Dapt #4684	COMPLETE KIT
DESCRIPTION	RUBBER
SBC into Chevy Vega/Pontiac Astre	4686

#### FORD SB 289-302 INTO 83-97 2WD RANGER, BRONCO LL, 91-94 EXPLORER





Bolt in design. Requires Trans-Dapt oil filter relocation kit #1113, and other Ford parts to complete the installation. Use Hedman Hedder #89500. Use oil pan #9754 or #8918/8919.

#### Replacement pads: Trans-Dapt #9717 COMPLETERIT

DESCRIPTION	RUBBER	WITHOUT PADS
SB Ford V8 into Ford Ranger or Explorer	9736	9716

#### FORD 429-460 INTO 65-79 FORD 2WD PICKUP



Fits 2WD F-100, F-150, F-250 & F-350. Includes mount brackets and bushings. No welding required. NOT for 1958-68 Mercury, Edsel, Lincoln series motors. Includes polyurethane bushings.

Replacement bushings: Trans-Dapt #9722	COMPLETEKIT
DESCRIPTION	RUBBER
429-460 (385 series) into 65-79 Ford 2WD Trucks	9720

#### FORD 429-460 INTO FORD 4WD PICKUP



Fits '67-79 Ford 4WD F-250, '78-79 Ford F-150 and Bronco. Mount brackets only. NOT for use with 1958-68 Mercury, Edsel, Lincoln Series motors.

#### Discontinued Ford parts needed for installation.

DESCRIPTION	PART #
429-460 (385 series) into Ford 4WD Trucks	9433

#### FORD 332-352-390-406-427 OR 428 INTO 53-64 FORD PICKUF





This "Bolt-to-frame" crossmember requires no welding. 28-3/4" wide. Must use 4qt. pass. car oil pan. Not for 351s. For 351W, use mount kit #4145, for 351C use #4977.

#### Replacement pads: Trans-Dapt #4715 COMPLETE KIT

DESCRIPTION	RUBBER	WITHOUT PADS
Ford FE block into 53-64 Ford Truck	4017	4037

#### FORD SB 289-302-351W INTO FORD PICKUP





Includes left- and right-hand adapter wings, motor mount pads, frame brackets and hardware. No welding required. Universal mount kit must be used on trucks with up to 28" frame rails. 2WD or 4WD.

Replacement pads: Trans-Dapt #9314	COMPLETE KIT
DESCRIPTION	RUBBER
Universal fit SB Ford into Ford Truck	4562

### LOOKIN' FOR FORD TRUCK HEDDERS?

Hedman Hedders offers an wide range of hedders for 1954-2010 Ford Trucks and SUVs. Check out Hedman's line of Ford truck headers! Turn to page 22 (2WD) or 27 (4WD), or visit the address below for the latest product applications and information.



### TRUCKS.HEDMAN.COM

#### FORD 429-460 ENGINE CONVERSION MOUNTS








1-3/8' Tall

INTERLOCKING DESIGN FOR SECURE, LONG LASTING RELIABILITY



PAD MATERIAL

These universal motor mounts are a must when installing a 429-460 engine in to a Ford Bronco, F-100, F-150, F-250 or F-350 truck. They use stock frame perches bolted directly to the engine block. No relocation of transmission or transfer case required. Available in Black Urethane or Solid Steel. All mounts are built with Grade 8 studs to withstand high torque & horsepower loads. Solid steel mounts will improve 0-to-60 times, and prevent clutch linkage binding to transfer more power to the wheels. Sold in pairs.

For '72-82 1/2- 3/4-Ton Trucks use Hedman Husler Hedders #85650. For Cobra Jet Heads use Hedman Husler Hedders #85651.

The second secon		IAVINA	LINIAL	
DESCRIPTION	DRIVE Type	TRANSMISSION Type	POLY Urethane	ALL STEEL
78-79 Bronco 351M/400 to 429/460 engine	4WD Only	Auto/Manual	4226	4225
80-96 Bronco 302/351W to 429/460 engine	2WD/4WD	Auto/Manual	4226	4225
67-79 F100/F-150 302/351W to 429/460 engine	2WD Only	Auto/Manual	4226	4225
77-79 F100/F-150 351M/400 to 429/460 engine	2WD/4WD	Auto/Manual	4226	4225
80-96 F100/F-150 302/351W to 429/460 engine	2WD/4WD	Auto/Manual	4226	4225
67-79 F-250/F-350 302/351W to 429/460 engine	2WD Only	Auto/Manual	4226	4225
77-79 F-250/F-350 351M/400 to 429/460 engine	2WD/4WD	Auto/Manual	4226	4225
80-96 F-250/F-350 302/351W to 429/460 engine	2WD/4WD	Auto/Manual	4226	4225

#### CHEVY SB/BB V8 OR 4.3L V6 INTO 53-64 FORD PICKUP





Kit includes left- and right-hand adapter wings, motor mount pads, frame brackets and hardware. No welding required.

Replacement bushings: Trans-Dapt #9314	COMPLETE KIT
DESCRIPTION	RUBBER
SB Chevy V8 & 4.3L V6 into 53-64 Ford Truck	4102

#### FORD SB 289-302-351W INTO 53-64 FORD PICKUP



Kit includes left- and right-hand adapter wings, motor mount pads, frame brackets and hardware. No welding required.

Replacement bushings: Trans-Dapt #9314	COMPLETE KIT
DESCRIPTION	RUBBER
SB Ford Windsor into 53-64 Ford Truck	4145

#### FORD 429-460 INTO 53-64 FORD PICKUP



Includes engine wings, motor mount pads, frame brackets and hardware. No welding required. NOT for use with 1958-68 Mercury, Edsel, Lincoln Series motors.

Replacement bushings: Trans-Dapt #9314	COMPLETE KI
DESCRIPTION	RUBBER
429-460 into 53-64 Ford Truck	4685

### JEEP & MOPAR ENGINE SWAP MOTOR MOUNTS

#### CHEVY SB/BB V8 OR 4.3L V6 INTO 76-86 JEEP CJ

NOT FOR LT1



For installing a SB Chevy V8 or 4.3L V6 into a 1976-86 Jeep CJ. Bolt-in design.

#### Replacement pads: Trans-Dapt #9525 or 4238

	COMPL	ETE KITS	
DESCRIPTION	RUBBER	POLY Urethane	WITHOUT PADS
SB Chevy V8 into Jeep CJ	4563	4553	4543

#### CHEVY SB/BB V8 OR 4.3L V6 INTO CJ, J & WRANGLER



CJ-2, 3A, 3B, 5, 6, CJ-7 or J-Series and Wrangler. Includes brackets and pads. Welding required to install these kits.

Replacement bushings: Trans-Dapt #9314	COMPLETEKITS	
DESCRIPTION	RUBBER	
Chevy SB into Jeep CJ Series	4100	
Chevy SB into Jeep J Series	9721	
Chevy SB into 87-95 Wrangler	4560	

### CHEVY SB V8

INTO 87-95 JEEP YJ WRANGLER NOT FOR LT1





This "Bolt-to-Frame" design crossmember is easy to install, and requires no welding.

#### Replacement pads: Trans-Dapt #9525 or 4238

	COMPL	ETEKITS	
DESCRIPTION	RUBBER	POLY URETHANE	WITHOUT PADS
SB Chevy V8 into Jeep Wrangler	4566	4556	4546

#### FORD SB 289-302-351W INTO JEEP CJ & OTHERS



Fits CJ-2, CJ-3A, CJ-3B, CJ-5, CJ-6, CJ-7 and 101, as well as, some utility series. Includes mount brackets and pads. Welding required to install this kit.

#### Panlacement huchings: Trans\_Dant #0314

Reptacement bushings. Irans-papt #9314	COMPLETE KIT
DESCRIPTION	RUBBER
SB Ford Windsor into Jeep CJ Engine Swap Kit	4101

### HEAVY-DUTY & BODY LIFT 2.5 & 4.0L

JEEP WRANGLER OFF-ROAD MOTOR MOUNTS Replace light-duty OEM motor mounts on your '87-96 YJ or

'97-03 TJ with Heavy-Duty Trans-Dapt Mounts. Available in three lift heights to reduce the drivetrain angle on lifted vehicles, as well as, line up the engine cooling fan with radiator. Urethane bushings included.








DESCRIPTION	STOCK- No Lift	1" BODY LIFT	2" Body Lift
Heavy-Duty Jeep Wrangler 2.5L - (Bushing Cylinder Widths are 2-3/8" and 3-1/4")	4213	4214	4215
Heavy-Duty Jeep Wrangler 4.0L - (Bushing cylinder Widths are both 1-3/4")	4210	4211	4212
REPLACEMENT POLYURETHANE MOTOR MOUNT BUSHINGS for 2.4-4.0L Wrangler mounts	9722	9722	9722

#### 340-360 (LA SERIES) INTO A,B,C, E-BODY MOPARS





#### Replacement pads: 4695: Trans-Dapt #4219 4700: Trans-Dapt #4283

4701: Trans-Dapt #4284	WITH PADS	
DESCRIPTION	RUBBER	WITHOUT PADS
340-360 into 67-72 A-Body with Slant 6	4695	4675
340-360 into 63-65 B-Body	4700	
340-360 into 66-72 B-Body; 66-73 C-Body; 70-74 E-Body	4701	

#### B/RB INTO 67-72 MOPAR A-BODY WITH SLANT-6 K-MEMBER



Replacement p	pads:	Trans-Dapt	#4221	WITH PADS

DESCRIPTION	RUBBER	WITHOUT PADS
B/RB into 67-72 A-Body with Slant 6 K-Member	4697	4797

#### B/RB INTO 67-72 MOPAR A-BODY WITH SB V8 K-MEMBER





Motor mount kit for installing a MOPAR B/RB engine into a 67-72 A-Body that came from the factory with a SB V8.

Replacement pads: Trans-Dapt #4221	PAUS	
------------------------------------	------	--

DESCRIPTION	RUBBER	WITHOUT PADS
B/RB into 67-72 A-Body with SB V8 K-Member	4698	4798

### MOPAR, TOYOTA-SWAP-MOUNTS, UNIVERSAL ENGINE CROSSMEMBERS

#### 72-87 BB MOPAR INTO DODGE TRUCKS



#### CHEVY SB V8 & 4.3L V6 INTO LAND CRUISER



#### CHEVY SB V8 OR 4.3L V6 INTO TOYOTA (UNIVERSAL)





For installing a Mopar B/RB into a 72-87 Trucks, 2WD & 4WD.

Replacement	pads:	Trans-Dapt	#4220	COMPLETE KIT
Heptaveilleilt	paus.	mano pupi	11-12-20	COMPLETERIT

maphasant passes trans arely a real	COMIT LETE INTE	
DESCRIPTION	RUBBER	WITHOUT PADS
BB Dodge motor into Dodge Trucks	4565	4545



Fits Toyota Land Cruisers up to 1990. Includes brackets and pads. Welding is required to install this kit.

Replacement pads: Trans-Dapt #9314	COMPLETE KIT
DESCRIPTION	RUBBER
Chevy SB into Land Cruiser	4712



These Universal mounts are designed for all types of 2WD & 4WD trucks with at least 28" between frame rails.

Replacement pads: Trans-Dapt #9314	COMPLETE KIT
DESCRIPTION	RUBBER
Chevy SB into Toyota Universal Mounts	4560

#### CHEVY SB INTO 4 CYL. 79-95 TOYOTA 4WD TRUCK





Fits '79-95 Toyota 4WD 4cyl truck. Urethane bushings included. Not for Tacoma trucks. Bolts to factory motor mount perches. No welding.

Replacement bushings: Trans-Dapt #972	
Pontacoment hijehinge: Irane_Hant #U/7	2

Reptacement businings. Irans-bapt #3/22	CUMPLE IE KII
DESCRIPTION	POLY Urethane
SB Chevy to 4cyl. Toyota	4567

#### 79-95 TOYOTA 4WD TRUCK TRANSFER CASE SHIMS



Trans-Dapt Toyota Transfer Case Shims are used to adjust drive shaft angle caused by body lift or an engine swap. Sold in pairs, 1/8" thick. Recommended for all Toyota engine swaps.

DESCRIPTION	PART #
Toyota Transfer Case Shims	4569

#### 81-95 TOYOTA 4WD TRUCK **POWER STEERING BRACKET**





This power steering adapter bracket will allow the factory Toyota power steering pump to be used on SB Chevy or 4.3L V6 engines.

Recommended for all engine swaps using #'s 4567.

DESCRIPTION	PART #
Toyota P/S Bracket 81-95	4571

### UNIVERSAL CROSSMEMBER **ENGINE MOUNTS**

TRANS-DAPT's Universal crossmember engine mounts are very versatile, and are ideal for a wide variety of cars & pickups with open frame rails, primarily those with straight front axles. We recommend double checking clearance on 4WD pickups and SUV's, as well as, passenger cars with independent suspension.

Easy-To-Use! To install, simply measure the distance between the frame rails, cut the cross tube to fit and bolt or weld the end caps to the cross pipe, for secure, precise fitting results. Made with Heavy-Duty .114" thick tubing.



Ford 429-460 fits 28"-38" wide Frame Rails. ALL OTHER Crossmembers fit 24" to 37" wide frame rails.		2012/2014/2014/2014/2014		
DESCRIPTION	CENTER POINT BETWEEN PERCHES	RUBBER	POLY URETHANE	WITHOUT PADS
Chevy 265-350 SB & 396-454 BB 6" Drop	16-1/8"	4840	4850	4810
Use Trans-Dapt Mount Pad #9525 or 4238 (Pr).				
Chevy 396-454 BB (1" of additional pan clearance) Uses Trans-Dapt Pad #9525 or 4238 (Pr).	16-1/8"	4841	4851	4811
Ford 260-289-302-351W & Pre-'73 351C Use Trans-Dapt Mount Pad #4982 (Pr).	17-1/4"	4849		4819
Ford 351C '73-Up Use Trans-Dapt Mount Pad #4981 (Pr).	16-1/2"	4997		4977
Ford 429-460 (Not for Lincoln/ Mercury) Use Anchor #2367 <sup>P</sup> & #2368 <sup>d</sup> Pad (or equiv.)	17-1/2"			9313
Oldsmobile 330-455 Use Trans-Dapt Mount Pads #9592 (Pr).	14-1/2"	9587		9591

<sup>d</sup>Driver Side. <sup>P</sup>Passenger Side.



#### **ENGINE CROSSMEMBERS & MOUNTS**

#### PREMIUM BILLET ALUMINUM STREET ROD & CUSTOM BUILD ENGINE MOUNT KITS

Trans-Dapt's new Billet Aluminum Engine mounts are designed and precision CNC-machined at Trans-Dapt's Whittier, California manufacturing facility.

While these Engine mounts have been created for use in open frame cars and trucks, if you've got basic skills with a welder, they also serve well as a custom engine mount "strarter kit" that allows you to locate your motor wherever you want it. They are particularly useful in pro-touring projects, when builders try to stuff the engine as low and back as possible, or for rare engine/chassis combinations that have no off-the-shelf mounts.

Each kit includes the CNC-machined engine plates, quality poly bushings and steel sleeves, 304 Stainless hardware,





- Include Engine Mounts, Polyurethane Bushings, Stainless Steel Hardware, and 6" Long Frame Bracket Tabs
- Allows You To Position Your Engine To Meet Your Project's Specific Requirements
- Lightweight, Yet Super Durable
- Made In The USA!

F	made in the con:	
	Replacement bushings: Trans-Dapt #9722	COMPLETE KI
	DESCRIPTION	POLY URETHANE
	& BB Chevy (Mark IV / Gen 5) Engine ket Tabs; Billet Aluminum, Polyurethane	4532
GM LS Series (Gen III / G Tabs; Billet Aluminum, P	en IV) Engine Mounts with Frame Bracket olyurethane Bushings	4533

#### UNIVERSAL STREET ROD STYLE "BUSHING-TYPE" MOTOR MOUNTS Universal fit \*Bushingtype" street rod style motor mounts are available for a wide variety of cars and pickups with open frame rails. To install, bolt mounts to engine, measure distance between the frame rail and the mount, then trim the frame mount to fit. Includes engine mount brackets, frame mount brackets, urethane bushings and hardware. Sold in pairs. "Weld-in" design. 5 3/4" Side view of frame mount

DESCRIPTION	PART #
Buick Nailhead 401-425	4502
Chevy 283-350 SB, 396-454 BB 4.3L V6 '58-99	4500
Chevy/GM LS Series 4.8, 5.3, 6.0L	4501
Chevy/GM LS Series (*Iron Blocks Only); For use with Block Hugger Headers	4511
Chevy/GM LT1 (Gen 5)	4607
Dodge Hemi 5.7L (New Style)	4504
Ford 429-460 '58-68 (Not for Lincoln/Mercury)	4503
Ford 289-302-351W	4512
Ford 351M, 351C, 400	4513
Oldsmobile 330-455	4514
REPLACEMENT POLYURETHANE BUSHINGS for "Bushing-Style" Motor Mounts	9722

#### UNIVERSAL "BISCUIT-STYLE" MOTOR MOUNTS

Universal fit "Biscuit-style" motor mounts are available for a wide variety of cars and pickups with open frame rails. To install, simply bolt mounts to engine, measure the distance between the frame rail and the mount, then adjust as needed. Kits include rubber mounts and

hardware. Sold in pairs. For replacement mount pads use Trans-Dapt #9314.



### "WELD-IN" DESIGN: fits 24" to 30" frame widths.

"BOLT-IN" DESIGN: fits 27" to 33" frame widths.

DESCRIPTION	WELD-IN Part#	BOLT-IN Part #
Chevy 283-350 SB, 396-454 BB 4.3L V6 '58-99	4505	4508
Chevy/GM LS1/LS6 4.8, 5.3, 6.0L	4506	4509
Chevy/GM LT1 (Gen 5)	4605	4604
Dodge Hemi 5.7L (New Style)	4507	4510
REPLACEMENT RUBBER BUSHINGS for "Biscuit-Style" Motor Mounts	9314	9314

### REPLACEMENT MOTOR MOUNT PADS FOR ENGINE SWAP KITS



These mounts are designed for use with Trans-Dapt's SB Chevy engine swap mount kits. Will also work on most factory style SB Chevy applications. Polyurethane version of our #9525 Chevy mount pad.

DESCRIPTION	PART #
Replacement Chevy Mounts (Pair)	4238

#### REPLACEMENT CHEVY MOUNT PADS



These mounts are designed for use with Trans-Dapt #'s 4810, 4811, 4175, 4195, 4543, 4544, 4546, 4561, 4563, 4564, 4566, 4572, 4581, 4592, 4840, 4841. Will also work for most SB Chevy applications.

DESCRIPTION	PART #
Replacement Chevy Mounts (Pair)	9525

### REPLACEMENT CLAMSHELL-STYLE



#4209 clamshell style engine mounts are designed for use with Trans-Dapt #'s 4201, 4202, 4203, 4235, 4689, 4690. 4235 includes brackets for use with Trans-Dapt #4690.

DESCRIPTION	PART #
Replacement Chevy Mounts (Pair)	4209
Replacement Chevy Mounts with Adapter Plate (Pair)	4235

### REPLACEMENT 4.8L, 5.3L, 6.0L CHEVY LS MOUNT PADS



These mounts are for use with Trans-Dapt #'s 4600 and 4601 1968-72 Chevelle / LS engine swap mount kits. As a factory style mount, they can also meet a variety of other LS engine mounting requirements.

DESCRIPTION	PART #
Replacement Chevy LS Mounts (Pair)	4602

#### REPLACEMENT

4.3L V6 CHEVY MOUNT PADS



These mounts are designed for use with Trans-Dapt #4671 & 4691. Also fit 84-95 4.3L S-10, S-15 Trucks & SUVs 2WD.

DESCRIPTION	PART #
Replacement 4.3L V6 Chevy Mounts (Pair)	4218

#### REPLACEMENT 2.8L CHEVY MOUNT PADS



These mounts are designed for use with Trans-Dapt #'s 4406, 4426, 4516, 4536, 4606, 4626, 4676, 4696, 9926 & 9906. Also fit '82-97 2.8L S-10, S-15 Trucks and SUVs, 2WD and 4.3L V6 84-00 Astro/ Safari Vans.

DESCRIPTION	RUBBER	URETHANE
Replacement 2.8/4.3L V6 Chevy Mounts (Pair)	4217	4121

#### REPLACEMENT OLDSMOBILE MOUNT PADS



These mounts are designed for use with Trans-Dapt #'s 9591, 9587 and some V8 factory applications. Fits '57-85 Oldsmobile 330-455 passenger cars.

DESCRIPTION	PART #
Replacement Oldsmobile Mounts (Pair)	9592

### REPLACEMENT EARLY-MODEL SB FORD MOUNT PADS



These mounts are designed for use with Trans-Dapt #'s 4819 & 4849. Can also be used on most 260-351W, pre-1973 351C and '62-84 Ford passenger car applications.

DESCRIPTION	PART #
Replacement SB Ford Mounts (Pair)	4982

#### REPLACEMENT LATE-MODEL

SB FORD MOUNT PADS



These mounts are designed for use with Trans-Dapt #'s 4977 & 4997. Can also be used on most 351M, 400 and 1973 & Up 351C applications.

DESCRIPTION	PART #
Replacement SB Ford Mounts (Pair)	4981

#### REPLACEMENT FORD MOUNT PADS



These mounts are designed for use with Trans-Dapt part #'s 4037 & 4017. Can also be used on '57-64 Ford Pickup applications

DESCRIPTION	PART #
Replacement Ford Mounts (Pair)	4715

#### REPLACEMENT FORD RANGER MOUNT PADS



These mounts are designed for use with Trans-Dapt part #'s 9716 & 9736. Same as '69-86 F-100 302.

DESCRIPTION	PART #
Replacement Ford Ranger Mounts (Pair)	9717

#### REPLACEMENT POLYURETHANE BUSHINGS

Replacement polyurethane bushings for select Trans-Dapt engine mount kit. Packaged in sets of 4 bushings.



DESCRIPTION	PART #
Replacement Polyurethane bushings for Trans-Dapt kit #s 4204 and 4205 (set of 4)	4719
Replacement Polyurethane bushings for Trans-Dapt kit #s: 4210-4215, 4500-4504, 4511-4514, 4567 and 9720 (set of 4)	9722

#### REPLACEMENT

FORD 4.6L MUSTANG MOUNT PADS



Includes 1 pair of factory style, Ford 4.6L Mustang engine mounts In addition to being factory replacements, these pads are for use with Trans-Dapt #s 4517 and 4518 LS into SN95 swap mount kits

DESCRIPTION	PART #
Replacement Ford 4.6L Mounts (Pair)	4208

#### REPLACEMENT

CHEVY SB V8 INTO VEGA MOUNT PADS

These replacement rubber pads are for use with Trans-Dapt's \*4686 SB Chevy V8 / Chevy Vega / Pontiac Astre engine swap mount kit. Set of 4 pads.



DESCRIPTION	PART #
Replacement Chevy Vega/V8 Pads	4684

### REPLACEMENT BISCUIT STYLE MOUNT PADS



These mounts are designed for use with Trans-Dapt #'s 4100, 4101, 4102, 4145, 4196, 4505, 4506, 4507, 4508, 4509, 4510, 4560, 4562, 4685, 4712, 4771 & 9721. They also work with many vintage Hurst engine swap kits.

DESCRIPTION	PART #
Biscuit mount pad for wing style mounts (Pair)	9314

#### REPLACEMENT

MOPAR 340-360 (LA SERIES) MOUNT PADS



DESCRIPTION	PART #	
For Use with Trans-Dapt #4700 Kit; 340-360 in '63-65 MOPAR B-Body (Pair)	4283	
For Use with Trans-Dapt #4701 Kit; 340-360 in '66-72 MOPAR B-Body; 66-73 C-Body; 70-74 E-Body (Pair)	4284	



DESCRIPTION	PAD STYLE	PART #
For Use with TD #4695 and 4575. Fits variety of MOPAR applications	1 Short 1 Interlocking	4219
For Use with TD #4565 and 4545. Fits variety of MOPAR applications	2 Interlocking	4220
For use with TD #4697, 4698, 4797, 4798; 67-72 Dart, Duster, Valiant, Bar- racuda and other MOPARs	2 Short	4221

### ALL-STEEL, SOLID CHEVY MOTOR MOUNT APPLICATION REFERENCE GUIDE

CONTRACTOR OF STREET	unts can be found on the next	Line and the second
YEAR	ENGINE	MOUNT #
FULL SIZE		11001111
1958-67	283, 327, 350, 400	4126
1958-65	348, 409	4231
1965-67	396, 454	4231
1968-72	396, 454	4230
1976-90	305, 350	4232
CAMARO		
1007.00	302, 350, 396	4231
1967-68	327	4126
1000	302, 350	4230
1969	307	4126
1070 79	350	4126
1970-72	396, 402	4231
1974-81	307, 350	4232
1982-92	305, 350	4230
CHEVELLE		
1964-67	283, 327	4126
1304-07	396, 427	4231
1968-69	307, 327, 350	4230
1300-03	396	4231
1970-72	307, 350, 402, 454	4230
1973-78	307, 350, 402, 454	4232
CHEVY II		
1964-67	283, 327	4126
NOVA		
	327	4126
1968-69	350	4230
s	396	4231
	350 (Not Spec High Perf)	4126
1970-72	350 (Spec High Perf)	4230
	396, 454	4231
1973-79	307, 350	4232
CORVETTE		
1963-82	327, 305, 350, 396, 427, 454	4231
MONTE CA	IRLO	
1970-75	350, 427, 454	4230
1973-87	307, 350	4232

### **SOLID STEEL MOTOR MOUNTS**

The solid steel motor mounts on this page do not use rubber pads. They eliminate the torque flex of the engine in the chassis that rubber pads allow, and transfer all that lost power to the drivetrain. The use of solid motor mounts will dramatically increase engine vibration felt in the passenger compartment. Therefore, it is recommended that these mounts be used on race cars only.



All steel design engine mounts. See reference chart on page 96 for a reference guide to popular application usage. Sold in pairs.

DIMENSION A	DIMENSION B		
BOLT HOLE HEIGHT	TAB WIDTH	GM EQUIVALENT	PART #
1-11/16"	2-1/2"	3990914	4126
2-9/32"	2-3/8"	332648	4232
2-1/8"	2-3/8"	3962748	4230
1-3/4"	2-5/8"		4231



These solid frame brackets can be used to replace the factory rubber frame brackets found on \$10 trucks. These brackets are included part of Trans-Dapt's all steel, Chevy SB & LS engine S10 swap mount kit #s 4528, 4529 and 4530 (bottom of this page).

DESCRIPTION	PART #
Chevy 2.8L Solid Frame Brackets	4229



Fits '74-81 Camaro/Firebird, '73-88 Chevelle, Malibu, Monte Carlo, El Camino, '73-79 Nova, '76-90 Impala and Caprice SB. Use with solid motor mount #4232. Sold in pairs.

DESCRIPTION	PART #
74-81 Camaro Solid Frame Brackets	4233

#### SOLID FRAME BRACKETS

82-92 CAMARO



These Trans-Dapt Solid Steel Frame brackets fit '82-92 Camaro/Firebird SB, BB and 90° Chevy V6. Use with solid motor mount #4230. Sold in pairs.

DESCRIPTION	PART #
Solid Frame Brackets	9632

#### SOLID ENGINE MOUNT KIT 74-81 CAMARO



DESCRIPTION	PART #
Solid Chevy Frame/Motor Mount Kit	4228

### SOLID ENGINE MOUNT KIT





Trans-Dapt Solid Steel Frame/Motor Mount Kits include both motor mounts and frame mounts. and fit '82-92 Camaro/Firebird SB, BB 6 90° Chevy V6. Sold as Pairs



DESCRIPTION	PART #
Solid Chevy Frame/Motor Mount Kit	4227

#### SOLID ENGINE MOUNT KITS

S-10 ENGINE SWAP

supplier of \$10 engine swap mounts and components for more than 20 years. These new All Steel Engine mount kits won't flex like rubber or polyurethane, transferring all of your transplanted engine's power to the wheels. These kits are available for SB Chevy and LS engine swaps. Kits include Engine mount, frame bracket and mounting hardware.



VEHICLE	ENGINE TO BE INSTALLED	DRIVETRAIN ON S10	PART #
1982-2004 Chevy/GMC S10, S15 Trucks	SB Chevy	2WD	4528
1982-2004 Chevy/GMC S10, S15 Trucks	SB Chevy	4WD	4529
1982-2004 Chevy/GMC S10, S15 Trucks	GM LS Series	2WD	4530

#### 3/16" TALL **ENGINE MOUNT SHIMS**



3/16" Motor Mount Shims adjust engine height for oil pan, crossmember or header clearance, and to adjust drivetrain angle. SB Chevy & GM LS Engine shims available. Sold in pairs.

DESCRIPTION	PART #
SB Chevy Mount Shims	4125
GM LS Engine Mount Shims	4207

### SB CHEVY 283-400 '58-86



DESCRIPTION	SHORT KIT	TALL KIT	
CLASSIC Style Engine Dress-Up Kit	3041	3040	
TIMING COVER Engine Dress-Up Kit	3043	3042	

CL	ASSIC KI	T CONTENTS	
DESCRIPTION	QTY	DESCRIPTION	QTY
Breather; Push-In	1 each	Valve Cover Spreader Bars	8 each
Dipstick & Tube	1 set	Valve Cover Wing Nuts	8 each
Grommets; Breather & PCV	1 set	Valve Covers; Baffled	1 pair
TIMIN	COVER	KIT CONTENTS	
DESCRIPTION	OTY	DESCRIPTION	QTY
Breather; Push-In	1 each	Timing Chain Cover	1 each
Dipstick and Tube	1 set	Timing Tab	1 each
Grommets; Breather & PCV	1 set	Valve Covers; Baffled	1 pair

#### BB CHEVY 396-454 '65-95



DESCRIPTION		KIT #
BB Chevy 396-454; Tall Valve Covers		3144
	KIT CONTENTS	PARTITION - STATE OF
CONTRACTOR OF THE PARTY.		

KIT CONTENTS				
DESCRIPTION	QTY	DESCRIPTION	QTY	
Breather Grommets	2 each	Valve Cover Mini Tabs	14 each	
Breathers; Push-In	2 each	Valve Cover Wing Nuts	14 each	
Valve Cover Gaskets	1 pair	Valve Covers; Baffled	1 pair	

### SB CHRYSLER '67-93 (LA ENGINE) CHROME KIT



D	ESCRIPTIO	Ť.	KIT #
Chrysler 318, 340, 3	360; Shor	t Valve Covers	3050
1	KIT CO	INTENTS	
DESCRIPTION	QTY	DESCRIPTION	QTY
Breather Grommets	2 each	Valve Cover Mini Tabs	10 each
Breathers; Push-In	2 each	Valve Cover Wing Nuts	10 each
Valve Cover Gaskets	2 each	Valve Covers; Baffled	1 pair

### SB CHEVY 305-350 '78-86 CHROME "O.E.M. STYLE" KIT



DESCRIPTION	KIT #
O.E.M. Style Engine Dress-Up Kit	3101

KIT CONTENTS			
DESCRIPTION	QTY	DESCRIPTION	QTY
Grommets; PCV	2 each	Valve Cover Spreader Bars	8 each
Oil Cap; Twist-In	1 each	Valve Cover Wing Nuts	8 each
Oil Dipstick and Tube	1 set	Valve Covers; Reproduction	1 pair

#### SB FORD 260-351W '62-85



DESCRIPTION	KIT #
Ford 260, 289, 302, 351 Windsor; Short Valve Covers	3048
KIT CONTENTS	

KIT CONTENTS			
DESCRIPTION	QTY	DESCRIPTION	QTY
Breather Grommets	2 each	Valve Cover Mini Tabs	12 each
Breather; Push-In	2 each	Valve Cover Wing Nuts	12 each
Valve Cover Gaskets	2 each	Valve Covers; Baffled	1 pair

#### OLDS 330-455 '64-88 & PONTIAC 403 CHROME KIT



DESCRIPTI	ON		CENTER PCV KIT	OF P	FSET CV KIT
Olds 330-455 & Por 403/6.6L Kit	ntiac		3381	3	391
	KIT C	ONTENTS			
DESCRIPTION	QTY	DE	SCRIPTION		QTY
Grommets, Breather & PCV	1 set	Valve Co	ver Spreader I	Bars	20 each
Oil Dinstick and Tube	1 cot	Value Co	uprs. OFM Stu	lo	1 nair

20 each Water Neck with Bolts

1 set

Valve Cover Bolts

### SB CHEVY 305-350 '88-95

CHROME "PICK-UP TRUCK" KIT



DESCRIPTION	'88-92 TRUCKS	'93-95 TRUCKS

GM Trucks with 5.0L / 5.7L TBI V8 3102\* 3103\*

KIT CONTENTS			
DESCRIPTION	QTY	DESCRIPTION	OTY
Air Cleaner Top	1 each	Master Cylinder Top Cover	1 each
Screw-in Oil Cap	1 each	Power Steering Cap Cover	1 each
Valve Cover Bolts	8 each	Valve Cover Caps	1 pair

#### FORD BOSS 302, 351C 351/400M '70-82 CHROME KIT



D	ESCRIPTIO	1	KIT #
Boss 302, 351M, 35 Short Valve Covers		М;	3049
	KIT CO	ONTENTS	
DESCRIPTION	QTY	DESCRIPTION	QTY
Breather Grommets	2 each	Valve Cover Wing Nuts	16 each

Breather; Push-In 2 each Valve Covers; Baffled 1 pair

2 each

### PONTIAC 326-455 '59-79 CHROME KIT

Valve Cover Gaskets



DESC	RIPTION		KIT #
Pontiac 326-455 (not with Tall Valve Covers	403) Ki	t ;	3100*
	KIT CO	ITENTS	
DESCRIPTION	QTY	DESCRIPTION	OTY
Breather; Push-In	1 each	Valve Cover Wing Nuts	8 each
Grommets; Breather & PCV	1 set	Valve Covers; Baffled	1 pair
Valve Cover Spreader Bars	8 each	Water Neck with Bolts	1 set

# PERFECTMATCH<sup>™</sup> FACTORY-MATCHING COLOR ENGINE KITS

SB CHEVY 283-400 '58-86 PERFECTMATCH™ ENGINE KITS We've taken our best selling factory-color engine dress-up products and bundled them together to create these highly anticipated engine kits. The durable finish makes these parts tough enough to withstand the harsh environment under your hood. Perfect for virtually and classic SB Chevy, BB Chevy or SB Ford engine makeover. Trans-Dapt's Chevy Orange and Ford Blue finish is the best matching color on the market. These kits make an ideal gift for your favorite gearhead.

DESCRIPTION	BL ACK Finish	ORANGE FINISH
SB Chevy 283-400; Short Valve Covers NO PCV	3055*	3052*
SB Chevy 283-400; Short Valve Covers WITH PCV	3053*	3051*

NO PCV KIT CONTENTS				
DESCRIPTION	QTY	DESCRIPTION	QTY	
Breather Grommets	2 each	Timing Cover	1 each	
Breather; Push-In	2 each	Timing Tab	1 each	
Flat Washers	10 each	Valve Cover Bolts	8 each	
Oil Cap	1 each	Valve Cover Gaskets	1 pr	
Oil Dipstick	1 each	Valve Cover Spreader Bars	8 each	
Timing Chain Cover Bolts	10 each	Valve Covers; Baffled	1 pr	
Timing Chain Cover Gasket	1 set	Water Neck & Bolts	1 each	



WITH PCV KIT CONTENTS				
DESCRIPTION	QTY	DESCRIPTION	QTY	
Breather Grommets	2 each	Timing Cover	1 each	
Breather PCV	1 each	Timing Tab	1 each	
Flat Washers	10 each	Valve Cover Bolts	8 each	
Oil Cap	1 each	Valve Cover Gaskets	1 pr	
Oil Dipstick	1 each	Valve Cover Spreader Bars	8 each	
Timing Chain Cover Bolts	10 each	Valve Covers; Baffled	1 pr	
Timing Chain Cover Gasket	1 set	Water Neck & Bolts	1 each	

BB CHEVY 396-454 '65-95 PERFECTMATCH™ ENGINE KITS

DESCRIPTION	BLACK Finish	ORANGE FINISH
BB Chevy 396-454; Short Valve Covers NO PCV	3060*	3058*
BB Chevy 396-454; Short Vale Covers WITH PCV	3059*	3056*

N	O PCV K	IT CONTENTS	
DESCRIPTION	OTY	DESCRIPTION	QTY
Breather Grommets	2 each	Timing Cover	1 each
Breather w/Tube; Push-In	1 each	Timing Tab	1 each
Breather; Push-In	1 each	Valve Cover Bolts	14 each
Flat Washers	24 each	Valve Cover Gaskets	1 pr
Oil Cap	1 each	Valve Covers; Baffled	1 pr
Oil Dipstick	1 each	Water Neck	1 each
Timing Chain Cover Bolts	10 each	Water Neck Bolts	2 each
Timing Chain Cover	1 set		



WI	TH PCV	KIT CONTENTS	
DESCRIPTION	QTY	DESCRIPTION	QTY
Breather Grommets	2 each	Timing Cover	1 each
Breather push-in w/ tube	1 each	Timing Tab	1 each
Breather; PCV	1 each	Valve Cover Bolts	14 each
Flat Washers	24 each	Valve Cover Gaskets	1 pr
Oil Cap	1 each	Valve Covers; Baffled	1 pr
Oil Dipstick	1 each	Water Neck	1 each
Timing Chain Cover Bolts	10 each	Water Neck Bolts	2 each
Timing Chain Cover Gasket	1 set		

SB FORD 260-351W '62-85 PERFECTMATCH™ ENGINE KITS

DESCRIPTION	BLACK Finish	BLUE FINISH
SB Ford 260-351W; Short Valve Covers	3062*	3061*

	KII L	NIENI2	
DESCRIPTION	OTY	DESCRIPTION	QTY
Breather Grommets	2 each	Valve Cover Gaskets	1 pr
Breather with Tube; Push-In	1 each	Valve Cover Spreader Bars	2 sets
Breather; Push-In	1 each	Valve Covers; Baffled	1 pr
Oil Dipstick	1 each	Water Neck & Bolts	1 each
Valve Cover Bolts	12 each		







When someone looks at your engine compartment, your engine's valve covers jump out as one of the first items they see. Make a good first impression by installing a set of Trans-Dapt or Hamburger's Performance Valve Covers. Over the past 4 decades our line of valve covers has grown to become one of the premier collections of engine valve covers in the industry. From classic chrome steel models to fabricated aluminum models with removable filler tubes for circle track racing, the next several pages contain a huge variety of application, material and finish options to suit virtually any classic american muscle, hot rod or race car project.

### ALUMINUM VALVE COVER STYLES & FINISHES



Retro-Style Fin Top Designs

Aluminum Models Available with Plain, Ball-Milled or with















#### STAMPED STEEL VALVE COVER STYLES & FINISHES









FOR MULTIPLE PRODUCT PHOTOS VISIT:







			STAMPED STEEL						L	FABRICATED ALUMINUM						
VALVE COVER TYPE	STYLE REFERENCE PHOTO (SEE PAGE 110)	VALVE COVER DETAILS/NOTES	HOLES PER COVER		(OIL SHORT)	는 분 분 MCE PHOTO	- CHROME	SATIN BLACK	CHEVY ORANGE	FORD BLUE	CAST ALUMINUM	BRUSHED FABRICATED ALUMINUM	POL ISHED FABRICATED ALUMINUM	POL ISHED 6 CHROME FABRICATED ALUMINUM	REFERENCE PHOTO (SEE PAGES 116–117)	
ii .	7-23	32-258 L6 '64-90	)	(U					E:							
Standard	I,J	Plain, Classic style	3	Yes	Short		9339	8619							9339	
AMC 30	4-4	01 V8 '76-97														
Standard	E	Finned	None	No		3-1/4"							1130			
	100	0.0000000000000000000000000000000000000	and the same of	370.75	Chart	3-1/4	9174	8620					1100		9174	
Standard	I,J	Plain	None	No	Short		31/4	0020							31/4	
BUICK V	190 8.4	31 '77-87 [NO A/	C]													
Standard	I,J	Plain,	1/1	No	Short		4964	8609							4964	
BUICK V	8 3	50 '68-81														
Standard	1	Plain,	1/1	No	Short		6379	7438								
	CV	8 360, 425, 472			74											
Standard		8 360, 425, 472 Plain,	1/1		Chart		9521	8610								
		COLUMN CONTROL TRACKS NO. 24 HADDINGS OF CONTROLS		No	Short		9321	0010								
CHEVY I	100	94-250 [NOT 292	2]													
Sideplate	I,J	Plain	-	-	-		9342	8698								
CHEVY I	L6 1	94-292														
Standard	I,J	Plain; Not for heads with integral intake manifold. Use GM grommet #9776721	2	Yes	Short		9233	8697								
CHEVY I	16 2	235 '50-62														
Sideplate	0	Plain; 235 engine Only		;: <b>-</b> :	0 <b>-</b> 0		6893	8706							6893	
Standard	-	Plain	1	No	Short		6892	8699							6892	
			OVC				0032	0000							0002	
		2.8L '80-89 [TRU														
Standard	I,J	Plain; No carb linkage brackets	1/1	No	Short		9390	8694								
CHEVY	V6	3.8L 90° '80-84														
Standard	I,J	Plain	1/1	No	Short		9039	8695							9039	
CHEVY	V6	4.3L '85-95 *NOT	FOR	2 V	ORTE	C ITR	IICKS	ONL	VI							
Valve Cover		AND THE CONTRACT OF THE CONTRA				C LIK										
Caps	1,0	Plain; Fit over stock valve covers	1/1	NU	Short		9458	8696								
CHEVY	V8	283-400 '58-86														
ALUMINUM V	/ALVE	COVERS														
Circle Track	N	Plain; Non-Removable Tubes	2/0	Yes	Tall	3-11/16"					1073				1073	
Circle Track	D	Plain - Removable Tubes	2/0	Yes	Tall	3-1/2"						1065	1074	1133	1065	
Standard	A,B,C	Plain	1/1	Yes	Tall	3-1/2"						1092	1084	1025	1084	
Standard	A,B,C	Plain	None	No	Tall	3-3/4"						1085	1097	1110	1085	
Standard	E	Finned	1/1	Yes	Tall	3-3/4"							1111			
Beveled Top	G,H	FLAME Ball-Milled; Polished	1/1	Yes	Tall						6093				6093	
Beveled Top	G,H	PINSTRIPE Ball-Milled; Polished	1/1	Yes	Tall						6091				6091	
Beveled Top	H	Plain	1/1	Yes	Tall						6092				6092	
Traditional	G	FLAME Ball-Milled; Polished	1/1	Yes	Tall						6074				6074	
Traditional	G	FLAME Ball-Milled; Polished	1/1	Yes	Short						6075				6075	
Traditional	G	PINSTRIPE Ball-Milled; Polished	1/1	Yes	Tall						6720				6720	
Traditional	G	PINSTRIPE Ball-Milled; Polished	1/1	Yes	Short						6721				6720	
Traditional	G	Plain; Polished	1/1	Yes	Tall						6722					
	G	Plain; Polished	1/1	Yes	Short						6723					
Traditional	_	Mark Carlot Company of the Company	Mono	No	Tall						6032					
Traditional	G	Plain; Polished	None	140	iun											
	G G	Plain; Polished Plain; Polished	None	No	Short						6031					
Traditional						3-3/4"					6031 6602				6603	

							S	TAMPE	D STEEL				BRICAT Luminu		
VALVE COVER TYPE	STYLE REFERENCE PHOTO (SEE PAGE 113)	VALVE COVER DETAILS/NOTES	HOLES PER COVER		HEIGHT (TALL/SHORT)	HEIGHT (Exterior)	- CHROME	SATIN BLACK	CHEVY ORANGE	T FORD BLUE	CAST ALUMINUM	BRUSHED FABRICATED ALUMINUM	POLISHED FABRICATED ALUMINUM	CHROME FABRICATED ALUMINUM	REFERENCE PHOTO (SEE PAGES 116-117)
		83-400 '58-86 (	CONT	- 1				2000		1801					
STEEL VALVE			CON	INO	LUJ										
CID Logo	M	327 Embossed	1/1	Yes	Tall	3-3/4"	9853	8679	9947						
CID Logo	M	327 Embossed	1/1	Yes	Short	2-3/4"	9854	8680	9956						
CID Logo	M	350 Embossed	1/1	Yes	Tall	3-3/4"	9841	8677	9849						
CID Logo	М	350 Embossed	1/1	Yes	Short	2-3/4"	9842	8678	9852						9842
CID Logo	M	383 Embossed	1/1	Yes	Tall	3-3/4"	9858	9861	9859						0072
CID Logo	M	383 Embossed	1/1	Yes	Short	2-3/4"	9857	9862	9860						
Circle Track	N	Plain	2/0	Yes	Tall	3-5/8"	3007	5531	3000						5531
Circle Track	N	Plain	2/0	Yes	Tall	3-5/8"			eel #5532						5531
Circle Track		Plain	2/0	Yes	Tall	3-5/8"			inc #5533						5533
Reproduction	ALC: NO		2/1	Yes	Short	2-3/4"	9518	8625	9916	,					9518
Standard	The state of the s	Plain	1/1	No	Tall	3-3/4"	4962	8684	9963						3310
Standard		Plain	1/1	No	Short	2-3/4"	4963	8685	9970						
	I,J,K		1/1		Tall	3-3/4"	9215	8686	9971						9215
Standard	10.00	177	1/1	Yes			9216	8688							9216
Standard	I,J,K	21		Yes	Short		Television of	0000	9979						3210
CHEVY V	/8 3	05-350 / 5.0L-5	.7L	<b>'87</b>	-99	INOT	LTIJ								
ALUMINUM VA	ALVE C	OVERS													
Standard	E	Finned	1/1	Yes		3-3/4"							1114		
Standard	A,B,C	Plain	None	No		3-3/4"						1081	1064		1081
Circle Track	D	Plain- Non-Removable Tubes	2/0	Yes		3-11/16"							1069		1069
Retro Finned	F	Finned	1/1	Yes	Short						6607				
Retro Finned	F	Finned	1/1	Yes	Tall	3-3/4"					6606				
Traditional	G	FLAME Ball-Milled; Polished	1/1	Yes	Short						6735				
Traditional	G	FLAME Ball-Milled; Polished	1/1	Yes	Tall						6987				
Traditional	G	PINSTRIPE Ball-Milled; Polished	1/1	Yes	Short						6991				6985
Traditional	G	PINSTRIPE Ball-Milled; Polished	1/1	Yes	Tall						6985				6985
Traditional	100	PINSTRIPE Ball-Milled; Polished		Yes	Short						6724				6985
Traditional		PINSTRIPE Ball-Milled; Polished		Yes	Tall						6988				6985
Traditional	G	Polished, No Milling	1/1	Yes	Short						6992				6992
Traditional	G	Polished, No Milling	1/1	Yes	Tall						6986				6992
Traditional	G	Polished, No Milling	2/1	Yes	Tall						6989				6992
Traditional	G	Polished, No Milling	None	No	Tall						6046*				27.757751
Traditional		Polished, No Milling	None	No	Short						6036*				
STEEL VALVE											0000				
Standard	THE PARTY OF THE P	S Plain; Trucks Only	2/1	Yes	Short		9702	7443	9919						9919
Valve Cover									-						0010
CAPS	I,J,K	Plain; Trucks Only	2/1	No	Short		9460	8689	9983						
CHEVY L	S 4.	8L, 5.3L, 6.0L V	8												
Standard	A,B,C	Plain- With Coil Bracket Mounts	1/0	No	Tall	2-1/2"						1061	1062	1126	1061
Standard	A,B,C	Plain-No Coil Bracket Mounts	1/0	No	Tall	2-1/2"						1123	1125	1124	
Standard	G	Plain-Polished, No Milling	1/0	No	Short						6369				
Standard		Plain-Polished Chrome, No Milling		No	Short						6370				
		96-502 V8 '65-9													
	San Carrier														
ALUMINUM VA	Maria Maria		1/1	Yes		2 1/211						1010	1022		
Standard	A,B,C	tana and a second	1/1	2000		3-1/2"						1019	1023		1000
Standard Potro Finned	The state of	Plain	None	No	Tell	3-1/2"					CC1E	1086	1053		1086
Retro Finned	F	Fins on TOP of cover only	1/1	Yes	Tall	4"					6615				

f \* Not legal for sale or use on pollution controlled motor vehicles.

				72		S	TAMPE	D STEE	L .	3		BRICAT Luminu		
VALVE COVER TYPE	STYLE REFERENCE PHOTO (SEE PAGE 113) AND SATURATION (SEE PAGE 113) AND SATURATION (SEE PAGE 113)	HOLES PER COVER		SEL SHORT)	돌 WCE PHOTO	- CHROME	SATIN BLACK	CHEVY ORANGE	- FORD BLUE	CAST ALUMINUM	BRUSHED FABRICATED ALUMINUM	POLISHED FABRICATED ALUMINUM	CHROME FABRICATED ALUMINUM	REFERENCE PHOTO (SEE PAGES 116-117)
HEVY BE	B 396-502 V8 '65	-95 (	CONT	INUED	)									
ALUMINUM VA	LVE COVERS (CONTINUED)													
Retro Finned	Fins go down end of cover	1/1	Yes	Tall	4"					6609				660
Retro Finned	Fins go down end of cover	None	No	Tall	4"					6608				660
STEEL VALVE O	COVERS													
CID Logo	M 396 Embossed	1/1	Yes	Tall	3-3/4"	9855	8675	9833						
CID Logo	M 454 Embossed	1/1	Yes	Tall	3-3/4"	9843	8681	9957						
B-	M 454 Embossed	1/1	Yes	Short	2-3/4"	9844	8682	9959						
CID Logo	TOT LINDOSSOU													
The state of the s	M 502 Embossed	1/1	Yes	Short	2-3/4"	9848	8683	9962						
CID Logo CID Logo		1/1	Yes Yes	Short Tall	2-3/4" 3-3/4"	9848 9235	8683 8692	9962 9997						923
CID Logo CID Logo Standard	M 502 Embossed													923 923

#### ALUMINUM VALVE COVER STYLES & FINISHES

8626

8627

8690

9917

9918

9991

9503

9504

4965

Short 2-3/4"

Short

Tall

2-3/4"

3-3/4"

Yes

2/1

None No

Match the reference letter in the application charts on these pages to the leter in this photo reference guide to quickly identify the valve cover style and/or finish for that valve cover. Visit hedman.com/valve-covers for additional product information and photos.

I,J,K Plain- No Vettes or Power Brakes (No Dripper Rails)

I,J,K Plain

Plain- For Vettes & Power Brakes (No Dripper Rails)







9918



Reproduction

Reproduction

Standard









#### STAMPED STEEL VALVE COVER STYLES & FINISHES

Match the reference letter in the application charts on these pages to the leter in this photo reference guide to quickly identify the valve cover style and/or finish for that valve cover. Visit hedman.com/valve-covers for additional product information and photos.

FOR MULTIPLE PRODUCT PHOTOS VISIT:

VALVECOVERS.HEDMAN.COM















						s	TAMPEI	STEE	L	i ii	-0.00	BRICAT Luminu	The state of the s	
VALVE COVER TYPE	(SEE PAGE 115) ANYLE REFERENCE PHOTO (SEE PAGE 115) ANYLE REFERENCE PHOTO (SEE PAGE 115) ANYLE REFERENCE PHOTO	HOLES PER COVER		(SIL SHORT)	NOT (Exterior)	- CHROME	SATIN BLACK	T CHEVY ORANGE	FORD BLUE	CAST ALUMINUM	BRUSHED FABRICATED ALUMINUM	POLISHED FABRICATED ALUMINUM	CHROME FABRICATED ALUMINUM	REFERENCE PHOTO (SEE PAGES 116-117)
And the property of the Company of t	-170-200-250 L6 '6													
The second second	I,J Plain	2	Yes	Stock		9338	8621							9338
E .	-300 L6 '65-87	_												
processing the second states	I,J Plain	2	Yes	Stock		9357	8622							
D	V6 '82-86													
	I,J Plain	1/1		Stock		9432	8630							
STATE OF THE PROPERTY OF THE PARTY OF THE PA	the state of the s	V8				0000	7440		0704					
I Report To the Committee of	I,L Plain	None	No	Stock		8986	7440		8734					8986
	289-351W, 5.0L V8	'62	-85											
ALUMINUM VA		1/1	Vac		2 2/4"							1110		1110
Standard	E Finned C No Poll milling Polished	1/1	Yes	Tall	3-3/4"					6720		1119		1119
Standard	G No Ball-milling; Polished	2/1	Yes	Tall	3-3/4"					6728				
Standard	Mo Ball-milling; Chromed	2/1	Yes	Tall	3-3/4"					6729	1040	1041		1002
	A,B,C Plain	1/1	Yes		3-3/4"					6118	1040	1041		1063
The Parallel Interest Edition (	A,B,C Plain	None	No	T-11	3-3/4"					6726	1087	1063		1063
Retro Finned	F Finned (Top onto)	None	No	Tall						6115				
Retro Finned	F Finned (Top only)	1/1	Yes	Tall						6117				
Traditional	G PINSTRIPE Ball-Milled; Chromed		Yes	Tall						6108				
Traditional	G PINSTRIPE Ball-Milled; Polisher	1 1/1	Yes	Tall						6109				
STEEL VALVE (	CONTROL MANAGEMENT	1/1	Vac	Stock		0227	8730		8344					9237
AN ORGANIZATION DAY DELL'ART	I,J,L Plain		Yes			9237	0/30		0344					
Mustang Style	Plain	1/1	Yes	Stock		6378								6378
	5.0L V8 '86-95	1/0	N-	Charle		0007	7420		0722					0007
100000000000000000000000000000000000000	Plain; Lower profile than 9237		No	Stock	_	8867	7439		8733					8867
	351C, 351M, 400M,				8	0005	0704		00.45					****
Commence of the second	I,J,L Plain	1/1	Yes	Stock		9295	8731		8345					9295
	352-428 V8 '58-76													
Standard	Finned	1/1	Yes									1121		
Standard	I,L Plain	1/1	Yes	Stock		9296	7441		8346					9296
Andread Company of the Company of th	429-460 V8 '68-88										1040	1054	1040	
	A,B,C Plain	None	No	Ctook	3-3/4"	0207	0722		0247		1046	1054	1049	0207
Company of the Compan	I,J,L Plain	1/1	Yes	Stock		9297	8732		8347					9297
	SB 318-360 V8 '67-		Vac		2 1/411						1005	1051	1124	1051
	A,B,C Plain I,J Plain	1/1	Yes	Short	3-1/4"	9298	8614				1095	1051	1134	9298
The second secon	and the second of the second or and the second		162	SHULL		3230	0014							3230
	B 383-440 V8 '58-		V	Tell.	2 2/4							1110		
Standard	Finned	1/1	Yes	Tall	3-3/4"						Strategies (	1116	22222	1050
Standard	A,B,C Plain	1/1	Yes	Tall	3-3/4"						1096	1052	1115	1052 1096
Standard	A,B,C Plain	None	No	Tall	3-3/4"						1136	1138	1137	
Standard	I,J Plain	1/1	Yes	Short		9299	8618							9299

<sup>\*</sup> Not legal for sale or use on pollution controlled motor vehicles.

					g	į	S	TAMPE	D STEE	L			BRICAT Luminu	ED JM	5
VALVE COVER	STYLE REFERENCE PHOTO (SEE PAGE 115)	VALVE COVER	HATEN DER COVER	AFFLED	HEIGHT (TALL/SHORT)	돌 말 NCE PHOTO	CHROME	- SATIN BLACK	CHEVY ORANGE	- FORD BLUE	CAST ALUMINUM	BRUSHED FABRICATED ALUMINUM	POLISHED FABRICATED ALUMINUM	POLISHED 6 CHROME FABRICATED ALUMINUM	REFERENCE PHOTO (SEE PAGES 116-117)
TYPE	ADVENTION OF		00	(SEE	PAGE 115)		-	•		L		A	В	C	≅8
Standard	I.J	V8 330-455 '64 Plain (0.E. Center Hole)	1/1	Yes	Short		9381	8611							9381
Standard	l,J	Plain (Offset Hole); Stock cam, rocker arms and engines with factory baffled valve covers only.	1/1	Yes	Short		9391	8612							9391
OLDSMOB	ILE	V8 403 / 6.6L													
Standard	I,J	Plain (O.E. Center hole)	1/1	Yes	Short		9381	8611							9381
PONTIAC ALUMINUM VA		326-455 '59-79 COVERS	)												
Standard	A,B,C	Plain	None	No		3-1/8"						1026	1033	1031	
Standard	E	Finned	1/1	Yes		3-1/8"							1129		
Retro Finned	F	Finned	1/1	Yes	Short						6613				
Retro Finned	F	Finned	None	No	Short						6614				
STEEL VALVE	COVE	RS													
Standard	- 1	Plain	1/1	No	Short		9461	7442							9461
Standard	I,J	Plain	1/1	Yes	Tall		9300	8613							

#### ALUMINUM VALVE COVER STYLES & FINISHES

Match the reference letter in the application charts on these pages to the leter in this photo reference guide to quickly identify the valve cover style and/or finish for that valve cover. Visit hedman.com/valve-covers for additional product information and photos.

















#### STAMPED STEEL VALVE COVER STYLES & FINISHES

Match the reference letter in the application charts on these pages to the leter in this photo reference guide to quickly identify the valve cover style and/or finish for that valve cover. Visit hedman.com/valve-covers for additional product information and photos.

FOR MULTIPLE PRODUCT PHOTOS VISIT:

VALVECOVERS.HEDMAN.COM















### **VALVE COVER PHOTO GALLERY**



\* Not legal for sale or use on pollution controlled motor vehicles.



## VALVE COVER BREATHERS

Trans-Dapt offers a great selection of chrome & factory-matching steel and aluminum valve cover breathers that complement our wide choice of chrome and aluminum valve covers.

Many of our most popular breathers and caps are avilable in four finishes— Chrome, Satin Black, Chevy Orange or Ford Blue.









#### TWIST-IN BREATHERS



These breather/oil filler caps feature internal filters and baffles. Available in two different diameters. #9617 is a twist-in version of our popular #4870 push-in breather.

DESCRIPTION	CHROME	BLACK Finish	ORANGE FINISH	FORD BLUE Finish
2-3/8" Dia.	4803*			
2-3/8" Dia. w/Tube (½")	4806*			
2-3/4" Dia.	9617*	8643*	9950*	8319*

#### PUSH-IN OIL TUBE STYLE BREATHER CHROME



Chrome-plated breather/oil filler cap fits in engine oil filler tube (Chevy & others). Can also be used with Trans-Dapt #4955 oil filler tube.

DESCRIPTION	PART #
2-3/8" Dia. Breather	4802*

#### **PUSH-IN BREATHERS**



Chrome-plated push-in breather for steel valve covers with 1.25" diameter holes. Requires grommet #4878. 2.75" outside diameter. The internal baffle and filter element prevents oil seepage. Replaces GM #6421868 on 65-67 BB's.

Requires Grommet #4878

DESCRIPTION	CHROME	BLACK Finish	ORANGE FINISH	FORD BLUE Finish
Breather Only	4870*	8644*	9951*	8320*
Breather with Grommet	4871*			

### PUSH-IN BREATHERS WITH VACUUM TUBE PORT



Same as #4870, but this model is open in the center only. 1/2" dia. side tube allows for race car vacuum balance system hookup. Also provides hookup for positive crankcase ventilation. Internal baffle and filter element. Fits 1.25" holes.

Requires Grommet #4878

DESCRIPTION	CHROME	BLACK Finish	ORANGE FINISH	FORD BLUE Finish
Breather Only	9241*	8642*	9949*	8318*
Breather with Grommet	9242*			

#### PCV BREATHER

3/4" NECK



This breather replaces the PCV valve in the rocker cover. 3/4" breather neck also fits in 1.25" diameter valve cover holes when used with grommet #4998. Includes an internal oil baffle and poly filter element. Outside diameter is 2.75".

Requires Grommet #4998

DESCRIPTION	CHROME	BLACK FINISH	ORANGE FINISH	FORD BLUE Finish
Breather Only	9171*	8645*	9952*	8321*

### FORD TWIST-IN PCV BREATHER CHROME



This great looking, chrome twist-in breather fits most Ford V8s and some 68-84 6-cylinder models. 1° dia. hole in top for PCV hose hookup.

DESCRIPTION	PART #
Ford Twist-in PCV Breather	4999*

### MOPAR-STYLE BREATHER CHROME



Chrome push-in breather for valve covers with 1.25" holes. Use grommet #4878. Breather tube is 5/8". Perfect for race car vacuum balance systems. Also works as a P.C.V. system hookup. This is an OEM style for Mopar A,B, RB & Slant 6 engines.

DESCRIPTION	PART #
Mopar Style Breather	9169*

### PUSH-IN FILTER BREATHER COTTON FILTER ELEMENT





Chrome-plated, push-in style filter breather for 1.25" diameter valve cover holes. No grommet required. 2" & 3" tall models available.

DESCRIPTION	INSTALLED Height	PART #
Chrome/ Cotton Filter Breather	2"	6896*
Chrome/ Cotton Filter Breather	3"	9308*

<sup>\*</sup> Not legal for sale or use on pollution controlled motor vehicles.

#### CLAMP-ON FILTER BREATHER

**COTTON FILTER ELEMENT** 



Clamp-on, chrome-plated filter breathers are for use on the Trans-Dapt circle track valve covers listed on page 106, or other valve covers with similar breather tubes.

DESCRIPTION	TUBE DIAMETER	INSTALLED HEIGHT	PART #
Clamp-on Breather	1-3/8"	3"	9597*
Clamp-on Breather	1-1/2"	3"	9598*

#### **PUSH-IN HOODED BREATHER**

COTTON FILTER ELEMENT



This chrome steel push-in style filter breather fits 1.25" diameter valve cover holes. No grommet required. The cotton element is hooded to protect it from flying dirt and debris.

DESCRIPTION	V.C. HOLE DIAMETER	INSTALLED HEIGHT	PART #
Push-In Breather with Hood	1-1/4"	3"	9516*

#### **CLAMP-ON HOODED BREATHER** COTTON FILTER ELEMENT



These chrome steel clamp-on style filter breathers are available for 1-3/8" and 1-1/2" diameter valve cover filler tubes. The cotton element is hooded to protect it from flying dirt and debris.

DESCRIPTION	TUBE DIAMETER	INSTALLED HEIGHT	PART #
Clamp-on Hooded Breather	1-3/8"	3"	5103*
Clamp-on Hooded Breather	1-1/2"	3"	5104*

#### PCV BREATHER "LOOK-A-LIKES" & PCV VALVES



Polished aluminum PCV breather "look-a-likes" and PCV Valves fit valve covers with 1.25' diameter holes. Beautifully crafted and finished.

DESCRIPTION	TOP Design	V.C. HOLE Diameter	POLISHED ALUMINUM	CHROME ALUMINUM	BLACK FINISH
PCV/Breather	PLAIN	1-1/4"	6005*	6622*	7197*
PCV/Breather	PINSTRIPED	1-1/4"	6006*	6623*	
PCV/Breather	FLAMED	1-1/4"	6009*		
PCV Valve	-	1-1/4"	6068*		

#### FINNED ALUMINUM VALVE COVER BREATHERS- OVAL

HIGH-POLISH FINISH



Finned aluminum oval breathers are available with a replaceable PCV valve or a washable foam element. Fits all valve covers with a 1.25" diameter hole.

DESCRIPTION	V.C.HOLE DIAMETER	POLISHED ALUMINUM
Breather WITHOUT PCV	1-1/4"	6611*
Breather WITH PCV	1-1/4"	6612*




Finned aluminum oval breathers are available with a replaceable PCV valve or a washable foam element. Fits all valve covers with a 1.25" diameter hole.

DESCRIPTION	V.C. HOLE DIAMETER	2-TONE ALUMINUM	BLACK Finish
2-Tone Breather WITHOUT PCV	1-1/4"	6617*	7198*
2-Tone Breather WITH PCV	1-1/4"	6618*	7199*

#### OIL CAPS & BREATHERS

**ALUMINUM &** POWDER-COATED





DESCRIPTION	TOP Design	V.C. HOLE DIAMETER	POLISHED	BLACK FINISH	ORANGE FINISH	FORD BLUE FINISH
Aluminum Oil Cap	PLAIN	1-1/4"	6000	8647	9954	8323
Aluminum Oil Cap 2-Tone Finned	FINNED	1-1/4"	6019			
Push-in Breather	PLAIN	1-1/4"	6001*	8646*	9953*	8322*
Push-in Breather	PINSTRIPED	1-1/4"	6004*			
Push-in Breather	FLAMED	1-1/4"	6008*			

\* Not legal for sale or use on pollution controlled motor vehicles.

#### VALVE COVER BREATHER BUNG & BAFFLE KITS

ALUMINUM





#1131 valve cover breather bung can be welded or bolted on. It allows you to easily add a fill hole to your aluminum valve covers. Manifold #1132 screws in to #1131 and allows you to custom configure the breather to meet your unique requirements.

DESCRIPTION	PART #		
Aluminum Valve Cover Bung; Weld or Bolt-on	1131		
Aluminum Breather/Baffle Manifold, Screw-in	1132*		



# VALVE COVER GASKETS, OIL CAPS, FILLER-TUBES & GROMMETS

### TWIST-IN OIL CAP CHROME

This chrome oil filler cap fits Trans-Dapt valve covers

Trans-Dapt valve covers #9452, 9518, 9503, 9504, 9916, 9917 & 9918 as well as many General Motors applications.

DESCRIPTION	CHROME FINISH	BLACK FINISH
GM Style Oil Filler Cap	4804	4805

### 1987-99 GM SCREW-IN OIL CAP

Screw-in style
oil cap for
87-99 GM car
and truck
applications.
Not for #9702
valve covers.



Metallized Plastic, Polished Aluminum and Chromed Aluminum models available.

DESCRIPTION	CHROME	POLISHED	CHROMED
	PLASTIC	Aluminum	ALUMINUM
87-99 GM Oil Cap-	9696	9693	9694

### PUSH-IN OIL PLUGS

CHROME

Chrome/ Rubber oil plug for 1.25" holes. For use on a wide range of Chevy/GM car and



9787

truck applications. No grommet is required for installation.

DESCRIPTION	PART #
Oil Plug Plain	9170
Oil Plug with Embossed "OIL" logo	9787

### PUSH-IN OIL PLUG

RUBBER

Solid rubber oil plug fits 1.25" diameter hole. For use on many Chevy/GM car and truck applications. No grommet is required for installation.



DESCRIPTION	PART #
Rubber Oil Plug	9373

### TRI-STEP OIL FILLER TUBE

This chrome oil filler tube fits Chevrolet V8 engines. The tri-step design, fits 1-1/4", 1-5/16" and 1-1/2" manifolds, making it compatible with both OEM and aftermarket manifolds. Uses Trans-Dapt push-in oil breather #4802.

DESCRIPTION	PART #
Tri-Step Oil Filler Tube	4955

### **OIL FILLER EXTENSION**

Trans-Dapt's chrome steel push-in style oil filler extension tube raises the fill hole up to provide improved accessibility to make adding oil easier and cleaner.

> Uses Trans-Dapt's #4804 or 9617 twist-in style oil caps and breathers.

DESCRIPTION	PART #
Push-In Oil Filler Tube Extension	9256

### **BREATHER & PCV GROMMETS**

FOR STEEL & CAST ALUMINUM VALVE COVERS



GROMMET GROMMET

DESCRIPTION	I.D.	0.D.	PART #
STEEL VALVE COVER	GROMMET	S	
<b>Breather Grommet</b>	1"	1-1/4"	4878**
PCV Grommet	3/4"	1-1/4"	4998
Breather & PCV Grom	nmet Set (#4	4878 & 4998)	9355*
FORD PCV	9/16"	1"	9759
FORD PCV	3/4"	1"	9760
<b>CAST ALUMINUM VAL</b>	VE COVER	GROMMET	S
<b>Breather Grommet/</b>	Baffle		6076*
PCV Grommet			6077*
Bottom of #4878 must b	e cut before	use.	

### **VALVE COVER BAFFLES**

FOR CAST ALUMINUM VALVE COVER



These steel valve cover baffles are for use with Trans-Dapt's cast aluminum Small Block Chevy, Big Block Chevy and Centerbolt configuration valve covers. Each baffle kit includes a pair of stamped steel baffles, self-tapping mounting screws, and lockwashers.

DESCRIPTION	PART #
SB Chevy, SHORT & Centerbolt Cast Aluminum Valve Cover Baffles	6963
SB/BB Chevy, TALL Cast Aluminum Valve Cover Baffles	6962

# PUSH-IN VALVE COVER OIL BAFFLES



5" Tall






A rubber oil baffle and breather grommet all in one. Great for retrofitting unbaffled valve covers. Fits steel valve covers with 1.25" diameter holes. Angled slots in bottom and foam insert stop oil seepage. Available for 3/4" or 1" breathers.

DESCRIPTION	V.C. HOLE DIAMETER	BAFFLE I.D.	PART #
Valve Cover Baffle (single)	1-1/4"	1"	9358*
Valve Cover Baffle (pair)	1-1/4"	1"	9359*
Valve Cover Baffle (single)	1-1/4"	3/4"	6979*

### **VALVE COVER GASKETS**

CORK/RUBBER NITRILE GASKETS
The premium Cork/Rubber Nitrile compound used to manufacture these gaskets has excellent sealing and durability characteristics. Available in STANDARD and THICK construction. Our THICK gaskets are 5/16" thick and add height to provide more clearance for all tall rocker arms. Sold in pairs.

STEEL CORE RUBBER GASKETS
Completely reusable, these
strong rubber gaskets
feature an internal
steel reinforcing
frame to ensure
alignment and a
long lasting seal. Sold
in pairs.



11	CORK/N	CORK/NITRILE	
ENGINE	STANDARD Part #	THICK Part#	RUBBER Part #
AMC V8 304-401 1970-Up	9010		
Chevy V8 265-350 SB 1955-86	4323	9644	9168
Chevy V8 5.0/5.7 1987-99	7487		7488*
Chevy LS (for fabricated covers only; all rubber seal)			1135*
Chevy V8 396-502 BB 1965-95	4324	9645	9850
Chrysler V8 273-318-340-360 SB	4331		
Chrysler 361-383-400-426 & 440 BB 6-Bolt			4332
Ford V8 260-289-302-351W	4326	9646	9851
Ford V8 351C-351M-400M & Boss 302	4327		
Ford V8 352-390-406-427428	4328		
Ford V8 429-460	9011		
Olds 330-350-400-425-455 Pontiac 6.6L/403	4333	9655	
Pontiac 326-350-389-400-421-428-455 Except Super Duty and Ram Air Models	4334	9656	

<sup>\*</sup> Not legal for sale or use on pollution controlled motor vehicles.

9182

9329

9814

7449

7472 7473

1/4"-20 THREADS FIT:

1958-86 CHEVY V8, 1958-79 OLDSMOBILE V8, 1964-90 FORD 260-351W, 1959-90 CHRYSLER V8 (EXCEPT HEMI) THREADS FIT:

1958-UP FORD 332, 352, 390, 406, 427, 429 460 & 1955-77 PONTIAC V8.

**HEX HEAD STUD NUTS** 

THREAD

REPLACEMENT STUDS

Replacement Studs (1/4"-20 x 1")

4-1/4"

1-3/8"

CHROME

1/4"-20

1/4"-20

1/4"-20



THREAD SIZE	THREAD LENGTH	INSTALLED HEIGHT	SET QUANTITY	PART #
1/4"-20	1"	3-1/2"	4	4137
5/16"-18	1"	3-1/2"	4	4138

### **VALVE COVER BOLT SETS** CHROME



These chrome-plated steel valve cover bolts include washers. 4 bolts & washers per set.

THREAD SIZE	HEAD Type	SET QUANTITY	3/4" LONG PART #	1" LONG PART #
1/4"-20	HEX	4	9781	9406
1/4"-20	SOCKET	4		9434
5/16"-18	HEX	4	9784	9423

### VALVE COVER SPREADER BARS CHROME



Spreader bars distribute bolt load to ensure a better valve cover seal.


FOR USE WITH	LENGTH	SET	CHROME FINISH	BLACK FINISH
Chevy SB '58-86	4-3/4"	4	4993	7187
Chevy SB '58-86 (Mini-Tabs)	1-1/2"	4	9067	7448
Chevy BB '65-95		7	9640	
Ford 260-351W '62-95		6	9642	
Pontiac V8 '59-79		4	9641	
Universal Fit	3"	4	4992	

### T-BAR WING NUTS CHROME



THREAD SIZE	THREAD LENGTH	INSTALLED HEIGHT	SET QUANTITY	PART #
1/4"-20	1"	4-1/4"	4	9120
1/4"-20	1"	5-3/8"	4	4936
5/16"-18	1"	5-3/8"	4	9672
REPLACEN	NENT STU	DS		
Replacemen	t Studs (1/4	4"-20 x 1")	4	9814

### VALVE COVER STUD KITS



Trans-Dapt valve cover studs make valve covers and gaskets easier to install. Just install the studs, align the gasket then install the cover. Includes serrated flange lock nuts.

THREAD Size	THREAD Size	SET QUANTITY	PART #
SB CHEVY Valve Cover Stud Kit	1/4"-20	8	9960
BB CHEVY Valve Cover Stud Kit	1/4"-20	14	9961

### **GM CENTERBOLT DESIGN** VALVE COVER FASTENERS



These valve cover bolt sets are for use with Trans-Dapt's chrome & cast aluminum centerbolt valve covers. They fit 87-99 GM 5.0/5.7L V8 & 4.3L V6 engines, 1128 is for LS Engines. Each set includes 8 bolts per set. 6972, 8899 and 6972 NOT for use with fabricated aluminum valve covers.

FOR USE WITH	HEIGHT	LENGTH	PART #
CHROME Covers	SHORT	3-3/8"	9812
ALUMINUM Covers	SHORT	4"	8899
ALUMINUM Covers	TALL	5-3/8"	6972
For HAMBURGER's LS	S Valve Cov	vers Only	1128

### FLAT WASHERS

These AN spec washers have a smaller outer diameter than standard flat washers to provide a cleaner look than standard flat washers. Available in gold iridite finish or stainless steel.

BOLT DIAMETER SET QUANTITY GOLD IRIDITE STAINLESS STEEL 1/4" 4912 9275 25 5/16" 4913 9276 25 9277 3/8" 25 4914

HIGH-COLLAR LOCK WASHERS



High-collar design for use with Hex Socket screws (Allen head), 12-point and hex cap bolts when standard lock washers are too wide. Ideal for valve covers, hedders, etc.

BOLT Diameter	SET Quantity	PART #
5/16"	12	4708
3/8"	12	4710

# VALVE COVER ADAPTERS, LS VALLEY COVERS, SHOP-TOOLS

### VALVE COVER ADAPTERS

Trans-Dapt has engineered these high-quality laser cut steel valve cover adapters so those of you running a late-model LS motor can equip your engine compartment with eary-model valve covers! Comes with gaskets and hardware.





DESCRIPTION	PART #
SB Chevy Valve Cover Adapters	6138
SB Ford Valve Cover Adapters	6139
LS Valve Cover Adapter Replacement Gaskets	6140

### VALVE COVER RISERS (SPACERS) ALUMINUM

Valve Cover Risers bolt up between the head and your valve covers to instantly add 1" or more of clearance for any high-performance aftermarket rocker arms. Solid Aluminum construction.



POLISHED

1" Tall

### LS ENGINE VALLEY COVER **BILLET ALUMINUM**



Chamfered Edges to Ensure Adequate Runner Clearance


**Substantial Block Rigidity** 

- **Utilizes Factory O-Ring Seal**
- CNC-Machined 6061-T6 Aluminum
- **Includes Stainless Button Head Screws**

Designed to fit snugly beneath the intake manifold, the high-quality cover fits all Gen III (Non-DoD) engines, and Hamburger's Billet LS Engine Valley Covers are milled from a solid block of 6061-T6 aircraft aluminum to achieve the tight tolerances and strength only attainable through CNC machining.



DESCRIPTION	PART #
Billet Aluminum LS Valley Cover- GEN III Non-DoD engines	1103



### PAR T # DESCRIPTION 9099 The "ENGINE TILTER" Engine leveling device

### THE ORIGINAL "ENGINE TILTER" ENGINE LEVELING DEVICE

If you are planning on replacing the powerplant under your hood, or plan on replacing motor mounts, the Trans-Dapt "ENGINE TILTER" will save you valuable time & money! It makes engine removal and installation a breeze. The ENGINE TILTER works with your standard engine hoist to provide additional axis of engine maneuverability. The angle of the engine can be precisely altered with a simple turn of the handle.

The precise control means mounting of your engine OR engine and transmission can be done in less time, with less effort... and with less helpers.

The "Engine Tilter" weighs only 14 lbs, but is shop rated with a 1,200 pounds capacity. Each Engine Tilter comes fully assembled and includes an upper lap link and four 20° chains.

NOTE: Four Grade 8 bolts & large washers (not included) must be used to attach chains to the engine. In addition, make sure the device holding the tilter has a sufficient shop rating.




### VW/PORSCHE ENGINE STAND HEAD ASSEMBLY

This VW engine stand head assembly fits engine stands with 2-3/8" tubes. For all air cooled VW 4cyl. engines. One side attachment allows engine case to be disassembled.

DESCRIPTION	PAR T #
Head Assembly (2-3/8" Tube) VW Air Cooled Engines	4150

### **ENGINE STAND** BOLTS

These bolts can be used to bolt virtually any engine to any engine stand.



DESCRIPTION	QUANTITY	PART #
3/8-16 X 4" Chevy & Chrysler	4 ea.	4895
7/16-14 X 4" Ford	4 ea.	4896
3/8-16 x 4 and 7/16-14 X 4"	4 ea.	4897

### LS ENGINE LIFT PLATE

This heavy-duty lift plate bolts onto the engine block using the valley cover bolt locations. Kit includes the high strength welded steel plate, hardened steel retaining bolt and mounting bolts that thread into the bolt hole locations typically used by the valley cover bolts.





### LS ENGINE SWAP OIL PAN & OIL FILTER RELOCATION COMBO KITS

- All-In-One Oil Pan & Filtration System
- Compact-Design & High Capacity Kickout-Style Pan Kits Available
- **Choose Between Premium Billet** Aluminum or Budget-Minded Cast **Aluminum Models**
- All Kits Include Gaskets & Hardware

When performing an LS engine swap into classic muscle cars and trucks, the use of an aftermarket, steel oil pan usually provides better, cross member, component and ground clearance than GM's factory, cast aluminum pan. The only hurdle with this swap is that GM integrated the oil filter mounting flange and passage ways into the factory cast pan. Remove the factory LS pan, and you lose a place to spin-on your oil filter.

This LS swap specific oil pan and filter relocation system combo kit eliminates this hurdle by including both a rear sump oil pan that clears the vehicle's cross member, and a complete oil filter relocation system that allows you to relocate the oil filter from the factory LS pan to the firewall, fenderwell or other easy to reach location on the vehicle.



Compact LS Swap Oil Pan; 5 qt.; 6" Deep Sump; RED

LS Swap Oil Pan with Sump Kickouts: 7qt. Capacity; 6" Deep Sump; BLACK

LS Swap Oil Pan with Sump Kickouts; 7qt. Capacity; 6" Deep Sump; CHROME



# PREMIUM CONSTRUCTION Billet Aluminum FILTRATION COMPONENTS



Heat-Shrink Reinforcement Ferrules

STANDARD-DUTY CONSTRUCTION CAST ALUMINUM Remote Oil Filter Base & Nipple(s) Oil Pan, Gasket, Pickup Tube, Pan Mounting Bolts, Drain Plug 1/2" Rubber Oil Lines -10AN 90° Swivel Aluminum Fittings 3/8" NPT Brass Hose Fittings Hose Ferrules





	,	REMOTE FILT	ER BASE Style	e	
	ILLET ALUMINUN REMOTE FILTER BASE			CAST ALUMINUM REMOTE FILTER BASE	
MULTI-POSITION	SINGLE FILTER	TRUE-DUAL Double filter	SINGLE FILTER VERTICAL PORTS	SINGLE FILTER Horizontal Ports	DOUBLE FILTER
0188	0186	0187	0175	0176	0177
			0180	0181	0182
			0183	0184	0185

INTENDED FOR PASSENGER CAR OR TRUCK USE ONLY, AND NOT FOR MARINE APPL



# **ENGINE OIL PANS**

Your engine can't survive very long without a steady flow of engine oil to lubricate your engine, and keep it running smooth and strong for years. Trans-Dapt & Hamburger's Performance Products have decades of oil pan experience, and the comprehensive list of pans on the following pages offers something for nearly any performance or restoration project.

The charts on the following pages are organized by engine size. Locate the section for your engine (or engine/chassis combination), then use the reference photos and product descriptions below to determine the pan style and/or finish that best applies to your project.

- Oil Pans For Drag Racing, Road Racing, Street Performance, Custom Builds, Restoration Projects...Or Just To Replace The Tired One On Your Engine
- Great Selection Of Fabricated & Cast Aluminum, Or Steel Construction Models Available, With A Variety Of Finishes Available
- Available For Popular American Musclecar, Truck And Race Vehicle Applications.

ALL OIL PANS LISTED ARE INTENDED FOR PASSENGER CAR OR TRUCK USE ONLY, AND NOT FOR MARINE APPLICATIONS.



### CONSTRUCTION



Econo-Series Oil Pans are built for serious race vehicles and high performance street-bound engines. While economically priced, these pans have thick .055" Steel cores, trap door baffles, a directional windage tray and crankshaft scraper (excludes #3080 and 3090). Each pan includes a gasket set, special oil pickup, magnetic drain plug and pan flange bolts, so they are ready to go right out of the box. MAXIMUM STROKE: SB CHEVY 3.875" 88 CHEVY- 4.25"



Designed for high performance street use, these pans offer additional oil capacity over factory pans. Slosh baffles help keep the oil in the sump. These pans come equipped with gasket set, oil pick-up, magnetic drain plug and bolts. \*Hamburger's #0777 does not include pickup.



TIG welded Aluminum construction makes these pans both lightweight and strong. The trap door baffling controls oil to ensure a consistent flow of oil to the engine. These pans come equipped with gasket set, oil pick-up, magnetic drain plug and bolts.



Street & Strip pans have a kicked out sump to increase engine oil capacity without sacrificing ground clearance. Ideal for modified muscle car engines. Chrome, yellow zinc, Chevy orange and black powder-coated available. Baffled for oil control. Bolts and gaskets sold separately.



These cast aluminum oil pans resemble factory pans, but are manufactured using cast aluminum then polished for a clean, classic look. The polished, finned design suits custom engine projects perfectly. These pans include a set of oil pan bolts. Gaskets sold separately.



The factory style pans are designed to replace your damaged, or unsightly engine oil pan. Trans-Dapt offers O.E. Style pans in chrome, or powder-coated in a durable Chevy orange, Ford blue or satin black finish. Bolts, gaskets and pickup not included.



Slam-Guard oil and transmission pans have a 3/16" plate welded into (not onto) the pan's sump floor. They protect the pan from damage caused by speed bumps, dips, driveways or rocks. Available chrome, black or silver powder-coated.

		ALL OIL PANS LISTED AI	RE INTE	NDED F	OR PAS	SENGER	CAR O	R TRUCK	USE O	NLY, AI	ND NOT	FOR MA	IRINE A	PPLICAT	TIONS.				
OIL PAN TYPE	STYLE REFERENCE LETTER	OIL PAN DETAILS	CAPACITY	ОЕРТН	шотн	LENGTH	BAFFLED	ECONO-SERIES™	STREET PERFORMANCE™	FABRICATED	- CAST	- CHROME	~ BLACK	CHEVY ORANGE	FORD BLUE	SILVER	REPLACEMENT Gasket set	PICKUP #	REFERENCE PHOTO
	SR	283-400 '55-	1		_	_	ш.												
CONO-SERIES Drag Race	A	Street Rods, Drag Cars with Rear Sump; Driver Side Dipstick; 2-Pc. Rear Main	7 Qts.	8"	8"	10-1/2"	YES	1088									3001	2508	10.
CONO-SERIES Drag Race	A	V8 in 1982-04 2&4WD S-10/S-15, Sonoma, Blazer/Jimmy engine swap pan; Driver Side Dipstick; 2-Pc. Rear Main Seal; Oil Pump: Melling #10550, M55, GM #12555884, #14044872 or equivalent	7 Qts.	9-1/4"	7.50"	7-1/4"	YES	1099									3001	2509	10
FABRICATED ALUMINUM	C	Driver Side Dipstick; 2-Pc. Rear Main Seal; 3.875" Maximum Stroke	5 Qts.	8"	8"	10- 1/4"	YES			1176							4340	2523	11
CAST	E	Driver Side Dipstick; 2-Pc. Rear Main Seal	4 Qts.	Stock	Stock	Stock	NO				9004		7424					Stock	900
		283-400 '55-						II No	ıa an	d com	o oarl	v Cha	عمالمد	Vera	Mon	72]			
STREET PERFORMANCE	В	For most production chassis; Not for Chevelles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/Monza Oil Pump: Stock				9-1/4"		II, NO	0168		c carr	y Gile	761163,	vega	, mon	zaj .	4340	9727	018
STREET PERFORMANCE Circle Track	В	Driver Side Dipstick; 2-Pc. Rear Main Seal; Not for Chevelles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/ Monza or 302 engines. Oil Pump: Stock	8 Qts.	7-1/4"	10.50"	12- 5/8"	YES		1171								4340	7114	
STREET/STRIP	D	Driver Side Dipstick; 2-Pc. Rear Main Seal; Not for Chevelles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/ Monza or 302 engines.	7 Qts.	8-1/2"	11.50"	9-1/4"	YES					9725	7436	9726				9727	97
STREET/STRIP		Driver Side Dipstick; 2-Pc. Rear Main Seal; Not for Chevelles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/ Monza or 302 engines.	8 Qts.	7-1/4"	10.50"	12- 5/8"	YES					7115	7113 Yellov					7114	
OEM Style	F	Driver Side Dipstick; 2-Pc. Rear Main Seal; Not for Chevelles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/ Monza or 302 engines.	4 Qts.	Stock	Stock	Stock	YES						8 <b>62</b> 8 ) Unfin					Stock	900
CHEVY	SB	283-400 '55-	79	For 19	962-6	7 Chev	v II. N	ova1											
STREET/STRIP		Driver Side Dipstick; 2-Pc. Rear Main Seal; Fits Chevy II and Nova (No Power Steering)											7569					9727	
CHEVY S	SB	305-350, 5.0/	<b>5.7</b>	'L '8	80-8	35 [I	IOT Fo	r rear	steer (	Chevel	le; 62-	67 Che	vy II/I	Vova; V	/8 Veg	a, Mon	za or 3	302 en	gine
ECONO-SERIES Drag Race	A	Street Rods, Drag Cars with Rear Sump; Passenger Side Dipstick; 2-Pc. Rear Main Seal; Oil Pump: Melling #10550, M55, GM #12555884, #14044872 or equivalent	7 Qts.	8"	8"	10-1/2"	YES	1078°									3002 or 4338	2508	
STREET/STRIP	D	Passenger Side Dipstick; 2-Pc. Rear Main Seal; Not for Chevelles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/Monza or 302 engines.	7 Qts.	8-1/4"	11.50"	9-1/4"	YES							8991				9727	
CAST ALUMINUM	E	Passenger Side Dipstick; 2-Pc. Rear Main Seal	4 Qts.	Stock	Stock	Stock	NO				9023		7426					Stock	
SLAM-GUARD	G	Passenger Side Dipstick; 2-Pc. Rear Main Seal	4 Qts.	Stock	Stock	Stock	NO					8912	8650			8913		Stock	86
OEM Style	F	Passenger Side Dipstick; 2-Pc. Rear Main Seal; Not for Chevelles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/Monza or 302 engines.	4 Qts.	7"	Stock	Stock	NO					9092	8629	9946				Stock	
OEM Style	F	Passenger Side Dipstick; 2-Pc. Rear Main Seal; Not for Chevelles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/Monza or 302 engines.	4 Qts.	7-1/2"	Stock	Stock	YES						5101					2	


When ordering replacement gaskets, specify if pan has notched rails (10 bolt rail) or Standard rails (18 bolt rail). If notched (10 bolt design), order gasket set #3002. If Standard (18 bolt design), order gasket #4338.



		ALL OIL PANS LISTED AF	RE INTE	NDED F	OR PAS	SENGER	CAR O	R TRUCK	USE O	NLY, AI	ND NOT	FOR MA	RINE A	PPLICA	TIONS.				
	STYLE REFERENCE LETTER		CAPACITY	ОЕРТН	шютн	LENGTH	BAFFLED	- ECONO-SERIESTM	" STREET PERFORMANCE™	FABRICATED	CAST ALUMINUM	CHROME	~ BLACK	CHEVY	- FORD BLUE	SILVER	REPLACEMENT Gasket set	PICKUP #	REFERENCE PHOTO
OIL PAN TYPE CHEVY		OIL PAN DETAILS 305-350/5.0-	100	N 81-6			盈			•		11,	•				20	-	E C
ECONO-SERIES Drag Race		Passenger Side Dipstick; 1-Pc. Rear Main Seal; Street Rods, Drag Cars with Rear Sump;Oil Pump: Melling #10550, M55, GM #12555884, #14044872 or equivalent	7 Qts.		8"	10- 1/2"	YES	1038									3007	2508	1038
ECONO-SERIES Drag Race	A	V8 in 1982-04 2&4WD S-10/S-15, Sonoma, Blazer/Jimmy engine swap pan; Passenger Side Dipstick; 1-Pc. Rear Main Seal; Oil Pump: Melling #10550, M55, GM #12555884, #14044872 or equivalent	7 Qts.	9-1/4"	7.50"	7-1/4"	YES	1109									3007	2509	110
FABRICATED ALUMINUM	C	Passenger Side Dipstick; 1-Pc. Rear Main Seal	5 Qts.	8"	8"	10- 1/4"	YES	_		1177							9164	2523	
CAST ALUMINUM	E	Passenger Side Dipstick; 1-Pc. Rear Main Seal	4 Qts.		Stock	Stock	NO	-			9022		7425						
OEM Style	F	Passenger Side Dipstick; 1-Pc. Rear Main Seal; Not for Target motors; Not for Chev- elles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/Monza or 302 engines.	4 Qts.	7" Deep	Stock	Stock	YES	-				9414	8631	9948				Stock	
CHEVY	4.8	3L, 5.3L, 6.0L L	SS	ERI	ES®	>													
STREET ERFORMANCE Drag Race	A	Fits 1982-2004 Chevy / GMC S-10, S-15, S-10 Blazer and S-15 Jimmy trucks, Early- model GM cars and trucks.	5 Qts.	6"	8-1/4"	7"	NO	1108°									4336	2522	110
FABRICATED ALUMINUM	C	LS swap in Early GM A-Body, F-Body, X- Body; Rear sump; 4.125" Maximum Stroke. Not compatible with factory windage tray.	5-1/2 Qts.	6-1/2"	10- 1/2"	9"	YES	-		1179°							4336	2525	
STREET/STRIP	В	STRAIGHT Fittings LS in 67-69 Camaro, 65-72 Chevelle, 68-72 Nova	7 Qts.	6"	10- 3/8"	8-3/8"	YES	-				0172*	0171*				4336	2524	
STREET/STRIP	В	90° Fittings LS in 67-69 Camaro, 65-72 Chevelle, 68-72 Nova	7 Qts.	6"	10- 3/8"	8-3/8"	YES	7				0174°	0173*				4336	2524	017
CHEVY I	BB	396-454 '65-9	90	Not G	en V o	r VI]													
CONO-SERIES Drag Race	A	Chevy & Rodeck engines in Tube chassis cars with rear sump pan; Accepts OEM dip- stick; Oil Pump: Moroso #22150, Melling #10770, #M77; 4.25" Maximum Stroke	8 Qts.	8"	8.50"	10- 1/2"	YES	1488									3004	2568	148
STREET Performance	В	For most production chassis; Not for Chev- elles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/Monza	6 Qts.	8"	10.50"	10- 1/4"	YES	-	0428								4341	9730	042
STREET/STRIP	D	Not for Chevelles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/ Monza	6 Qts.	8-1/4"	10.50"	10- 1/4"	YES	-				9728	7437	9729				9730	
FABRICATED ALUMINUM	C	4.25" Maximum Stroke	6 Qts.	8"	8"	10"	YES	-		1489							4341	2568	148
OEM Style	F	Not for Chevelles with steering behind crossmember, 1962-67 Chevy II, V8 Vega/Monza or 302.	4 Qts.	Stock	Stock	Stock	NO	-				9294	8632	9921				Stock	929
ORD SB	2	60-302 '65-87	[Pas	senge	r Car	s with	Front	Sump	only]										
OEM Style	F	For use on Ford passenger cars only with factory front sump oil pan	4 Qts.	Stock	Stock	Stock	NO	-				9078	8713		8348			Stock	834
ORD SB	2	60-302 '65-87	[Car	s & 21	ND Tru	icks w	ith Fro	ont Sui	пр Ра	n]									
STREET	В	For use on Ford cars, trucks and vans with factory front sump oil pan	7 Qts.	9"	12.50"	10"	YES	-	1172			3					4342	7421	
STREET/STRIP	D	For use on Ford cars, trucks and vans with factory front sump oil pan	7 Qts.	9"	12.50"	10"	YES	-					7418 Yellow	Zinc				7421	
CAST	E	For Ford vehicles with factory front sump oil pan.	4 Qts.	Stock	Stock	Stock	NO				9026		7427		-			Stock	902

All LS engine pans require the relocation of the engine oil filter! For engine oil filter relocation systems designed specifically for this, please turn to pages 78-81 and select one our "LS Swap Pan Integration" BYPASS-STYLE Kits. All-in-one Oil pan/relocation system kits are also available. Please refer to page 125 for these comprehensive LS swap oil pan kits.

OIL PAN S





# CONSTRUCTION ECONO-SERIES OIL PANS


Econo-Series Oil Pans are built for serious race vehicles and high performance street-bound engines. While economically priced, these pans have thick .055" Steel cores, trap door baffles, a directional windage tray and crankshaft scraper (excludes #3080 and 3090). Each pan includes a gasket set, special oil pickup, magnetic drain plug and pan flange bolts, so they are ready to go right out of the box. MAXIMUM STROKE: SB CHEVY 3.875" BB CHEVY- 4.25"






FABRICATED ALUMINUM OIL PANS











black finish. Bolts, gaskets and pickup not included.



G SLAM-GUARD (ARMORED) OIL PANS

	ALL OIL PANS LISTED A	RE INTI	ENDED I	FOR PAS	SENGER	CAR OF	R TRUC	K USE O	ONLY, A	ND NOT	FOR M	ARINE APPL	ICATIONS.				
OIL PAN TYPE	STYLE REFERENCE LETTER STITLE NUMBER TIO	CAPACITY	ОЕРТН	шотн	LENGTH	BAFFLED	► ECONO-SERIES™	STREET PERFORMANCETM	FABRICATED	- CAST	- CHROME	BLACK CHEVY	ORANGE FORD BLUE	SILVER	REPLACEMENT GASKET SET	PICKUP #	REFERENCE PHOTO (SEE PAGES 130-131)
FORD SB	5.OL into 1983-93 FOX BO	DY [M	ustan	g, Thu	nderbi	rd, Co	ugar)										
OEM Style	For 5.0L Mustangs; Dual sump; 20mm x 1.5 side hole. (uses oil pickup #9755, not included)	4 Qts.	Stock	Stock	Stock	NO	7				A STATE OF THE	8720 2 Unfinishe	8355			9755	9754
SLAM-GUARD	For use on 83-93 Ford Fox Body cars with front sump oil pan. (uses oil pickup #9755, not included)	5 Qts.	Stock	Stock	Stock	NO	-				8918	8652		8919		9755	8919
FORD SE	3 5.OL into 1980-96 Tr	ucks	and	Van	s [Re	ar Su	тр с	only]									
0EM Style	For Ford Broncos, F100, 150, 250, 350,						_	5.5			9082	9083	8352			Stock	9082
FORD SB	351W '65-87					- A											
STREET PERFORMANCE	Ford cars, trucks, vans with factory front sump oil pan; Stock Oil Pump; Dipstick in timing cover	7 Qts.	9"	12.50"	10"	YES	2	1174							4342	7422	1174
STREET/STRIP	Pord cars, trucks, vans with factory front sump oil pan; Stock Oil Pump; Dipstick in timing cover	7 Qts.	9"	12.50"	10"	YES	-				7474	7475 I Yellow Zir	ıc			7422	7474
FORD SB	351W '65-87 [F	RON	T S	UMI	CA	ARS	ON	ILY]									
0EM Style	For use on Ford passenger cars with front sump oil pan; No Dipstick	4 Qts.	Stock	Stock	Stock	NO	-				9532	8714	8350			Stock	8350
FORD SB	351W/5.8L '88-						ar Su	ımn on	lv1								
OEM Style	For Ford Broncos, F100, 150, 250, 350,						-	mp on	.,,		9080	9081	8353			Stock	9081
FORD SB	351VV 1979 -93 Fox B	odv															
ECONO-SERIES	For 1979-93 Mustangs, 1980-88 Thunder-		6-1/2" front 9" rear	8-1/2"	-	YES	3090								4342	3093	3090
FORD SB	351C, 351M, 400	'70	)-8	<b>2</b> [Fo	rd pas	senge	er car	s only	1								
STREET PERFORMANCE	For use on Ford passenger cars with front			13.25"				1175							4343	stock	1175
0EM Style	For use on Ford passenger cars with	4 Qts.	8"	Stock	Stock	NO	-				9310	8715	8354			Stock	
FORD SR	front sump oil pan; 351C, 351M, 400	'70	1_8	2													
	For Ford passenger cars with front sump oil pan; Requires high volume Melling M84-AHV and 84-AS1 pickup (or equivalent)				8-3/4"	YES	-				9301	9306				Stock	9306
FORD BB	352-390-406-4	27	OR	428	[Fron	nt Sur	nn C	arsl	**No1	428	Cobr	aJet					
	Passenger cars with front sump only								2	-1		8716	8349			Stock	
FORD BB	429-460 '68-78																
	The second secon			Stock	Stock	NO	75				6969	8718	8351			Stock	6969
	SB 273-318-340										0044	0700					
Control of the Contro		4 Qts.	<i>I</i> -1/2"	Stock	Stock	NO	20				9311	8709				Stock	
	SB 360 '71-80										0000	7100					
	For passenger cars only. Not for trucks or vans	4 Qts.	Stock	Stock	Stock	NO	-				9088	7428				Stock	
MOPAR 0EM Style	HEMI 392 '55-58	5 Qts.	Stock	Stock	Stock	NO	75				9089	7429				Stock	9089
MOPAR	BB 361-440 B AN	D R	B, I	HEM	1 42	26 '	67-	87									
STREET PERFORMANCE	Fits most production chassis. Not for 1962-65 Production chassis or "C-Body"; Oil Pump: Stock					YES		0777							4347	7574 or 7575	0777
OEM Style (High Capacity)	F 7" Deep Sump	7 Qts.	7"	8"	10"	YES	4.					7573			4347	7574 or 7575	
OEM Style	F	5 Qts.		Stock			7				9496	8712				Stock	

### ALL OIL PANS LISTED ARE INTENDED FOR PASSENGER CAR OR TRUCK USE ONLY, AND NOT FOR MARINE APPLICATIONS.






# A ECONO-SERIES OIL PANS

Econo-Series Oil Pans are built for serious race vehicles and high performance street-bound engines. While economically priced, these pans have thick .055° Steel cores, trap door baffles, a directional windage tray and crankshaft scraper (excludes #3080 and 3090). Each pan includes a gasket set, special oil pickup, magnetic drain plug and pan flange bolts, so they are ready to go right out of the box. MAXIMUM STROKE: SB CHEVY 3.875° BB CHEVY- 4.25°



STYLE GUIDE





TIG welded Aluminum construction makes these pans both lightweight and strong. The trap door baffling controls oil to ensure a consistent flow of oil to the engine. These pans come equipped with gasket set, oil pick-up, magnetic drain plug and bolts.





The factory style pans are designed to replace your damaged, or unsightly engine oil pan. Trans-Dapt offers O.E. Style pans in chrome, or in a durable Chevy orange, Ford blue or satin black finish. Bolts, gaskets and pickup not included.



These cast aluminum oil pans resemble factory pans, but are manufactured using cast aluminum then polished for a clean, classic look. The polished, finned design suits custom engine projects perfectly. These pans include a set of oil pan bolts. Gaskets sold separately.



Slam-Guard oil and transmission pans have a 3/16" plate welded into (not onto) the pan's sump floor. They protect the pan from damage caused by speed bumps, dips, driveways or rocks. Available chrome, black or silver powder-coated.

PERFECTMATCH

ALL OIL PANS LISTED ARE INTENDED FOR PASSENGER CAR OR TRUCK USE ONLY, AND NOT FOR MARINE APPLICATIONS. 

ALL OIL PANS LISTED ARE INTENDED FOR PASSENGER CAR OR TRUCK USE ONLY, AND NOT FOR MARINE APPLICATIONS.



### **OIL PAN ACCESSORIES**

### OIL PAN GASKET SETS

### O.E. STYLE GASKET SETS

Trans-Dapt's O.E. style oil pan gasket sets are standard-duty and come complete with rubber end seals and cork side rails.

### HEAVY-DUTY GASKET SETS

Trans-Dapt's Heavy-Duty oil pan gasket sets utilize a highdensity nitrile rubber compound for the side rail gaskets for better resistance against seepage. Each kit also comes with rubber end seals.





ENGINE	YEARS	O.E. STYLE GASKETS	HEAVY-DUTY Gaskets	HAMBURGER'S OIL PAN Compatibility
SB Chevy 283-400	55-78	4340	9015	0168, 0238, 1171
SB Chevy 283-400	55-78	3001		1088, 1099
SB Chevy 283-400 (10 Bolt Design)	55-78	3008+		1088, 1099 (old design)
SB Chevy for 2-Piece Rear Main Seal	55-78	4337		
SB Chevy 305-350	79-85	9013	9016	
SB Chevy 305-350	79-85	9164		
SB Chevy 305-350 (10 Bolt Design)	79-85	3002		1078, 3037
SB Chevy 305-350 (10 Bolt Design)	79-85	3005*		3054-3064
SB Chevy for 2-Piece Rear Main Seal	79-85	4338		
SB Chevy 305-350 (18 Bolt Design)	86-00	3007*		0218, 1038, 1109
SB Chevy 305-350 (10 Bolt Design)	86-00	3003*		1098, 3057
SB Chevy 305-350 (10 Bolt Design)	86-00	3006 <sup>†</sup>		3004, 3074
SB Chevy for 1-Piece Rear Main Seal	86-00	4339		
LS Oil Pan 1-Piece Gasket	00-Up	4336		1108, 1179
BB Chevy 396-454	65-90	4341	9017	0428
BB Chevy 396-454 (22 Bolt Design)	65-90	3004*		1488, 1498
BB Chevy 396-454 (15 Bolt Design)	65-90	3009 <sup>†</sup>		1488, 1498
SB Chrysler 360	71-80	4346		
BB Chrysler 383-400-440	67-87	4347		0777
SB Ford 260-289-302-351W	65-87	4342		1172, 1174, 3080, 3090
SB Ford 351C-351M-400M	70-82	4343	9018	1175
3B Ford 352-428	58-76	4344		
BB Ford 429-460	68-78	9014		
Olds 330-455	64-80	4348		
Pontiac 265-455	59-81	4349		

<sup>&</sup>lt;sup>†</sup>This part is designed specifically for Hamburger's Oil Pans. Not for use with any other oil pans.

### HAMBURGER'S OIL PAN SPREADER BARS

CHROME

Spreader bars redistribute the torque load of the pan bolts to improve the sealing capabilities of the pan rails. Because of the notched rails on some aftermarket oil pans, spreader bars must be used to ensure a tight seal.

ENGINE				
SB Chevy 283-400; '55-78 - Chrome	1188			
SB Chevy 305-350; '79-85 - Chrome (Fits 10 bolt notched rails only, not for 18 bolt design)	1178			
BB Chevy 396-454; '65-90 - Chrome	1588			

### HAMBURGER'S OIL PAN DRAIN PLUG & DIPSTICK





DESCRIPTION	PART #
Magnetic Drain Plug & Seal; 1/2"-20	1180
Dipstick for Discontinued 3037, 3047, 3057	3020 <sup>+</sup>



### ENGINE OIL PAN ACCESSORIES & TRANSMISSION-PANS-

# OIL PAN ACCESSORIES (CONTINUED)








FOR USE WITH THESE PANS	PICK-UP Connection Type	PART #	FOR USE WITH THESE PANS	PICK-UP Connection Type	PART #
1038, 1078, 1088	5/8" Push-on	2508 <sup>†</sup>	1171	5/8" Push-on	7114 <sup>†</sup>
1099, 1109	5/8" Push-on	2509†	1172, 7416, 7417, 7418 on 260-302W	Stock Bolt-on	7421 <sup>+</sup>
1108	Stock Bolt-on	2522 <sup>†</sup>	1174 on 351W	Stock Bolt-on	7422 <sup>†</sup>
1488, 1489	3/4" Push-on	2568 <sup>†</sup>	0777	3/8"-18 Thread	7574 <sup>†</sup>
1176, 1177	5/8" Push-on	2523 <sup>†</sup>	0777	1/2"-14 Thread	7575 <sup>†</sup>
0171, 0172, 0173, 0174	Stock Bolt-on	2524	0168, 0238	5/8" Push-on	9727 <sup>†</sup>
1179	Stock Bolt-on	2525 <sup>†</sup>	0428	3/4" Push-on	9730 <sup>+</sup>
3080	Stock Bolt-on	3083 <sup>+</sup>	7572, 8720, 8355, 9754	Stock Bolt-on	9755
3090	Stock Bolt-on	3093 <sup>†</sup>	† Designed for use	with Hamburger's 0	il Pans only.

### **OIL PAN BOLTS**

Replace greasy, worn out bolts with a new set of Chrome-Plated bolts. Bolts & Star Lockwashers.



KIT CONTENTS	PART #
1/4-20 x 1/2" (14) 5/16-18 x 1/2" (4)	9271
1/4-20 x 1/2" (2) 5/16-18 x 1/2" (20)	9272
5/16-18 x 3/4" (6) 1/4-20 x x1/2 (18)	9287
5/16-18 x 3/4" (20)	9289
8mm 1.25 x 14mm (14)	9469
8mm 1.25 x 22mm (14)	9470
	1/4-20 x 1/2" (14) 5/16-18 x 1/2" (4) 1/4-20 x 1/2" (2) 5/16-18 x 1/2" (20) 5/16-18 x 3/4" (6) 1/4-20 x x1/2 (18) 5/16-18 x 3/4" (20) 8mm 1.25 x 14mm (14)

### OIL PAN STUDS

Makes gasket and pan installation easy. Grade 8 studs and serrated lock nuts.



ENGINE & YEAR	PART #
Chevy 283-350 & 229 V6	9594
Chevy 396-454	9595

### TRANSMISSION PANS **CHROME & ALUMINUM**

Trans-Dapt's assortment of stamped steel and aluminum transmission pans lets you improve the look of your vehicle's undercarriage, and in some cases, increase your transmission fluid capacity to run cooler and leaner. New for this catalog are Trans-Dapt's Black and


Yellow Zinc models.











	11	9110
1		M.
1		
		9732



ENGINE	STYLE	DEPTH	CHROME FINISH	BLACK Finish	ZINC Finish	ALUMINUM
700R4/4L60E	FINNED	2-5/8"	9740	9746	9747	8898
700R4/4L60E	FINNED	2-7/8"				9107
700R4/4L60E Extra Capacity adds 2 Qts.	FINNED	3-1/2"	9741			
Ford AOD; '80-91	FINNED	Stock	9732			
Ford C-4	FINNED	2-3/8"	9531	7170		
Ford C-4 Extra Capacity	FINNED	3-1/2"	9110			
Ford C-6	FINNED	2-3/8"	9125	7171		
Ford C-6 Extra Capacity	FINNED	3-5/8"	9109			
Powerglide	FINNED	2"	9124	7172		
TH-350	PLAIN	2-1/4"	9074			
TH-350	FINNED	2-1/4"	9122	7173		8896
TH-350 Extra Capacity adds 2 Qts.	FINNED	3-1/2"	9198	7174		
TH-400	FINNED	2-3/8"	9121			8897
TH-400 Extra Capacity adds 1-1/2 Qts	FINNED	3"	9197€	7175 <sup>©</sup>		
Turbo 400 Extra Capacity adds 2-1/2 Qts	FINNED	4"	9106 <sup>©</sup>			
Torqueflite 727 (Chrysler, Dodge, Plymouth)	FINNED	Stock	9733			
Torqueflite 727Extra Capacity	FINNED	2-3/4"	9108			

2 Deeper pickup tube required. Not available through Trans-Dapt.

ENGINE	STYLE	DEPTH	ALUMINUM
GM TH-350 Fabricated Aluminum - Stock Depth	PLAIN	2-5/8"	9105



Slam-Guard™ Pans have a 3/16" thick skid plate to protect your pan against bottoming out which could puncture, or severely damage the pan and cause catastrophic engine failure.



Armor-Pla	ted T	ransn	nission	Pans
TRANSMISSION	DEPTH	CAPACITY	CHROME	POWDER-COATED Black
TH400	Stock	Stock	8922 ^	8654^

\*Part number will be discontinued when current inventory is depleted.

Slam-Guard™ pans are a must for ANY LOWERED OR OFF-ROAD VEHICLE. Slam-Guard Oil Pans Also Available. See oil pan section.

# TRANSMISSION/ENGINE-OIL-DIPSTICKS, COVERS & BOLTS

### **ENGINE OIL DIPSTICKS CHROME & ALUMINUM**

Replace your bent or rusty dipstick with a Trans-Dapt O.E.M. replacement with chrome-plated dipstick and tube kit; upgrade to a fully-polished billet aluminum handle; or upgrade to a fully-polished handle AND a flexible braided tube. Designed to bolt to block from the inside of headers. Includes O-rings (if needed) and mounting bracket.


		ALUMINUM				STEEL			
ENGINE	YEARS	POLISHED Handle W/ Chrome Tube	BLACK Handle W/ Black Tube	POLISHED Handle W/ Flexi Tube	DIPSTICK LENGTH	OEM CHROME	BLACK HANDLE W/ Black Tube	DIPSTICK LENGTH	
ALWAYS COMPARE NEW	DIPSTIC	CK'S LENGTH	& MARKING	S AGAINST S	TOCK DIPS	STICK BEFO	RE INSTALLI	NG!	
Chevy 283-400	55-78	8900	7150	8141	19"	4957	4956	19"	
Chevy 283-400 Dipstick ONLY, No Tube included	55-78	8598			12-1/4"				
Chevy 305-350	79-85	8905	7154	8142	26"	9420	7159	23"	
Chevy Camaro/Firebird 305-350	82-85					9231		24-1/2"	
Chevy 396-454	65-90	8901	7151	8143	21"	4958	4944	21"	
Chrysler 318-340-360	64-87	8593	7155		21"	9224	7161	21"	
Chrysler 383-440	67-87	8904	7153		23"	9225	7162	23"	
Ford 260-289-302	65-87	8902	7152		20-1/4"	9221	7160	20-1/4"	
Ford 351 Windsor	69-81					9222		20"	
Ford 351 Cleveland	70-82					9223		20-1/2"	
Olds 350-455 & 403/6.6L Pontiac Trans-Am & Firebird	64-80					9404		20"	
Pontiac V8 (Not 389 or 403)	65-79	7156	7157			9405	7158	17-1/2"	



CTEEL

### TRANSMISSION DIPSTICKS

**CHROME & ALUMINUM** Chrome models include a chrome-plated tube and dipstick. Our polished billet aluminum handle models come with a flexible braided stainless steel transmission tube and dipstick. Flexible models also include o-rings, mounting



FOR MULTIPLE PRODUCT PHOTOS VISIT:

		ALUMINUM		SIEEL		
ENGINE	MOUNTING LOCATION	HANDLE W/ Flexi Tube	DIPSTICK LENGTH	CHROME O.E.STYLE	BLACK O.ESTYLE	DIPSTICK LENGTH
ALWAYS COMPARE NEW DIPSTI	CK'S LENGTH & M	ARKINGS AGAI	INST STOCK	DIPSTICK <u>be</u>	FORE INST	ALLING!
Chevy TH-350				9421	7163	27"
GM TH-350	Bellhousing	8138	17-3/8"	4994	7165	34"
GM TH-400	Bellhousing	8139	17-3/8"	4995	7166	24"
GM Powerglide	Firewall	8145	27"			
GM Turbo 350 (Chrome tube / Alun	minum Handle)			8596	7167	27"
GM Turbo 350 (Chrome tube / Alun	minum Handle)			8594	7168	34"
GM Turbo 400 (Chrome tube / Alun	minum Handle)			8595	7176	24"
Chevy Powerglide (Aluminum (	Case)			9422	7164	23"
GM 4L60E	Firewall	8146	27-5/8"			
GM TH-700R4	Bellhousing	8140	15-1/8"			
Chrysler Torqueflite A904	Firewall	8148	28"			
Ford C-4				8597		21-1/2"
Ford C-6				8599		20-1/4"
Ford C-6	Firewall	8144	28-3/4"			

AI IIMINIIM

### FLEXPLATE COVERS

Replace your dented or rusty flexplate torque converter cover with a smooth chromeplated, powder-coated, or polished aluminum-finned flexplate cover.



	STEEL			ALUM	INUM
DESCRIPTION	CHROME FINISH	BLACK Finish	CHEVY	POLISHED FINISH	BLACK Finish
TH-350/400	9588	7446	9892	9586	7445
Powerglide*	9417	7444	9893		
700R4 (Passenger cars only)	9589	7447	9895		

<sup>\*</sup>ALUMINUM case transmission only. Not for Iron case models.

### **MAGNETIC DRAIN PLUGS**







Extends transmission and engine life by keeping dangerous metal shavings away from expensive internal parts.

DESCRIPTION	PART #
1/2" -20 Standard (Oil Pans Only)	9062
3/8" -18 NPT (Transmission & Oil Pans)	9063
1/2" -14 NPT (Transmission & Oil Pans)	9064

### TRANSMISSION PAN BOLTS



Grade 5 chrome-plated 5/16" -18 X 3/4" and 1" bolts add the finishing touch to your new transmission pan installation.

DESCRIPTION	PART #
3/4" Hex Head Bolts (14) GM-Ford-Mopar	9692
1" Hex Head Bolts (14) GM-Ford-Mopar	9252



### **TIMING CHAIN COVERS**

CHROME & POWDER-COATED

Trans-Dapt's line of stamped steel timing chain covers are available in a classic chrome, satin black, or Chevy orange powder-coated finish. Choose between our complete cover kit, cover and timing tab package, or just pick up the cover only. For additional timing cover tab options, refer to page 129 for our selection of steel and aluminum timing tab options. Chevy, GM and Mopar applications are available.




















# LS ENGINE 2-PIECE TIMING COVERS BILLET ALUMINUM



- O-Ring Seal Between Top & Bottom Sections
- Allows Cam Changes Without Dropping the Oil Pan
- Works With Factory Seals
- Includes Stainless Steel Mounting Hardware
- CNC Machined 6061-T6 Aluminum Construction

The 2-piece design of Hamburger's new billet timing cover for Gen III & IV LS engines allows the upper portion of the cover to be removed for cam changes or tuning, while the lower half stays bolted to the front of the block, preserving the main seal. You'll never need to drop the oil pan to access the cam, and the unit incorporates an 0-ring seal into the bottom half of the cover that mates with the smoothly machined flange on the upper section to offer a leak-free seal.



DESCRIPTION	PART #
2-Piece Timing Cover for Gen III LS Series; No Cam Sensor in Cover	1104
2-Piece Timing Cover for Gen IV LS Series; Cam Sensor in Cover	1105

### SB CHEVY '55-95 2-PIECE TIMING COVERS NOT FOR LT1







SB Chevy, two-piece timing cover sets make cam changes and adjustments a breeze without having to drop the pan. Timing cover #8909 is chrome, cover #s 9923 & 8638 are powder-coated models, and # 6049 is polished cast aluminum.

	KIT CONTENTS STEEL								
ENGINE	COVER	GASKET	TAB	BOLTS	SEAL	CHROME FINISH	BLACK FINISH	ORANGE FINISH	POLISHED ALUMINUM
1955-95 Chevy V8 283-400 & 4.3L V6 (Not LT1)	Y	Y	N	N	N	8909	8638	9923	6049

### SB & BB CHEVY TIMING COVER ALUMINUM

Trans-Dapt's SB & BB Chevy billetstyle, polished aluminum timing chain covers look great on any classic Chevy engine. Available in a complete kit form, or cover only. Will not clear double roller timing chains.



ENGINE	YEARS	DESCRIPTION	PART #
SB Chevy 283-400 (Not LT1)	55-95	Cover Only	6010
SB Chevy 283-400 (Not LT1)	55-95	Cover & Tab	6014
SB Chevy 283-400 (Not LT1)	55-95	Cover, Tab & Gasket	6015
BB Cover 396-502 (GEN 5)	91-95	Cover Only	6042
BB Cover 396-502 (GEN 6)	96-00	Cover Only	6043

### TIMING COVER TABS STEEL



ENGINE	HARMONIC BALANCER DIAMETER	DESCRIPTION	CHROME FINISH	BLACK Finish
Chevy V8 283-400; 4.3L V6	6"-7"	Steel Tab	4960	7185
Chevy V8 283-400; 4.3L V6	7"	Steel Tab with POINTER	9178	7189
Chevy V8 283-400; 4.3L V6	8"	Steel Tab with POINTER	9179	7190
Chevy 396-454	8"	Steel Tab	4961	7186
Chevy 396-454	8"	Steel Tab with POINTER	9180	7191
Mopar 383-440	All	Steel Tab	9393	7450



ENGINE	HARMONIC BALANCER DIAMETER	DESCRIPTION	PART #
Chevy V8 283-400; 4.3L V6	6"-7"	POLISHED Aluminum Tab for #6010	6013
Chevy V8 283-400; 4.3L V6	6"-7"	POLISHED & CHROMED Aluminum Tab for #6010	6094
Chevy 396-454	6"-7"	POLISHED Aluminum Tab for #6042	6082

# CHEVY TIMING COVER GASKETS



Cellulose-Nitrile material. Sold in sets.

DESCRIPTION	PART #
Chevy 283-400 without Seal	4363
Chevy 283-400 with Seal	4364
Chevy 283-400 for use with 2-Piece Timing Cover Sets	8975
Chevy 396-454 without Seal	4365
Chevy 396-454 with Seal	4366









Complete set of Grade 5 hex head bolts and washers.

ENGINE	CHROME FINISH	YELLOW
SB Chevy 283-400 V8 & 4.3L V6 (For Steel / Chrome Covers)	9273	4920
SB Chevy 283-400 V8 & 4.3L V6, Socket Head Bolts (For Aluminum Covers Only)	9284	
Chrysler 383-400	9471	

### WATER NECKS & COOLING SYSTEMS





car, and marine use, SB & BB CHEVY ENGINES



DESCRIPTION	PART #
1" Tall With Twin 3/8" NPT Ports	6104
2" Tall With Twin 3/8" NPT Ports	6105
Replacement 0-Rings For 6104 & 6105 (3)	9285



TRANSMISSION	YEARS	WATERNECK Design	POLISHED ALUMINUM	BLACK FINISH
Chevy SB & BB V8	66-75	Straight Up	6002	7192
Chevy SB & BB V8	66-75	15° Swivel	6016	7195
Chevy SB & BB V8	66-75	45° Swivel	6003	7193
Chevy SB & BB V8	66-75	90° Swivel	6007	7194
Chevy LS (GEN III / IV)	97-15	45° Swivel	7454	7464
Pontiac V8 (Not 389) REPLACEMENT O-RING	64-79 S	90° Swivel	6132	
Replacement o-ring SB/		only	6012	

### RADIATOR & HEATER HOSE KITS STAINLESS STEEL

### RADIATOR HOSE KITS

Trans-Dapt's stainless steel radiator hose kits look sharp and are available in lengths up to 4ft. long. Each kit comes complete with a 1% diameter corrugated stainless tube, as well as, a pair of chrome or polished aluminum end caps, 1%" rubber sleeves, 1%" and 1½" rubber

reducers and four worm gear clamps. Our 48° kits include FOUR aluminum ends, allowing the tubing to be cut in two for multihose or multi car use. Kits are available with CHROME or POLISHED aluminum hose ends.

HOSE LENGTH	HOSE DIAMETER	CHROME HOSE ENDS	POLISHED HOSE ENDS		
12"	1-3/4"	8201	8200		
24"	1-3/4"	8203	8202		
36"	1-3/4"	8205	8204		
48"	1-3/4"	8207	8206		



Trans-Dapt's stainless steel heater hose kits come equipped a pair of 3/4" corrugated tubes, four aluminum end caps, four 3/4" rubber sleeves, four 5/8" rubber reducers and eight worm gear hose clamps. Kits are available with either polished aluminum or chromed aluminum ends.

3	HOSE	HOSE	CHROME	POLISHED
	LENGTH	DIAMETER	HOSE ENDS	HOSE ENDS
	44"	3/4"	8209	8208

### RADIATOR OVERFLOW TANKS STAINLESS STEEL

Trans-Dapt radiator overflow tanks are both functional and stunning to look at. They work under the same principals as O.E.M. tanks. Precision manufactured for a leak-proof seal and lasting durability. 1/4" hose required.

TANK Capacity	TANK DIAMETER	TANK LENGTH	PART #	
20 oz.	2"	13"	6910	
24 oz.	2"	15"	6911	
28 oz.	2"	17"	6971	
32 oz.	2"	19"	9910	
36 oz.	3"	10"	9911	
56 oz.	3"	16"	9912	
Replaceme	nt Cap		6909	

### WATER PUMP & INTAKE MANI-FOLD FITTINGS

**CHROME & ALUMINUM** 



DESCRIPTION	PART #
½" NPT Water Pump Fitting (3/4" Hose)	9514
½" NPT Intake Manifold Fitting (5/8" Hose)	9515
½" NPT Water Pump Fitting (3/4" Hose)-Aluminum	9522
½" NPT Water Pump Fitting (5/8" Hose)-Aluminum	9523



DESCRIPTION	PART #
Aluminum Radiator Cap	6017
Aluminum Radiator Cap	6116

### AIR-CONDITIONING BRACKET SETS **BILLET ALUMINUM**

Trans-Dapt polished, billet aluminum air-conditioning brackets are precision crafted and the classic design complements our selection of custom aluminum valve

covers and accessories. Brackets include all necessary bolts and hardware. Airconditioning brackets are inward mount.

ENGINE	YEARS	WATER PUMP Type	PART #
Chevy 283-350	55-68	SHORT	7816
Chevy 396-454	65-68	SHORT	7881

### **ALTERNATOR & HEADER BRACKETS**

CHROME



Brackets 9008 and 9254, 4869 and 9234 are designed to be used together.

ENGINE	YEARS	WATER PUMP TYPE	BRACKET POSITION	CHROME FINISH	BLACK Finish
Chevy 283-350	55-69	SHORT	Left or RIGHT	9008	4869
Chevy 283-350	55-69	SHORT	LEFT	9254	9234
Chevy 283-350 V8 t A/C compressor. Us headers.				9513	



ENGINE	YEARS	WATER PUMP TYPE	BRACKET Position	PART #
Chevy 283-350	65-68	SHORT	Тор	9319
Chevy 305-350	69-75	LONG	Top	9320
Chevy 305-350	76-86	LONG	Тор	9321
Chevy 396-454	69-95	LONG	Тор	9320
Universal alternator/general	ator arm. 1" wid	de and 14" lo	ng 4"	9079

### "OEM STYLE" CHEVY ALTERNATOR BRACKETS



ENGINE	YEARS	WATER PUMP Type	BRACKET POSITION	CHROME FINISH	BLACK FINISH
SB Chevy 283-350	65-68	SHORT	Тор	9315	8515
SB Chevy 305-350	69-86	LONG	Bottom	9637	8537
SB Chevy 305-350 (Top bracket bolts to intake manifold)	76-86	LONG	Set	9317	8517
SB Chevy 305-350 (Top bracket bolts to water neck)	69-75	LONG	Set	9316	8516
BB Chevy 396-454	65-68	SHORT	Top	9581	8581
BB Chevy 396-454	65-68	SHORT	Bottom	9502	8502
BB Chevy 396-454	66-00	LONG	Тор	9318	8518
BB Chevy 396-454	66-00	LONG	Bottom	9638	8538

### ALTERNATOR BRACKET SETS

CHROME



DESCRIPTION	GHROME FINISH	BLACK FINISH
Chrysler 318-340-360 Bracket Set	9456	
Chrysler 383-440 Bracket Set	9457	
Ford 289-302-351W Bracket Set	9455	7452

# LOW-MOUNT ALTERNATOR BRACKETS CHROME



ENGINE	YEARS	WATER PUMP TYPE	ALTERNATOR POSITION	1-PIECE MODEL	2-PIECE MODEL	
Chevy 283-350	55-68	SHORT	Lower Left	9758	8990	

### RADIATOR ACCESSORIES & HOOD LOCKS

### RADIATOR SUPPORT PANELS

CHROME & POWDER-COATED

Available in chrome or satin black powder-coated finish! These panels fit right up front & center of the core support. Chrome bolts included.











VEHICLE	YEARS	RADIATOR TYPE	CHROME FINISH	BLACK Finish
Chevy Camaro	70-81	STANDARD	9425	8425
Chevy Camaro	70-81	HEAVY-DUTY	9426	8426
Chevy Chevelle	68-73	STANDARD	9427	8427
Chevy Chevelle	68-77	HEAVY-DUTY	9428	8428
Chevy Nova	68-79	STANDARD	9427	8427
Chevy Pickup w/auto trans.	73-80	STANDARD	9673	8673

RADIATOR PANEL SPECIFICATIONS					
PART #'S	LENGTH	WIDTH	NUMBER OF BOLTS	GENERAL MOTORS Cross reference#	
9425 & 8425	23-7/8"	5-1/4"	3	360637	
9426 & 8426	28-11/16"	5-1/2"	3	14015198	
9427 & 8427	24"	5-1/4"	3	360633	
9428 & 8428	31-3/8"	5-3/4"	4	354021	
9673 & 8673	30"	6-1/2"	4	-	

### RADIATOR SUPPORT BARS



VEHICLE	YEARS	FINISH	BLACK Finish	POLISHED ALUMINUM
Chevy Camaro, Pontiac Firebird	67-69	9175	9924	-
Chevy Camaro (only)	70-81	9176	9925	9167

### **FAN SHROUDS & RADIATOR CAP COVER** CHROME







VEHICLE	WIDTH	DIAMETER	CHROME FINISH	BLACK FINISH
Fan Shroud - Chrome	3"	20"	9453	7177
Fan Shroud - Chrome	5"	20"	9454	7178
Water Reservoir Cap Cover- Chrome Pickups & Most Passenger Cars.	88-99 Che	vy/GMC	8833	

### HOOD LATCH KIT CHROME



This chrome/Steel kit is a high-quality, direct fit OE style replacement hood latch. It includes all necessary mounting hardware.

DESCRIPTION	PART #
Hood Latch Kit for 67-81 Camaro ONLY	9473

### HOOD LOCK KIT



Includes stainless steel plates, locks, plated catch studs, jam nuts & sheet metal screws. Adjustable for various hood heights. Fits most cars.

### NOT DESIGNED TO REPLACE STOCK HOOD LATCH MECHANISM!

DESCRIPTION	PART #
Universal Hood Lock Set	4062

### HOOD/DECK PIN SETS CHROME

Hairpin & flip-over style pins available. Chrome plated. Lanyards have plastic sheath.





DESIGN STYLE	FINISH	KIT CONTENTS	WITH Lanyards	WITHOUT Lanyards
Hairpin	Chrome/Steel	1 pr.	4094	4051
3/16" Flip-Over	Chrome/Steel	1 pr.	4095	4056
1/4" Flip-Over	Chrome/ Steel	1 pr.	-	9669

### **HOOD & DECK PIN REPLACEMENT PARTS**





DESIGN STYLE	FINISH	CONTENTS	PART #
Replacement Hairpins	Chrome / Steel	1 pr.	4052
Replacement 3/16" Flip-Over Pins	Chrome / Steel	1 pr.	4097
Replacement 1/4" Flip-Over Pins	Chrome / Steel	1 pr.	9670
Replacement Lanyards (24" Long)	Steel with Plastic Sheathing	1 pr.	4054

### **POWER STEERING CAPS**

CHROME



#9257 is a chrome-plated plastic cover that snaps over the O.E.M. filler cap on Saginaw power steering pumps. #9253 has a chrome/steel cap and dipstick with hot & cold markings



DESCRIPTION		
Power Steering Cap/Dipstick- GM Cars with "A" Can Saginaw Pump	9253	
Power Steering Cap Cover- Saginaw, GM Cars & 88-99 GM Trucks	9257	

### MASTER-CYLINDER COVERS & BATTERY TRAYS

# BRAKE MASTER CYLINDER COVERS CHROME

These chrome-plated steel master cylinder covers replace your vehicle's stock steel cover, and include the original stamped warning messages. Come complete with retaining bails. Rubber seals not included.





APPLICATION	WIDTH	LENGTH	CLOSURE TYPE	CHROME FINISH	BLACK FINISH
EARLY GM	2-3/8"	5"	Single Bail	9100	7188
EARLY GM	3"	5-5/8"	Single Bail	9101	7341
EARLY GM	3"	5-3/4"	Dual Bail	9102	7342
Ford '73-83	2-3/4"	5-3/4"	Single Bail	9103	

GM MASTER CYLINDER	BRAKE C	OVER APPLICATION REFERENCE CHAR	Ī
VEHICLE	YEARS	VEHICLE BRAKE SYSTEM	USE PART #s
Camaro, Caprice, El Camino, Impala Chevelle, Cutlass, Le Mans, Skylark, Monte Carlo	71-72	Manual & Power Drum Brakes	9101 or 7341
Camaro, Caprice, Impala, Firebird, Malibu, Monte Carlo	67-70	Manual & Power Drum Brakes	9100 or 7188
Camaro, Firebird	70-75	Power Disc; Rear Drum Brakes	9101 or 7341
Camaro, Firebird, El Camino (except power disc), Impala, Malibu, Monte Carlo	67-80	Manual Disc; Rear Drum Brakes	9102 or 7342
Camaro, Firebird, Impala, Caprice	76-80	Manual or Power Brake	9101 or 7341
Caprice, Impala, Chevelle, El Camino, Monte Carlo	71-75	Manual Disc; Rear Drum Brakes	9101 or 7341
Chevelle, Cutlass, Le Mans, Skylark, Nova	76-79	Manual or Power Brake	9101 or 7341
Chevelle, Cutlass, Le Mans, Skylark	67-72	Manual & Power Drum Brakes	9100 or 7188
Chevelle, Cutlass, Le Mans, Skylark, Nova	70-75	Manual Disc; Rear Drum Brakes	9101 or 7341
Chevy II	67-69	Manual & Power Drum Brakes	9100 or 7188
Chevy II, Nova	67-69	Manual Disc; Rear Drum Brakes	9102 or 7342
Monte Carlo, Malibu, El Camino	76-77	Manual or Power Brakes	9101 or 7341
Monza	1975	Manual Disc; Rear Drum Brakes	9101 or 7341
Monza	75-80	Manual & Power Drum Brakes	9100 or 7188
Nova	67-75	Manual & Power Drum Brakes	9100 or 7188
Vega	71-72	Manual Disc; Rear Drum Brakes	9101 or 7341
Vega	71-77	Manual & Power Drum Brakes	9100 or 7188

### LATE-MODEL GM VEHICLE MASTER CYLINDER COVER ALUMINUM

This cover fits over the stock OEM cover. The polished aluminum finish is easy to maintain and looks great.



APPLICATION	WIDTH	LENGTH	PART #	
1988-99 Late-Model GM Cars and Trucks	3-1/2"	6"	9259	

# BATTERY TRAYS BILLET ALUMINUM

These polished aluminum battery trays have the same stylish ball-milled pinstripes found on Trans-Dapt's aluminum valve covers, breathers and air cleaners. Optima Blue, Yellow or Red top battery models available. Includes stainless steel hardware.



	7.5
DESCRIPTION	PART #
BLUE, RED or YELLOW Battery Tray	9324
RED TOP (2 Post) Battery Tray	9326
BLUE, RED or YELLOW (4 Post) Battery Tray	9327



DESCRIPTION	DIMENSIONS	PART #
Stainless Steel Battery Tray Requires #9258 hold-down bars. (sold separately)	7-1/2" x 13-1/4"	9323
Battery Hold-Down Bars (1pr)	10"	9258

### STARTER SWITCH



Rated at 35 amps at 12 volts. Zinc-plated contact screws. Dust and water-resistant neoprene cap. Momentary push-button actuation.

	DESCRIPTION	PART #
Starter Switch		9066

### BATTERY CUTOFF SWITCH



Battery cutoff switches are mandatory in most major N.H.R.A. classes, as well as other race sanctioning bodies. See the rules and regulations for your specific racing series for mounting location. Splices into positive battery cable. Can also be used as an anti-theft device on your street vehicle.

DESCRIPTION	PART #
Battery Cutoff Switch	4988

# GM ENGINE PULLEYS ALUMINUM

Trans-Dapt's quality
aluminum pulleys are
made using 356 aluminum
alloy and heat-treated to
T-6 specs. They are the perfect
complement to our aluminum valve
covers, water necks, breathers and
brackets.

WATER PUMP pulleys come

complete with mounting bolts.

# CRANKSHAFT pulley bolts are sold separately.

NOTE: Short water pump pulleys are compatible with 5/8" alignment pin only and cannot be used on SWP with 3/4" alignment pin.











### SWP SHORT WATER PUMP- 1955-68

Charles and the control of the contr	LWP	LONG WATER PUMP- 1969-85
--	-----	--------------------------

PULLEY TYPE	NUMBER OF GROOVES	WATER PUMP TYPE	PULLEY DIAMETER	PULLEY DEPTH	MACHINED ALUMINUM	POLISHED Aluminum	BLACK Finish
283-350 S	B CHEVY						
Alternator Pu	ılley	All	2-7/8"	1-3/4"	9487	6059	7149
Crankshaft	1	LWP	6-9/16"	2-7/8"	9484	6056	7146
Crankshaft	1	SWP	6-9/16"	3/4"	9480	6052	7142
Crankshaft	2	LWP	6-9/16"	2-7/8"	9485	6057	7147
Crankshaft	2	SWP	6-5/8"	1-1/8"	9481	6053	7143
Crankshaft	3	LWP	6-9/16"	2-7/8"	9486	6058	7148
Crankshaft	3	SWP	6-7/16"	2-1/16"	8880	8895	7139
Water Pump	1	LWP	6-5/8"	2-1/4"	9482	6054	7144
Water Pump	1	SWP	6-9/16"	3"	9478	6050	7140
Water Pump	2	LWP	6-9/16"	3"	9483	6055	7145
Water Pump	2	SWP	6-9/16"	3-1/16"	9479	6051	7141
Water Pump	Pulley Nose	LWP	3-1/8"	3/4"	9489	6061	7181
Water Pump	Pulley Nose	SWP	3-1/8"	3/4"	9488	6060	7180
396-454 B	B CHEVY						
Crankshaft	1	SWP	6-7/16"	3/4"	8876	8892	7136
Crankshaft	2	SWP	6-7/16"	1-1/8"	8877	8893	7137
Crankshaft	3	SWP	6-7/16"	2-1/16"	8878	8894	7138
Crankshaft	3	LWP	7-3/4"	3"	8737	8738	7133
Water Pump	1	SWP	6-7/16"	2-7/8"	8874	8890	7134
Water Pump	2	SWP	6-3/8"	2-7/8"	8875	8891	7135
Water Pump	2	LWP	6-1/4"	2-3/4"	8735	8736	7132
350-455 0	LDSMOBIL	E					
Alternator	1	-	6-7/16"	3/4"	6996		
Crankshaft	2	_	4-13/16"	2-1/4"	6995		

5-15/16" 3-1/4" 6994

### GM O.E.M. STYLE STEEL PULLEYS

CHROME & POWDER-COATED

Chevrolet has made a variety of pulley diameters. We have chosen to use the most popular diameter for our pulleys. In some instances, the stock accessories may not run at the exact speed as originally designed. The bolt circle on short water pump pulleys is 1.75°, and 2.30° on long water pump pulleys.



NOTE: Short water pump pulleys are compatible with 5/8" alignment pin only and cannot be used on SWP with 3/4" alignment pin.







### SWP SHORT WATER PUMP- 1955-68

LWP LONG WATER PUMP- 1969-85

PULLEY TYPE	NUMBER OF GROOVES	WATER PUMP TYPE	PULLEY DIAMETER	PULLEY DEPTH	CHROME FINISH	BLACK Finish
283-350 SB	CHEVY					
Crankshaft	1	LWP	6.9"	2.9375"	9606	8606
Crankshaft	1	SWP	6.8"	.875"	9602	8602
Crankshaft	1	SWP	6.8"		9817	8617
Crankshaft	2	LWP	6.9"	2.9375"	9607	8607
Crankshaft	2	SWP	7.3"	1.375"	9603	8603
Crankshaft	3	LWP	7.8"	2.1875"	9608	8608
Water Pump	1	LWP	6.3"	2"	9604	8604
Water Pump	1	SWP	7.1"	2.75"	9600	8600
Water Pump	2	LWP	6.3"	2.25"	9605	8605
Water Pump	2	SWP	6.4"	2.875	9601	8601
396-454 BB	CHEVY					
Crankshaft	2	SWP	7.6"	1.5"	9816	8616
Crankshaft	3	LWP	7.8"	2.375"	9724	8624
Crankshaft Add (Use with 981 for A/C)	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED I	SWP	6.8"	2"	9817	8617
Water Pump	2	LWP	6.3"	2.75"	9723	8623
Water Pump	2	SWP	6.3"	2.8125"	9815	8615

### BOLTS FOR SB & BB CHEVY PULLEYS

ALUMINUM

Trans-Dapt's pulley bolts are made of alloy steel for reliability and come ready to install with a pre-applied thread locking patch.





DESCRIPTION	PART #
3/8 - 24 X 1" Crankshaft Pulley Bolts (3 per package)	9490
7/16 - 20 X 1" Crankshaft Pulley Bolts (3 per package)	9491
Water Pump Pulley Bolts (4 per package)	9492

NOTE: Due to the various casting configurations on aftermarket water pumps (especially aluminum pumps), exact fit can not be guaranteed on all applications.

Water Pump

(Non A/C models)

### FORD O.E.M. STYLE STEEL PULLEYS

CHROME & POWDER-COATED

The Trans-Dapt chrome and powder-coated pulleys in this section are OEM style and designed for use on FORD 289 engines. Water pump and crankshaft pulleys available in chrome, black or Ford blue powder-coated.











PULLEY TYPE	NUMBER OF GROOVES	BOLT HOLES	PULLEY DIAMETER	PULLEY DEPTH	CHROME FINISH	BLACK FINISH	FORD BLUE FINISH
FORD 289 '6	5-66						
Crankshaft	1	3-Bolt	6.312"	2.370"	8303	8309	8315
Crankshaft	2	3-Bolt	6.687"	3.062"	8304	8310	8316
Crankshaft	3	3-Bolt	6.75"	3.945"	8305	8311	8317
Water Pump	1	4-Bolt	6.125"	2.375"	8300	8306	8312
Water Pump	2	4-Bolt	5.875"	2.39"	8301	8307	8313
FORD 289 '6	4-73 (WII	H CALIFO	RNIA SMOG	PUMP)			
Water Pump	3	5-Bolt	5.897"	2.5"	8302	8308	8314

# ALTERNATOR PULLEY FAN ALUMINUM

This polished aluminum alternator pulley fan fits most GM & Ford passenger car alternators. Not For Trucks.



Does Not Fit Trucks.

DESCRIPTION	CHROME FINISH	BLACK Finish
Alternator Pulley Fan	6062	7184

# POWER STEERING PULLEY ALUMINUM

This precision-machined aluminum singlegroove power steering pulley fits early model (67-84) GM power steering pumps. 5-3/4" Diameter X 1-1/4" Deep. 5/8" shaft with keyway.



APPLICATION	DIAMETER	DEPTH	KEYWAY	MACHINED ALUMINUM	ALUMINUM	FINISH
'67-84 GM & Chevy Power Steering Pumps	5-3/4"	1-1/4"	5/8"	8879	8934	7182

### **ALTERNATOR FAN & PULLEY**

CHROME

This chrome alternator fan and pulley kit fits most GM and Ford passenger car alternators. Not for trucks.



Does Not Fit Trucks.

DESCRIPTION	PART #
Single Groove Pulley and Fan Kit	9446

## POWER STEERING PULLEY

This chrome steel power steering pulley fits '67-84 GM & Chevy power steering pumps. 5-3/4" Diameter X 1-3/8" Deep. 5/8" shaft with keyway.




APPLICATION	PULLEY	PULLEY	SHAFT	CHROME	BLACK
	Diameter	Depth	Keyway	FINISH	Finish
'67-84 GM & Chevy Power Steering Pumps	5-3/4"	1-3/8"	5/8"	6913	7183


# HOW TO PROPERLY IDENTIFY YOUR WATER PUMP STYLE

When choosing pulleys for your Chevy engine, it is important to properly identify your water pump as either a LONG water pump, or a SHORT water pump. To determine which pump your engine is using, measure the overall height of the water pump and refer to the measurements in the diagrams to the right.

### **SHORT WATER PUMP (SWP)**



### LONG WATER PUMP (LWP)



### HEADER BOLTS MINIATURE HEAD

The 3/8" miniature head of these header bolts makes installation and removal a breeze. Heat-treated grade 5 bolts for extra strength. Just another time-saving convenience product from Trans-Dapt Performance.



APPLICATION	BOLT SIZE	BOLT HEAD Size	KIT CONTENTS	PART #
Chevy SB, Chrysler BB, Pontiac	3/8"-16 X 3/4"	3/8"	12 Bolts	8885
Chevy SB, Chrysler BB Pontiac HEDMAN ELITE, or other thick flange headers	3/8"-16 X 1"	3/8"	12 Bolts	4904
Chevy BB, Ford V8s	3/8"-16 X 3/4"	3/8"	16 Bolts	9943
Chrysler SB	5/16"-18 X 3/4"	3/8"	12 Bolts	4900

# EGR BLOCK-OFF PLATE CHROME

Chrome-plated steel. Small-Block Chevy EGR block-off plate. Includes gasket and hardware.



DESCRIPTION	PART #
SB Chevy EGR Block-Off Plate	2056*

### HEADER COLLECTOR GASKETS

These header collector gaskets are made from the same superior quality, high temperature gasket material used to produce the gaskets sent out with every set of Hedman Hedders with a 3-bolt gasket style collector. Available in 1/16" or 1/8" thicknesses.



Sold per each or in bulk

DESCRIPTION	COLLECTOR SIZE	1/16" GASKETS	1/8" GASKETS
3-Hole Triangular Header Gasket	2-1/2"	4464	9863
3-Hole Triangular Header Gasket	3"	4465	9864
3-Hole Triangular Header Gasket	3-1/2"	4466	

# CONVOLUTED WIRE HARNESS TUBING POLYETHYLENE

This convoluted tubing is slit down one side, and comes in a variety of sizes & colors. The convoluted shape makes it very flexible and helps prevent wire chafing.

- Cover Your Wiring To Protect It From High Engine Compartment Temperatures
- Color Code Your Wiring System For Quick Identification
- Cleans Up Engine Compartment Clutter For A Manicured Look
- Slit Runs Down Entire Length Of Tubing For A Quick & Easy Installation

DIAMETER	LENGTH	BLUE	YELLOW	RED	BLACK
1/4"	10 Feet	7592	7588	7584	7580
3/8"	10 Feet	7593	7589	7585	7581
1/2"	7 Feet	7594	7590	7586	7582
3/4"	5 Feet	7595	7591	7587	7583

# INTAKE MANIFOLD HEX HEAD BOLT SETS

Each kit contains hex head bolts and smaller O.D. AN series flat washers. Available in either a Chrome or Yellow Zinc finish.



265

APPLICATION	BOLT Size	KIT CONTENTS	CHROME BOLTS	YELLOW ZINC Bolts
AMC V8	3/8"-16 X 1-1/4"	16 sets	9266	4925
CHEVY 90° V6	3/8"-16 X 1"	12 sets	9265	4923
CHEVY SB 283-350 & CHEVY 90° V6	3/8"-16 X 1"	12 sets	9265	4923
SB CHEVY/GMC Vortec 5.0-5.7L	5/16"-18 X 1-3/4"	8 sets	7565	
BB CHEVY 396-454	3/8"-16 X 1-1/4"	16 sets	9266	4925

# For use on headers with 3-bolt triangular gasket-style collectors. These heavy-gauge reducers utilize aluminized tubing to protect against corrosion, and thick tri-bolt flanges. to prevent warping. Each Kit includes swaged pipes, flanges, bolts, nuts and gaskets.

(Replacement gasket #4465 or 9864)

DESCRIPTION	EXHAUST System Diameter	COLLECTOR SIZE	KIT Contents	PART #
Header Reducers	2-1/2"	3"	1 Pair	9374


### UNIVERSAL WIRE LOOMS **BILLET ALUMINUM** These ball-milled, polished billet aluminum, universal fit linear wire loom sets match the quality and design of Trans-Dapt's ball-milled aluminum air cleaners, valve covers and accessories. Choose from classic flamed or pinstripe ball-mill designs. Mounting hardware is included. Fits 8mm-9.5mm spark plug wires.

DESCRIPTION	COLOR	WIRE SIZE Copmpatibility	PART #
Polished Aluminum Wire Loom Set	Flames	8 to 9.5mm	6083
Polished Aluminum Wire Loom Set	Pinstripes	8 to 9.5mm	6067

### SPARK-PLUG-WIRE LOOMS & SEPARATORS

### UNIVERSAL WIRE LOOM SET


The sliding adjustment tabs incorporated into the design of this set make them a universal fit. Prevent crossfiring and prolong spark plug wire life.




DESCRIPTION	COLOR	WIRE SIZE Copmpatibility	PART #		
UNIVERSAL Wire Loom Set	BLACK	7, 8 & 9mm	9517		

### "RACE CAR" WIRE LOOM SETS


Keep your wires up and out of heat's way on your Small-Block Chevy engine build.





DESCRIPTION	COLOR	WIRE SIZE Copmpatibility	PART #
RACE CAR Wire Loom Set	YELLOW	7, 8 & 9mm	9369
ACE CAR Wire Loom Set	BLUE	7, 8 & 9mm	9370

### **DELUXE WIRE DIVIDER SET**



Durable plastic construction. Prevents crossfiring to help prolong plug wire life.

PART	QTY
2 Wire Dividers	2
3 Wire Dividers	2
4 Wire Dividers	2

DESCRIPTION	COLOR	WIRE SIZE Copmpatibility	PART #
DELUXE Wire Divider Set	BLUE	7, 8 & 9mm	9372

### PRO STYLE SEPARATORS



Durable, heat-resistant plastic. Prevent crossfiring and extend wire life. For use with any Trans-Dapt wire loom set.

PART	QTY
2 Wire Dividers	2
3 Wire Dividers	2
4 Wire Dividers	2
Socket screws	6


DESCRIPTION	COLOR	WIRE SIZE Copmpatibility	PART #
PRO Wire Separators	CHROME	7 to 8.5mm	9576
PRO Wire Separators	BLACK	7 to 8.5mm	9577

### DELUXE WIRE LOOM SETS



Efficient styling and great looks add a custom touch.Prevent crossfiring and extend wire life.

QTY.
4
2
4





DESCRIPTION	COLOR	WIRE SIZE Copmpatibility	PART #
DELUXE Wire Loom Set	BLUE	7, 8 & 9mm	9368
DELUXE Wire Loom Set	RED	7, 8 & 9mm	9650

### BIG-BLOCK CHEVY WIRE LOOM SETS

Prevent crossfiring, extend wire life and make your BB Chevy engine compartment look good while doing it.

PART	QTY.
1 Wire Loom	2
2 Wire Loom	2
3 Wire Loom	2
4 Wire Loom	2
Chrome Brackets	8
2 Wire Dividers	2
4 Wire Dividers	2





DESCRIPTION	COLOR	WIRE SIZE Copmpatibility	PART #
BIG BLOCK Wire Loom Set	YELLOW	7, 8 & 9mm	8770
BIG BLOCK Wire Loom Set	BLUE	7, 8 & 9mm	8771
BIG BLOCK Wire Loom Set	RED	7, 8 & 9mm	8772

# BIG SHOW DEADLINE "LOOMING"? WE'VE GOT A FULL LINE OF VALVE COVERS & ACCESSORIES TO GET YOUR ENGINE READY!

Turn To Pages 126-133 For a complete Listing.



# VACUUM ADVANCE COVER CHROME



Vacuum advance cover mounts over your factory unit. The GM HEI cap cover snaps over top O.E.M. wire retainer.

DESCRIPTION	PART #
Vacuum Advance Cover Chromed Steel	4973

### ADVANCE CURVE KITS



Trans-Dapt distributor curve kits increase advance at lower RPMs for quicker throttle response. If you have a modified engine, you need this kit.

DESCRIPTION	PART #
Chevy & GM H.E.I. V8 H.E.I. Spring Guide: Copper = Light, Silver = Medium Brown = Heavy	4933*
Ford 65-70	4451*

### **DISTRIBUTOR CLAMPS**



Trans-Dapt's chrome-plated steel or billet aluminum distributor clamps hold the distributor secure for consistent timing. Chevy competition style is thick with rolled edges. Includes hold down stud.


ENGINE	DESIGN Style	MATERIAL	PART #
Chevy V8 '55-02	Custom	Billet Aluminum	4117
(Gen 1 SB; Mark IV, Gen V	0.E.M.	Chrome	4116
&, Gen VI BB)	Competition	Chrome	9126
Ford All	0.E.M	Chrome	4455
Ford F.E.	Competition	Chrome	4456
Pontiac	0.E.M.	Chrome	4115



27447744		
DESCRIPTION	FINISH	PART #
Coil Bracket and Cover	Chrome	9006
Coil Bracket (only)	Chrome	9648
Stand-Up Style Coil Bracket (only)	Chrome	9366
Ford	Chrome	9365



### STARTER HEAT SHIELD



Extend your engine's starter life by protecting it from heat buildup... especially with the additional heat created by headers.

Made from two aluminum plates sandwiched together with a heatresistant material between them.

Bolts directly to the starter. Fits stock Chevy V8 & 90° V6. Satin finished aluminum.

DESCRIPTION	PART #
Starter Heat Shield	9796

# SPARK PLUG WIRE BOOT PROTECTORS

1100

Spark plug boot protectors slide over the spark plug boots for excellent protection against heat. Great for use with or without headers! Each sleeve is made of an ultrahigh-temp resistant fiberglass material that can withstand temperatures up to 1200°F. They are non-reactive to petroleum products and water resistant. Perfect for motorhomes, street rods, cars, trucks and boats. Available in silver.



DESCRIPTION	LENGTH	QUANTITY	PART #
Universal Fit Spark Plug Wire Boot Protectors	6"	4	8815

Billet Aluminum LS Coil Bracket Set

(includes one pair with hardware)

# GM COLUMN KITS

7598 & 7597 billet aluminum dress-up kits fit most GM truck & car columns. 3-piece set includes turn signal, tilt wheel lever and emergency flasher knobs.



DESCRIPTION	FINISH	PART #
'64-67 GM Column Kit	Polished	7598
'65-86 GM Column Kit	Polished	7597

# GM COLUMN SHIFT LEVER ALUMINUM



DESCRIPTION	FINISH	PART #
Column Shift Lever- GM Cars & Trucks up to 1995-up	Polished Aluminum	8963
Column Shift Lever- GM Cars & Trucks 1967-94	Polished Aluminum	8973



DESCRIPTION	SHAPE	DIMENSIONS	PART #
Headlight Shield	Round	5-3/4"	9511
Headlight Shield	Round	7-1/2"	9512
Headlight Shield	Rectangular	4" x 6"	9690

### LICENSE PLATE FRAMES

Every car needs a license plate, and every license plate needs a clean plate frame to finish it off and make it worthy of your ride.

Available with a stealthy black or shiny chrome finish. Chrome plates are available with or with out light.



DESCRIPTION	FINISH	MOUNTING Holes	PART #
Deluxe Frame WITH Light	Chrome	4	6967
Deluxe Frame WITHOUT light	Chrome	4	6966
Stamped Frame WITHOUT light	Black	2	9798
Replacement Light	-	-	6956

# SHIFTER BOOTS & PISTON SHIFT KNOB



Heavy rubber shift boots are great for muscle cars, trucks & hot rods. Chrome-plated steel frame and mounting screws are included.

DESCRIPTION	DIMENSIONS	PART #
Shifter Boot with Chrome Ring	5-5/8" x 6-3/4"	9630
Shifter Boot with Chrome Ring	7-7/8" x 9"	9631
<b>PISTON Shaped Shifter</b>	Knob - Chrome	9312

### 10,000 LB. CAPACITY TOW HOOKS



Trans-Dapt tow hooks are a must for any 4x4 or SUV.

DESCRIPTION	FINISH	PART #
Chrome Tow Hook	Chrome	9146

### **CUSTOM MIRRORS**

6975 & 8974 mirrors mount directly to the factory windshield mount. Mirror #6652 mounts to the drip rails or door frame.





DESCRIPTION	MATERIAL	PART #
Rear View Mirror	Polished Aluminum	8974
Day/Night Rear View Mirror	Chrome	6975
Peep Mirror 3"	Chrome	6976
Peep Mirror	Stainless Steel	6652

### TRUCK CAB HANDLES



1" diameter mandrel bent chrome-plated cab handles are 12" long. Mounting hardware included. For full- and mid-size trucks.

DESCRIPTION	QUANTITY	PART #
Cab Handles	1 Pair	9700

### STAKE POCKET COVERS



Cover unsightly stake pocket holes on your 88-99 Chevy/GMC full-size pickup bed for a clean look. Made of ABS plastic, so there is no worry about rust. Ready to paint. Snap-in installation. Fits 1-3/8" X 2" pocket.

DESCRIPTION	QUANTITY	PART #
Truck Bed Stake Pocket Covers	4	8794
Truck Bed Stake Pocket Covers	6	8795

### **BILLET WHEEL ADAPTERS & SPACERS**

### WHEEL ADAPTERS & SPACERS

BILLET ALUMINUM

These billet aluminum wheel spacers and adapters have become our best selling wheel spacers. Their solid billet aluminum construction, chamfered edges and reliable pressed-in lugs ensure that they are durable enough for use on off-road, truck, SUV and competition race applications.

- Durable, Lightweight 6061-T6 Aircraft Aluminum
- Heavy-Duty Design For Trucks, SUVs And Competition Race Vehicles
- Factory Installed Press-In Studs With Zinc-Plated Open-End Lug Nuts
- Available In 4, 5 And 6-Lug Models



NUMBER OF LUGS	ADAPTER/SPACER	VEHICLE HUB BOLT DIAMETER	WHEEL/RIM Bolt Diameter	OVERALL DIAMETER	STUD Size	THICKNESS	CENTER HOLE DIAMETER	PART #
4-Lug	Adapter	100mm	4.5"	6.25"	12mm x 1.5	1-1/4"	74mm	3601
4-Lug	Adapter	4.25"	100mm	6.25"	12mm x 1.5	1-1/4"	74mm	3602
4-Lug	Adapter	4.5"	100mm	6.25"	12mm x 1.5	1-1/4"	74mm	3603
4-Lug	Spacer	100mm	100mm	6.25"	12mm x 1.5	1-1/4"	74mm	3600
5-Lug	Adapter	100mm	4.5"	7"	12mm x 1.5	1-1/4"	74mm	3604
5-Lug	Adapter	135mm	4.5"	7"	12mm x 1.5	1-1/4"	87.1mm	3605
5-Lug	Adapter	135mm	4.75"	7"	12mm x 1.5	1-1/4"	87.1mm	3619
5-Lug	Adapter	135mm	5"	7"	12mm x 1.5	1-1/4"	87.1mm	3620
5-Lug	Adapter	4.25"	4.5"	7"	12mm x 1.5	1-1/4"	74mm	3606
5-Lug	Adapter	4.5"	4.75"	7"	12mm x 1.5	1-1/4"	74mm	3608
5-Lug	Adapter	4.5"	5"	7"	12mm x 1.5	1-1/4"	74mm	3609
5-Lug	Adapter	4.75"	135mm	7"	12mm x 1.5	1-1/4"	87.1mm	3621
5-Lug	Adapter	4.75"	4.5"	7"	12mm x 1.5	1-1/4"	74mm	3610
5-Lug	Adapter	4.75"	5"	7"	12mm x 1.5	1-1/4"	78mm	3612
5-Lug	Adapter	5"	135mm	7"	12mm x 1.5	1-1/4"	108mm	3622
5-Lug	Adapter	5"	4.5"	7"	12mm x 1.5	1-1/4"	78mm	3613
5-Lug	Adapter	5"	4.75"	7"	12mm x 1.5	1-1/4"	78mm	3614
5-Lug	Adapter	5.5"	4.5"	7"	12mm x 1.5	1-1/4"	78mm	3616
5-Lug	Adapter	5.5"	4.75"	7"	12mm x 1.5	1-1/4"	78mm	3617
5-Lug	Spacer	4.5"	4.5"	6.5"	1/2-20	1"	74mm	3624
5-Lug	Spacer	4.5"	4.5"	7"	12mm x 1.5	1-1/4"	74mm	3607
5-Lug	Spacer	4.75"	4.75"	6.5"	12mm x 1.5	1"	74mm	3625
5-Lug	Spacer	4.75"	4.75"	7"	12mm x 1.5	1-1/4"	74mm	3611
5-Lug	Spacer	5"	5"	7"	12mm x 1.5	1-1/4"	78mm	3615
5-Lug	Spacer	5.5"	5.5"	7"	12mm x 1.5	1-1/4"	87.1mm	3623
6-Lug	Spacer	5.5"	5.5"	7"	12mm x 1.5	1-1/4"	108mm	3626
6-Lug	Spacer	5.5"	5.5"	7"	14mm x 1.5	1-1/4"	108mm	3618
6-Lug	Spacer	5.5"	5.5"	7"	12mm x 1.5	1-1/2"	108mm	3627
6-Lug	Spacer	5.5"	5.5"	7"	14mm x 1.5	1-1/2"	108mm	3628

# HUBCENTRIC WHEEL SPACERS FOR JEEPS BLACK ANODIZED BILLET ALUMINUM

Heavy-duty design specifically for Jeep applications. Durable, lightweight 6061-T6 aircraft aluminum. Factory installed press-in studs with zinc-plated open-end lug nuts.All 1½" thick billet aluminum. Extra brake clearance for custom wheels. Black anodized finish. Sold in pairs.



NUMBER Of LUGS	ADAPTER/SPACER	VEHICLE HUB BOLT DIAMETER	WHEEL/RIM BOLT DIAMETER	OVERALL DIAMETER	STUD Size	THICKNESS	CENTER HOLE DIAMETER	PART #
WRANGLER	80-06, CHEROKE	E 80-UP, GRAND	CHEROKEE 93-98,	COMANCHEE CHIE	F 80-93			
5-Lug	Spacer	114.3mm	114.3mm	6.5"	1/2-20	1-1/4"	71.5mm	3629
WRANGLER	07-UP, GRAND O	CHEROKEE 99-UP,	COMMANDER 06-L	IP				
5-Lug	Spacer	127mm	127mm	6.5"	1/2-20	1-1/4"	71.5mm	3630

### WHEEL ADAPTERS CAST ALUMINUM

These adapters cover most 5-bolt wheel adaptations from 4" to 5%" bolt circles. 1" thick aluminum castings with zinc-plated, heat-treated studs. Sold in pairs.

Improper installation or misuse of wheel adapters can lead to catastrophic failure and loss of vehicle control. See bottom of this page for warnings and correct torque specifications



# 7070

### 7068 discontinued when current inventory is depleted. WHEEL 5-HOLE BOLT CIRCLE

	4%" X %" RH LUG	4%" X 7/16" RH LUG	5" X 1/2" RH LUG		
5 ON 4"	7066		7068		
5 ON 4-1/2"	7069	7070	7071		
5 ON 4-3/4"	7069	7070	7071		
5 ON 5"	7072				
	5 ON 4-1/2" 5 ON 4-3/4"	5 ON 4" 7066 5 ON 4-1/2" 7069 5 ON 4-3/4" 7069	4%' X %' RH LUG 4%' X 7/16' RH LUG 5 ON 4" 7066 7070 7069 7070 7069 7070		

NOTE: Part #7069, 7070 & 7071 are slotted to fit both 5 on 4½" & 5 on 4¾" hubs.

### WHEEL LUG NUTS

CHROME

LUG THREAD SIZE

1/2"-20

1/2"-20

7/16"-20

7/16"-20

Trans-Dapt's chrome acorn-style lug nuts are available in 60° seat acorn style or mag wheel style. Sold in sets of 5.





**Right Hand Thread** 

**Right Hand Thread** 

Height: 1.56" Diameter: .684" Shank length: .80"



# DISC BRAKE SPACERS CAST ALUMINUM



These universal wheel spacers are helpful in gaining sufficient disc brake clearance for the use on custom wheels. Die-cast aluminum construction. Sold in pairs.

NO. OF LUGS	BOLT PATTERN Diameter	THICKNESS	NOTES	PART #
4-Lug	4 x 110mm; 4 x 4.25"; 4 x 4.5"	1/4"		7106
5-Lug	5 x 4.50"; 5 x 4.75"; 5 x 5.00"	1/4"	6-1/2" Outer Diameter	4082
5-Lug/ 6-Lug	5 x 135mm; 5 x 5.50" 6 x 135mm; 6 x 5.50"	1/4"	Fits 9/16" or 5/8" Studs	7107
8-Lug	8 x 6.50"; 8 x 170mm	1/4"		7108

### **VALVE STEMS & CAPS**

CHROME

The proof is in the details, and Trans-Dapt's chrome valve stems and caps show your attention to the details. #4108 stems have a low profile that is ideal for chrome or alloy wheels. Sold in sets of 4.





LENGTH	PER SET	PART #
1"	4	4108
1-1/4"	4	7119
	4	7117
	1"	1" 4 1-1/4" 4

### WHEEL SPACERS REFERENCE GUIDE & TORQUE

### **WARNINGS!**

MAG

MAG

**ACORN** 


### **CAST WHEEL SPACERS & ADAPTERS**

are for passenger car use only. WARRANTY IS VOID if used on SUVs, pickups, vans, station wagons, competition, off-road vehicles, trailers or front wheel drive vehicles. Do not use on wheels over 16" or with low-profile tires (55 series and lower).

### ALL WHEEL SPACERS & ADAPTERS

- -NEVER use an impact wrench
- -NEVER use more than one adapter or spacer per wheel
- -NEVER use if offset is more than 1".

### **BOLT CIRCLE MEASURING GUIDE**




5

4-LUG Middle of two holes directly across from one another.

7006


7000




5-LUG Back of hole to

the center of the

second bolt hole.



6-LUG Middle of two holes directly across from one another.



8-LUG Middle of two holes directly across from one another.

### METRIC CONVERSION

Inches **Millimeters** 4" = 100mm

 $4\frac{1}{2}$ " = 114.3mm

4¾" = 120.65mm

5'' = 127mm

 $5\frac{1}{2}$ " = 139mm

### TOROUF TECH TIPS

LUG SIZE	7/16"	1/2"	12MM	14MM
TORQUE (FT. LBS.)	70-75	80-85	75-80	85-90



