

RESTRICTIONS:

Before installing any converter, review the vehicle owner's manual as well as any information provided with the product or listed in the product selection guide. Many vehicles have very sophisticated electronic systems which could be damaged if the restrictions are ignored.

- For 7-wire trailer applications, we recommend the purchase of a Power Converter for extra protection and additional power.
- Use on vehicles with amber or independent bulb turn signals.

WIRING IDENTIFICATION

WHITE	GROUND
RED	BRAKE
GREEN	RIGHT TURN
YELLOW	LEFT TURN
BROWN	PARK / TAIL

1. Choose an installation location at the rear of the vehicle or inside trunk where the converter will be protected. Avoid exhaust system, shock absorbers and drive train.
2. Match the "car side" color wire on the converter with the SAME FUNCTION wire on the tow vehicle.
3. Apply grease to the 4-wire flat and plug into the trailer.
4. With the engine running, check the lighting system for proper operation.
5. Use cable ties to permanently mount the converter.

NOTE: A heavy duty flasher may be needed to eliminate rapid flashing.

DO NOT EXCEED 2.1 AMPS. PER STOP / TURN OUTPUT (EQUIVALENT OF ONE TRAILER STOP / TURN BULB).

APPLICATIONS OF MORE THAN 2.1 AMPS. REQUIRE A POWER CONVERTER.