



OFFICIAL SPONSOR OF ARIE LUYENDYK JR RACE TEAM

Sprocket-H108

6 LUG Wheels

ASPHALT ARMOR PLATE BLADE CUT **6 LUG Wheels**

8 LUG Wheels



Size	Offset	Lip size
20x9	+0mm, +10mm	2.2″
20x10	-19mm	3.7"
20x12	-44mm	5.2″
22x12	-44mm	5.2″
22x14	-76mm	7.2"
24x14	-76mm	7.2″

8 LUG Wheels



Size	Offset	Lip siz
20x9	+0mm, +10mm	2.2"
20x10	-19mm	3.7″
20x12	-44mm	5.2″
22x12	-44mm	5.2″
24x14	-76mm	7.2″





Gauntlet-H107

Size	Offset	Lip size
20x9	+0mm, +10mm	2.2″
20x10	-19mm	3.7″
20x12	-44mm	5.2″
22x10	-25mm	3.7″



20x10 -19mm	3.7"
20x12 -44mm	5.2"
22x10 -25mm	3.7"
22x14 -76mm	7.2″



Switchblade-H106





Exile-H105

ASPHALT

IRON CUT



Size	Offset	Lip size
20x9	+0mm, +10mm	2.0″
20x10	-19mm	3.7″
20x12	-44mm	5.2″
20x14	-76mm	7.3″
22x10	-25mm, +15mm	3.5″
22x14	-76mm	7.3″



Size	Offset	Lip size
20x9	+0mm, +10mm	2.0"
20x10	-19mm	3.7″
20x12	-44mm	5.2″
22x10	-25mm, +15mm	3.5″
24x14	-76mm	7.3″



Zombie-H104



Hammered-H103

HOSTILE				
Offset	Lip size			
+0mm, +10mm	3.3″			
-19mm	4.4″			
-44mm	6.0″			
-44mm	6.3″			
	Offset +0mm, +10mm -19mm -44mm -44mm			

Size	Offset	Lip size	
20x9	+0mm, +10mm	3.3″	
20x10	-19mm	4.4"	
20x12	-44mm	6.0″	
22x12	-44mm	6.3″	
24x12	-44mm	5.9″	

Havoc-H102

6 LUG Wheels



 Size
 Offset
 Lip size

 18x9
 +0mm, +10mm
 2.3"

 20x9
 +0mm, +10mm
 2.4"

 20x10
 -19mm
 3.9"

 20x12
 -44mm
 5.3"

8 LUG Wheels



 Size
 Offset
 Lip size

 18x9
 +0mm, +10mm
 2.3"

 20x9
 +0mm, +10mm
 2.4"

 20x10
 -19mm
 3.9"

 20x12
 -44mm
 5.3"

 22x14
 -76mm
 6.1"





Knuckles-H101





4.6"

6.4"

9m



6 LUG Wheels



8 LUG Wheels









Moab-H100



Size Offset Lip size 17x9 -12mm 2.4" 20x10 -19mm 3.1"

Size Offset Lip size 17x9 +0mm 2.4" 20x10 -19mm 3.1"

Size Offset Lip size 20x10 -19mm 3.1"





5x114	5x127	5x139	5x150	6x135	6x139	8x165	8x170	8x180
				5.50	5.0/5.5	5.0/5.5	5.00	5.0/5.5
				4.75	4.75	4.75	4.75	4.75
				4.75	4.75	4.75	4.75	4.75
					4.50			
				4.5/6.0		4.5/6.0	4.5/6.0	4.5/6.0
						4.50	4.50	4.50
5x114	5x127	5x139	5x150	6x135	6x139			8x180
								5.0/5.5
								4.75
					10 247512			4.75
								4.5
					1.0			4.5
5x114	5x127	5x139	5x150	6x135	6x139	100 000000 (Cr.	1000 2004 States	8x180
0,114	ONTET		0,100					5.0/5.5
								4.75
								4.75
								4.75
				4.75	4.75			4.75
5×114	Ex107	5×120	Evited	6,425	6,120			
5X114	5X127	52139	5X150					8x180
						The second second		
				and the second sec				4.75
								4.75
				4.75	4.75			4.75
								4.50
5x114								8x180
	4.5/5.0	4.5/5.0/5.5	5.0			tep constitues	319524599	
				and the second se		-		4.75
				4.75	4.75			4.75
						1 00 00 00 00 00 00 00 00 00 00 00 00 00		4.50
		5x139	5x150			8x165	8x170	8x180
4.5								
	1000 A 1000 A 1000	-		COMP PROVIDENT				4.75
5x114	5x127	5x139	5x150	6x135		8x165	8x170	8x180
				5.50	5.0/5.5	5.0/5.5	5.00	5.0/5.5
				4.75	4.75	4.75	4.75	4.75
				4.75	4.75	4.75	4.75	4.75
				4.75	4.75	4.75	4.75	4.75
						4.5	4.5	4.5
5x114	5x127	5x139	5x150	6x135	6x139	8x165	8x170	8x180
				5.50	5.0/5.5			
				4.75	4.75			
				4.75	4.75			
					4.50			
				4.5/6.0	4.5/6.0			
				4.75	4.75			
				4.5	4.50			
5x114	5x127	5x139	5x150	6x135	6x139	8x165	8x170	8x180
	4.5/5.0	4.5/5.5	5.00	5.50	5.0/5.5	5.0/5.5	5.00	5.0/5.5
						4.75	4.75	4.75
				1911004000		100 000000	In contract	4.75
	5x114 5x114 5x114 5x114 5x114 5x114 4.5 5x114 4.5 5x114 4.5	5x114 5x127 5x114 5x127 5x114 5x127 5x114 5x127 5x114 5x127 5x114 5x127 5x114 5x127 5x114 5x127 4.5 / 5.0 5x114 5x127 4.5 / 5.0 5x114 5x127 4.5 / 5.0 5x114 5x127 5x114 5x127 5x114 5x127	Image: Section of the sectio	Image: state stat	Image Image <thimage< th=""> Image <thi< td=""><td>Image Image <thimage< th=""> Image <thi< td=""><td>Image Image <thimage< th=""> Image <thi< td=""><td>Image Image Solo Solo Solo Solo Solo Image Image</td></thi<></thimage<></td></thi<></thimage<></td></thi<></thimage<>	Image Image <thimage< th=""> Image <thi< td=""><td>Image Image <thimage< th=""> Image <thi< td=""><td>Image Image Solo Solo Solo Solo Solo Image Image</td></thi<></thimage<></td></thi<></thimage<>	Image Image <thimage< th=""> Image <thi< td=""><td>Image Image Solo Solo Solo Solo Solo Image Image</td></thi<></thimage<>	Image Image Solo Solo Solo Solo Solo Image Image



Backspace Guide

Add style with first-class custom wheels and rims we offer.