



CARE AND USE INSTRUCTIONS

Thank you for selecting a WeatherBeater® Floor Liner from Winfield Consumer Products. Your new front floor liners are custom molded to fit your Honda Civic 4-Door. The liners are made to take the place of your factory floor mats. *For correct fit, it is necessary to remove the factory floor mats before installing your new floor liners*. However, do not remove the factory-installed carpeting.

Your liners are made from an engineering resin that is lightweight and extremely tough and durable. The easiest way to clean your liners is with a damp cloth or sponge. If using a cleaner, 409[®] or Glass Plus[®] work well. Use of Armor All[®], Son-of-a-Gun[®] or similar items is discouraged as these products make the liners slick.

INSTALLATION INSTRUCTIONS FOR YOUR HONDA CIVIC 4-DOOR FRONT FLOOR LINERS





LEFT OR DRIVER'S SIDE

RIGHT OR PASSENGER'S SIDE

PLEASE NOTE: YOUR DRIVER'S SIDE LINER IS DESIGNED TO BE INSTALLED USING THE FACTORY MAT HOOKS. IF YOUR VEHICLE DOES NOT HAVE THE FACTORY MAT HOOKS, THEY CAN BE PURCHASED FROM YOUR HONDA DEALERSHIP. DO NOT INSTALL YOUR LINERS WITHOUT THE FACTORY HOOKS IN PLACE. SEE THE BACK OF THIS SHEET FOR MORE INFORMATION.

TO EASE INSTALLATION OF YOUR CIVIC 4-DOOR FRONT LINERS, FIRST MOVE BOTH OF THE FRONT SEATS TO THEIR MOST REARWARD POSITION. THE FRONT LINERS ARE DESIGNED TO ATTACH TO THE EXISTING FACTORY MAT HOOKS (SEE PHOTOS BELOW) YOU MUST REMOVE THE FACTORY MATS BEFORE INSTALLING YOUR LINERS. **DO NOT INSTALL THE LINER IF YOUR VEHICLE DOES NOT HAVE FACTORY HOOKS INSTALLED.** ONCE YOU HAVE INSTALLED YOUR LINERS, REPOSITION THE SEATS AS DESIRED.






CARE AND USE INSTRUCTIONS

Thank you for selecting a WeatherBeater® Floor Liner from Winfield Consumer Products. Your new rear floor liner is custom molded to fit your Honda Civic 4-door. The liner is made to take the place of your factory floor mats. *For correct fit, it is necessary to remove the factory floor mats before installing your new floor liners*. However, do not remove the factory-installed carpeting.

Your liner is made from an engineering resin that is lightweight and extremely tough and durable. The easiest way to clean your liner is with a damp cloth or sponge. If using a cleaner, 409® or Glass Plus® work well. Use of Armor All®, Son-of-a-Gun® or similar items is discouraged as these products make the liner slick.

INSTALLATION INSTRUCTIONS FOR YOUR HONDA ACCORD SECOND SEAT FLOOR LINER



TO EASE INSTALLATION OF YOUR CIVIC 4-DOOR SECOND SEAT LINER, MOVE THE FRONT SEATS TO THEIR MOST FORWARD POSITIONS. WITH THIS DONE, INSTALL THE LINER IN YOUR VEHICLE. ONCE THE LINER IS INSTALLED, REPOSITION THE FRONT SEATS AS DESIRED.