


Part number SES2110 05-08 Scion tC 2.4L 4 cyl.



1- Hanger bracket

2- m6 x 16mm bolt (#6005)

1- SES exhaust sticker (#7027)

1- Instruction



Note: The installation of this axle back exhaust system does require mechanical skills. Injen strongly recommends that this system be installed by a professional mechanic.





Place hanger bracket against the stock brace located along the rear axle



Holes are lined up to the pre-drilled holes on the rear axle brace.



The two m6 x 16mm bolts are used to secure the hanger bracket to the rear axle brace. This hanger bracket is fastened on the passenger side rear axle.



Remove the donut or grommet from the stock hanger located on the driver side rear axle.



Donut or grommet removed from the stock rear hanger.




The stock grommet is inserted into the new hanger $\,$ located on the passenger side rear axle.




Bottom view of the new grommet location.



Align and place all three hangers underneath all three grommets.



Insert hanger located by the flange into the rear hanging grommet



Insert the remaining two hangers into the two grommets as shown above.



All three muffler hangers are now hanging on all three grommets.



Once the hangers have been hung and the muffler tip have been placed in the correct position continue to tighten the two stock m10 bolts as shown above. This illustration shows a regular 10mm bolt for demonstration purposes. Use the stock spring loaded tension bolts for flange connection.



Congratulations! You have just completed the installation of this axle-back exhaust system. Periodically, check the fitment of the exhaust system, be sure that the exhaust still continues to hang in the same position.

EXHAUST SYSTEMS CAR ACCESSORIES