

Toyota Camry Satellite Radio Operation 2012 - 2014

****READ THIS FIRST****

Changing Sources (Factory SAT and Bluetooth)

- Press the AM/SAT button.
- SAT1 & SAT2 remains Factory SAT (if equipped).
- SAT3 becomes the Bluetooth source.

(Actual radio appearance may differ from representation.)

Press to initiate the Paly/Pause command while streaming audio.


Press 5 times to clear all devices.

Press to connect with the next paired device.

Press to access the output gain adjustment.

Press 5 times to initiate pairing mode.

Press to initiate Voice Recognition.



Turn counter-clockwise to return to the previous track while streaming audio.
Turn counter-clockwise to reject a call.
Turn counter-clockwise to end a current call.

Turn clockwise to advance to the next track while streaming audio.
Turn clockwise to answer a call
Turn clockwise to enter privacy mode while in a phone call.

Settings Menu Example:

Adjusting the output gain

1) Press Preset 4 to access the output gain adjustment.

Radio text will clear and the channel number will be the current gain level. The level can be adjusted from 1 - 9 with 1 being the lowest and 9 being the highest.



2) Within 7 seconds press presets 5 to lower the gain and presets 6 to raise the gain.

Channel number on the radios display will change accordingly.



3) 7 seconds after the last button press the level will be stored and the track text will reappear on the radios display.

Toyota/Lexus/Scion


Satellite Radio Operation Navigation Radios

****READ THIS FIRST****

Changing Sources (Factory SAT and Bluetooth)

- Press the AM/SAT button.
- SAT1 & SAT2 remains Factory SAT (if equipped).
- SAT3 becomes the Bluetooth source.

(Actual radio appearance may differ from representation.)



Settings Menu Example:

Adjusting the output gain

1) Press Preset 4 to access the output gain adjustment.

Radio text will clear and the channel number will be the current gain level. The level can be adjusted from 1 - 9 with 1 being the lowest and 9 being the highest.



2) Within 7 seconds press presets 5 to lower the gain and presets 6 to raise the gain.

Channel number on the radios display will change accordingly.



3) 7 seconds after the last button press the level will be stored and the track text will reappear on the radios display.


Toyota/Lexus/Scion

Satellite Radio Operation NonNavigation Radios

****READ THIS FIRST****

Changing Sources (Factory SAT and Bluetooth)

- Press the AM/SAT button.
- SAT1 & SAT2 remain Factory SAT (if equipped).
- SAT3 becomes the Bluetooth source.



Settings Menu Example:

Adjusting the output gain

1) Press Preset 4 to access the output gain adjustment.
Radio text will clear and the channel number will be the current gain level. The level can be adjusted from 1 - 9 with 1 being the lowest and 9 being the highest.



2) Within 7 seconds press presets 5 to lower the gain and presets 6 to raise the gain.
Channel number on the radios display will change accordingly.



3) 7 seconds after the last button press the level will be stored and the track text will reappear on the radios display.

Toyota/Lexus/Scion

CD Changer Operation NonNavigation Radios


Press Random to connect with the next paired device.
Press Random 5 times to clear all devices.

Press Repeat to access the output gain adjustment.
Press Repeat 5 times to initiate pairing mode.

Press Disc ^ to initiate the Paly/Pause command while streaming audio.

Press Disc v to initiate Voice Recognition.

(Actual radio appearance may differ from representation.)



Turn counter-clockwise to return to the previous track while streaming audio.
Turn counter-clockwise to reject a call.
Turn counter-clockwise to end a current call.

Turn clockwise to advance to the next track while streaming audio.
Turn clockwise to answer a call
Turn clockwise to enter privacy mode while in a phone call.

Press the CD/AUX or AUX button to enter the Bluetooth source

Settings Menu Example:

Adjusting the output gain

1) Press the Repeat button to access the output gain adjustment.

The track number will change to the current gain level. The level can be adjusted from 1 - 9 with 1 being the lowest level and 9 being the highest.



2) Within 7 seconds press Disc - to lower the gain and Disc + to raise the gain.

The track number on the radios display will change accordingly.



3) 7 seconds after the last button press the level will be stored and the track number will change to the number of the current track.

Toyota Tacoma 2005-2011 NonNavigation Radios CD Changer Operation


(Actual radio appearance may differ from representation.)

Press Random to connect with the next paired device.
Press Random 5 times to clear all devices.

Press Repeat to access the output gain adjustment.
Press Repeat 5 times to initiate pairing mode.

Press Disc ^ to initiate the Paly/Pause command while streaming audio.

Press Disc v to initiate Voice Recognition.



Turn counter-clockwise to return to the previous track while streaming audio.
Turn counter-clockwise to reject a call.
Turn counter-clockwise to end a current call.

Turn clockwise to advance to the next track while streaming audio.
Turn clockwise to answer a call
Turn clockwise to enter privacy mode while in a phone call.

Press the CD/AUX or AUX button to enter the Bluetooth source

Settings Menu Example:

Adjusting the output gain

1) Press the Repeat button to access the output gain adjustment.

The track number will change to the current gain level. The level can be adjusted from 1 - 9 with 1 being the lowest level and 9 being the highest.



2) Within 7 seconds press Disc - to lower the gain and Disc + to raise the gain.

The track number on the radios display will change accordingly.



3) 7 seconds after the last button press the level will be stored and the track number will change to the number of the current track.

Toyota

Tacoma 2005-2011 NonNavigation Radios Satellite Radio Operation

(Actual radio appearance may differ from representation.)

****READ THIS FIRST****

Changing Sources (Factory SAT and Bluetooth)


- Press the AM/SAT button.
- SAT1 & SAT2 remain Factory SAT (if equipped).
- SAT3 becomes the Bluetooth source.

Press to initiate the Play/Pause command while streaming audio.

Press 5 times to clear all devices.

Press to connect with the next paired device.

Press to access the output gain adjustment.



Turn counter-clockwise to return to the previous track while streaming audio.
Turn counter-clockwise to reject a call.
Turn counter-clockwise to end a current call.

Turn clockwise to advance to the next track while streaming audio.
Turn clockwise to answer a call
Turn clockwise to enter privacy mode while in a phone call.

Press to initiate Voice Recognition.

Press 5 times to initiate pairing mode.

Settings Menu Example:

Adjusting the output gain

- 1) Press Preset 4 to access the output gain adjustment.

Radio text will clear and the channel number will be the current gain level. The level can be adjusted from 1 - 9 with 1 being the lowest and 9 being the highest.



- 2) Within 7 seconds press presets 5 to lower the gain and presets 6 to raise the gain.

Channel number on the radios display will change accordingly.



- 3) 7 seconds after the last button press the level will be stored and the track text will reappear on the radios display.