

181210

The JET® JLH Compact Lever Hoist integrates safety, durability and innovation enabling it to operate in the most demanding industrial environments. The lightweight design is achieved with a durable aluminum alloy housing that reduces weight for ease of transport. The dual pawl Weston style brake system splits the load to opposite sides of the ratchet gear for greater load security. Mechanical advantage is gained by the JET® exclusive addition of the five gear drive train requiring less force to lift or secure a load. Included is a nylon carrying case for convenient transportation, reducing trips to the tool room and prevents any unnecessary damage to the hoist. The JET® JLH Compact Lever Hoist is available in ¼ ton and ½ ton capacities with standard lifts of 5, 10 and 15 feet (custom lifts available). Whether it's inverted, vertical, horizontal, or any other load angle, the JET® JLH Compact Lever Hoist is the solution for your heavy-duty industrial need

FEATURES

- Safety
- Weston Style Dual Pawl Brake System- Dual pawl design increases safety by splitting the load to opposite sides of the ratchet gear for greater load security
- Alloy Steel Hooks- Industrial rated hooks rotate 360 degrees for easy rigging. Hooks slowly stretch to indicate an overload situation increasing jobsite safety
- Carrying Case- Included is a nylon carrying case for convenient transportation, reducing trips to the tool room and prevents any unnecessary damage to the hoist
- Performance
- Work to Weight Ratio- At 3.5 pounds, the 1/4 ton JLH Compact Lever Hoist can pull or hold a load more than 140 times its weight
- Compact Power- A 1/4 ton of pulling power that fits in the palm of your hand
- Durability
- Geared Drive Train- JET's exclusive five gear drive train requires less force to lift or secure a load
- Aluminum Housing- Durable, impact resistant, Aluminum alloy housings makes the JLH Compact lever hoist one of the lightest hoists on the market
- Grade 100 Load Chain- Corrosive resistant grade 100 load chain is stronger than grade 80 load chain extending the life of the hoist
- Cast Steel Safety Latches- Increased durability with heavy duty safety latches secured with Allen screws and lock nuts
- Heat Treated Load Plates- Heat treated for durability, these extend the life of the hoist in the harshest of environments
- Compact Design- Smaller body and lightweight design for low headroom applications and use in confined areas
- Standards
- Industry- Complies with OSHA Regulations, ANSI / ASME B30.21 and HST-3 Standards





· Load tested to 125% of capacity with certificate

STAND BEHIND YOUR WORK



181210

SPECIFICATIONS

Load Capacity (Tons)	1/4
Lift (Ft.)	10
Load Chain Dimensions (Mm.)	3.2 x 9
Number of Falls	1
Headroom (In.)	7-9/10
Weight (Lbs.)	4-2/5



STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE INDUSTRY-LEADING WARRANTIES EXPERT TECHNICAL SERVICE



181210

FULL SERIES

STOCK NO	MODEL NO	LOAD CAPACITY (TONS)	LIFT (FT.)	MOTOR POWER (HP)	MOTOR VOLTAGE (V.)	MOTOR (HP)
376100	JLH-75WO-5	3/4	5			
376101	JLH-75WO-10	3/4	10			
376102	JLH-75WO-15	3/4	15			
376103	JLH-75WO-20	3/4	20			
376200	JLH-100WO-5	1	5			
376201	JLH-100WO-10	1	10			
376202	JLH-100WO-15	1	15			
376203	JLH-100WO-20	1	20			
376300	JLH-150WO-5	1-1/2	5			
376301	JLH-150WO-10	1-1/2	10			
181205	JLH-25-5	1/4	5			
376302	JLH-150WO-15	1-1/2	15			
376303	JLH-150WO-20	1-1/2	20			
376800	JLH-150-5PSH	1-1/2	5			
376801	JLH-150-10PSH	1-1/2	10			
376802	JLH-150-15PSH	1-1/2	15			
376803	JLH-150-20PSH	1-1/2	20			
376400	JLH-250WO-5	2-1/2	5			
376401	JLH-250WO-10	2-1/2	10			
376402	JLH-250WO-15	2-1/2	15			
376403	JLH-250WO-20	2-1/2	20			
181210	JLH-25-10	1/4	10			

STAND BEHIND YOUR WORK

181210

FULL SERIES

STOCK NO	MODEL NO	LOAD CAPACITY (TONS)	LIFT (FT.)	MOTOR POWER (HP)	MOTOR VOLTAGE (V.)	Motor (HP)
376501	JLH-300WO-10	3	10			
376502	JLH-300WO-15	3	15			
376503	JLH-300WO-20	3	20			
376900	JLH-300-5PSH	3	5			
376901	JLH-300-10PSH	3	10			
376902	JLH-300-15PSH	3	15			
376903	JLH-300-20PSH	3	20			
376600	JLH-600WO-5	6	5			
376601	JLH-600WO-10	6	10			
181215	JLH-25-15	1/4	15			
376602	JLH-600WO-15	6	15			
376603	JLH-600WO-20	6	20			
376700	JLH-900WO-5	9	5			
376701	JLH-900WO-10	9	10			
376702	JLH-900WO-15	9	15			
376703	JLH-900WO-20	9	20			
181505	JLH-50-5	1/2	5			
181510	JLH-50-10	1/2	10			
181515	JLH-50-15	1/2	15			