

1/2-PT, 1/2-TON HEAVY DUTY MANUAL TROLLEY

252005

JET® PT Series heavy duty manual trolleys are available in capacities from 1/2 ton to 10 Tons. Built with heavy gauge steel for increased durability, the large steel wheels and thicker bearings provide smooth movement on a variety of beams. The built in bumper guards increase user safety and extend the life of the trolley. Each JET® Manual Trolley conforms to OSHA regulations, and ANSI / ASME standards



FEATURES

- Durability
- Welded heavy gauge steel frame and powder coat finish provide maximum durability and protection
- · Hardened large steel wheels and thicker double sealed lubricated ball bearings provide smooth movement
- Built-in bumper guards on the side plates increase safety and extend trolley life
- Easily adjustable to wide-flange H-beams, standard I-beams or curved track with the included spacer washers
- Standards
- Complies with OSHA Regulations, ANSI / ASME B30.11 and B30.17 standards
- Certification- Load tested to 125% of capacity with certificate





1/2-PT, 1/2-TON HEAVY DUTY MANUAL TROLLEY

252005

SPECIFICATIONS

Load Capacity (Tons)	1/2
Minimum Beam Flange Width (In.)	2-1/2 - 8
Minimum Beam Curve Radius (In.)	39





1/2-PT, 1/2-TON HEAVY DUTY MANUAL TROLLEY

252005

FULL SERIES

STOCK NO	MODEL NO	LOAD CAPACITY (TONS)	MINIMUM BEAM FLANGE WIDTH (IN.)	MINIMUM BEAM HEIGHTH (IN.)	MINIMUM BEAM CURVE RADIUS (IN.)
252005	1/2-PT	1/2	2-1/2 - 8		39
252060	10-PT	10	4-3/4 - 8		67
252015	1-1/2-PT	1-1/2	3-1/4 - 8		43
252010	1-PT	1	3 - 8		39
252020	2-PT	2	3-1/4 - 8		43
252030	3-PT	3	4 - 8		51
252050	5-PT	5	4-5/8 - 8		55