



JLP-025A-10 1/4 TON MINI-PULLER, 10' LIFT

287101

JET® JLP-A Series Lever Hoists combine safety, reliability, and durability that are designed to perform in light to medium-duty industrial applications. The patented Brake Wear Indicator increases safety by letting you know when to replace the friction disks. JET® also offers the option of shipyard hooks, virtually eliminating stretched hooks caused by point or tip loading. The JET® JLP-A Lever Hoist is available in ¼ ton to 6 ton capacities with standard lifts of 5, 10, 15, and 20 feet (custom lifts available). The JET® JLP-A Series is the perfect choice for a contractor grade Lever Hoist.

FEATURES

- Cast steel safety latches are secured with Allen screws and lock nuts
- Compact design with smaller body and lightweight design for low headroom applications and use in confined areas
- Hooks slowly stretch to indicate an overload situation increasing jobsite safety
- Impact resistant all steel construction for added durability and protection
- Industrial rated alloy steel hooks rotate 360 degrees for easy rigging
- Needle bearing design increases efficiency and promotes smooth operation
- This product complies with ANSI / ASME B30.21 and HST-3 Impact resistant all steel construction for added durability and protection
- Weston Style, double pawl brake design splits the load to opposite sides of the ratchet gear for greater load security





JLP-025A-10 1/4 TON MINI-PULLER, 10' LIFT

287101

SPECIFICATIONS

Capacity (Lbs.)	500
Load Capacity (Tons)	1/4
Lift (Ft.)	10
Overload Protection	No
Load Chain Dimensions dia/mm	4 x 12
Weight (Lbs.)	5.3





JLP-025A-10 1/4 TON MINI-PULLER, 10' LIFT

287101

FULL SERIES

STOCK NO	MODEL NO	CAPACITY (LBS.)	LOAD CAPACITY (TONS)	LIFT (FT.)	OVERLOAD PROTECTION	FORCE REQUIRED TO MOVE MAXIMUM LOAD (LBS)
287101	JLP-025A-10	500	1/4	10	No	
287102	JLP-025A-15	500	1/4	15	No	
287100	JLP-025A-5	500	1/4	5	No	
287201	JLP-050A-10	1000	1/2	10	No	
287202	JLP-050A-15	1000	1/2	15	No	
287200	JLP-050A-5	1000	1/2	5	No	
287301	JLP-075A-10	1650	3/4	10	No	
287302	JLP-075A-15	1650	3/4	15	No	
287303	JLP-075A-20	1650	3/4	20	No	
287300	JLP-075A-5	1650	3/4	5	No	
287401	JLP-150A-10	3300	1-1/2	10	No	
287701	JLP-150A-10SH	3300	1-1/2	10	No	
287402	JLP-150A-15	3300	1-1/2	15	No	
287702	JLP-150A-15SH		1-1/2	15	No	
287403	JLP-150A-20	3300	1-1/2	20	No	
287703	JLP-150A-20SH	3300	1-1/2	20	No	
287400	JLP-150A-5	3300	1-1/2	5	No	
287700	JLP-150A-5SH	3300	1-1/2	5	No	
287501	JLP-300A-10	6600	3	10	No	
287801	JLP-300A-10SH	6600	3	10	No	
287502	JLP-300A-15	6600	3	15	No	
287802	JLP-300A-15SH	6600	3	15	No	

JLP-025A-10 1/4 TON MINI-PULLER, 10' LIFT

287101

FULL SERIES

STOCK NO	MODEL NO	CAPACITY (LBS.)	LOAD CAPACITY (TONS)	LIFT (FT.)	OVERLOAD PROTECTION	FORCE REQUIRED TO MOVE MAXIMUM LOAD (LBS)
287803	JLP-300A-20SH	6600	3	20	No	
287500	JLP-300A-5	6600	3	5	No	
287800	JLP-300A-5SH	6600	3	5	No	
287601	JLP-600A-10	13200	6	10	No	
287602	JLP-600A-15	13200	6	15	No	
287603	JLP-600A-20	13200	6	20	No	
287600	JLP-600A-5	13200	6	5	No	