THE LEADER IN ON-SITE, SAFETY AND TRUCK STORAGE FOR SECURITY, STRENGTH & DURABILITY



100



TABLE OF CONTENTS

On-Site Storage Solutions 2

| Premium Features | 3 |
|--------------------------------|----|
| Slope Lid Chest | 4 |
| Heavy-Duty Chests | 5 |
| High Capacity Drop-Front Chest | 6 |
| Heavy-Duty Lifting Chest | 7 |
| Lifting Piano Box | 8 |
| Piano Boxes | 9 |
| High Capacity Piano Box | 10 |
| Drop-Front Piano Box | |
| Field Office | 12 |
| Heavy Equipment Box | 13 |
| Drawer Cabinet | 14 |
| Rolling Clam-Shell Cabinet | 15 |
| Heavy-Duty Cabinet | 16 |
| Extra Heavy-Duty Bin Cabinets | 17 |
| Rolling Workbenches | 18 |
| Welder's Box & Small Chests | 19 |
| On-Site Storage Accessories | 20 |

Safety Storage Solutions 21

| Safety Checklist | .23 |
|------------------------------|-----|
| Premium Features | .23 |
| Heavy Duty Safety Cabinets | .24 |
| Self-Closing Safety Cabinets | .26 |
| Storage Cans | .28 |

Truck Storage Solutions 29

| Features | 30 |
|--------------------------|----|
| Crossovers | 32 |
| Innersides | 40 |
| Crossover Fitment Charts | 44 |
| Topsides | 48 |
| Chests | 50 |
| Underbeds | 53 |
| Trailer Tongue Boxes | 58 |
| Drawer Storage | 60 |
| Liquid Transfer Tanks | 62 |

KargoMaster[®] Ladder Racks 65

| Rack Accessories6 | 7 |
|-----------------------------|---|
| How to Measure Your Truck68 | 3 |

At JOBOX we understand the importance of protecting your equipment.

Whether it's protection from theft, shelter from the elements, or improved on-site safety, JOBOX on-site and truck storage solutions offer superior strength, security, and durability. We utilize innovative design, in-depth research, cutting-edge technology, and extensive testing to continually improve the performance and value of our products.

JOBOX On-Site Storage Solutions provide premium protection for valuable tools and equipment with features like our Site-Vault[™] Security System, EZ-Loader[®] Skid Bolsters, Staked and Welded Hinges, and Heavily Reinforced Lids.

JOBOX Truck Storage Boxes offer ultimate security with our Self-Adjusting Dual Rotary GearLock II[™] Latching Mechanism, RSL[®] Beveled Edge Lids, and Industrial-Grade Steel Hinges.

JOBOX Flammable Storage Cabinets and Cans add improved safety and superior heat and fire resistance to legendary JOBOX quality, security, and durability with innovative features like EZ-Level[™] Bolsters, Bright White Cabinet Interiors, Anti-Tip Bolster Design, and Fork Lift Capability.



JOBOX ON-SITE STORAGE)))))

JOBOX gives your valuable tools and equipment the ultimate on-the-job site protection from weather and theft.

EZ-LOADER SKID BOLSTERS



- Patent-Pending Bolsters provide time-saving and safety features
- Easily load or unload from any side on trucks, trailers, or docks
- One-piece 7-Gauge Steel Skid Bolsters reinforce the bottom of the box for heavier loads and to protect from drops

STAKED & WELDED HINGES



- 14-Gauge Steel
- High Security, 3/8" Continuous Hinge with 1/4" steel pin and extra-large 1" knuckles
- Pin cannot be driven out

HEAVILY REINFORCED LID



- Full-Length "A-Frame" Lid Bolster
- Resists bending from cargo placed on top of the box and from attempted break-ins

OPTIONAL CASTERS



- Casters provide added mobility
- Set includes one pair each of fixed and swiveling casters

RECESSED HANDLES



- Extra tall and deep recess areas prevent pinched fingers and damage to the handle
- Allows easy storage with handles out of the way.

SITE-VAULT™ SECURITY SYSTEM



- Patented System has Full-Length Steel Lock Console with Three Locking Points
- Formed Lid Sides Welded to Lid Bolsters Resist Pry Bar Entry
- Padlock installs inside fully-welded 14-Gauge Steel Housing
- Fluorescent Reflective Orange Tape indicates when Chest is unlocked

GRIP-RITE™ LIFTING CHANNEL



- Formed and Welded Channel increases door or lid strength
- Provides safe, easy to grip channel for lifting lid or pulling door

1

GAS SPRINGS GUARDS

EXTURED POWDER


paint



- Protect Gas Springs from Damage and Jamming
- Heavy duty gas springs help lift and control lid, improves safety



- AINT FINISH High-Quality Powder Paint improves durability over liquid
 - 8 Color Options Available [Min. Order Quantity Required]





| Catalog No. | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-------------|--------|-------|---------|----------------------|----------------------|
| 1-680990 | 60 in | 30 in | 39.5 in | 45.5 ft ³ | 243 lb |



HEAVY-DUTY CHESTS

The toughest chests in the world. Designed for premium access, weather resistance, and security, the JOBOX Chest yields a plethora of features including four-way skid bolsters, and a visual, three-point locking system.

















Site-Vault[™]

Grip-Rite[™]

Recessed

Handles

Security System

Lifting Channel







| Catalog No. | Description | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-------------|-------------|--------|-------|----------|----------------------|----------------------|
| 1-652990 | 36" Long | 36 in | 20 in | 23.75 in | 10 ft ³ | 98 lb |
| 1-653990 | 42" Long | 42 in | 20 in | 23.75 in | 13.8 ft ³ | 118 lb |
| 1-654990 | 48" Long | 48 in | 24 in | 27.75 in | 22.3 ft ³ | 148 lb |
| 1-655990D | 60" Long | 60 in | 24 in | 27.75 in | 27.3 ft ³ | 182 lb |
| 1-656990 | 48" Long | 48 in | 30 in | 33.38 in | 33.3 ft ³ | 190 lb |
| 1-658990 | 72" Long | 72 in | 24 in | 27.75 in | 30.9 ft ³ | 203 lb |
| | | | | | | |

5



| Catalog No. | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping W |
|-------------|--------|-------|--------|----------------------|--------------------|
| 1-657990 | 60 in | 31 in | 45 in | 50.8 ft ³ | 320 lb |









Staked & Welded Hinge



Reinforced Lid



Gas-Spring



Textured Powder Paint Finish

Site-Vault[™]

Grip-Rite[™]

Recessed


Handles

Security System

Lifting Channel

HEAVY-DUTY LIFTING CHEST

Designed for lifting between floors, weather resistance, and durability, the JOBOX Heavy-Duty Chest now has four recessed lifting points for increased portability and security. The industry leading fourpoint rigging system is safety rated to provide a 2500 lbs. gross weight load capacity. Plus, with storage bins on each side wall, a third skid bolster and additional bottom reinforcement, JOBOX has created the toughest and most user-friendly chest yet.



*Sling Recommendation: 88000 - 3/8" x 6', 4 Leg Sling with Latched Sling Hooks

| Catalog No. | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-------------|--------|-------|----------|----------------------|----------------------|
| 1-659990 | 48 in | 24 in | 27.75 in | 22.3 ft ³ | 199 lb |

The perfect combination of storage space and organization now includes the industry leading JOBOX four-point rigging system. Safety rated to allow a 2500 lbs. gross weight load capacity, the four recessed lifting points provide increased portability and security to the world renowned JOBOX Piano Box. With all the features of the base models, plus a third skid bolster and additional bottom reinforcement, the most durable Piano Box in the world ensures your valuables remain safe and secure.





Optional Casters



Site-Vault[™] Security System

Grip-Rite[™] Lifting Channel

Recessed Handles

Textured Powder Paint Finish



Gas-Spring

s-Spring ards



*Sling Recommendation: 88000 – 3/8" x 6', 4 Leg Sling with Latched Sling Hooks


| Catalog No. | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-------------|--------|-------|--------|--------------------|----------------------|
| 1-686990 | 60 in | 31 in | 50 in | 60 ft ³ | 394 lb |

JOEOX

PIANO BOXES

The perfect combination of storage space, organization, and security, the world renowned JOBOX Piano Box is a job site must-have. Two storage bins on both side walls and the JOBOX Lift-n-Stow Shelf give you room to store any item, while the Site-Vault[™] lock system ensures that your valuables remain safe and secure.

Shelf





Staked & Welded Hinge

Site-Vault™

Grip-Rite[™]

Recessed

Handles

Security System

Lifting Channel

Textured Powder

Paint Finish



Heavily Reinforced Lid





Holes to Install



Gas-Spring Guards





Patented System has Full-Length Steel Lock Console with Three Locking Points

Gas Spring Door Lifts with Quick-**Release Mounts**



Low Height Front Panel Provides easier loading of equipment

| Catalog No. | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-------------|--------|-------|--------|--------------------|----------------------|
| 1-681990 | 48 in | 31 in | 50 in | 49 ft ³ | 286 lb |
| 1-682990 | 60 in | 31 in | 50 in | 60 ft ³ | 326 lb |
| 1-688990 | 60 in | 31 in | 38 in | 45 ft ³ | 283 lb |
| 1-689990 | 74 in | 31 in | 50 in | 73 ft ³ | 423 lb |



| Catalog No. | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-------------|--------|----------|--------|----------------------|----------------------|
| 1-685990 | 74 in | 34.63 in | 63 in | 92.2 ft ³ | 469 lb |



DROP-FRONT PIANO BOXES

Got heavy equipment? No problem. The Drop Front Piano Box offers an industry first bolster reinforced ramp, making it easy to roll or put heavy items in the bottom. Access doesn't have to mean compromise in security, JOBOX's drop down ramp is secured with two heavy-duty, padlock-able sliding gate bolts.



Site-Vault[™]

Grip-Rite[™]

Recessed

Handles

Security System

Lifting Channel

Textured Powder

Paint Finish

EZ-Loader®

Skid Bolsters

Hinge

Heavily

Staked & Welded

Reinforced Lid

Holes to Install

Gas-Spring Guards

Optional Casters

For easily rolling heavy items in and out

| Catalog No. | Length | Width | Height | Chinning Cu. Et | Annroy Chinning Wt |
|-------------|--------|--------|---------|--------------------|----------------------|
| Galalog NO. | Length | wiutii | neigint | Shipping Cu. Ft. | Approx. Shipping Wt. |
| 1-683990 | 60 in | 30 in | 50 in | 60 ft ³ | 354 lb |
| 1-684990 | 74 in | 30 in | 50 in | 73 ft ³ | 453 lb |



| Catalog No. | Length | Width | Height | Storage Cap. Upper | Storage Cap. Lower | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-------------|--------|-------|--------|----------------------|---------------------|-----------------------|----------------------|
| 1-674990 | 63 in | 42 in | 80 in | 60.6 ft ³ | 9.4 ft ³ | 123.5 ft ³ | 660 lb |



HEAVY EQUIPMENT BOX

Designed for extreme applications, the JOBOX Heavy Equipment Box provides durability for any job site. This innovative design combines JOBOX toughness with total access, by adding our industry leading drop down ramp. The user-friendly bolster reinforced ramp makes rolling larger, heavier tools and equipment into the box easy and safe. Storage bins on the side walls and additional welded storage on the back wall make organization effortless. The addition of reinforcement to the bolsters and around the perimeter makes the Heavy Equipment Box the strongest storage solution available.





Staked & Welded Hinge



Heavily Reinforced Lid



Optional Ca Gas-Spring Guards





Textured Powder Paint Finish

0

Site-Vault™

Grip-Rite[™]

Recessed

Handles

Security System

Lifting Channel







Formed Side Wall Design Allows the door to overlap walls when closed providing rigid security

Angle Iron Added to Perimeter For increased durability

Low Height Front Panel — Provides easier loading of equipment

Tapered Drop-Down Ramp For easily rolling heavy items in and out Reinforced Ramp Locks with Two Internal Sliding Gate Bolts (padlock not included)

Storage Bins on Both Side Walls

Patented System has Full-Length Steel Lock

Door opens to a full 90°

Console with Three

Locking Points

| Catalog No. | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-------------|--------|-------|--------|--------------------|----------------------|
| 1-687990 | 70 in | 31 in | 38 in | 65 ft ³ | 407 lb |



| Catalog No. | Height | Width | Depth | Door Height | Door Width | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-------------|-----------|-----------|-----------|-------------|------------|----------------------|----------------------|
| 1-679990 | 60-3/4 in | 60-1/8 in | 30-1/4 in | 53-1/4 in | 25-3/4 in | 62.5 ft ³ | 610 lb |





Heavy-Duty Casters

Catalog No. Length Width Height Shipping Cu. Ft. Approx. Shipping Wt. 692990 62.25 in 30 in 63.5 in 72 ft³ 472 lb




| Catalog No. | Description | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping Wt. |
|------------------|------------------------|----------|----------|----------|----------------------|----------------------|
| 1-694990 (shown) | Two Doors | 60.75 in | 24.25 in | 60.25 in | 53.2 ft ³ | 379 lb |
| 1-695990 | Four Doors, Both Sides | 60.13 in | 32.25 in | 60.75 in | 66.5 ft ³ | 523 lb |
| 1-697990 | Two Doors, Open Side | 60.13 in | 24.25 in | 60.75 in | 53.2 ft ³ | 366 lb |
| 1-698990 | Two Doors | 60.13 in | 30.25 in | 60.75 in | 62.5 ft ³ | 436 lb |



EXTRA-HEAVY DUTY BIN CABINET

Touting a massive 49 cu. ft. storage capacity, the Extra-Heavy Duty Bin Cabinet has no equal in modifiable organization solutions. Dividers can be moved in as little as 2" increments or removed to create various sized bins. Perfect for organization of tools, personal equipment, safety materials and more.

*612990 - Optional Handles available for separate purchase



EZ-Loader®

Skid Bolster

Hinge

Heavily

Staked & Welded

Reinforced Lid

Holes to Install

Gas-Spring Guards

Optional Casters

Site-Vault™

Grip-Rite[™]

Recessed

Paint Finish

Handles

Security System

Lifting Channel

Textured Powder

| Catalog No. | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-------------|--------|-------|--------|----------------------|----------------------|
| 1-693990 | 72 in | 24 in | 61 in | 59.1 ft ³ | 522 lb |

For the ultimate in portability and accessibility, the Rolling Work Bench provides superior strength casters, shelving and drawers to meet the most arduous working environment demands. Users can arrange the Rolling Work Bench into four unique configurations to meet their particular storage needs.

Welded Corner

Gussets





Two Fixed and Two Lockable Swivel Casters—

Ball Bearing Glides

Heavy-Duty 18-Gauge Steel Drawers with 75 lb. Capacity

Fully Adjustable Interiors for Maximum Storage Flexibility





| Catalog No. | Description | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-------------|---|----------|----------|----------|-----------------------|----------------------|
| 675990 | 2 Drawers, 2 Shelves, 4" Casters | 43.88 in | 26.88 in | 38.5 in | 24.8 ft ³ | 267 lb |
| 675996 | 2 Drawers, 2 Shelves, 6" Casters | 43.88 in | 26.88 in | 40.5 in | 24.8 ft ³ | 280 lb |
| 676990 | 4 Drawers, 1 Shelf, 4" Casters | 43.88 in | 26.88 in | 38.5 in | 224.8 ft ³ | 294 lb |
| 676996 | 4 Drawers, 1 Shelf, 6" Casters | 43.88 in | 26.88 in | 40.5 in | 24.8 ft ³ | 307 lb |
| 677990 | Body with 6" Casters, Add Drawers & Shelves | 43.88 in | 26.88 in | 40.63 in | 28.1 ft ³ | 264 lb |
| 678990 | 6 Drawers, 1 Shelf, 6" Casters | 43.88 in | 26.88 in | 40.63 in | 28.1 ft ³ | 390 lb |
| | | | | | | |





Smartly designed to get the job done. With features like cutouts for tools connected to supply hoses on our Welder's Boxes, and boltcutter-proof lock housings on our Small Chests, JOBOX offers essential storage staples for workers on the go.





Site-Vault™

Grip-Rite[™]

Recessed

Handles

Security System

Lifting Channel

Textured Powder

Paint Finish

EZ-Loader® Skid Bolster

Hinge

Heavily

Staked & Welded

Reinforced Lid

Holes to Install **Optional Casters**

Gas-Spring Guards

| Catalog No. | Description | Length | Width | Height | Shipping Cu. Ft. | Approx. Shipping Wt. |
|-----------------------|-----------------------|--------|-------|---------|---------------------|----------------------|
| 650990 (shown, left) | Welder's Box | 30 in | 16 in | 12 in | 4.6 ft ³ | 33 lb |
| 651990 (shown, right) | Embedded Lock | 31 in | 18 in | 15.5 in | 5.7 ft ³ | 70 lb |
| 659990 | Hasp Lock, No Cut Out | 30 in | 16 in | 12 in | 4.6 ft ³ | 33 lb |

REPLACEMENT DRAWERS, SHELF AND HANDLE FOR ROLLING WORK BENCHES



18 Gauge Steel Drawers have heavy-duty ball bearing glides

| Catalog No. | Description | Used On |
|-------------|--------------------------|------------------|
| 604990 | Shelf | Models 675 & 676 |
| 608990 | Shelf | Models 677 & 678 |
| 605990 | 2-1/2" Deep Drawer | Models 675 & 676 |
| 609990 | 2-1/2" Deep Drawer | Models 677 & 678 |
| 606990 | 4-1/2" Deep Drawer | Models 675 & 676 |
| 610990 | 4-1/2" Deep Drawer | Models 677 & 678 |
| 607990 | 5-1/2" Deep Drawer | Models 675 & 676 |
| 611990 | 5-1/2" Deep Drawer | Models 677 & 678 |
| 616990 | 10" Deep Drawer | Models 675 & 676 |
| 617990 | 10" Deep Drawer | Models 677 & 678 |
| 612990 | Optional 2nd Push Handle | Models 675 & 676 |

REMOVABLE TRAYS



- Built-In Handles for storing small parts or tools
- Hemmed Edges add strength and eliminate sharp edges

| Catalog No. | Length | Width | Height | Used On |
|-------------|------------|-------|--------|---|
| 624990D | 16-3/16 in | 8 in | 4 in | 651990 |
| 626990 | 22-3/16 in | 8 in | 4 in | 1-654990, 1-655990, 1-658990, 1-659990 |
| 627990 | 28-3/16 in | 8 in | 4 in | 1-656990, 1-659990 |
| 628990 | 18-3/16 in | 8 in | 4 in | 1-652990, 1-653990 |

REPLACEMENT FASTENER KITS

| Catalog No. | UPC No. | Used On |
|-------------|--------------|---|
| 10318-410 | 043419927223 | 635990, 636990, 637990, 638990, 639990, 648990 |
| 10318-411 | 043419938243 | 675990, 676990, 677990, 678990 |
| 10318-412 | 043419938250 | 1-669990, 1-674990, 1-679990, 1-693990, 1-694990, 1-695990, 1-697990, 1-698990 |
| 10318-415 | | 692990 |
| 10318-416 | 043419932463 | 651990 |
| 10318-705 | 043419938311 | 1-652990, 1-653990, 1-654990, 1-655990, 1-656990, 1-657990, 1-6589990, 1-659990, 1-680990, 1-681990, 1-682990, 1-683990, 1-684990, 1-685990, 1-686990, 1-687990, 1-688990, |
| | | |

TOUCH UP PAINT



Available in 12 oz Cans

| Catalog No. | UPC No. | Used On |
|-------------|--------------|------------------|
| 82936 | 043419942240 | All JOBOX Models |

OPTIONAL CASTERS



- Easily maneuver heavy loads
- Available in Heavy-Duty and Non-Marking
- Set of 4 casters come with 2 fixed and 2 swivel casters
- Wheels never puncture or go flat
- 3" x 3" hole patterns
- Corresponds with all JOBOX Models

| Catalog No. | Size | Style | Load Rating | Approx. Shipping Wt. |
|-------------|------|-------|-------------|----------------------|
| 1-320991 | 4 in | HD | 2800 lb | 14 lb |
| 1-320992 | 5 in | HD | 3200 lb | 15 lb |
| 1-320993 | 6 in | HD | 3600 lb | 18 lb |
| 1-320994 | 6 in | NM | 3600 lb | 27 lb |

SAFETY STORAGE

AWARNING

FLAMMABLE KEEP FIRE AWAY INFLAMABLE MANTENER FUEGO LEJOS

INFLAMMABLE MAINTENIR FEU

JOBOX

CABINE

e



WARNING

FLAMMABLE KEEP FIRE AWAY INFLAMABLE

INFLAMMABLE

JOBOX

- 10





NT

SAFETY STORAGE STORAGE CHECKLIST

FLAMMABLE LIQUIDS

Frequent inspection is an extremely important aspect of safe flammable liquid handling and storage. Establish a regularly scheduled visual inspection of every safety cabinet in your facility to verify compliance with all applicable regulations. Do not become complacent. A little preventative work can go far in preventing a fire hazard.

Periodically verify the following items for each cabinet in your facility and correct immediately if not in compliance:



Ensure the immediate area where the cabinet is located is clear of debris and away from running machinery or any activity involving heat. The floor or decking beneath the cabinet should be solid and stable.



Ensure Material Safety Data Sheet (MSDS), whether paper or electronic, for the liquid being stored is close by and readily accessible.



Ensure shelves are clean and sit fully in the side wall brackets.



Using a standard bubble level, verify that the cabinet is level.



Verify that the cabinet sump is clean and empty. If liquid or debris is found, ensure it is removed immediately using approved procedures and properly disposed of.



Verify that cabinet is locked and that only properly trained and authorized personnel have access.



For self-closing cabinets, verify that fusible link assemblies for all doors are properly installed and that only OEM (from the original manufacturer) fusible links are used.



Ensure contents of cabinet are organized so all contents are visible and identifiable without moving items out of the way. Verify that all containers in the cabinet are properly closed and sealed.



Ensure cabinet is properly grounded to facility grounding grid or earth source if applicable. Grounding is mandatory if liquids are ever transferred from inside the cabinet.



Verify that there is no debris accumulation underneath the cabinet.



Verify that cabinet is properly vented if required. If cabinet venting is not required, ensure cabinet is in a well ventilated area and that venting caps are tightly closed.

Ensure cabinet is the appropriate color for the liquid being stored.



SAFETY COMPLIANCE

JOBOX cabinets and cans comply with all applicable specifications set forth by the Occupational Safety and Health Administration (OSHA) and the National Fire Protection Association (NFPA). JOBOX self-closing cabinets also comply with the International Code Consortium/International Fire Code (IFC). Compliance to these specifications has been independently tested and listed by Underwriters Laboratories (UL) the internationally recognized third-party testing organization.

SAFETY CANS

- NFPA Compliant Container for Storage of Kerosine (Blue can) or Diesel (Yellow can)
- NFPA Compliant Container for Storage of Gasoline (Red can)
- Specified by the Safety Professional \sim Required by OSHA in the Workplace
- Meets ASTM F839/F926

SAFETY / SELF-CLOSING SAFETY CABINETS



- Specified by the Safety Professional ~ Required by OSHA in the Workplace
- Meets requirements of OSHA 29 CFR 1910.106
- IFC Compliant
- Meets requirements of NFPA 30

premium features SAFETY STORAGE

JOBOX SAFETY STORAGE)))))

The innovative features of JOBOX safety cabinets and cans make flammable liquids storage compliance easier.

STERS



- Leveling Screw Access Hole provides quick and easy access
- Unique Anti-tip Design extends the base foot print beyond the width of the cabinet for maximum stability and tipping resistance
- 7-Gauge Steel Construction
- Fork Lift and Pallet Jack Ready for increased mobility and easy cleaning underneath the cabinet.

SELF-CLOSING SYSTEM



- Self-Latching 3-Point Door Lock System
- Heavy-Duty Enclosed Staggering Mechanism ensures doors close in proper order
- Stainless Steel Slam Latches
- Heavy-Duty Chain holds doors open during work
- Fusible Chain Link shears at 165°F to close doors

BRIGHT WHITE INTERIOR



Maximum Visibility in low light conditions, allowing users to quickly and safely identify cabinet contents

HI-VIZ SAFETY LABELS



- Safety and Warning Labels provide permanent reminder and reference for users to follow proper safety and usage practices
 - Sharp Contrasting Colors for high visibilitv

EXTRA-WIDE DOORS



2.5" Thick Doors provide greater insulation gap between metal panels for added durability and safety

STAKED HINGES



- 14-Gauge Steel
- 3/8" Staked, Continuous Hinge with 1/4" steel pin and extra-large 1" knuckles
- Pin cannot be driven out for added security

PILL GUIDE SHELVING

- Safety Cabinet Shelves gently guide spills
- Liquids are guided toward the 2" deep leak-proof sump for easy clean-up

XTURED POWDER PAINT INISH



Available in the Industry Standard Color options shown

High-Quality Powder Paint

improves durability over



liquid paint



resistance



resistance

PREMIUM SAFETY STORAGE SOLUTIONS

JOEOX

Available in 12, 30, 45, 60

unique anti-tip shape

Extra-Wide 2.5" Doors

Adjustable Shelving

and 90 Gallon sizes

HEAVY-DUTY SAFETY CABINETS

Keep flammable liquids organized, secure, and protected from fire with UL listed JOBOX Safety Cabinets. With exclusive features like EZ Level[™] bolsters, permanent safety labels, and white interiors, these cabinets offer improved safety with the security and durability JOBOX storage products are known for.



UL Certified

On-Site

Flammable

Storage

EZ-Level®

Spill Guide

Bright White

Shelving

Interior

Hi-Viz

Skid Bolsters

Extra Wide

Staked Hinges

Textured Powder

Paint Finish

Self-Closing

Doors

(11)

| Catalog No. | Capacity | Exterior Dimensions H x W x D | Interior Dimensions H x W x D | No. of Doors | No. of Spill Guide Shelves | Compliance / Listings | Approx. Shipping Wt. |
|-------------|----------------------|----------------------------------|----------------------------------|-----------------|-------------------------------|--------------------------|-------------------------|
| 1-850990 | 12 gal (US), 45 l | 35.50 x 30.13 x 19.69 | 32.31 x 26.63 x 16.17 | 1 | 1 | UL, NFPA, OSHA, | 175 lb |
| 1-853990 | 30 gal (US), 113.5 l | 49 x 46.88 x 19.63 | 39.94 x 42.38 x 14.75 | 2 | 1 | UL, NFPA, OSHA, | 276 lb |
| 1-856990 | 45 gal (US), 170 l | 67.25 x 46.88 x 19.63 | 57.91 x 45.47 x 14.78 | 2 | 2 | UL, NFPA, OSHA, | 363 lb |
| 1-858990 | 60 gal (US), 227 l | 67.25 x 46.15 x 26.28 | 57.94 x 42.44 x 21.81 | 2 | 2 | UL, NFPA, OSHA, | 421 lb |
| 1-859990 | 90 gal (US), 340.6 l | 67.28 x 46.90 x 31.59 | 57.94 x 42.44 x 26.81 | 2 | 2 | UL, NFPA, OSHA, | 465 lb |

PREMIUM SAFETY STORAGE SOLUTIONS



HEAVY-DUTY SAFETY CABINETS

JOBOX Red Safety Cabinets offer the same storage and security features as the yellow cabinets, but are industry standard red for storage of paints, inks, and other combustibles.

RED

Textured Powder Paint Finish Red: Paints, Inks, and other Combustible Storage.



| Catalog No. | Capacity | Exterior Dimensions H x W x D | Interior Dimensions H x W x D | No. of Doors | No. of Spill Guide Shelves | Compliance / Listings | Approx. Shipping Wt. |
|-------------|----------------------|----------------------------------|----------------------------------|-----------------|-------------------------------|--------------------------|-------------------------|
| 1-850610 | 12 gal (US), 45 l | 35.50 x 30.13 x 19.69 | 32.31 x 26.63 x 16.17 | 1 | 1 | UL, NFPA, OSHA, | 175 lb |
| 1-853610 | 30 gal (US), 113.5 l | 49 x 46.88 x 19.63 | 39.94 x 42.38 x 14.75 | 2 | 1 | UL, NFPA, OSHA, | 276 lb |
| 1-856610 | 45 gal (US), 170 l | 67.25 x 46.88 x 19.63 | 57.91 x 45.47 x 14.78 | 2 | 2 | UL, NFPA, OSHA, | 363 lb |
| 1-858610 | 60 gal (US), 227 l | 67.25 x 46.15 x 26.28 | 57.94 x 42.44 x 21.81 | 2 | 2 | UL, NFPA, OSHA, | 421 lb |
| 1-859610 | 90 gal (US), 340.6 l | 67.28 x 46.90 x 31.59 | 57.94 x 42.44 x 26.81 | 2 | 2 | UL, NFPA, OSHA, | 465 lb |

HEAVY-DUTY SAFETY CABINETS

JOBOX Green Safety Cabinets offer the same storage and security features as the yellow cabinets, but are industry standard green for storage of outdoor chemicals.

GREEN

Textured Powder Paint Finish Green: Outdoor Chemical Storage.



| Catalog No. | Capacity | Exterior Dimensions H x W x D | Interior Dimensions H x W x D | No. of Doors | No. of Spill Guide Shelves | Compliance / Listings | Approx. Shipping Wt. |
|-------------|----------------------|----------------------------------|----------------------------------|-----------------|-------------------------------|--------------------------|-------------------------|
| 1-850670 | 12 gal (US), 45 l | 35.50 x 30.13 x 19.69 | 32.31 x 26.63 x 16.17 | 1 | 1 | UL, NFPA, OSHA, | 175 lb |
| 1-853670 | 30 gal (US), 113.5 l | 49 x 46.88 x 19.63 | 39.94 x 42.38 x 14.75 | 2 | 1 | UL, NFPA, OSHA, | 276 lb |
| 1-856670 | 45 gal (US), 170 l | 67.25 x 46.88 x 19.63 | 57.91 x 45.47 x 14.78 | 2 | 2 | UL, NFPA, OSHA, | 363 lb |
| 1-858670 | 60 gal (US), 227 l | 67.25 x 46.15 x 26.28 | 57.94 x 42.44 x 21.81 | 2 | 2 | UL, NFPA, OSHA, | 421 lb |
| 1-859670 | 90 gal (US), 340.6 l | 67.28 x 46.90 x 31.59 | 57.94 x 42.44 x 26.81 | 2 | 2 | UL, NFPA, OSHA, | 465 lb |

JOEOX

SELF-CLOSING SAFETY CABINETS

With JOBOX Self-Closing Cabinets, users can work freely with peace of mind knowing that their flammable liquids will be secure. Extra-robust fusible link system will operate at 165°F to close the doors, and a heavy-duty, galvanized staggering mechanism ensures the doors close securely in the event of a fire. Fully enclosed, the JOBOX self-closing system ensures safe operation while offering maximum storage space inside the cabinet.

lst **UL** Certified **On-Site** Flammable Storage









Extra Wide Doors

Staked Hinges



Textured Powder Paint Finish

Self-Closing Door Lock System



| Catalog No. | Capacity | Exterior Dimensions H x W x D | Interior Dimensions H x W x D | No. of Doors | No. of Spill Guide Shelves | Compliance / Listings | Approx. Shipping Wt. |
|-------------|----------------------|----------------------------------|----------------------------------|-----------------|-------------------------------|--------------------------|-------------------------|
| 1-854990 | 30 gal (US), 113.5 l | 49 x 46.09 x 19.63 | 39.94 x 42.38 x 14.75 | 2 | 1 | UL, NFPA, OSHA, IFC | 285 lb |
| 1-857990 | 45 gal (US), 170 l | 67.25 x 46.88 x 21.25 | 57.91 x 45.47 x 14.78 | 2 | 2 | UL, NFPA, OSHA, IFC | 372 lb |

PREMIUM SAFETY STORAGE SOLUTIONS

YELLOW

Textured Powder Paint Finish Yellow: Flammable Liquid Storage

- Self-Closing 3-Point Door Lock System
- Heavy-Duty Enclosed Staggering Mechanism
- Heavy-Duty Chain holds doors open during work. Fusible Chain Link shears at 165°F to close doors
- EZ-Level[™] Skid Bolsters offer Leveling-Screw Access Hole and unique anti-tip shape
- Bright White Interior for better visibility



Adjustable Shelving



SELF-CLOSING SAFETY CABINETS

JOBOX Red self-closing safety cabinets offer the same storage and security features as the yellow cabinets, but are industry standard red for storage of paints, inks, and other combustibles.

RED

Textured Powder Paint Finish Red: Paints, Inks, and other Combustible Storage.



| Catalog No. | Capacity | Exterior Dimensions H x W x D | Interior Dimensions H x W x D | No. of Doors | No. of Spill Guide Shelves | Compliance / Listings | Approx. Shipping Wt. |
|-------------|----------------------|----------------------------------|----------------------------------|-----------------|-------------------------------|--------------------------|-------------------------|
| 1-854610 | 30 gal (US), 113.5 l | 49 x 46.09 x 19.63 | 39.94 x 42.38 x 14.75 | 2 | 1 | UL, NFPA, OSHA, IFC | 285 lb |
| 1-857610 | 45 gal (US), 170 l | 67.25 x 46.88 x 21.25 | 57.91 x 45.47 x 14.78 | 2 | 2 | UL, NFPA, OSHA, IFC | 372 lb |

SELF-CLOSING SAFETY CABINETS

JOBOX Green safety cabinets offer the same storage and security features as the yellow cabinets, but are industry standard green for storage of outdoor chemicals.

GREEN Textured Powder Paint Finish

Green: Outdoor Chemical Storage.



| Catalog No. | Capacity | Exterior Dimensions H x W x D | Interior Dimensions H x W x D | No. of Doors | No. of Spill Guide Shelves | Compliance / Listings | Approx. Shipping Wt. |
|-------------|----------------------|----------------------------------|----------------------------------|-----------------|-------------------------------|--------------------------|-------------------------|
| 1-854670 | 30 gal (US), 113.5 l | 49 x 46.09 x 19.63 | 39.94 x 42.38 x 14.75 | 2 | 1 | UL, NFPA, OSHA, IFC | 285 lb |
| 1-857670 | 45 gal (US), 170 l | 67.25 x 46.88 x 21.25 | 57.91 x 45.47 x 14.78 | 2 | 2 | UL, NFPA, OSHA, IFC | 372 lb |



TYPE I FLAMMABLE LIQUIDS CANISTERS

JOBOX Type I Cans are made of resilient terne plate steel for the ultimate in corrosion resistance. They have one opening and recommended for storage, but can be used with a funnel for pouring into other containers. Stringently UL and ULC tested and listed.



800990 - Funnel accessory available for separate purchase



Terne Plate Steel Construction

| Red - Gasoline/Flammable Liquids | | | | |
|----------------------------------|-------------------|------------------------|-----------------------|-------------------------|
| Catalog No. | Capacity | Diameter (in) x Hose L | Compliance / Listings | Approximate Ship Weight |
| 812990 | 2 gal (US), 7.5 l | 9 x 6 | UL/ULC/OSHA/NFPA | 6 lb |
| 812990F* | 2 gal (US), 7.5 l | 9 x 6 | UL/ULC/OSHA/NFPA | 6 lb |
| 815990 | 5 gal (US), 19 I | 11.5 x 9 | UL/ULC/OSHA/NFPA | 9 lb |
| 815990F* | 5 gal (US), 19 I | 11.5 x 9 | UL/ULC/OSHA/NFPA | 9 lb |
| Yellow - Diesel | | | | |
| 812990Y | 2 gal (US), 7.5 l | 9 x 6 | UL/ULC/OSHA/NFPA | 6 lb |
| 812990YF* | 2 gal (US), 7.5 l | 9 x 6 | UL/ULC/OSHA/NFPA | 6 lb |
| 815990Y | 5 gal (US), 19 I | 11.5 x 9 | UL/ULC/OSHA/NFPA | 9 lb |
| 815990YF* | 5 gal (US), 19 I | 11.5 x 9 | UL/ULC/OSHA/NFPA | 9 lb |
| * Funnel Included | | | | |

* Funnel Included

TYPE II FLAMMABLE LIQUIDS CANISTERS

Designed for pouring flammable liquids. Type II Cans offer two openings, one for fill and one for pour. Brass tipped pouring hose prevents sparking, and special implosion resistance system ensures a safe pour every time. Stringently UL and ULC Tested and Listed.



Replacement nozzles available: 830990 – ¾" x 6" 835990 – ¾" x 9"



| Red - Gasoline/Flammable Liquid | ls | | | |
|---------------------------------|-------------------|------------------------|-----------------------|-------------------------|
| Catalog No. | Capacity | Diameter (in) x Hose L | Compliance / Listings | Approximate Ship Weight |
| 822990 | 2 gal (US), 7.5 l | 9 x 6 | UL/ULC/OSHA/NFPA | 8.5 lb |
| 825990 | 5 gal (US), 19 l | 11.5 x 9 | UL/ULC/OSHA/NFPA | 12 lb |
| Yellow - Diesel | | | | |
| 822990Y | 2 gal (US), 7.5 l | 9 x 6 | UL/ULC/OSHA/NFPA | 8.5 lb |
| 825990Y | 5 gal (US), 19 l | 11.5 x 9 | UL/ULC/OSHA/NFPA | 12 lb |

PREMIUM SAFETY STORAGE SOLUTIONS

TRUCK STORAGE

CROSSOVERS, INNERSIDES & LADDER RACKS

STREET, STREET

EXG



TRUCK STORAL FEATURES

JOBOX PROFESSIONAL TRUCK STORAGE)))))





- Ratcheting action pulls lid tight to resist over 2,000 lbs. of prying and pulling force
- Provides the highest level of security and moisture resistance available
- Self-adjusting dual rotary lock system is covered by a heavy-duty guard

GUARDED HEAVY-DUTY GAS SPRINGS



- Heavy-Duty Gas Springs provide 70 lbs. of pressure for easy lifting of lid
- Gas spring guards ensure long-term durability

SELF-ALIGNING LATCH HOOPS



- Hoops cannot be bent or pried out of lock system
- Hoops pivot from side-to-side to engage the Gear-Lock® System
- Guarantees a tight seal first time -every time

BOLSTER-REINFORCED RSL™ RIGID STRUCTURE LID



- High-strength RSL[®] Laminated 3-Layer Rigid Structural Lid provides superior strength, security, and durability
- RSL[®] Lid is reinforced with two full-length bolsters

PUSH BUTTON LOCK



 $\widehat{\mathbf{0}}$

- End-mounted push button locks provide easy access
- Box can be locked and unlocked from either side

GUARDED THREE-POINT 3 LOCKING SYSTEM



- Lock system engages body in three points to create a tight seal and excellent pry-resistance
- Steel lock cover protects lock system and reinforces the highstrength door





- High-strength, coated, galvanized steel cables support 300 lb. load
- Quick-release feature allows door to drop all the way down for easier access

BULB-SHAPED WEATHER STRIPPING



Surrounds door or lid to seal out moisture and dust, keeping contents and box protected

STANDARD FEATURES RIFE STIR

JOBOX TRUCK STORAGE)))))





- Ratcheting action pulls lid tight to resist over 1,000 lb. of prying and pulling force
- Provides a high level of security and moisture resistance
- Self-adjusting dual rotary lock system is covered by a heavy-duty guard

RSL[™] RIGID STRUCTURAL LID



 High-strength RSL[®] Laminated
 3-Layer Rigid Structural Lid provide superior strength, security, and durability

GUARDED GAS SPRINGS



- Provide easy lifting of lid
- Gas spring guards ensure long-term durability

SELF-ALIGNING LATCH PINS



- Pins pivot from side-to-side to engage the Gear-Lock[®] System
- No adjustment is required

PUSH BUTTON LOCK



- End-mounted push button locks provide easy access
- Box can be locked and unlocked from either side

QUICK-RELEASE DOOR CABLES



Quick-release feature allows door to drop all the way down for easier access

STAINLESS STEEL ROTATING T-HANDLE



 T-Handles have reinforced cam locks and are sealed to prevent moisture from getting inside

JOEOX PROFESSIONAL

ALUMINUM SINGLE LID CROSSOVERS

JOBOX Professional is the ultimate in truck storage security and capacity. Single Lid provides the best access to the entire inside of the box, and more easily accommodates large and long items. The Rigid Structure Lid (RSL) has two layers of aluminum joined with rigid foam, plus additional full length bolsters for superior strength and rigidity. Plus, users now have increased visibility with the new lower profile design.







Dual Rotary GearLock II™ Locking System

Locking Syster Self Aligning

Self Aligning Latch Hoops


Latch Hoops Heavy Duty Gas

Springs/Self-Rising Lid

RSL[™] Beveled Edge Lid

Drill Resistant Push

Bulb Shaped Weatherstripping



Clearcoat Black Approx Catalog No. Size Catalog No. D **Shipping Wt** JAC1379980 JAC1379982 22-1/2 in 20-1/4 in 21 in 71-7/8 in Fullsize Super Deep 70-1/8 in 60-1/8 in 14-7/8 in 80 lb JAC1387980 JAC1387982 Fullsize Deep 70-1/8 in 60-1/8 in 19-1/2 in 20-1/4 in 21 in 72 in 87 lb 12 in Fullsize Deep & JAC1389980 JAC1389982 70-1/8 in 60-1/8 in 19-1/2 in 12 in 29-1/4 in 30 in 72 in 98 lb Extra-Wide JAC1391980 Midsize 63-1/8 in 52-1/2 in 15-3/4 in 8-1/4 in 20-1/4 in 21 in 64-1/8 in 70 lb ____ JAC1570980 JAC1570982 Full Size, Low Profile 71 in 60.25 in 15 in 9-1/2 in 20-1/8 in 71-3/4 in 76.5 lb 21 in

TRUCK STORAGE SOLUTIONS





Gas Spring Guards

GearLock™

Locking System



Rigid Structural Lid Bolster



Locks Bulb Shaped

Weatherstripping



Dual Rotary GearLock II™ Locking System Self Aligning



Heavy Duty Gas Springs/Self-Rising Lid



Drill Resistant Push













JOBOX Aluminum Single Lid Crossovers provide superior security for tools and equipment. The combination of our Gear-Lock[™] Locking System, RSL[™] Rigid Structural Lid and our high-strength body that will resist over 1,000 pounds of prying force, your equipment has never been safer.







| Bright Catalog No. | Black Catalog No. | Size | • | В | C | D | Е | F | G | Approx. |
|-----------------------|----------------------|------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|
| Galalog No. | Galaloy NO. | 3126 | Α | D | U | U | E | - F | u | Shipping Wt. |
| PAC1357000 | PAC1357002 | Full Size, Low Profile | 70 in | 60-1/4 in | 15-1/8 in | 12-1/8 in | 17-7/8 in | 21 in | 71-1/8 in | 76.5 lb |
| PAC1580000 | PAC1580002 | Fullsize | 70-1/8 in | 60-1/8 in | 14-1/4 in | 9 in | 20-1/4 in | 20-7/8 in | 71 in | 76.5 lb |
| PAC1582000 | PAC1582002 | Deep Fullsize | 70-1/8 in | 60-1/8 in | 17-1/4 in | 12 in | 20-1/4 in | 20-7/8 in | 71 in | 80 lb |
| PAC1585000 | PAC1585002 | Super Deep Fullsize | 70-1/8 in | 60-1/8 in | 19-7/8 in | 14-5/8 in | 20-1/4 in | 21 in | 71 in | 83 lb |
| PAC1587000 | PAC1587002 | Compact | 60-1/8 in | 50-1/8 in | 11-1/4 in | 6 in | 20-1/4 in | 20-7/8 in | 61 in | 69 lb |
| PAC1589000 | PAC1589002 | Mid-Size | 62-5/8in | 52-5/8in | 13-5/8 in | 8-3/8 in | 20-1/4 in | 20-7/8 in | 63-1/2 in | 73 lb |

JOEOX PROFESSIONAL

STEEL SINGLE LID CROSSOVERS

JOBOX Professional Steel Crossovers are as tough as they get. Gear-Lock II[™] Rotary Lock System self-aligns and ratchets the lid firmly against the weatherproof seal, providing resistance to prying and pull force of over 2,000 pounds. Single lid for the best access to inside of the box, as well as accommodating large and long items. In addition, users now have increased visibility with the new lower profile design.



| White | Black | | | | | | | | | Approx. |
|-------------|-------------|---------------------------|-----------|-----------|-----------|----------|-----------|-------|-----------|--------------|
| Catalog No. | Catalog No. | Size | Α | В | C | D | E | F | G | Shipping Wt. |
| JSC139590 | _ | Fullsize Deep | 74 in | 63 in | 18-7/8 in | 12 in | 29-1/4 in | 30 in | 74-7/8 in | 162 lb |
| JSC1394980 | JSC1394982 | Fullsize Deep | 70-1/8 in | 60-1/2 in | 19-1/4 in | 12 in | 20-1/4 in | 21 in | 72 in | 156 lb |
| JSC1396980 | JSC1396982 | Fullsize Deep, Extra-Wide | 70-1/8 in | 60-1/8 in | 19-1/4 in | 12 in | 29-1/4 in | 30 in | 72 in | 191 lb |
| JSC1397980 | — | Compact | 61 in | 50 in | 19-3/8 in | 6 in | 20-1/4 in | 21 in | 61-7/8 in | 156 lb |
| JSC1580980 | JSC1580982 | Full Size, Low Profile | 71 in | 60-1/4 in | 15 | 9-1/2 in | 20-1/8 in | 21 in | 71-3/4 in | 146 lb |

Dual Rotary

GearLock II™

Latch Hoops

l id

Locking System Self Aligning

Heavy Duty Gas

RSL[™] Beveled

Edge Lid

Springs/Self-Rising

GearLock™

Self Aligning Latch Pins

Gas Spring

Lid Bolster

Rigid Structural

Guards

Locking System



| White | | | | | | | | | Approx. |
|-------------|---------------------------|-----------|-----------|-----------|-------|-----------|-----------|-------|--------------|
| Catalog No. | Size | Α | В | C | D | E | F | G | Shipping Wt. |
| PSC1455000 | Fullsize | 70-1/8 in | 60-1/8 in | 14-1/4 in | 9 in | 20-1/4 in | 20-7/8 in | 71 in | 108 lb |
| PSC1456000 | Fullsize Deep | 70-1/8 in | 60-1/8 in | 17-1/4 in | 12 in | 20-1/4 in | 20-7/8 in | 71 in | 101 lb |
| PSC1457000 | Fullsize Deep, Extra-Wide | 70-1/8 in | 60-1/8 in | 17-1/4 in | 12 in | 29-1/4 in | 30 in | 71 in | 190 lb |
| PSC1458000 | Compact | 60-1/8 in | 50-1/8 in | 11-1/4 in | 6 in | 20-1/4 in | 20-7/8 in | 61 in | 104 lb |

JOEDX PROFESSIONAL

ALUMINUM GULL WING CROSSOVERS

The JOBOX Professional Gull Wing Aluminum Crossovers offer the best unobstructed access from the sides of your truck. The superior one-piece body construction with a channel-reinforced front panel gives you the toughest box on the market.



GearLock™ Locking System Self Aligning Latch Pins Gas Spring Guards





Rigid Structural Lid Bolster

Push Button Locks

Self Aligning Latch Hoops

Dual Rotary

GearLock II™

Locking System


Heavy Duty Gas Springs/Self-Rising

Lid

RSL[™] Beveled Edge Lid

Drill Resistant Push Button Locks

Bulb Shaped Weatherstripping



| Clearcoat | Black | | | | | | | | | Approx. |
|-------------|-------------|---------------|-----------|-----------|-----------|----------|-----------|-------|-------|--------------|
| Catalog No. | Catalog No. | Size | Α | В | C | D | E | F | G | Shipping Wt. |
| JAC1392980 | JAC1392982 | Fullsize Deep | 70-1/8 in | 60-1/8 in | 19-3/8 in | 12 in | 20-1/4 in | 21 in | 72 in | 71 lb |
| JAC1393980 | — | Compact | 60-1/4 in | 50-1/8 in | 13-3/8 in | 7-1/2 in | 20-1/4 in | 21 in | 62 in | 50 lb |

TRUCK STORAGE SOLUTIONS





Gas Spring Guards



PAC1597000

Compact

60-1/8 in

50-1/8 in

11-1/4 in

6 in

20-1/4 in

20-7/8 in

61 in





Self Aligning Latch Hoops



RSL[™] Beveled Edge Lid

The JOBOX Dual Lid Aluminum Crossover offers the best unobstructed access from the sides of your truck. The high-strength body construction resists cargo damage and gives you long term durability.



37

55 lb

STEEL GULL WING CROSSOVER **Dual Rotary** GearLock™ GearLock IITM Locking System Locking System Self Aligning Self Aligning Latch Pins Latch Hoops JOBOX Professional Gull Wing Steel Crossovers make all of your equipment readily accessible at the push of a button, and offer clear Heavy Duty Gas Gas Spring Springs/Self-Rising and unobstructed access from the sides of your truck. The Guards Lid Armor-Brite[™] powder paint finish provides unparalleled durability RSL[™] Beveled **Rigid Structural** and corrosion resistance. Lid Bolster Edge Lid Push Button Drill Resistant Push Locks Button Locks Bulb Shaped Weatherstripping 2 Gas Springs on Each Side For reinforced durability ArmorBrite[™] White · **Powder Paint Finish** Lock Console Protects lock mechanism **Channel Reinforced** Front Panel **Built in Storage Reinforced High-Strength Bins on Both Ends Body Construction** Lift-Out Storage Tray with Movable Dividers

| JSC1464980 | JSC1464982 | Fullsize Deep | 70-1/8 in | 60-1/8 in | 19-1/4 in | 12 in | 20-1/4 in | 21 in | 72 in | 146 lb |
|-------------|-------------|---------------|-----------|-----------|-----------|-------|-----------|-------|-------|--------------|
| Catalog No. | Catalog No. | Size | Α | В | C | D | E | F | G | Shipping Wt. |
| White | Black | | | | | | | | | Approx. |



ALUMINUM INNERSIDES

Available in standard and extra-wide models, JOBOX Professional Aluminum Innersides offer quick access to your tools and equipment with plenty of storage space. Self-aligning latch hoops guarantee a tight seal the first time, and every time the lid is closed.





Includes Support Legs and Mounting Kit







Push Button Locks

Dual Rotary GearLock II™ Locking System

Self Aligning Latch Hoops


Heavy Duty Gas


Springs/Self-Rising Lid

RSL[™] Beveled Edge Lid


Drill Resistant Push Button Locks

Bulb Shaped Weatherstripping





| Black | | | | | | | | | Approx. |
|-------------|---------------------------|--------------------------------------|--------------------------------------|--|--|--|---|---|---|
| Catalog No. | Size | А | В | C | D | E | F | G | Shipping Wt. |
| JAN1444982 | 47 in | 46 in | 13-3/4 in | 6-7/8 in | 14-3/4 in | 8-1/2 in | 46-3/4 in | 14-3/8 in | 36.5 lb |
| JAN1445982 | 58 in | 57 in | 13-3/4 in | 6-7/8 in | 14-3/4 in | 8-1/2 in | 57-3/4 in | 14-3/8 in | 41.5 lb |
| | Catalog No. JAN1444982 | Catalog No. Size JAN1444982 47 in | Catalog No.SizeAJAN144498247 in46 in | Catalog No.SizeABJAN144498247 in46 in13-3/4 in | Catalog No. Size A B C JAN1444982 47 in 46 in 13-3/4 in 6-7/8 in | Catalog No. Size A B C D JAN1444982 47 in 46 in 13-3/4 in 6-7/8 in 14-3/4 in | Catalog No. Size A B C D E JAN1444982 47 in 46 in 13-3/4 in 6-7/8 in 14-3/4 in 8-1/2 in | Catalog No. Size A B C D E F JAN1444982 47 in 46 in 13-3/4 in 6-7/8 in 14-3/4 in 8-1/2 in 46-3/4 in | Catalog No. Size A B C D E F G JAN1444982 47 in 46 in 13-3/4 in 6-7/8 in 14-3/4 in 8-1/2 in 46-3/4 in 14-3/8 in |



STEEL INNERSIDES

Designed for security and quick access in mind, JOBOX Professional Innersides provide easy access to your tools and equipment along the bedrail of your truck. Full-length, internal storage bin allows organization of small parts and tools. Use in conjunction with crossovers for maximum storage capacity and access.



Includes Support Legs

GearLock™ Locking System Self Aligning Latch Pins Gas Spring Guards







Dual Rotary GearLock II™ Locking System

Self Aligning

Latch Hoops

Heavy Duty Gas Springs/Self-Rising Lid


RSL[™] Beveled Edge Lid


Drill Resistant Push



Button Locks

Bulb Shaped Weatherstripping






| Catalog No. | Size | А | В | C | D | E | F | G | Approx. Shipping Wt. |
|-------------|-------|-------|-----------|----------|-----------|----------|-----------|-----------|----------------------|
| JSN1505980 | 47 in | 46 in | 13-5/8 in | 6-7/8 in | 14-5/8 in | 8-1/2 in | 46-1/2 in | 14-1/8 in | 74.5 lb |
| JSN1506980 | 58 in | 57 in | 13-5/8 in | 6-7/8 in | 14-5/8 in | 8-1/2 in | 57-1/2 in | 14-1/8 in | 86.5 lb |
| JSN1507980 | 86 in | 85 in | 13-5/8 in | 6-7/8 in | 14-5/8 in | 8-1/2 in | 85-1/2 in | 14-1/8 in | 116 lb |

Designed for security and quick access in mind, JOBOX Innersides provide easy access to your tools and equipment along the bedrail of your truck. Full-length, internal storage bin allows organization of small parts and tools. Use in conjunction with crossovers for maximum storage capacity and access.



Includes Support Legs and Mounting Kit



Dual Rotary GearLock II™

Self Aligning Latch Hoops

Lid

Locking System

Heavy Duty Gas

RSL[™] Beveled

Edge Lid

Springs/Self-Rising

Drill Resistant Push

Button Locks

GearLock[™] Locking System

Self Aligning Latch Pins

Gas Spring

Lid Bolster

Push Button Locks

Bulb Shaped Weatherstripping

Rigid Structural

Guards

| | | | | | | | | | A |
|-------------|-------------|------------|-----------|----------|-----------|----------|-----------|-------|----------------------|
| White | Black | | | | | | | | |
| Catalog No. | Catalog No. | Length (A) | В | C | D | E | F | G | Approx. Shipping Wt. |
| PSN1451000 | PSN1451002 | 47-1/2 in | 11-1/8 in | 5-3/8 in | 12-1/4 in | 8-1/4 in | 47-1/2 in | 12 in | 55 lb |
| PSN1452000 | PSN1452002 | 58-1/2 in | 11-1/8 in | 5-3/8 in | 12-1/4 in | 8-1/4 in | 58-1/2 in | 12 in | 65 lb |



| | | Single Lid Super Deep | | CROSSOVERS Single Lid Deep | Cingle Lid Doop & | |
|---|---|-----------------------------------|--|-------------------------------------|--|------------|
| | | Single Lid Super Deep Fullsize | Single Lid Deep Fullsize | Single Lid Deep Super-Duty & Ram | Single Lid Deep & Extra-Wide Fullsize | |
| Aluminum Bright Finish Model # S Aluminum Black Finish Model # | Steel White Finish Model # | JAC1379980 JAC1379982 | JAC1387980 JAC1387982 | JAC1388980 JAC1388982 | JAC1389980 JAC1389982 | |
| Chevrolet & GMC Trucks | | | | | | |
| 1978-2011 Silverado/Sierra 1500 | Regular Cab with Standard/Long Bed | • | • | | • | |
| | Extended Cab with Short Bed | • | • | | | <u> </u> |
| 2011 Silverado/Sierra 1500 | Crew Cab with Short Bed | • | • | | | |
| 2011 Silverado/Sierra 2500/3500 | All Cabs with All Lengths Beds | • | • | | • | |
| 2002-2011 Colorado/Canyon | Regular Cab with Regular/Extended Cab Bed | | | | | I |
| | Extended Cab with Regular/Extended Cab Bed | i | <u> </u> | | | ļ/ |
| 2004-2011 Colorado/Canyon | Crew Cab with Crew Cab Bed Regular Cab with Standard/Long Bed | | • | • | ' | ļĮ |
| 2012-2013 Silverado/Sierra 1500 | Regular Cab with Standard/Long Bed Extended Cab with Short Bed | • | • | • | ' | / |
| | Crew Cab with Short Bed | • | • | • | | + |
| 2012-2013 Silverado/Sierra | Extended Cab with All Lengths Bed | • | • | • | · | <u> </u> |
| 2500/3500 | Regular/Crew Cab with All Lengths Bed | • | • | • | • | |
| 2014 Silverado 1500 | Regular Cab with Standard/Double Bed | • | • | • | | |
| 2014 Silverado 2500 HD | Crew Cab with Standard Bed | • | • | • | | |
| 2015 Silverado 1500 | Double/Crew Cab with Short/Standard Bed | i | • | • | • | Г / |
| 2015 Silverado 2500/3500 | Double/ Crew Cab with Standard/DRW/Long Bed | • | • | • | • | |
| Dodge Trucks | and the set of the set of the set | | | | | |
| 2011 Ram 1500 | Regular Cab with Standard/Long Bed Quad Cab with Standard Bed | • | • | • | | / |
| 2011 Ram 2500/3500 | Regular/Mega/Crew Cab with Standard Bed | • | • | • | | + |
| 2011 Dakota | Club Cab with Standard Bed | + | 1 | | + | + 7 |
| | Quad Cab with Standard Bed | + | [| - | + + | t r |
| 2012-2013 Ram 1500 | Regular Cab with Long Bed | • | • | • | • | t |
| Ford Trucks | | | | | | |
| 2007-2011 Explorer | Sport-Trac Cab with Standard Bed | | | | | |
| 2011 F-150 | Styleside Cab with Short 5.5' Bed | | • | | • | |
| | Styleside Cab with Standard 6.75' / Long 8' Bed | • | • | | • | |
| | Flareside Cab with Standard 6.5' Bed | i | ļ | | | ļĮ |
| 2011 F-250, F-350 | Styleside Cab with Standard 6.75' / Long 8' Bed | • | • | | • | ļĮ |
| 1987-2011 Ranger 2001-2011 Ranger | Regular Cab with Standard/Long Bed Super Cab with Standard/Long Bed | <u> </u> | | + | | ! |
| 2001-2011 Ranger 2012-2013 F-150 | Regular Cab with Standard/Long Bed Regular Cab with Short 5.5' Bed | ++ | • | + | ' | + |
| 2012-20131-150 | Super Cab with Standard 6.5' Bed | + | • | | | |
| 2012-2013 F-250, F-350 | Regular/Crew Cab with Standard 6.75' / Long 8' Bed | • | • | • | 1 | <u> </u> |
| 2014 F-150 | Super Cab (4x2)/Regular Cab (4x2) with Standard Bed | | • | <u> </u> | • | |
| | Super Crew (4x4) with Standard Bed | Ţ | • | | - | |
| 2014 F-250 | Super Crew Raptor with Standard Bed | | • | | <u> </u> | |
| 2015 F-150 | Super Crew Cab with 5 1/2 ft Box | | • | | • | |
| | Double Cab with Standard Bed | | | | | |
| Nissan Trucks | | | | | | |
| 2011 Titan | Crew Cab with Standard/Long Bed | • | • | • | • | |
| | King Cab with Standard/Long Bed | i | • | | • | |
| 2005-2011 Frontier | Crew/King Cab with Standard/Long Bed | | <u>. </u> | | | |
| 2012-2014 Titan 2014 Titan 4x4 | KC 4X2 Cab with Standard/Long Bed Crew/King Cab with Standard/Long Bed | • | • | | | |
| 2014 Titan 4x4 2015 Frontier | Crew/King Cab with Standard/Long Bed Crew/King Cab with Short/Standard Bed | | - | + | ' | + |
| Toyota Trucks | Crew/King cab with onor botandard bod | | | | | |
| 2007-2011 Tundra | Regular/Double Cab with Standard/Long Bed | • | • | | • | |
| | CrewMax Cab with Standard Bed | + | • | | • | |
| 2012-2013 Tundra | Double Cab with Standard Bed | • | • | | + | |
| 1989-2004 Tacoma | Regular Cab with Standard Bed | | | | | |
| 2005-2011 Tacoma | Regular Cab with Standard Bed | | · | | | |
| | Access Cab with Standard Bed | | | | | |
| | Double Cab with Standard/Long Bed | | | | I | |
| 2012-2014 Tacoma | Regular Cab with Standard Bed | | | | | |
| | Access Cab with Standard Bed | | + | | | |
| | Double Cab with Standard/Long Bed | i | + | | | .[|
| 2015 Tacoma 2015 Tundra | Double, Pre-Runner Double Cab with Standard Bed | • | • | + | • | <u> </u> |
| 2015 Tundra 2015 Tundra | CrewMax Cab with Short Bed | | • | + | • | |
| 2015 Tullura | Clewiniax dab with onore bed | <u> </u> | | | - | 1 |

|--|

| ALI | UMINUM CROSSO | DVERS | | | STEEL CROSSOVERS | | |
|-----------------------|----------------------------|----------------------|-----------------------------|-----------------|--|-------------------------------------|----------------------------|
| Singe Lid Mid-Size | Gull Wing Deep Fullsize | Gull Wing Compact | Single Lid Deep Fullsize | Single Lid Deep | Single Lid Deep & Extra- Super-Duty & Ram | Single Lid Compact Wide Fullsize | Gull Wing Deep Fullsize |
| JAC1391980 | Fullsize JAC1392980 | JAC1393980 | JSC1394980 | JSC1395980 | JSC1396980 | JSC1397980 | JSC1464980 |
| JAC 139 1960 | JAC1392980 | JAC1393960 | 3301394900 | 1201292900 | 1201290900 | 3301397900 | 3361404980 |
| | | | | | | | |
| | • | | • | | • | | • |
| | • | | • | | | | • |
| | • | | • | | | | • |
| | • | | • | | • | | • |
| • | | • | | | | • | |
| • | | • | | | | • | |
| | • | • | • | • | • | • | • |
| | • | | • | • | • | | • |
| | • | | • | • | • | | • |
| | • | | • | • | | | • |
| | • | | • | • | • | | • |
| | • | | • | • | • | | • |
| | • | | • | • | • | | • |
| | • | | • | • | • | | • |
| · · | · | · | · | · | | | |
| | • | | • | • | | | • |
| | • | | • | • | | | • |
| | • | | • | • | | | • |
| | | • | | | | • | |
| | | • | | | | • | |
| | • | | • | • | • | | • |
| | | | | | | | |
| | | • | | | | • | |
| | • | | • | | • | | • |
| • | - | | - | | - | • | |
| | • | | • | | • | | • |
| | | • | | | | • | |
| | | • | | | | • | |
| | • | | • | | | | • |
| | • | | • | | | | • |
| | • | | • | • | | | • |
| | • | | • | | • | | • |
| | • | | • | | • | | • |
| | • | | • | | • | | • |
| | • | | • | | • | | • |
| | | • | | | | • | |
| | | | | | _ | | |
| | • | | • | • | • | | • |
| | - | • | - | | - | • | - |
| | • | | • | | | | • |
| | • | | • | 1 | • | | • |
| • | | • | | <u> </u> | | • | |
| | | | | | | | |
| | • | | • | | • | | • |
| | • | | • | | • | | • |
| | • | | • | | | | • |
| • | | • | | | | • | |
| • | | • | | | | • | |
| • | | • | | | | • | |
| | | | | 1 | | - | |
| • | | | | | | • | |
| • | | • | | | | • | |
| • | | | | | | • | |
| • | | • | | | | • | |
| • • • • | • | • | • | | • | • | • |



| | ALUMINUM CROSSOVERS | | | | | | |
|---|--|------------------|--------------------------------|------------|------------|---|--|
| | | Single Lid Super | ALUMINUM CI Single Lid Deep | Single Lid | Single Lid | | |
| | | Deep Fullsize | Fullsize | Fullsize | Compact | | |
| Aluminum Bright Finish Model # Steel | I White Finish Model # | PAC1585000 | PAC1582000 | PAC1580000 | PAC1587000 | | |
| Aluminum Black Finish Model # 1 | | PAC1585002 | PAC1582002 | PAC1580002 | PAC1587002 | | |
| Chevrolet & GMC Trucks | | | | | | | |
| 1978-2011 Silverado/Sierra 1500 | Regular Cab with Standard/Long Bed | • | • | • | | | |
| | Extended Cab with Short Bed | • | • | • | | | |
| 2011 Silverado/Sierra 1500 | Crew Cab with Short Bed | • | • | • | | | |
| 2011 Silverado/Sierra 2500/3500 | All Cabs with All Lengths Beds | • | • | • | | | |
| 2002-2011 Colorado/Canyon | Regular/Extended Cab with Regular/Extended Cab Bed | | | | • | | |
| 2004-2011 Colorado/Canyon | Crew Cab with Crew Cab Bed | | | | • | | |
| 2012-2013 Silverado/Sierra 1500 | Regular Cab with Standard/Long Bed | • | • | • | | | |
| 2010 2012 Silveredo/Sierra 2500/2500 | Extended/Crew Cab with Short Bed | • | • | • | | | |
| 2012-2013 Silverado/Sierra 2500/3500 2014 Silverado 1500 | Extended/ Regular/Crew Cab Cab with All Lengths Bed Regular Cab with Standard/Double Bed | • | • | • | | | |
| 2014 Silverado 2500 HD/1500 4x4 | Crew Cab with Standard Bed | | • | • | | | |
| 2015 Silverado 1500 | Double/Crew Cab with Short/Standard Bed | | • | • | • | | |
| 2015 Silverado 2500/3500 | Double/Crew Cab with Standard/DRW/Long Bed | | • | • | • | | |
| Dodge Trucks | | | | | | | |
| 2011 Ram 1500 | Regular/Quad Cab with Standard/Long Bed | • | | • | | | |
| 2011 Ram 2500/3500 | Regular/Mega/Crew Cab with Standard Bed | | • | • | + | | |
| 2011 Dakota | Club/Quad Cab with Standard Bed | - | | | • | | |
| 2012-2013 Ram 1500 | Regular/Express Quad/Longhorn Crew Cab with Standard Bed | • | • | • | + | | |
| 2012-2013 Ram 2500/3500 | Regular/Mega/Crew Cab with Standard Bed | | | • | + | | |
| 2014-2015 Ram 1500/2500/3500 | Crew/Mega/Bighorn/CC/QC Cab with Standard/Long Bed | | 1 | • | 1 | | |
| Ford Trucks | | | | | | | |
| 2007-2011 Explorer | Sport-Trac Cab with Standard Bed | | | | | | |
| 2011 F-150 | Styleside Cab with Short 5.5' Bed | | • | • | | | |
| | Styleside Cab with Standard 6.75' / Long 8' Bed | • | • | • | | | |
| | Flareside Cab with Standard 6.5' Bed | | | | | | |
| 2011 F-250, F-350 | Styleside Cab with Standard 6.75' / Long 8' Bed | • | • | • | | | |
| 1987-2011 Ranger | Regular Cab with Standard/Long Bed | | | | • | | |
| 2001-2011 Ranger | Super Cab with Standard/Long Bed | | | | • | | |
| 2012-2013 F-150 | Regular Cab with Short 5.5' Bed | | • | • | | | |
| | Super Cab with Standard 6.5' Bed | | • | • | | | |
| 2012-2013 F-250, F-350 | Regular/Crew Cab with Standard 6.75' / Long 8' Bed | · | • | • | | | |
| 2014 F-150 | Super Cab (4x2)/Regular Cab (4x2) with Standard Bed | | • | • | | | |
| | Super Crew (4x4) with Standard Bed | | • | • | | | |
| 2014 F-250 | Crew (4x4) Super Crew Raptor with Standard Bed | • | • | • | | 1 | |
| 2015 F-150 | Super Crew Cab with 5 1/2 ft Box | | • | • | | | |
| | Double Cab with Standard Bed | | | | | | |
| Nissan Trucks | | | | | | | |
| 2011 Titan | Crew Cab with Standard/Long Bed | • | • | • | | | |
| | King Cab with Standard/Long Bed | | • | | | | |
| 2005-2011 Frontier | Crew/King Cab with Standard/Long Bed | | | | • | | |
| 2012-2014 Titan | King Cab 4X2 Cab with Standard/Long Bed | • | • | | | | |
| 2014 Titan 4x4 | Crew/King Cab with Standard/Long Bed | • | • | | | | |
| 2014 Frontier 4x2 | Crew/King Cab w/Liner with Standard/Long Bed | | | | | | |
| 2015 Frontier | Crew/King Cab with Short/Standard Bed | | | | • | | |
| Toyota Trucks | | | | | | | |
| 2007-2011 Tundra | Regular/Double Cab with Standard/Long Bed CrewMax Cab with Standard Bed | | • | • | | | |
| 2012-2013 Tundra | CrewMax Cab with Standard Bed Double Cab with Standard Bed | • | • | • | + | | |
| 1989-2004 Tacoma | Regular Cab with Standard Bed | | - | - | • | | |
| 2005-2004 Tacoma | Regular Cab with Standard Bed | | | | | | |
| | Access Cab with Standard Bed | | | | | | |
| | Double Cab with Standard/Long Bed | | | | | | |
| 2012-2014 Tacoma | Regular Cab with Standard Bed | | | | | | |
| | Access Cab with Standard Bed | | | | | | |
| | Double Cab with Standard/Long Bed | | | | | | |
| 2015 Tacoma | Double, Pre-Runner | | | | | | |
| 2015 Tundra | Double Cab with Standard Bed | • | • | • | • | | |
| 2015 Tundra | CrewMax Cab with Short Bed | | • | • | • | | |
| | | | | | | 1 | |




| | Al Singe Lid Mid-Size PAC1589000 PAC1589002 | LUMINUM CROSS Gull Wing Fullsize PAC1596000 | Gull Wing Compact | Single Lid Deep Fullsize | Single Lid Fullsize | STEEL CROSS Single Lid Deep Extra-Wide Fullsize | OVERS Single Lid Compact | Gull Wing Fullsize | Gull Wing Deep Fullsize |
|-------|---|--|----------------------|-----------------------------|------------------------|---|--------------------------------|-----------------------|----------------------------|
| | PAC1589000 | PAC1596000 | Compact | Single Lid Deep Fullsize | Single Lid Fullsize | Single Lid Deep | Single Lid | Gull Wing | Gull Wing |
| | PAC1589000 | PAC1596000 | | Deepiunoize | | | | | |
| | | | PAC1597000 | PSC1456000 | PSC1455000 | PSC1457000 | PSC1458000 | PSC1460000 | PSC1461000 |
| | | PAC1596002 | PAC1597002 | PSC1456002 | PSC1455002 | PSC1457002 | PSC1458002 | PSC1460002 | PSC1461002 |
| | | | | | | | | | |
| | | • | | • | • | • | | • | • |
| | | • | | • | • | • | | • | • |
| | | • | | • | • | • | | • | • |
| | | • | | • | • | • | | • | • |
| | • | | • | | | | • | | |
| | | • | | • | • | | | • | • |
| | | • | | • | • | | | • | • |
| | | • | | • | • | • | | • | • |
| | | • | | • | • | | | • | • |
| | | • | | • | • | | | • | • |
| | | • | | • | • | • | | • | • |
| | | • | | • | • | • | | • | • |
| | | • | | | • | | | • | |
| | | • | | • | • | • | | • | • |
| | • | | • | | | | • | | - |
| | | • | | 1 | ? | | | • | |
| | | • | | | • | | | • | |
| | | • | | | • | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | • | | • | • | | | • | • |
| | | • | | • | • | • | | • | • |
| | | • | | • | • | • | | • | • |
| | | | • | | | | • | | |
| | | | • | | | | | | |
| | | • | | • | • | | | • | • |
| | | • | | • | • | | | • | • |
| | | • | | • | • | | | • | • |
| | | • | | • | • | • | | • | • |
| | | • | | | • | • | | • | • |
| | | • | | • | • | • | | • | |
| | | • | | • | • | • | | • | • |
| | | | | | | | | | |
| | | • | | • | • | • | | • | • |
| | | - | | • | • | • | | • | • |
| | • | | | 1 | | | • | | |
| | | • | | • | • | | | • | • |
| | | ٠ | | • | • | • | | • | • |
| | | | | | | | | | |
| | • | | • | | | | • | | |
| | | | | | | | | | |
| | | • | | • | • | • | | • | • |
| | | • | | • | • | • | | • | • |
| | • | - | • | | | | • | | - |
| | • | | • | 1 | | | • | | |
| | • | | • | 1 | | | • | | |
| | • | | • | | | | • | | |
| i i i | • | | • | | | | • | | |
| | • | | • | | | | • | | |
| | • | | • | <u> </u> | | | • | | |
| | | | | | | | | | |
| | • | • | • | • | • | • | • | • | • |

ALUMINUM TOPSIDES

JOBOX Professional Aluminum Topside Boxes provide superior security and easy access. Topsides mount on top of the side walls to keep the bed free for bulky cargo. 3-Point locking system locks each door at the top and sides for greater security. Tall 12" door openings provide easy access to larger items, while the heavy-duty construction ensures long-term durability.







Drill Resistant Push




Button Locks

T-Handle



Weatherstripping



Heavy-Duty Hinges

Allow door to drop down 180 degrees for full accessibility

| Bright | Black Clearc | oat | | | | | |
|-------------|--------------|-------------|------------|-------|-------|-----------|----------------------|
| Catalog No. | Catalog No. | Catalog No. | Length (A) | В | C | D | Approx. Shipping Wt. |
| 570000 | 570002 | 570003 | 44 in | 15 in | 17 in | 12-3/4 in | 32 lb |
| 571000D | 571002D | 571003D | 65 in | 15 in | 17 in | 12-3/4 in | 50 lb |
| 572000 | 572002D | 572003 | 72 in | 15 in | 17 in | 12-3/4 in | 55 lb |
| 573000 | 573002 | 573003 | 88 in | 15 in | 17 in | 12-3/4 in | 58 lb |
| 574000D | 574002D | 574003D | 96 in | 15 in | 17 in | 12-3/4 in | 63 lb |

PROFESSIONAL JOEOX

STEEL TOPSIDES

JOBOX Professional Steel Topside Boxes provide superior security and easy access. Topsides mount on top of the side walls to keep the bed free for bulky cargo. 3-point locking system locks each door at the top and sides for greater security. Tall 12" door openings provide easy access to larger items, while the heavy-duty construction ensures long-term durability.



Includes Mounting Kit with Support Legs and Hardware



High Strength

Drill Resistant Push

Door Cables

Button Locks

Rotating

T-Handle

Quick Release

Coated Cable

Push Button Lock

3-Point Locking


Bulb Shaped


Weatherstripping

System



| Catalog No. | Length (A) | В | C | D | Approx. Shipping Wt. |
|-------------|------------|-------|-------|-----------|----------------------|
| 575000 | 44 in | 15 in | 17 in | 12-3/4 in | 72 lb |
| 576000 | 65 in | 15 in | 17 in | 12-3/4 in | 107 lb |
| 577000 | 72 in | 15 in | 17 in | 12-3/4 in | 118 lb |
| 578000 | 88 in | 15 in | 17 in | 12-3/4 in | 140 lb |
| 579000 | 96 in | 15 in | 17 in | 12-3/4 in | 146 lb |
| | | | | | |





| Galalog No. | Size | A | D | U | U | E | Abbrox: Suibbil |
|-------------|--------------------------|---|--|--|--|--|--|
| PAH1420002 | SWB Fullsize | 61 in | 60-1/8 in | 19-3/8 in | 20-5/8 in | 18-3/4 in | 53 lb |
| PAH1421002 | Compact | 46-7/8 in | 46 in | 16-1/4 in | 17-5/8 in | 14-7/8 in | 45.5 lb |
| PAH1424002 | Extra-Wide Fullsize | 61 in | 60-1/8 in | 19-3/8 in | 27-5/8 in | 24-7/8 in | 68 lb |
| | PAH1420002 PAH1421002 | PAH1420002 SWB Fullsize PAH1421002 Compact | PAH1420002 SWB Fullsize 61 in PAH1421002 Compact 46-7/8 in | PAH1420002 SWB Fullsize 61 in 60-1/8 in PAH1421002 Compact 46-7/8 in 46 in | PAH1420002 SWB Fullsize 61 in 60-1/8 in 19-3/8 in PAH1421002 Compact 46-7/8 in 46 in 16-1/4 in | PAH1420002 SWB Fullsize 61 in 60-1/8 in 19-3/8 in 20-5/8 in PAH1421002 Compact 46-7/8 in 46 in 16-1/4 in 17-5/8 in | PAH1420002 SWB Fullsize 61 in 60-1/8 in 19-3/8 in 20-5/8 in 18-3/4 in PAH1421002 Compact 46-7/8 in 46 in 16-1/4 in 17-5/8 in 14-7/8 in |

HEAVY-DUTY 'EEL CHEST

For a clear rear view and maximum storage space, chests are the best choice. Our JOBOX Professional Heavy Duty Chest offers great features and value. Recessed hinges allow for full opening, even when placed against the truck bed wall. Leak proof stainless steel handles, hoop style strikers, and a full lid bolster provide security and strength.



Dual Rotary GearLock II™ Locking System



Heavy Duty Gas Springs/Self-Rising Lid



Edge Lid





Bulb Shaped Weatherstripping



| Catalog No. | Size | А | В | C | D | E | Approx. Shipping Wt. |
|-------------|----------------|-----------|-----------|-----------|-----------|-----------|----------------------|
| 817980 | Fullsize Steel | 59-1/8 in | 58-1/2 in | 19 in | 20-1/2 in | 20-1/8 in | 129 lb |
| 818980 | Compact Steel | 46-5/8 in | 46 in | 16-3/4 in | 20-1/2 in | 20-1/8 in | 92 lb |

Quick Release Coated Cable High Strength Door Cables RAIN GUTTER STYLE Push Button Locks Drill Resistant Push Button Locks Drill Resistant Push Button Locks JOBOX Rain Gutter Style Steel Underbed Boxes are built for protecting heavy

3-Point Locking

Bulb Shaped

Weatherstripping


System

Rotating

T-Handle

JOBOX Rain Gutter Style Steel Underbed Boxes are built for protecting heavy tools and equipment in the toughest conditions. Industrial-grade steel hinges, quick release door connectors, and an extended rain gutter are just a few of the features that make JOBOX Underbeds the most secure and reliable on the market. Plus, the rugged one-piece lock housing helps protect the lock components and provides extra strength to the door.





| White | Black | | | | |
|-------------|-------------|-------|-------|-------|----------------------|
| Catalog No. | Catalog No. | А | В | C | Approx. Shipping Wt. |
| 790980 | 790982 | 24 in | 18 in | 18 in | 68 lb |
| 791980 | 791982 | 30 in | 18 in | 18 in | 80 lb |
| 792980 | 792982 | 36 in | 18 in | 18 in | 92 lb |
| 793980 | 793982 | 48 in | 18 in | 18 in | 117 lb |
| 794980 | 794982 | 60 in | 18 in | 18 in | 142 lb |
| | | | | | |

AVAILABLE FOR <u>ALL</u> UNDERBED BOXES: **MOUNTING BRACKETS**



Heavy-Duty 2" C-Channel Brackets for Mounting Underbed Boxes Brackets have Multiple Mounting Holes for Easy Installation Sold in Pairs

| Catalog No. | Size |
|-------------|-----------|
| 228000 | 18" X 18" |
| 229000 | 24" X 24" |

ALUMINUM UNDERBED BOXES

Our JOBOX Professional Aluminum Underbed Boxes with heavy duty 0.100-gauge aluminum and continuous 3/8" diameter hinge, mixes strength and quality with a clean, professional appearance. A robust lock housing protects the lock components while loading equipment into the underbed box.








Drill Resistant Push Button Locks

Rotating T-Handle



Bulb Shaped Weatherstripping



| 14" Tall Alumi | 14" Tall Aluminum Underbed Box | | | | | | | | |
|----------------|--------------------------------|---------|-------|--------------|--|--|--|--|--|
| Catalog No. | Α | В | C | Shipping Wt. | | | | | |
| 755980 | 24 in | 12 in | 14 in | 25 lb | | | | | |
| 18" Tall Alumi | num Underbed | l Boxes | | | | | | | |
| 756980 | 18 in | 18 in | 18 in | 35 lb | | | | | |
| 757980 | 24 in | 18 in | 18 in | 40 lb | | | | | |
| 758980 | 30 in | 18 in | 18 in | 44 lb | | | | | |
| 759980 | 36 in | 18 in | 18 in | 48 lb | | | | | |
| 761980 | 48 in | 18 in | 18 in | 61 lb | | | | | |
| 762980 | 60 in | 18 in | 18 in | 74 lb | | | | | |

| 24" Tall Alumi | num Underbed | | Approx. | |
|----------------|--------------|-------|---------|--------------|
| Catalog No. | А | В | C | Shipping Wt. |
| 764980 | 24 in | 24 in | 24 in | 56 lb |
| 765980 | 30 in | 24 in | 24 in | 60 lb |
| 766980 | 36 in | 24 in | 24 in | 65 lb |
| 767980 | 48 in | 24 in | 24 in | 82 lb |
| 768980 | 60 in | 24 in | 24 in | 98 lb |



JOBOX Aluminum Underbed Boxes are built for protecting heavy tools and equipment in the toughest conditions. Durable weather stripping forms a tight seal to prevent moisture from entering. 3-Point Locking System draws the door tight against the weather stripping surrounding the door opening, and locks the door at the top and on both sides.



Extended Rain Gutter _____ Seals opening to prevent leakage or moisture

Catalog No.

24 in

36 in

48 in

18 in


18 in


18 in

407000

408000

409000





AVAILABLE FOR <u>ALL</u> UNDERBED BOXES:

IOUNTING BRACKETS

Heavy-Duty 2" C-Channel Brackets for Mounting Underbed Boxes Brackets have Multiple Mounting Holes for Easy Installation Sold in Pairs

| Catalog No. | Size |
|-------------|-----------|
| 228000 | 18" X 18" |
| 229000 | 24" X 24" |

STEEL UNDERBED BOXES

Industrial-grade steel hinges, quick release door connectors, and an extended rain gutter are just a few features that make JOBOX Professional Underbeds the most reliable and secure on the market. A rugged, one-piece lock housing helps protect the lock components and provides extra strength to the door.





Drill Resistant

Push Button Locks

Rotating

T-Handle




Extended Rain Gutter Seals opening to prevent leakage or moisture Industrial Grade Steel Hinges

Quick Release Keyway Connectors Allow door to drop down when

cables are detached


Once Piece Fully Covered Lock Mechanism For increased durability



| and the second s | | | | | |
|--|-----------------|-------|-------|-------|--------------|
| 14" Tall Steel | Underbed Boxe | s | | | |
| Black | White | | | | Approx. |
| Catalog No. | Catalog No. | Α | В | C | Shipping Wt. |
| 727982 | — | 24 in | 12 in | 14 in | 49 lb |
| 728982 | — | 36 in | 12 in | 14 in | 67 lb |
| 729982 | — | 24 in | 16 in | 14 in | 55 lb |
| 731982 | — | 36 in | 16 in | 14 in | 76 lb |
| 18" Tall Stee | I Underbed Boxe | es | | | |
| 732982 | 732980 | 18 in | 18 in | 18 in | 55 lb |
| 733982 | 733980 | 24 in | 18 in | 18 in | 68 lb |
| 734982 | 734980 | 30 in | 18 in | 18 in | 80 lb |
| 735982 | 735980 | 36 in | 18 in | 18 in | 92 lb |
| 738982 | 738980 | 48 in | 18 in | 18 in | 117 lb |
| 739982 | 739980 | 60 in | 18 in | 18 in | 142 lb |
| 740982 | 740980 | 72 in | 18 in | 18 in | 168 lb |

| | | | de vite | | |
|------------------------|-------------|-------|---------|-------|--------------|
| 24" Tall Stee Black | Approx. | | | | |
| Catalog No. | Catalog No. | А | В | C | Shipping Wt. |
| 748982 | — | 24 in | 24 in | 24 in | 94 lb |
| 749982 | — | 30 in | 24 in | 24 in | 110 lb |
| 750982 | — | 36 in | 24 in | 24 in | 126 lb |
| 752982 | _ | 48 in | 24 in | 24 in | 158 lb |
| 754982 | _ | 60 in | 24 in | 24 in | 190 lb |





| Black | White | | | | |
|--------------------|-------------|-------|-------|-------|----------------------|
| Catalog No. | Catalog No. | Α | В | C | Approx. Shipping Wt. |
| 14" Tall x 12" Dee | p | | | | |
| 1-002002 | 1-002000 | 36 in | 14 in | 12 in | 68 lb |
| 18" Tall x 18" Dee | ep | | | | |
| 1-003002 | — | 18 in | 18 in | 18 in | 56.5 lb |
| 1-004002 | 1-004000 | 24 in | 18 in | 18 in | 70 lb |
| 1-005002 | 1-005000 | 30 in | 18 in | 18 in | 81 lb |
| 1-006002 | 1-006000 | 36 in | 18 in | 18 in | 91.5 lb |
| 1-007002 | 1-007000 | 48 in | 18 in | 18 in | 118 lb |
| 1-008002 | 1-008000 | 60 in | 18 in | 18 in | 142 lb |
| 1-009002 | 1-009000 | 72 in | 18 in | 18 in | 168 lb |
| 24" Tall x 24" De | ер | | | | |
| 1-012002 | | 36 in | 24 in | 24 in | 114 lb |
| 1-013002 | 1-013000 | 48 in | 24 in | 24 in | 148 lb |

AVAILABLE FOR <u>ALL</u> UNDERBED BOXES:


MOUNTING BRACKETS



Heavy-Duty 2" C-Channel Brackets for Mounting Underbed Boxes
Brackets have Multiple Mounting Holes for Easy Installation
Sold in Pairs

| Catalog No. | Size |
|-------------|-----------|
| 228000 | 18" X 18" |
| 229000 | 24" X 24" |





TRUCK STORAGE SOLUTIONS

97.5 lb

21 in

423000

423002D

48 in

18 in

25 in

18-1/4 in





| Bright | Black | | | | | | |
|-------------|-------------|-----------|-------|-------|-----------|-------|----------------------|
| Catalog No. | Catalog No. | А | В | C | D | E | Approx. Shipping Wt. |
| 415000D | 415002D | 32-7/8 in | 16 in | 20 in | 16-1/4 in | 16 in | 25.5 lb |
| 416000 | 416002 | 48 in | 18 in | 25 in | 18-1/4 in | 18 in | 33.5 lb |

ALUMINUM DRAWER STORAGE


JOBOX Professional Aluminum Drawer Storage is perfect for use in service vans, minivans, SUV's or motor home basements. Removable dividers allow for segmenting small and large tools, supplies, or parts. Heavy-gauge aluminum is light enough for easy mobility and transport, and durable enough to stand up to heavy loads on top of, and in, drawers.



 Extruded Heavy-Duty Drawer Glides support up to 75 lbs. per drawer
 Pins prevent the drawers from rolling off the glides

- Latches automatically lock the drawers when closed
- Moveable Dividers to create different size bins

0.125" Aluminum Tops Support up to 200 lb. load per square foot



| Catalog No. | Description | Depth | Width | Height | Approx. Shipping Wt |
|---------------------------|------------------------------------|-------|-------|--------|---------------------|
| 50" Long Floor Models Wit | th One, Two, Three or Four Drawers | | | | |
| 1401980 | 1-Drawer Floor Model | 50 in | 12 in | 6 in | 31 lb |
| 1402980 | 2-Drawer Floor Model | 50 in | 24 in | 6 in | 61 lb |
| 1403980 | 3-Drawer Floor Model | 50 in | 36 in | 6 in | 89 lb |
| 1404980 | 4-Drawer Floor Model | 50 in | 48 in | 6 in | 119 lb |
| 50" Long One-Drawer Sta | cked Models Two, Three or Four Dra | awers | | | |
| 1407980 | 2-Drawer Stacked Model | 50 in | 12 in | 12 in | 59 lb |
| 1408980 | 3-Drawer Stacked Model | 50 in | 12 in | 18 in | 85 lb |
| 1409980 (shown, right) | 4-Drawer Stacked Model | 50 in | 12 in | 24 in | 114 lb |
| 26" Long Floor Model With | 1 Three Drawers | | | | |
| 1405980 | 3-Drawer Floor Model | 26 in | 36 in | 6 in | 51 lb |
| 26" Long Stacked Model V | With Six Drawers | | | | |
| 1406980 (shown, left) | 6-Drawer Floor Model | 26 in | 36 in | 12 in | 81 lb |
| Drawer Dividers | | | | | |
| 1410980 | Plastic Drawer Divider | - | - | - | 0.2 lb |

PROFESSIONAL JO: DX

STEEL DRAWER STORAGE




Up to 50% more Drawer Weight Capacity

JOBOX StorAII

650 lb. drawer weight capacity

- Drawer travels on 1,000 lb. rated rear roller bearings and 250 lb. rated front conveyor bearings
- 12-Gauge steel channels

14-Gauge Steel JOBOX StorAll[®] drawer storage is designed to provide extreme durability and safety with unprecedented versatility. Perfect for work trucks, trailers and vans, StorAll® provides up to 50% more drawer weight capacity and up to 20% more storage capacity than competitive products. Drawers are customizable with adjustable frontto-rear dividers and bin dividers. Grip-And-Release[™] system allows safe opening and closing of heavy drawers on sloped surfaces.



Recessed Drawer Front Protects handle from damage

Stop Safety System Release handle and the drawer safely locks into position, allowing you to safely open and close heavy drawers on sloped surfaces.

| Catalog No. | Body Width | No. of Compartments | No. of Section Dividers | No. of Galvanized Dividers | Approx. Shipping Wt. |
|--------------------|-------------------------|-------------------------|-------------------------|----------------------------|----------------------|
| 9" Tall Drawer Uni | ts: All Models 48" Lor | ng With 5" Deep Drawer | | | |
| 661980 | 12 in | 1 | 0 | 7 | 140 lb |
| 662980 | 24 in | 2 | 1 | 13 | 202 lb |
| 663980 | 36 in | 3 | 2 | 19 | 282 lb |
| 664980 | 48 in | 4 | 3 | 24 | 374 lb |
| 13" Tall Drawer Ur | nits: All Models 48" Lo | ong With 9" Deep Drawer | | | |
| 665980 | 12 in | 1 | 0 | 7 | 155 lb |
| 666980 | 24 in | 2 | 1 | 13 | 245 lb |
| 667980 | 36 in | 3 | 2 | 19 | 352 lb |
| 668980 | 48 in | 4 | 3 | 24 | 432 lb |

ALUMINUM **TRANSFER TANKS**

toughest conditions. All tanks are made with heavy-duty 0.125" treadplate aluminum and pressure-tested for leaks. The Fuel-n-Tool model 433000 offers the convenience of a 72-gallon transfer tank and 4.5 cubic feet of secure storage space all in one unit.



! The Safety Capacity is the MINIMUM capacity of the tank when filled to the bottom of the Bung Fill tube, not the maximum capacity of the tank.

| Catalog No. | Shape | Safe Fill | Max Fill | Α | В | C | D | Approx. Shipping Wt. |
|----------------|--------------------|-------------|--------------|-----------|-----------|-----------|------|----------------------|
| Fuel-N-Tool Co | ombo Aluminum Tran | sfer Tank | | | | | | |
| 433000 | L-Shaped Tank | 72 gal (US) | 77 gal (US) | 48-1/4 in | 19 in | 31 in | 9 in | 129 lb |
| Aluminum Liqu | uid Transfer Tanks | | | | | | | |
| 436000 | L-Shaped | 72 gal (US) | 77 gal (US) | 48-1/4 in | 19 in | 31 in | 9 in | 129 lb |
| 437000 | L-Shaped | 99 gal (US) | 104 gal (US) | 54 in | 25 in | 31 in | 9 in | 112 lb |
| 438000 | Rectangular | 91 gal (US) | 102 gal (US) | 45-1/4 in | 23-1/4 in | 23-1/4 in | - | 94 lb |
| 439000 | Square | 47 gal (US) | 52 gal (US) | 23-1/4 in | 23-1/4 in | 23-1/4 in | - | 64 lb |

TRUCK STORAGE SOLUTIONS

Dual Rotary

GearLock II™

Locking System

GearLock™

Locking System

PROFESSIONAL JOEOX

STEEL TRANSFER TANKS



! The Safety Capacity is the MINIMUM capacity of the tank when filled to the bottom of the Bung Fill tube, not the maximum capacity of the tank.

| White | Black | | | | | | | | | Approx. Shipping |
|-------------|-------------|------------------------|--------------|--------------|-----------|-------|-----------|----------|-------|------------------|
| Catalog No. | Catalog No. | Description | Safe Fill | Max Fill | Α | В | C | D | E | Wt. |
| 480000 | 480002 | L-Shaped | 103 gal (US) | 109 gal (US) | 54 in | 25 in | 31 in | 9 in | 11 in | 200.0 lb |
| 482000 | _ | L-Shaped | 51 gal (US) | 54 gal (US) | 27 in | 25 in | 31 in | 9 in | 10 in | 106.0 lb |
| 484000 | 484002 | Rectangle | 96 gal (US) | 107 gal (US) | 45-5/8 in | 24 in | 23-1/4 in | - | - | 140.0 lb |
| 485000 | — | Square | 50 gal (US) | 55 gal (US) | 23-1/4 in | 24 in | 23-1/4 in | - | - | 85.5 lb |
| 486000 | — | Vertical (F-N-T Ready) | 37 gal (US) | 42 gal (US) | 54 in | 19 in | 9 in | - | - | 97.0 lb |
| 488000 | 488002 | Low-Profile L-Shaped | 76 gal (US) | 82 gal (US) | 46 in | 25 in | 31 in | 6-1/2 in | 11 in | 155.0 lb |
| 498000 | 498002 | L-Shaped (F-N-T Ready) | 98 gal (US) | 106 gal (US) | 60-1/4 in | 25 in | 33 in | 7-1/2 in | 13 in | 175.0 lb |

STEEL FUEL-N-TOOL[™] TRANSFER TANKS AND CHESTS

The JOBOX Professional Steel Fuel-N-Tool system offers the convenience of combining liquid transfer tanks with tool chests, for secure storage space in one unit. Choose 60" chest with 6.7 cubic feet of storage space and 98 gallon tank, or S 48" chest with 7.3 cubic feet of storage space and 37 gallon tank. Both Fuel-N-Tool combination options fit all full-size short wheelbase trucks. 430000 Ches & 486000 Tan Lockable Filler Cap and Coupler 14-Gauge Steel **Built-In Lifting Rings** Construction 2" NPT Reinforced Bungs Safety Fill Capacity Leak-Proof Allows space for the **Paddle Handles** contents to expand in warm weather 499000 Chest & 498000 Tank E-**Center Baffles Heavy-Duty Brackets** For securing the tank Add extra strength and control flow of contents to the bed D

! The Safety Capacity is the MINIMUM capacity of the tank when filled to the bottom of the Bung Fill tube, not the maximum capacity of the tank.

| Catalog No. | Used On | Safe Fill | Max Fill | А | В | C | D | E | Approx. Shipping Wt. |
|----------------|---------------|-------------|--------------|-----------|-----------|-----------|-----------|-----------|----------------------|
| Steel Chests | | | | | | | | | |
| 430000 | 486000 | - | - | 48-7/8 in | 22-1/4 in | 10-3/4 in | 16-1/8 in | 10-3/4 in | 70 lb |
| 499000 | 498000 | - | - | 60-1/4 in | 17-5/8 in | 19-5/8 in | 13-7/8 in | 19-5/8 in | 85 lb |
| Steel Transfer | Tanks | | | | | | | | |
| 486000 | - | 37 gal (US) | 42 gal (US) | 59-5/8 in | 19 in | 9 in | - | - | 97 lb |
| Steel Transfer | Tanks For 4-D |)oor Trucks | | | | | | | |
| 498000 | - | 98 gal (US) | 106 gal (US) | 60-1/4 in | 25 in | 33 in | 7-1/2 in | 13 in | 175 lb |



HARGO MASTER

PRO II[™] INDUSTRIAL-GRADE LADDER RACKS

PRO II Ladder Racks are made for superior load-carrying capacity and long-term durability with swaged joints and large gussets on the cross bars. They are extra-long, providing control for heavy loads and have a 1,700 lb. capacity. They also provide better protection for the cab roof and windshield.

- Made of High Tensile-Strength 2" Diameter Steel Tubing
- Removable Fourth Cross Bar Keeps Heavier Loads from Sagging
- Rear Cross Bar is Removable for Loading Taller or Bulky Cargo
- Smooth, Round Components Reduce Wind Noise and Resistance
- Yellow Zinc Dichromate Undercoat and Marine-Grade Powder Coat Epoxy Finish
- Four Standard Mounting Plates
- A complete PRO II Ladder Rack requires ordering a Side Channel Kit and a Leg & Cross Bar Kit, see below for fitment guide

| Truck Type (Without Camper or Utility Shell) | Truck Model | Year | Side Channel Kit Cat. No. | Leg & Cross Bar Kit Cat. No. |
|--|--|-----------|------------------------------|---------------------------------|
| Fullsize Stand. Cab Trucks - Long or Short Bed Racks | All Ford F Series, Silverado, Ram, Sierra & Tundra | All | S04000 | L01000 |
| Fullsize Extended Cab - Long Bed Racks | Silverado, Ram, Sierra, Tundra, F250 & F350 | All | S06000 | L01000 |
| Fullsize Crew Cab - Long Bed Racks | F250 & F350 | 1999 & Up | S06000 | L01040 |
| Fullsize Crew Cab - Long Bed Racks | Silverado, Sierra & Ram | All | S06000 | L01000 |
| Fullsize Extended Cab - Short Bed Racks | F150, Silverado, Sierra, Ram, Tundra, F250 & F350 | All | S06010 | L01000 |
| Fullsize Crew Cab - Short Bed Racks | F250 & F350 | 1999 & Up | S06010 | L01040 |
| Fullsize Crew Cab - Short Bed Racks | Silverado, Sierra & Ram | All | S06010 | L01000 |

*Note: Short Bed Applications Simply Require Cutting To Shorten Upper Side Channels

** Note: 2002 & Up Ram Requires Cutting Of S06010 Upper Side Channels. Does Not Effect Strength



PRO III STEEL ADJUSTABLE LADDER RACKS

The 1,000 lb. capacity PRO III Ladder Racks have legs that are easily positioned to fit trucks with short or long beds, and with standard, extended, or four-door crew cabs. No cutting required. The height of these racks can be easily raised to fit trucks with taller cabs.

- Rugged 14" Long Mounting Plates Distribute Load Over a Large Area
- Removable Rear Cross Bar for Improved Access to the Bed
- Rear Grab Handles Improve Loading and Unloading Safety
- Optional No Drill Clamp-On Mounting Plates
- Fourth Cross Bar Available for Support of Long Cargo on L80000
- Yellow Zinc Dichromate Undercoat and Marine-Grade Powder Coat Epoxy Finish

| Catalog No. | Size | Approx. Shipping Wt. |
|-------------|--|----------------------|
| L80000 | 155 in Long Ladder Rack Fits ALL Fullsize Trucks | 150.0 lb |
| L80020 | 142 in Long Ladder Rack Fits ALL Mid-Size and Compact Trucks | 140.0 lb |



JOBOX

PRO IV ALUMINUM ADJUSTABLE LADDER RACKS



Swaged joints and fully gusseted crossbars for superior load capacity make the PRO IV Aluminum Ladder Rack a perfect choice. The rack has triple-plated fasteners with chrome plating over double nickel plating.

- Rugged 14" Long Mounting Plates Distribute Load Over a Large Area
- Removable Rear Cross Bar for Improved Access to the Bed
- Rear Grab Handles Improve Loading and Unloading Safety
- Optional No drill Clamp-On Mounting Plates
- Fourth Cross Bar Available for Support of Long Cargo on L80000
- Yellow Zinc Dichromate Undercoat and Marine-Grade Powder Coat Epoxy Finish



| Catalog No. | Size | Approx. Shipping Wt. |
|-------------|--|----------------------|
| L90000 | Aluminum Fully-Adjustable Ladder Rack Fits ALL Fullsize Trucks | 95.0 lb |

QUICK PAC REMOVABLE LADDER RACKS

Quick Pac Racks are easy to insert in the mounting bases when needed, and easily lifted out of the bases until needed again. The side-mounted racks support 250 lb. and are ideal for occasional use or when a full-length or heavier-duty rack is not required.

- Easy-to-Install Removable Racks for Carrying a Ladder, Lumber or Other Long Material
- Support Arms Adjust From 18" to 32" in Width
- Yellow Zinc Dichromate Undercoat and Marine-Grade Powder Coat Epoxy Finish

Size

- High-Strength Mounting Bases fit in any truck and can be used on either side
- 1-1/4" Square Steel Uprights have fully welded joints

Catalog No. L30090

Removable Side Ladder Racks

REE-STANDING ECONO LADDER RACKS

Econo Racks can be used as a pair for extra support, or free-standing to provide easy side access to bulky cargo. Long mounting plates provide stability without horizontal connecting bars. Can be paired with Window Guard A31090 to create Free-Standing Fullsize Cab Guard.



- Cross Bar Height can be set at 23-1/2" or 26-1/4" above the bed
- Rack width adjusts from 53" to 68"
- 14" Long Heavy-Duty Bolt-On Mounting Plates
- Yellow Zinc Dichromate Undercoat and marine-Grade Powder Coat Epoxy Finish







Approx. Shipping Wt. 60.0 lb



CHEV

Catalog No.

L30050





LADDER RACK ACCESSORIES

FULLSIZE TRUCK WINDOW GUARD



Bolts On Existing Rack (rack and mounting plates not Included)

| Catalog No. | Approx. Shipping Wt. |
|-------------|----------------------|
| A31080D | 22 lb |

EXTRA CROSS BAR



A31600

12.0 lb

"NO DRILL" CLAMP-ON MOUNTING KIT



For PRO II, PRO III, and Econo Rack Model L30040

| Catalog No. | Approx. Shipping Wt. |
|-------------|----------------------|
| A31580 | 4.0 lb |

HOW TO MEASURE YOUR TRUCK

JOBOX

The following instructions generally work well when measuring a full-size truck. Mid-size and Compact trucks have a variety of truck bed configurations which increase the difficulty in measuring the truck and comparing it to the dimensions of a specific truck box. In nearly all instances, the Fitment Guide (pages 36 and 58) will provide accurate information unless the truck is a new model introduced after August, 2015.

THE TRUCK BED NEEDS TO BE MEASURED FOR TWO REASONS:

- A. To Determine that the Truck Box will be long enough to be properly mounted on the truck bed rails.
- B. To Determine whether or not the truck wheel wells will interfere and prevent proper mounting of the truck box.

A: Determining that the truck box is long enough to be properly mounted:

Measurement 1: Width between the top of the bed sidewalls. Dimension "A" of the crossover Truckbox needs to be at least 3" greater.

B. Determining whether or not the truck box will clear the wheel wells in the truck. Need to find POINT "X" in the truck bed:

Preparing to take Measurements 2 & 3 to find a point "X" in the truck bed to ensure that the truck box will fit your truck:

- The depth of the truck box may restrict its fit in the truck because the wheel well might be in the way.
- Except for "Extra-Wide" truck boxes, most truck boxes will require 20-1/4" of horizontal space from the cab bed rail to the point where the Truck Box might hit the wheel well or the truck bed liner.


Measurement 2: A "Standard" Truck box will usually have a 9" Vertical depth below the top of the truck bed rail. A "Deep" model will usually be 12" below the top of the bed rail.

• Determine how deep a truck box you need and measure down from the top of the rail and create an imaginary, HORIZONTAL line at the depth of the truck box you need...usually 9" or 12" below the top of the truck bed rail. This is called Dimension "C" on the truck box.

Measurement 3: Find Point "X" which is on the horizontal "Imaginary Line" below the truck rail (from #2 above). On the horizontal "Imaginary Line" measure to find a point 20-1/4" away from the front truck bed rail (This measurement is from the Cab Truck Bed Rail Towards the Tailgate). The 20 1/4" is roughly Dimension "E" on the truck box and represents how much space the truck box will take in the bed behind the truck cab. After finding Point "X" in your Truck Bed....will the truck box fit?: Again, Point "X" is 20-1/4" away from the front truck cab rail on the Imaginary Horizontal Line (from measurement 2) If point "X" does not hit the wheel well, the truck box will fit. If point "X" hits the Wheel Well, you must make another measurement:

• Mark Point "X" on both wheel wells or the wheel well bed liner





- Measure the distance between the two point "X"s on the truck bed. This dimension must be greater than Dimension "B" on the Truckbox
- If Dimension "B" on the truck box is GREATER than the distance between both point "X"s, the truck box will hit the wheel well or bed liner and you will usually need to select another truck box or mount the truck box with a spacer above the bed rail.