

# ***EV-5100 Portable Exhaust Extraction System***



## ***Dangerous Exhaust Fumes Clouding the Issue?***

**This easy-to-use portable exhaust extraction system is a practical and affordable solution for effectively removing toxic exhaust fumes from vehicle repair facilities, motorcycle & small engine repair shops and other work areas where toxic fume removal is needed.**





# Portable Exhaust Extraction System

Harmful fumes are emitted in your shop on a daily basis. Are you doing enough to protect you and your employees? Carbon monoxide is considered dangerous by many as the “silent killer” being difficult to see or smell. But that doesn’t make it any less dangerous.



## Part No. EV-5100

- Position next to the vehicle being serviced, the high-output suction fan captures fumes and discharges them safely up to 30’ away
- 3/4 HP fan produces 330 CFM air flow
- Uses standard 110V current
- Fan is mounted in a rugged, integrally molded polyethylene “flow-thru” case
- Mobile base makes it easy to position and move around the shop
- Height position is controlled by a quick-release spring-loaded cam lock
- 30’ discharge hose stores easily and neatly when not in use
- **Not for use on diesel or high-temperature applications**
  - Please refer to owners manual as idle should not exceed 300 CFM maximum

### EV-5100 Specifications:

Dimensions	24”W x 24”D x 35”H
Total Weight	86 lbs.
Motor	3/4 HP 330 CFM
Hose	30’
Electrical Outlet	110V
Fuses (Qty = 2)	16A



*The high-output suction fan captures fumes and safely discharges them up to 30 ft. away, using the hose provided.*



*The height position is controlled by a quick-release spring-loaded cam lock.*



*The “Y” Hose Adapter (EV-ADPT) is used with dual-exhaust vehicles and motorcycles.*




*The EV-ADPT works with standard 3” exhaust hoses and “Y” hose adapters.*





EV-5100, EV-ADPT

# PORTABLE EXHAUST EXTRACTION SYSTEM



The practical and affordable solution for removing exhaust fumes from garage service areas. Portable extractor captures fumes from the vehicle and discharges them safely up to 30' away. Can be moved anywhere exhaust removal is needed.

## SPECIFICATIONS:

DIMENSIONS	24" Wx 24" Dx 35" H
MOTOR	3/4-HP - 330 CFM
DISCHARGE HOSE	30'
ELECTRICAL OUTLET	110V
WEIGHT	86 LBS.

## Features Include

- 3/4-HP fan produces 330 cfm air flow
- Fan is mounted in tough, roto-molded polyethylene "flow-through" case
- Mobile base makes the EV-5100 easy to position behind the vehicle
- Height position is controlled by a quick-release, spring-loaded cam
- The discharge hose stores neatly when not in use
- Optional "Y" hose adapter available for dual-exhaust vehicles

## "Y" HOSE ADAPTER

- Converts EV-5100 for use with dual-exhaust vehicles and motorcycles
- Works with standard 3" exhaust hoses and "Y" hose adapters
- Does not include hose or tailpipe adapters
- Weight: 2 lbs.

