Model 272

PRODUCT INFORMATION

Description 12-24V ECE/SAE LED Turn Signal Light

 Height
 57.91 mm / 2.28 in

 Width
 165.10 mm / 6.5 in

 Depth
 40.13 mm / 1.58 in

ShapeRectangularOuter Lens MaterialPolycarbonate

Outer Lens Color Amber

Housing Material Impact-Resistant Nylon

Housing Color Black

Mounting Hardware Description #10 or M5-Mounting Screw

Mounting TypeLow Profile Mount

-40 °C / -40 °F

Temperature

Maximum Operating 65 °C / 149 °F

Temperature

Connector or Wiring Integrated Delphi Socket

Mating Connector Delphi (#12059595), Packard (#1211029

)


Product Weight 0.32 lbs / 0.15 kgs **Shipping Weight** 0.47 lbs / 0.21 kgs





Model 272

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage12/24V DCOperating Voltage10-30V DCBlack WireGroundRed WireTurn

Current Draw .19A @ 12V DC (Turn) .12A @ 24V DC (Turn)



Model 272

REGULATORY STANDARDS COMPLIANCE

















ASABE S279 Buy America Standards

ECE Reg 6 Eco Friendly

FMVSS 108 s7.1 (Table VI) FMVSS 108 s7.1 (Table VII)

 IEC IP67
 SAE J1889

 SAE J2261
 SAE J575

 SAE J588
 SAE J974

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s) Signalization - Turn (Front)

Signalization - Turn (Rear) Warning - Flashing Warning

APPLICATIONS



















Model 272

ACCESSORIES



Part Number 3271561

4 PIN M12 CABLE, 10



Part Number 3271571 M12-RCA **CONVERSION CABLE**



Part Number 3271581 4 PIN M12 CABLE, 6 m



Part Number 6600771 COLOR MONITOR, 4.3", COLOR MONITOR, 5", **RCA**



Part Number 6600801 M12

RELATED PRODUCTS



Part Number 0341802 12-24V ECE/SAE LED Turn Signal Light



Part Number 0341811 12-24V ECE/SAE LED Stop & Tail Light



Part Number 0343181 12-24V ECE/SAE LED Turn Signal Light



Part Number 0346391 12-24V ECE/SAE LED Turn Signal Light



Part Number 0346891 12V DOT LED CHMSL with Camera

