




PRODUCT INFORMATION

Description	12V Red/White LED Dome Light with Inner Optics
Height	193.04 (mm) / 7.6 (in)
Width	122.94 (mm) / 4.84 (in)
Depth	28.96 (mm) / 1.14 (in)
Shape	Rectangular
Outer Lens Material	Acrylic
Outer Lens Color	Clear
Housing Material	Polycarbonate
Housing Color	Black
Mounting Type	Low Profile Mount
Minimum Operating Temperature	-40 (°C) / -40 (°F)
Maximum Operating Temperature	65 (°C) / 149 (°F)
Connector or Wiring	3-Pin Deutsch Socket (DT04-3P)
Mating Connector	3-Pin Deutsch Plug (DT06-3S)
Product Weight	0.62 (lbs) / 0.28 (kgs)
Spec Sheet Printed	2016-07-07

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12 V DC
Red Wire	Power
Black Wire	Ground
Gray Wire	Door
Current Draw	0.175A @ 12V DC (Red x 2) 0.325A @ 12V DC (White x 4) 0.025A @ 12V DC (White x 1)

REGULATORY STANDARDS COMPLIANCE




Buy America Standards

Eco Friendly

PHOTOMETRIC SPECIFICATIONS

Nominal LED Color Temperature	5000 (K)
Beam Pattern(s)	Interior - Dome Light

APPLICATIONS



RELATED PRODUCTS



[Part Number 0442411](#)

**24V Red/White LED
Dome Light with Inner
Optics**



[Part Number 0443171](#)

**12-24V Red/White LED
Dome Light without
Inner Optics**