LED Work Light - Model 523

PRODUCT INFORMATION

Description 12-24V LED Work Light with Wide Flood

Beam Pattern & Yellow Housing

 Height
 177.55 mm / 6.99 in

 Width
 253.75 mm / 9.99 in

 Depth
 88.90 mm / 3.5 in

 Shape
 Rectangular

Outer Lens MaterialGlassOuter Lens ColorClear

Housing Material Die-Cast Aluminum

Housing Color Yellow

Mounting Hardware Description(x1) 1/2"-Mounting BoltMounting TypeUniversal Pedestal Mount


Connector or Wiring Integrated 2-Pin Deutsch Weather-Proof

Socket (DT04-2P)

Product Weight 6.72 lbs / 3.05 kgs **Shipping Weight** 8.40 lbs / 3.81 kgs



PRODUCT DIMENSIONS





LED Work Light - Model 523

ELECTRICAL SPECIFICATIONS

Input Voltage12-24V DCOperating Voltage9-32V DC

Transient Spike Protection 150V Peak @ 1 HZ-10 Pulses

Red Wire Positive Black Wire Negative

Current Draw 6.70A @ 12V DC 3.70A @ 24V DC

REGULATORY STANDARDS COMPLIANCE







Buy America Standards IEC IP69K Eco Friendly

PHOTOMETRIC SPECIFICATIONS


Raw Lumen Output 8,100 **Effective Lumen** 3,900

Output

Nominal LED Color 5000 K

Temperature

Beam Pattern(s) Forward Lighting - Flood (Wide)



LED Work Light - Model 523

APPLICATIONS















RELATED PRODUCTS



Part Number 0549641 with Narrow Flood Beam Pattern & Yellow Beam Pattern Housing



Part Number <u>0551431</u> with Medium Flood



Part Number 0551441 with Narrow Flood Beam Pattern



Part Number <u>0551451</u> 12-24V LED Work Light 12-24V LED Work Light 12-24V LED Work Light with Wide Flood Beam Pattern

