

LED Work Light - Model 4415

PRODUCT INFORMATION

Description	12-24V LED Work Light with Flood Pattern & Harness
Height	125.50 mm / 4.94 in
Width	85.00 mm / 3.35 in
Depth	56.90 mm / 2.24 in
Shape	Round
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Die-Cast Aluminum
Housing Color	Black
Mounting Hardware Description	(x1) M8-1.25 x 55mm Bracket and Swivel
Mounting Type	Pedestal
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	85 °C / 185 °F
Mating Connector	Packard Delphi #12059183
Product Weight	1.40 lbs / 0.64 kgs
Shipping Weight	1.25 lbs / 0.57 kgs



ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Operating Voltage	10-32V DC
Red Wire	Positive
Black Wire	Negative
Current Draw	2.20A @ 12V DC 1.10A @ 24V DC

LED Work Light - Model 4415

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
IEC IP67


Eco Friendly

PHOTOMETRIC SPECIFICATIONS

- Raw Lumen Output** 2,450
- Effective Lumen Output** 1,350
- Nominal LED Color Temperature** 5000 K
- Beam Pattern(s)** Forward Lighting - Flood (Wide)



APPLICATIONS



LED Work Light - Model 4415

ACCESSORIES



Part Number
6149203
A-Pillar Mounting Kit
for Jeep JK



Part Number
6149233
A-Pillar Mounting Kit
for Jeep TJ

RELATED PRODUCTS



Part Number
0549841
12-24V LED Work Light
with Trapezoid Pattern



Part Number
0551001
12-24V LED Work Light
with Spot Pattern



Part Number
0551753
12-24V LED Work Light
with Spot Pattern &
Side View Mirror
Mount - 2 Light Kit



Part Number
0554201
12-110V LED Work
Light with Trapezoid
Pattern



Part Number
0555341
12-24V LED Work Light
with Spot Pattern &
Panel Mount



Part Number
0555461
12-24V LED Work Light
with Flood Pattern &
Panel Mount