### **PRODUCT INFORMATION**

**Description** 24V LED Work Light with Black Housing,

Polycarbonate Lens & Flood Beam

Pattern

 Height
 160.02 mm / 6.3 in

 Width
 157.48 mm / 6.2 in

 Depth
 96.52 mm / 3.8 in

**Shape** Square

Outer Lens Material Polycarbonate

Outer Lens Color Clear

**Housing Material** Die-Cast Aluminum

Housing Color Black

**Mounting Hardware Description** (x1) M10-1.5 x 25 Mounting Bolt

Mounting Type Universal Pedestal Mount

Minimum Operating -40 °C / -40 °F

**Temperature** 

**Maximum Operating** 65 °C / 149 °F

Temperature

**Connector or Wiring** iCONN Connector - iMATE23

**Product Weight** 4.60 lbs / 2.09 kgs **Shipping Weight** 5.00 lbs / 2.27 kgs

**Additional Information** Wire Harness: JWS part number


3271781.







### **PRODUCT DIMENSIONS**



### **ELECTRICAL SPECIFICATIONS**

Input Voltage24V DCOperating Voltage16-32V DC

**Transient Spike Protection** 330V Peak @ 1 HZ-100 Pulses

**Current Draw** 5.00A @ 24V DC

### **REGULATORY STANDARDS COMPLIANCE**



IEC IP69K



### PHOTOMETRIC SPECIFICATIONS

**Raw Lumen Output** 9,000 **Effective Lumen** 5800


Output

**Nominal LED Color** 

**Temperature** 

**Beam Pattern(s)** Forward Lighting - Flood (Standard)

5700 K



### **APPLICATIONS**















### **PRODUCT WARNINGS**

For California residents:

**MARNING:** Cancer and reproductive harm.



### **RELATED PRODUCTS**



Part Number 1300571 24V | ED Work |

24V LED Work Light with Yellow Housing, Polycarbonate Lens & Dual White Anti-Glare Pattern



Part Number 1300591

24V LED Work Light with Black Housing, Polycarbonate Lens & Trapezoid Beam Pattern



Part Number 1300601

24V LED Work Light with Black Housing, Polycarbonate Lens & Anti-Glare Beam Pattern



Part Number 1300641

24V LED Work Light with Black Housing, Polycarbonate Lens & Dual White Anti-Glare Pattern

Learn more about off-road lights we have.

