




**PRODUCT INFORMATION**

<b>Description</b>	12-48V LED Work Light with Flood Beam Pattern & Mounting Bracket
<b>Height</b>	54.10 (mm) / 2.13 (in)
<b>Width</b>	169.67 (mm) / 6.68 (in)
<b>Depth</b>	45.21 (mm) / 1.78 (in)
<b>Shape</b>	Rectangle
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Polycarbonate
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x1) 3/8"-16 x 1.5" Mounting Bolt
<b>Mounting Type</b>	Universal Mount
<b>Minimum Operating Temperature</b>	-40 (°C) / -40 (°F)
<b>Maximum Operating Temperature</b>	65 (°C) / 149 (°F)
<b>Connector or Wiring</b>	Integral DT04-2P
<b>Mating Connector</b>	Deutsch DT06-2S
<b>Product Weight</b>	1.00 (lbs) / 0.45 (kgs)
<b>Shipping Weight</b>	1.00 (lbs) / 0.45 (kgs)
<b>Spec Sheet Printed</b>	2016-07-07

**PRODUCT DIMENSIONS**



**ELECTRICAL SPECIFICATIONS**

<b>Input Voltage</b>	12-48 V DC
<b>Operating Voltage</b>	9-60 V DC
<b>Transient Spike Protection</b>	330V Peak @ 1 HZ-100 Pulses
<b>Red Wire</b>	Positive
<b>Black Wire</b>	Negative
<b>Current Draw</b>	1.00A @ 12V DC (Flood) 0.50A @ 24V DC (Flood) 0.30A @ 36V DC (Flood) 0.25A @ 48V DC (Flood)


**REGULATORY STANDARDS COMPLIANCE**




Buy America Standards	CE CISPR 12
Eco Friendly	IEC IP67
UL Listed	

**PHOTOMETRIC SPECIFICATIONS**

<b>Raw Lumen Output</b>	675
<b>Effective Lumen Output</b>	485
<b>Candela Output</b>	1,409
<b>Nominal LED Color Temperature</b>	5000 (K)
<b>Beam Pattern(s)</b>	Forward Lighting - Flood (Medium)



**APPLICATIONS**



**RELATED PRODUCTS**



[Part Number 1603392](#)

**12-48V LED Work Light  
with Flood Beam Pattern  
& Mounting Bracket -  
Bulk Qty (18 MIN)**



[Part Number 1603432](#)

**12-48V LED Work Light  
with Vertical Flood Beam  
Pattern & Mounting  
Bracket - Bulk Qty (18  
MIN)**



[Part Number 1603442](#)

**12-48V LED Work Light  
with Vertical Flood Beam  
Pattern & No Mounting  
Bracket - Bulk Qty (18  
MIN)**



[Part Number 1603451](#)

**12-48V LED Work Light  
with Vertical Flood Beam  
Pattern & Mounting  
Bracket**



[Part Number 1603462](#)

**12-48V LED Work Light  
with Flood Beam Pattern  
& No Mounting Bracket -  
Bulk Qty (18 MIN)**



[Part Number 1603472](#)

**12-48V LED Work Light  
with Flood Beam Pattern  
& No Mounting Bracket  
or Wire Harness - Bulk  
(18 MIN)**