




PRODUCT INFORMATION

Description	12-48V LED Work Light with Vertical Flood Beam Pattern & Mounting Bracket
Height	54.10 (mm) / 2.13 (in)
Width	169.67 (mm) / 6.68 (in)
Depth	45.21 (mm) / 1.78 (in)
Shape	Rectangle
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Polycarbonate
Housing Color	Black
Mounting Hardware Description	(x1) 3/8"-16 x 1.5" Mounting Bolt
Mounting Type	Universal Mount
Minimum Operating Temperature	-40 (°C) / -40 (°F)
Maximum Operating Temperature	65 (°C) / 149 (°F)
Connector or Wiring	Integral DT04-2P
Mating Connector	Deutsch DT06-2S
Product Weight	1.00 (lbs) / 0.45 (kgs)
Shipping Weight	1.00 (lbs) / 0.45 (kgs)
Spec Sheet Printed	2016-07-07

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12-48 V DC
Operating Voltage	9-60 V DC
Transient Spike Protection	330V Peak @ 1 HZ-100 Pulses
Red Wire	Positive
Black Wire	Negative
Current Draw	1.00A @ 12V DC (Flood) 0.50A @ 24V DC (Flood) 0.30A @ 36V DC (Flood) 0.25A @ 48V DC (Flood)

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
IEC IP67


Eco Friendly
UL Listed

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	675
Effective Lumen Output	485
Candela Output	1,409
Nominal LED Color Temperature	5000 (K)
Beam Pattern(s)	Forward Lighting - Flood (Vertical)



APPLICATIONS



RELATED PRODUCTS



[Part Number 1603391](#)

**12-48V LED Work Light
with Flood Beam Pattern
& Mounting Bracket**



[Part Number 1603392](#)

**12-48V LED Work Light
with Flood Beam Pattern
& Mounting Bracket -
Bulk Qty (18 MIN)**



[Part Number 1603432](#)

**12-48V LED Work Light
with Vertical Flood Beam
Pattern & Mounting
Bracket - Bulk Qty (18
MIN)**



[Part Number 1603442](#)

**12-48V LED Work Light
with Vertical Flood Beam
Pattern & No Mounting
Bracket - Bulk Qty (18
MIN)**



[Part Number 1603462](#)

**12-48V LED Work Light
with Flood Beam Pattern
& No Mounting Bracket -
Bulk Qty (18 MIN)**



[Part Number 1603472](#)

**12-48V LED Work Light
with Flood Beam Pattern
& No Mounting Bracket
or Wire Harness - Bulk
(18 MIN)**