# LED Work Light - Model 791

### **PRODUCT INFORMATION**

Description12-24V LED Driving LightHeight48.00 mm / 1.89 inWidth150.00 mm / 5.91 inDepth62.90 mm / 2.48 inShapeRectangular

Outer Lens MaterialPolycarbonateOuter Lens ColorClearHousing MaterialAluminumHousing ColorBlackBezel ColorChromeMounting Hardware Description(x1) BracketMounting TypeBracket

**Minimum Operating**  $-40 \, ^{\circ}\text{C} \, / \, -40 \, ^{\circ}\text{F}$ 

**Temperature** 

**Maximum Operating** 65 °C / 149 °F

**Temperature** 


Connector or WiringDeutsch DT04-2PMating ConnectorDeutsch DT06-2SProduct Weight0.87 lbs / 0.39 kgsShipping Weight0.90 lbs / 0.41 kgs





# LED Work Light - Model 791

### **PRODUCT DIMENSIONS**



### **ELECTRICAL SPECIFICATIONS**

Input Voltage12-24V DCOperating Voltage9-32V DC

**Transient Spike Protection** 150V Peak @ 1 HZ-100 Pulses

**Current Draw** 1.27A @ 12V DC 0.78A @ 24V DC

### **REGULATORY STANDARDS COMPLIANCE**



Buy America Standards IEC IP67 Eco Friendly



# LED Work Light - Model 791

#### PHOTOMETRIC SPECIFICATIONS

**Raw Lumen Output** 1,820 **Effective Lumen** 1,150


**Output** 

Nominal LED Color

**Temperature** 

**Beam Pattern(s)** Forward Lighting - Driving

5000 K



### **APPLICATIONS**















#### **RELATED PRODUCTS**







Part Number 1603601 12V DOT/ECE LED Fog Light



Part Number 1603603 12V DOT/ECE LED Fog Light - 2 Light Kit

