

Part Number 8000111



PRODUCT INFORMATION

Description	
Height	

Outer Lens Material Outer Lens Color

Minimum Operating

Maximum Operating

Connector or Wiring

Mating Connector

Product Weight

Shipping Weight

Spec Sheet Printed

Housing Material

Housing Color

Temperature

Temperature

Retrofits

Width

Depth


Shape


12V LED Work Light with Polycarbonate Lens & Flood Beam Pattern 113.03 (mm) / 4.45 (in) 113.03 (mm) / 4.45 (in) 43.18 (mm) / 1.7 (in) Round Polycarbonate Clear **Die-Cast Aluminum** Black PAR36 Worklights -40 (°C) / -40 (°F)

65 (°C) / 149 (°F)

Blade Terminals (Ring Terminal Adaptors Provided) 0.25" Blade, #6 Ring Terminal, #8 Ring Terminal 0.69 (lbs) / 0.31 (kgs) 0.90 (lbs) / 0.41 (kgs) 2016-07-07

PRODUCT DIMENSIONS







Part Number 8000111

ELECTRICAL SPECIFICATIONS

Input Voltage	12 V DC
Operating Voltage	10-15 V DC
Transient Spike Protection	150V Peak @ 1 HZ-100 Pulses
Red Wire	Positive
Black Wire	Negative
Current Draw	2.00 MaxA @ 12V DC

REGULATORY STANDARDS COMPLIANCE

25m

50m


75m



Buy America Standards ETL Conformance to UL 583 IEC IP66

Eco Friendly

PHOTOMETRIC SPECIFICATIONS



APPLICATIONS









Part Number 8000111

LED Work Light - Model 6040

RELATED PRODUCTS



Part Number 3157291

12V LED Work Light with Glass Lens & Flood Beam Pattern



Part Number 3157301

12V LED Work Light with Glass Lens & Trapezoid Beam Pattern



Part Number 3157471

12-48V LED Work Light with Polycarbonate Lens & Flood Beam Pattern



Part Number 3157481

12-48V LED Work Light with Polycarbonate Lens & Trapezoid Beam Pattern



Part Number 3157491

12-48V LED Work Light with Polycarbonate Lens & Spot Beam Pattern



Part Number 3157581

12-48V LED Work Light with Glass Lens & Spot Beam Pattern



Part Number 3157591

12-48V LED Work Light with Glass Lens & Trapezoid Beam Pattern



Part Number 3157601

12-48V LED Work Light with Glass Lens & Flood Beam Pattern